What to collect on "SIGTERM" incidents

What to collect on "SIGTERM" incidents

Jul 31, 2025 Knowledge

URL Name
18185

Owner
Tony Andres

Article ID
FQ-000018185

Last Modified By
Leo Tsoi, 7/31/2025, 10:14 AM

Engineering Request Number

Article Created Date
7/31/2025, 7:43 AM

Case

RecordType Name
FAQ

Product Line
SL1

Visible In Public Knowledge Base

Category
Platform

Visible to Customer

Publication Status
Published

Visible In Internal App

Validation Status
Published

Title
What to collect on "SIGTERM" incidents

Summary
What to collect on "SIGTERM" incidents

Article Details

What to collect for SIGTERM incidents?

What to collect in terms of SIGTERMs depends on the specific process that is SIGTERMing. As such, we have dedicated KB articles for addressing SIGTERMs for the following KB articles:

Data Collection: Dynamic App: https://support.sciencelogic.com/s/article/1360

Data Collection: Interface Bandwidth: https://support.sciencelogic.com/s/article/1369

If the SIGTERMs persist after following these KB articles, or you are seeing SIGTERMs for a different process, then please collect the following data.

Locate the specific process that is generating SIGTERMs in the System > Settings > Admin Processes (System > Settings > Processes in Classic UI) page and click on the wrench icon For this example, we are going to use the Data Collection: SNMP Detail process.



The data shown above is as follows:

- **Process Name:** Name of the process.
- **Program File:** Name of the executable file associated with the process.
- **Operating State:** Current operational state of the process. Possible values are:
  - *Enabled:* Process can run.
  - *Disabled:* Process cannot run.
- **Debug Mode:** Specifies whether debug logging is enabled for the process.
- **Frequency:** Frequency with which EM7 launches the process. Possible values are:
  - *Asynchronous:* The process is launched in response to a system event or user request.
  - *Always:* The process always runs while EM7 is running.
  - The process runs at intervals ranging from *1 Minute* to *Daily*.
- **Runtime Offset (Mins.):** This field only appears for scheduled processes and allows EM7 to stagger launch of processes. The value in this field specifies the number of minutes after the default scheduled time for a process that the process will execute. For example, if a process has a Frequency of 5 Minutes and the Runtime Offset is set to "2", the process will execute at 2 minutes past the hour, 7 minutes past the hour, 12 minutes past the hour, 17 minutes past the hour, etc. Choices range from 0 - 1439.
- **Batch Factor (Jobs):** This setting applies only to scheduled processes and determines how many multithreaded child processes are spawned on each execution of the process; *number of tasks a process is responsible for completing / Batch Factor = number of child processes that will be spawned*
  - The number of tasks is typically determined by the number of devices the process is collecting data from.
  - The maximum number of child processes is limited by the number of CPUs installed in the EM7 appliance that runs the process.
- **Time Factor (Mins.):** Determines how long the process can run before being stopped by the process manager. This setting only applies to asynchronous processes and scheduled processes. For asynchronous processes, this is the length of time an instance of the process can run. For scheduled processes, the value of Time Factor is used to calculate the Run Length: *(Frequency * Time Factor) + Frequency = Run Length*
  For example, suppose a process runs every 15 minutes (as specified in the Frequency field). A Time Factor of 2 means the process is allowed to run for 45 minutes. A Time Factor 0 means process is allowed to run for 15 minutes.
- **Appliance Type:** Indicates the appliances where this process runs.

In this example, if the Data Collection: SNMP Detail process is SIGTERMing, then that means the process is exceeding its run length of 5 minutes.

Please provide the following:

1. What is the frequency of the SIGTERMs on the specific appliance? Using this example, you can say the Data Collection: SNMP Detail process if SIGTERMing once every 5 minutes or so on collector X.
2. Which appliances are generating the SIGTERMs? Using this example, you can say the Data Collection: SNMP Detail process is SIGTERMing on all of the collectors in CUG X.
3. Debug logs collected as per the instructions in the KB article How to collect debug logs for internal process.
   a. Normally, we would want 2 to 3 good runs of the process as per the frequency found above in step 1 so that we have a good amount of data. In this example, allow the debug t run for 10 to 15 minutes.
4. Screenshot of the process window from the System > Settings > Admin Processes (System > Settings > Processes in the Classic UI) page.
5. Screenshot of the System > Settings > Appliances page, showing all of the appliances.
6. Screenshot of the System > Monitor > System Logs page searching for the string *SIGTERM* and provide the output.
7. Screenshot of the System > Monitor > System Logs page searching for the string *task list at termination* and provide the output.

Upload the debug logs and additional information detailed above to the Support case for further investigation.