

# STOCKYARD

Self-hosted LLM proxy, tracing, and security in one binary.

[stockyard.dev](https://stockyard.dev)

# The Problem

You shipped an app with LLM calls. Now you need:

- Cost control, caching, and rate limiting
- Safety filters, PII redaction, and prompt injection detection
- Provider routing and failover across OpenAI, Anthropic, Groq, and more
- Observability: traces, cost attribution, anomaly detection
- Prompt versioning, A/B testing, evaluation workflows
- Audit trails, compliance evidence, tamper-evident logging

**That's 5+ separate tools, each with its own deployment, configuration, billing, and failure modes.**

# The Solution

Stockyard replaces all of them. One binary. Five-minute install. Zero external dependencies.

| Capability          | Replaces               | Stockyard                                |
|---------------------|------------------------|------------------------------------------|
| LLM Proxy           | LiteLLM, AI Gateway    | Chute — 76 modules, 16 providers         |
| Observability       | Langfuse, Helicone     | Lookout — cost attribution, traces       |
| Audit Trail         | Custom audit systems   | Brand — SHA-256 hash-chained ledger      |
| Prompt Lab          | PromptLayer, Humanloop | Tack Room — templates, A/B tests         |
| Security            | Manual pen testing     | Feral — 29 adversarial probes            |
| Cost Routing        | Manual model selection | Drover — automatic quality-aware routing |
| Replay              | Nothing available      | Lasso — re-run traces across models      |
| Prompt Optimization | Nothing available      | Breed — genetic prompt evolution         |

# Architecture

Single Go binary. SQLite storage. No containers, no Kubernetes, no Redis, no Postgres.

| Component      | Detail                                                                                        |
|----------------|-----------------------------------------------------------------------------------------------|
| Language       | Go 1.22, CGO_ENABLED=0, static binary                                                         |
| Storage        | SQLite with WAL mode ( <a href="https://modernc.org/sqlite">modernc.org/sqlite</a> , pure Go) |
| Binary Size    | ~25MB                                                                                         |
| Proxy Overhead | ~400ns per request (benchmarked)                                                              |
| Encryption     | AES-256-GCM for provider keys at rest                                                         |
| Failover       | Model-aware circuit breakers (Claude→Anthropic first)                                         |
| API            | 360+ JSON endpoints                                                                           |
| License        | BSL 1.1 (source-available, free to use)                                                       |

# Pricing

Free tier is production-ready. Paid tiers add capabilities, not capacity.

|           | Community | Individual | Pro      | Team       | Enterprise |
|-----------|-----------|------------|----------|------------|------------|
| Monthly   | Free      | \$29.99    | \$99.99  | \$299.99   | \$499.99   |
| Annual    | Free      | \$299.90   | \$999.90 | \$2,999.90 | \$4,999.90 |
| Modules   | All 76    | All 76     | All 76   | All 76     | All 76     |
| Providers | All 16    | All 16     | All 16   | All 16     | All 16     |
| Products  | 0         | +5         | +7       | +11        | All 29     |
| Seats     | 1         | 1          | 1        | 5          | Unlimited  |
| Support   | Community | Email      | Priority | Slack      | Dedicated  |

[stockyard.dev](https://stockyard.dev) | [github.com/stockyard-dev/Stockyard](https://github.com/stockyard-dev/Stockyard)