

Life Rays & Fragment Chains – A Theory of Encounter

Peter Ngo

December 28, 2025

*For someone who once crossed my path,
whose presence left a trace deep enough to become a theory.
I am glad to see you become who you dreamed of being.*

Contents

1	Introduction	3
2	The Theory	4
2.1	Life ray	4
2.2	Own Space and Shared Space	4
2.3	Shared space & points of intersection	5
2.4	Fragment formation	5
2.5	Double helix & emotional proximity	6
2.6	Relation to Existing Theoretical Frameworks	6
3	Limits of Interpretation and Ethical Scope	7
3.1	Overview	7
3.2	Clarification of Scope	7
3.3	Rationale	8
3.4	Relation to Formalization	8
4	Interpretation and Significance	8
4.1	Phenomenological level – encounter as lived appearance	9
4.2	Psychological level – fragment density and depth of memory	9
4.3	Systemic-social level – encounter as interface	9
4.4	Technological perspective – abstract transferability	10

4.5	Humor as Resonant Asymmetry	10
4.6	Humor and Memory Density	11
4.7	Contribution (Summary of Theoretical Advances)	11
	Index	14

Abstract

This essay presents the theoretical foundation of a four-part research project developing a symbolic and structural theory of human encounter, based on the concept of *life rays*. Each person is understood as an individual trajectory in space and time, whose development is shaped by points of contact with others. These intersections generate *fragments* – units of memory or imprint – which remain encoded along one’s biographical timeline.

The theory seeks to explain how emotional depth, social proximity, or systemic connectedness between individuals emerges – or fails to emerge. It links phenomenological thinking (Merleau-Ponty), narrative identity (Ricoeur), systems theory (Luhmann), and informatic structure (network theory) into an interdisciplinary conceptual model.¹

As the first part of the project, this paper focuses on the conceptual and philosophical architecture of the model. Subsequent parts will address its formal, empirical, and computational realizations - ranging from mathematical characterization and data modeling to applied simulations and AI design.

The aim is not to reduce interpersonal complexity, but to render it graspable in a structured and transferable way. The model is intended to be applicable in psychological, social, and technological contexts - and it is presented as an open invitation for further development by other readers, thinkers, system designers, and builders.

Keywords: life rays, shared space, own space, fragment chain, resonant asymmetry, humor theory, cognitive incongruity, intersubjectivity, relational dynamics, encounter, memory density

Preprint — Foundational theoretical framework (Part I of a four-part research project).

1 Introduction

The image of the *life ray* did not begin as an academic construct. It began in a letter.

Years ago, I wrote a personal letter to someone whose presence had unexpectedly marked my own life. In that letter I tried, almost helplessly, to describe what it means for one person to cross the path of another. I did not have formal language for it at the time. I reached instead for metaphors: parallel timelines, points of contact, a shared space where

¹For contextual orientation only: parallels can be drawn to Maurice Merleau-Ponty’s phenomenology of perception, Paul Ricoeur’s concept of narrative identity, and Niklas Luhmann’s systems theory, as well as to approaches in network theory and distributed systems in computer science. The present model, however, was developed independently and not derived from any of these frameworks.

two lives temporarily coil around each other like strands of a helix. I spoke of “fragments” – memory particles left behind in us by others.

Only later did I understand that this attempt to describe a single human encounter was already the seed of a theory.

The present text is an attempt to formalize that intuition. I propose a conceptual framework that I call *life rays*. The model begins with the idea that every person occupies their own temporal-spatial trajectory – their own ray of life – and that encounters between people generate structural imprints on these rays. These imprints persist, and they shape identity.

This essay is therefore both personal and structural. It is not only about feeling but about form. The work should be read as a work in progress: it is intentionally open to refinement, contradiction, and extension – both in philosophical dialogue and in applied domains such as psychology, social dynamics, and computational systems.

2 The Theory

2.1 Life ray

Every human being can be imagined as moving along a line – a **life ray** – which begins at birth and ends at death. This ray represents the personal development, experience, and temporal unfolding of an individual within their *own space*.

The life ray is not simply a timeline in the chronological sense. It is the lived continuity of a person: their position in the world, their becoming, their self-story as it extends through time.

2.2 Own Space and Shared Space

The concept of the **own space** (*Eigenraum*) is central to the model. It denotes the interior dimension of existence — the personal, biographical, and perceptual world within which each life ray unfolds. In the own space, experiences are not merely recorded but lived; they accumulate as fragments of meaning, memory, and identity. The own space is invisible to others, yet it forms the hidden topology of the self. Each person’s life ray moves within this internal continuum, unique and inaccessible from the outside.

The **shared space** (*gemeinsamer Raum*), by contrast, emerges only when two or more own spaces come into relation. It is not a neutral arena but a temporary projection — an *image* of the individual life rays, translated into a common field of visibility. Within this field, interactions become perceivable: gestures, words, movements, eye contact. What meets in the shared space are not the totalities of two beings, but the projected outlines

of their inner trajectories. In this sense, the shared space is an externalized intersection of otherwise private worlds.

Crucially, the shared space functions as a bidirectional translator between interior and exterior. From the own space outward, an individual projects expressions, intentions, and actions; from the shared space inward, each participant receives impressions, emotions, and reflections. What occurs outside is internalized as a fragment, transformed by interpretation and stored along the **life ray**. Meaning thus arises not within either world alone, but through the oscillation between them.

The two spaces never perfectly coincide. Every projection loses something of the original, every perception misaligns what was intended. Yet it is precisely within this misalignment — this space of incompleteness — that human meaning, emotion, and memory are born. The **shared space** is therefore both connection and difference: a transient image of mutual presence that echoes back into the solitude of the **own space**.

2.3 Shared space & points of intersection

When two people meet, their **life rays** momentarily overlap in what I call a **shared space**. Within that shared space, **points of intersection** are created: concrete moments of encounter in which perception, attention, and presence mutually lock.

These intersection points are not just situations in the ordinary sense (“we talked in a hallway”). They are structural events. They alter how each person is encoded in the other.

2.4 Fragment formation

An intersection in the **shared space** is then carried back into the individual’s **own space** as a **fragment**: a unit of memory, impression, or imprint. A **fragment** is a condensed biographical marker. It may be faint, or it may be deeply formative.

In other words: encounters become **fragments**, and fragments become part of the chain of self.

Over time, a person accumulates many such **fragments**. Arranged along the **life ray**, they form what can be called a **fragment chain** – a chain of remembered contacts, shaping identity not only by what happened, but by *who* touched the ray and left something behind.

2.5 Double helix & emotional proximity

When two people meet not just once, but repeatedly, or with unusual intensity, multiple **intersection points** are formed. In such cases, the two **life rays** begin to *twist* around

each other. Symbolically, they approach the form of a **double helix**: two trajectories, entwined, mutually shaping.

In rare cases, this twisting can become so tight that what emerges is not merely two rays in proximity, but a **temporary shared strand** – a lived “we”-structure. This is often how we experience deep friendship, romantic closeness, family bonds, or formative companionship.

The metaphor of “**life rays**” and their twisting into a double helix is not arbitrary. It echoes classical depictions of social systems, in which intertwined structures represent the interdependence of individual and relational dynamics (see Figure 1).

Nach König/Volmar (2005) sowie Häfele (2007) zeichnen sich soziale Systeme durch eine Reihe von Merkmalen aus, die in Abbildung 16 zusammengetragen sind.




Abbildung 16: Merkmale sozialer Systeme⁸⁵

Figure 1: Characteristics of social systems represented as a double helix, adapted from [Bartscher and Stöckl, 2011], following König, Volmer, Häfele.

2.6 Relation to Existing Theoretical Frameworks

While the Life Ray Theory resonates with several established traditions, it is not intended as a reformulation of any single existing framework.

Phenomenological approaches, such as those of Merleau-Ponty, inform the emphasis on *lived appearance* and *perceptual presence*, but the present model does not remain at the level of description. Instead, it introduces explicit structural elements – **life rays**, **fragments**, and

fragment chains – that allow phenomenological insights to be translated into relational configurations.

Narrative theories of identity, notably Ricoeur’s work, parallel the idea that identity emerges through *temporally ordered meaning*. However, the **fragment chain** model replaces narrative continuity with a discrete, *event-based* structure, emphasizing accumulation and resonance rather than coherent storytelling.

Systems-theoretical perspectives, including Luhmann’s, inspire the treatment of encounters as *coupling events*. Yet the **life ray** Theory retains subjectivity as the *primary locus of meaning formation*, rather than dissolving it into purely systemic operations.

Accordingly, the present framework should be understood as a structural–phenomenological *synthesis*: it offers a new topological language for encounter and memory formation that is compatible with, but not reducible to, existing theories.

3 Limits of Interpretation and Ethical Scope

3.1 Overview

Because the present framework is designed to admit increasing levels of formal precision and abstraction, it is necessary to state its interpretative and ethical limits explicitly. While formalization enhances conceptual clarity, it can also invite misreadings that conflict with the relational and non-normative intent of the theory.

This section therefore establishes theoretical and ethical boundaries that are integral to the framework itself.

3.2 Clarification of Scope

The life-ray framework is not intended to function as a *descriptive*, *diagnostic*, or *person-centered* evaluative instrument. In particular, it must not be interpreted or employed as:

- a diagnostic framework for psychological *classification*,
- a *prognostic* model for individual development or performance,
- a taxonomy for *categorizing* human subjects,
- a tool for *institutional selection*, exclusion, or optimization.

Evaluation within the framework applies to relational configurations, system states, and structural dynamics of encounter and memory formation, not to *persons* as objects of judgment, classification, or assessment.

3.3 Rationale

The *Life Ray Theory* is fundamentally non-deterministic and non-normative. Its purpose is to provide a relational and topological language for understanding how meaning, memory, and identity emerge through encounter over time.

Historically, the absence of ethical boundary-setting in early foundational theories has often enabled unintended and irreversible misuse. This work therefore integrates ethical scope as an explicit and constitutive element of its theoretical architecture.

Any attempt to translate the framework into classificatory or predictive instruments applied to *persons* would contradict its core assumptions and reproduce precisely the reductionist practices the theory seeks to overcome.

3.4 Relation to Formalization

The mathematical and computational structures introduced in subsequent parts of the project serve to support comparative, state-based, and relational evaluation within the model. Such evaluation is required for formal modeling, simulation, and computational implementation.

However, these formal structures do not introduce objectivity in the sense of ranking, norming, or evaluating individuals. Accordingly, the formal layer should be read as a structural lens for analyzing relational dynamics, not as an operational metric applied to *persons*.

4 Interpretation and Significance

The theory of **life rays** is meant as a symbolically consistent explanatory system. Its aim is to approach human encounter not only as something subjectively felt, but as something structurally describable.

At its core lies a claim: every significant relationship leaves a *trace* on the biographical trajectory of a person. That trace is encoded as a **fragment**, formed through **interaction**, and modulated by **emotional intensity**. The theory claims translatability: it should apply, with care, across psychological, social, and even technological domains.

4.1 Phenomenological level – encounter as lived appearance

At the phenomenological level, the theory of **life rays** addresses encounter as a lived event prior to psychological interpretation, social classification, or formal abstraction.

An encounter is first given as appearance: a moment in which another subject enters one's *perceptual field* and becomes present as meaningful. This presence is not yet structured as memory, system, or data, but is experienced as immediacy, attention, and *affective resonance*.

From this perspective, the concepts of **own space** and **shared space** describe not objective domains but modes of experience: the **own space** as the continuity of lived subjectivity, and the **shared space** as the field in which mutual presence becomes perceivable.

The **life ray** model thus originates in phenomenological description. All subsequent interpretations – psychological, systemic, and technological – are *secondary readings* that translate this primary level of appearance into different explanatory vocabularies.

4.2 Psychological level – fragment density and depth of memory

Why do certain encounters remain with us for years, while others fade almost immediately?

From the perspective of **life rays**, a **point of intersection** between two rays marks a moment of synchronized perception: two subjects register each other in an emotionally, cognitively, or physically resonant way. That resonance produces a **fragment** – a compressed memory-kernel that is incorporated into one's narrative self.

The stronger the **affective density** or **existential charge** of that moment, the more deeply the fragment embeds. Some **fragments** become quiet background texture. Others become defining events.

4.3 Systemic-social level – encounter as interface

On the social level, intersections can be read as interfaces between systems. A “life ray” can be interpreted as the structured pattern of one actor's behavior and presence. Encounters then act as **coupling events** between systems.

From this angle, a group, an institution, or a relationship network can be modeled as a field of overlapping rays and recurring intersections. The resulting **fragment chain** functions like an individual **audit log** of social experience: a traceable path of mutual influence and adaptation, across both personal and collective development.

In this sense, human relationships can be analyzed not only in emotional vocabulary (care, conflict, trust), but also structurally (coupling, synchronization, break, drift).

4.4 Technological perspective – abstract transferability

The model also admits a technological reading.

In computational terms (computer science, network theory, multi-agent systems), a **life ray** can be treated as a directed process or data stream belonging to an autonomous unit. An intersection point corresponds to an interface event: a protocol handshake, an API call, a transaction boundary.

From that view:

- A **point of intersection** is a formally defined interaction event.
- A **fragment** is a persisted record of that event.
- A **fragment chain** is the ordered history of those records.

Under this interpretation, two services or agents that repeatedly interact begin to resemble a **coupled helix**: their internal states become mutually anticipatory. Trust, here, becomes not only emotion but predictability. Stability becomes entanglement.

This makes the theory transdisciplinary: it can describe human attachment, group dynamics, and also certain properties of distributed computational systems.

4.5 Humor as Resonant Asymmetry

A further application of the life-ray model may be found in the study of humor. Humor arises at the boundary between **shared** and **own space**, where an unexpected shift or mismatch in perspective occurs. It represents a momentary breakdown in symmetry between two interpretive systems – followed by a spontaneous **re-synchronization** through laughter or recognition.

This dual movement – disruption followed by **re-alignment** – echoes Immanuel Kant’s classic account of laughter as “ein Affekt aus der plötzlichen Verwandlung einer gespannten Erwartung in nichts.” (Kant, 1913/1790, AA 5:332) [Kant, 1913]. In the Cambridge translation, this appears as “laughter is an affect resulting from the sudden transformation of a heightened expectation into nothing” (Kant, 2000, p. 333) [Kant, 2000]. Kant emphasizes the collapse of an anticipated meaning, the moment in which an interpretive tension simply falls away. At the same time, contemporary humor theory, as discussed for example in Nilsen’s materials, highlights the opposite pole: the punch line as a moment of **insight**, where an unexpected shift does not dissolve meaning but reconfigures it. The present description within the life-ray model brings these two strands together: humor becomes a **resonant asymmetry**, a sudden mismatch that resembles Kant’s breakdown of expectation while also prompting the rapid cognitive reorientation highlighted in modern punchline theory. In this synthesis, the humorous moment is understood as both dissolution and clarification – a brief loss of symmetry that immediately becomes a shared pulse of understanding.

From the viewpoint of life rays, this **resonant asymmetry** appears as a playful misalignment between projection and perception. Rather than producing fragmentation or misunderstanding, the incongruity becomes a shared moment of comprehension – a **micro-encounter** in which difference becomes connection.

Taken together, this conceptualization situates the humorous moment not only within the internal dynamics of the **life-ray** model, but also within broader theoretical perspectives on humor. This interpretation aligns with approaches in humor studies that emphasize relational dynamics, cognitive incongruity, and affective synchrony. In this sense, humor embodies a subtle form of encounter: an oscillation between tension and release, between misunderstanding and unity. ²

4.6 Humor and Memory Density

Within the **life-ray** framework, humorous encounters possess a heightened capacity for imprint. Laughter marks a moment of shared resonance in the shared space; it binds attention, emotion, and cognition into a single pulse of synchrony. Such moments generate **fragments** of unusual vividness. They are remembered not merely for their content, but for the affective relief they produce. In this way, humor amplifies the **density of experience** – it transforms fleeting intersections into durable nodes of biographical memory.

4.7 Contribution (Summary of Theoretical Advances)

- **Unified Topology of Experience:** The model establishes a single structural framework that links phenomenological experience (perception), cognitive memory formation (fragmentation), and social interaction (systemic coupling) through the metaphor of life rays.
- **Dual-Space Architecture:** By distinguishing between *own space* (internal, biographical topology) and *shared space* (external, relational field), the model explains how subjective and intersubjective realities interact through projection and retranslation.
- **Transductive Mechanism:** Intersections in the shared space are **transduced** into fragments within the own space, forming **fragment chains**. This process operationalizes how experience becomes memory and how meaning is constructed through resonance.
- **Resonant Proximity Metric:** The **degree of entanglement** — determined by

²Sections 4.4 and 4.5 draw upon presentation materials by Don L. F. Nilsen and Alleen Pace Nilsen [Nilsen and Nilsen, 2023, Nilsen and Nilsen, 2024, Nilsen and Nilsen, 2025], as well as additional slide material shared privately by Don L. F. Nilsen with the author. Section 4.4 interprets Nilsen's conceptual approach to humor within the life-ray model, while 4.5 extends it toward a theory of memory density.

frequency, intensity, duration, and reciprocity — provides a qualitative proxy for emotional or relational closeness.

- **Systemic Isomorphy:** The model can be mapped onto event-based and agent-based architectures (e.g., event logs, APIs, multi-agent systems), enabling transdisciplinary applications across human and computational networks.
- **Humor as Cognitive Resonance:** Integrating humor as a form of *resonant asymmetry* adds a novel cognitive-affective dimension: humor increases memory density, strengthens shared space cohesion, and exemplifies how tension in communication can transform into connection.

Conclusion. The theory of life rays is offered as a symbolic and structural way to describe human development through encounter. Its epistemic value lies in its attempt to unfold a multi-perspectival model of subjectivity, relation, and memory. It aims to be both intuitively readable and analytically useful. It remains intentionally open: it invites empirical work, artistic expansion, and computational modeling.

Author's Note and Disclosure

This essay represents an independent conceptual work. All theoretical ideas, models, and formulations were developed by the author. Language editing and structural refinement were supported through the use of an AI-based writing assistant (ChatGPT by OpenAI), employed for translation, phrasing, and formatting purposes only.

References

- [Bartscher and Stöckl, 2011] Bartscher, T. and Stöckl, J. (2011). *Veränderungen erfolgreich managen - Ein Handbuch für Change Manager und Interne Berater*.
- [Kant, 1913] Kant, I. (1913). *Kants gesammelte Schriften, Band 5*. Walter de Gruyter, Berlin. Originally published by the Royal Prussian Academy of Sciences. Retrieved from Gallica (Bibliothèque nationale de France).
- [Kant, 2000] Kant, I. (2000). *Critique of the Power of Judgment*. Cambridge University Press, Cambridge.
- [Nilsen and Nilsen, 2023] Nilsen, D. L. F. and Nilsen, A. P. (2023). 19. philosophy. PowerPoint presentation, Arizona State University Emeritus College, available via ResearchGate. Accessed October 2025.
- [Nilsen and Nilsen, 2024] Nilsen, D. L. F. and Nilsen, A. P. (2024). Humor theories. PowerPoint presentation, Arizona State University Emeritus College, available via ResearchGate. Accessed October 2025.
- [Nilsen and Nilsen, 2025] Nilsen, D. L. F. and Nilsen, A. P. (2025). Humor in computers and science. PowerPoint presentation, Arizona State University Emeritus College, available via ResearchGate. Accessed October 2025.

Index

C

Core Concepts

- double helix, [6](#)
- Eigenraum, *see* own space
- emotional proximity, [5](#)
- encounter, *see* intersection points
- fragment, [5](#)
- fragment chain, [5](#)
- gemeinsamer Raum, *see* shared space
- intersection points, [5](#)
- life ray, [4](#)
- own space, [4](#)
- resonant proximity, [11](#)
- shared space, [4](#)
- we-structure (shared strand), [6](#)

I

Interpretive Layers

- phenomenological level, [8](#)
- psychological level, [9](#)
- systemic-social level, [9](#)
- technological perspective, [9](#)

S

Structural Relations

- alignment, [10](#)
- coupling, [9](#)
- intersection, [5](#)
- resonance, [12](#)
- resonant asymmetry, [10](#)
- transduction, [11](#)