

The Greatest Gift

Dokumentacija izrađena za potrebe sajta iz predmeta Web programiranje PHP 1

Student: Marko Stojanović


Broj indeksa: 44/19

Beograd, Mart 2021.

Sadržaj

- Uvod
 - Korišćeni programski jezici
 - Opis funkcionalnosti
 - Template
- Organizacija
 - Organizaciona šema
 - Mapa sajta
 - Slike stranica i opisi funkcionalnosti
- Kodovi

- o Uvod
- Organizacija
 - Slike stranica i opisi funkcionalnosti
 - baza podataka



comedyNovels.php

Korpa je sakrivena za neautorizovane korisnike i na stranici comedyNovels.php i na stranici dramaNovels.php. Knjige koje nisu na stanju takođe nije moguće dodati u korpu.









Anne Fine



Father of the Bride **Edward Streeter**

The First Wives Club Olivia Goldsmith




Mr. Hobbs' Vacation **Edward Streeter**


Mr. Hobbs' Vacation




The Bishop's Wife Robert Nathan dramaNovels.php














The Sicilian
Mario Puzo




Wiseguy Nicholas Pileggi



Casino: Love and Honor in Las Vegas Nicholas Pileggi

> survey.php





What is your favourite subgenre?

○ Christmas


| Christmas | Vote! | | Results | • | |
|-----------|-------|---|---------|---|--|
| 46 % | | Para la | | | |
| Crime | | | | | |
| 21 % | | | | | |
| Family | | | | | |
| 7 % | | | | | |
| Prison | | | | | |
| 18 % | | | | | |
| Romance | | | | | |
| 7 % | | | | | |

> cart.php






Totally to pay: \$145.30



author.php



A few words about author...



Marko Stojanović

The author of the this website is a front-end developer Marko Stojanović. He was born on February 11 2001 in Serbian town of Požarevac. He finished ET School in his birthplace and in 2019 and earned title of economic technician. In the same year he was enlisted in ICT College in Serbian capital Belgrade. His capabilities include programming in programming languages C and C#, script language JavaScript (including jQuery library and knowledge of AJAX way of using JavaScript too), markup language HTML, style sheet language CSS and in domain-specific language of SQL. He also has knowledge of TCP/IP architecture. In the spare time, he enjoys reading books, watching movies and listening to music.



○ Kodovi

index.php

```
<?php
            session_start();
<!DOCTYPE html>
<html>
    <head>
        <meta charset="UTF-8"/>
        <meta name="viewport" content="width=device-width, initial-scale=1.0"/>
        <title>The Greatest Gift &#124; Home</title>
        <meta name="keywords" content="Greatest, Gift, screen, adaptation, bookst</pre>
ore"/>
        <meta name="description" content="The Greatest Gift is the largest New Yo</pre>
rk bookstore strictly intended for the sale of screened novels."/>
        <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-</pre>
awesome/4.7.0/css/font-awesome.min.css"/>
        <link href="https://fonts.googleapis.com/css2?family=Krub:wght@300;400&di</pre>
splay=swap" rel="stylesheet"/>
        <link rel="stylesheet" type="text/css" href="assets/css/style.css"/>
        <link rel="shortcut icon" href="assets/img/smallLogo.ico"/>
    </head>
    <body>
    <?php
            include "fixed/header.php";
            include "fixed/slider.php";
        <div class="width100 displayFlex flexDirectionColumn positionAbsolute ali</pre>
gnItemsCenter bottom50 tabletDisplayNone">
            <div class="wrapper textAlignCenter">
                <h1 class="redColor">The Greatest Gift</h2>
                <h2 class="redColor">The New York's first screened novels booksto
re</h3>
                <h3 class="redColor">Home</h3>
            </div>
        </div>
        <div class="width100 blockPaddingTop blockPaddingBottom redBackgroundColo"</pre>
            <div class="wrapper margin0Auto">
                <h4 class="whiteColor textAlignCenter tabletBlockPaddingTop block
PaddingBottom mobileBlockPaddingTop">A few words about us...</h4>
                <div class="displayFlex justifyContentSpaceBetween tabletAlignIte</pre>
msCenter tabletFlexDirectionColumn">
                    <div class="width45 tabletWidth95 tabletBlockPaddingBottom">
```

```
The Greatest Gift
is founded in 1972 and owe its name to 1943 novel written by Philip Van Doren Ste
rn. Our bookstore is located at 40 Fifth Avenue in Manhattan, the neighborhood of
New York mostly associated with the motion pictures. Discovering a new market im
mediately after the commercial success of The Godfather movie our bookstore exper
ienced great success too and in following years only strengthened the status of t
he largest New York bookstore strictly intended for the sale of screened novels.
However as we believe that our success is not strictly business but personal, we
find communication with the customers essential and so we ask you to contact us i
f you have any suggestions, complaints or compliments.
                   </div>
                   <div class="displayFlex flexDirectionColumn width45 tabletWid</pre>
th95">
                       <img class="borderRadius descriptiveImage" src="assets/im</pre>
g/interior.jpg" alt="Interior"/>
                       <h5 class="whiteColor textAlignCenter descriptionPadding"</pre>
>Interior of The Greatest Gift bookstore</h5>
                    </div>
                </div>
            </div>
       </div>
        <div class="width100 blockPaddingTop blockPaddingBottom">
            <div class="wrapper margin0Auto">
               <h4 class="redColor textAlignCenter blockPaddingBottom">Comedy no
vels</h4>
               <div class="displayFlex justifyContentSpaceBetween tabletAlignIte</pre>
msCenter tabletFlexDirectionColumn">
                   <div class="displayFlex flexDirectionColumn width45 tabletWid</pre>
th95 tabletBlockPaddingBottom">
                       <img class="borderRadius descriptiveImage" src="assets/im</pre>
g/bridgetJonesSDiaryMovie.jpg" alt="Bridget Jones's Diary"/>
                       <h5 class="redColor textAlignCenter descriptionPadding">R
enee Zellweger in the film Bridget Jones's Diary - a screen adaptation of the nov
el of the same name</h5>
                   </div>
                   <div class="width45 tabletWidth95">
                       It doesn't matter if
 you enjoy family or romance comedies more, because we have novels that will sati
sfy everyone's taste. The year of publication of our comedy novels varies from 19
28 to 1999 so they can be enjoyed both by those who prefer classic comedy films s
tarring Cary Grant and James Stewart more and by those who enjoy in recent comedy
 pictures that have received adaptations from biggies like Steve Martin and Robin
Williams. If you prefer exciting comedies that have elements of drama in additio
n to the dominant comedy motives, you shall love books like The First Wives Club.
```

```
On the other hand, for all of you who like to have a good laugh without heart sk
ipping, there are novels like Father of the Bride.
                    </div>
                </div>
            </div>
        </div>
        <div class="width100 blockPaddingTop blockPaddingBottom redBackgroundColo</pre>
n">
            <div class="wrapper margin0Auto">
                <h4 class="whiteColor textAlignCenter blockPaddingBottom">Drama n
ovels</h4>
                <div class="displayFlex justifyContentSpaceBetween tabletAlignIte</pre>
msCenter tabletFlexDirectionColumn">
                    <div class="width45 tabletWidth95 tabletBlockPaddingBottom">
                        As for drama novel
s, we are gonna make you an offer you cannot refuse! We have a wide range of dram
a books ranging from the darkness of The Godfather by Mario Puzo to the friendshi
p in Rita Hayworth and The Shawshank Redemption by Stephen King. Just a few from
a large number of the great actors and actresses who breathed life into these nov
els include Tom Hanks, Diane Keaton, Al Pacino, Laura Linney, Robert De Niro and
many others. We are proud of the large selection of drama novels by Stephen King,
one of the greatest contemporary writers. We are alse proud on a large number of
novels that received their version on the big screen under the direction of inge
nious Martin Scorsese, a Academy Award winning director.
                    </div>
                    <div class="displayFlex flexDirectionColumn width45 tabletWid">
tabletWid
tabletWid
tabletWid
th95">
                        <img class="borderRadius descriptiveImage" src="assets/im</pre>
g/itSAWonderfulLife.jpg" alt="It's a Wonderful Life"/>
                        <h5 class="whiteColor textAlignCenter descriptionPadding"</pre>
>Donna Reed in the movie It's a Wonderful Life - a screen adaptation of the novel
 The Greatest Gift</h5>
                    </div>
                </div>
            </div>
        </div>
        <div class="width100 blockPaddingTop blockPaddingBottom">
            <div class="wrapper margin0Auto">
                <h4 class="redColor textAlignCenter blockPaddingBottom">If is the
re anything we can do...</h4>
                <div class="displayFlex justifyContentSpaceBetween tabletAlignIte</pre>
msCenter tabletFlexDirectionColumn">
                    <div class="displayFlex flexDirectionColumn width45 tabletWid</pre>
th95">
                        <form>
```

```
<div class="displayFlex justifyContentSpaceBetween mo"</pre>
bileFlexDirectionColumn">
                                <div class="displayFlex flexDirectionColumn width</pre>
45 mobileWidth100">
                                    <h5 class="redColor textAlignCenter">First na
me</h5>
                                    <input type="text" id="firstName" class="redB</pre>
ackgroundColor borderRadius whiteColor tinyPadding"/>
                                    <span id="firstNameNote"></span>
                                </div>
                                <div class="displayFlex flexDirectionColumn width</pre>
45 mobileWidth100">
                                    <h5 class="redColor textAlignCenter">Last nam
e</h5>
                                    <input type="text" id="lastName" class="redBa</pre>
ckgroundColor borderRadius whiteColor tinyPadding"/>
                                    <span id="lastNameNote"></span>
                                </div>
                            </div>
                            <h5 class="redColor textAlignCenter">Email address/h
                            <input type="text" id="emailAddress" class="width100</pre>
boxSizingBorderBox redBackgroundColor borderRadius whiteColor tinyPadding"/>
                            <span id="emailAddressNote"></span>
                            <h5 class="redColor textAlignCenter">Purpose</h5>
                            <select id="purpose" class="width100 redBackgroundCol</pre>
or borderRadius whiteColor tinyPadding">
                            </select>
                            <span id="purposeNote"></span>
                            <h5 class="redColor textAlignCenter">Message</h5>
                            <textarea id="message" class="width100 boxSizingBorde
rBox redBackgroundColor borderRadius whiteColor tinyPadding"></textarea>
                            <span id="messageNote"></span>
                            <input type="button" id="send" value="Send!" class="w</pre>
idth100 redBackgroundColor borderRadius whiteColor tinyPadding tinyMarginTop"/>
                        </form>
                    </div>
                    <div class="width45 tabletWidth95 tabletBlockPaddingTop">
                        </div>
                </div>
            </div>
        </div>
        <?php
            include "fixed/footer.php";
```

o comedyNovels.php

```
<?php
            session_start();
<!DOCTYPE html>
<html>
   <head>
        <meta charset="UTF-8"/>
        <meta name="viewport" content="width=device-width, initial-scale=1.0"/>
        <title>The Greatest Gift &#124; Comedy novels</title>
        <meta name="keywords" content="Greatest, Gift, Family, Romance, screened"</pre>
        <meta name="description" content="No matter if you love family or romance</pre>
comedies more because The Greatest Gift has novels that'll satisfy everybody."/>
        <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-</pre>
awesome/4.7.0/css/font-awesome.min.css"/>
        <link href="https://fonts.googleapis.com/css2?family=Krub:wght@300;400&di</pre>
splay=swap" rel="stylesheet"/>
        <link rel="stylesheet" type="text/css" href="assets/css/style.css"/>
        <link rel="shortcut icon" href="assets/img/smallLogo.ico"/>
    </head>
    <body>
        <?php
            include "fixed/header.php";
            include "fixed/slider.php";
```

```
<div class="width100 displayFlex flexDirectionColumn positionAbsolute ali</pre>
gnItemsCenter bottom50 tabletDisplayNone">
           <div class="wrapper textAlignCenter">
              <h1 class="redColor">The Greatest Gift</h2>
              <h2 class="redColor">The New York's first screened novels booksto
re</h3>
              <h3 class="redColor">Comedy novels</h3>
           </div>
       </div>
       <div class="width100 blockPaddingTop blockPaddingBottom">
           <div class="wrapper margin@Auto displayFlex justifyContentSpaceBetwee</pre>
n tabletFlexDirectionColumn tabletAlignItemsCenter">
              <div class="width20 displayFlex flexDirectionColumn redColor tabl</pre>
etBlockPaddingTop mobileBlockPaddingTop">
                  <h4 id="subgenresLabel">Subgenres<span class="fa fa-chevron-</pre>
down tinyMarginLeft tinyMarginTop" aria-hidden="true"></span></h4>
                  //
ul>
                  <h4 id="authorsLabel">Authors <span class="fa fa-chevron-
down tinyMarginLeft tinyMarginTop" aria-hidden="true"></span></h4>
                  </ul</pre>
                  <h4 id="publishingHousesLabel">Publishing houses <span class=</pre>
"fa fa-chevron-down tinyMarginLeft tinyMarginTop" aria-hidden="true"></span></h4>
                  <h4 id="availabilityLabel">Availability<span class="fa fa-
chevron-down tinyMarginLeft tinyMarginTop" aria-hidden="true"></span></h4>
                  >
              </div>
              <div class="width75">
                  <div class="displayFlex flexDirectionColumn laptopAlignItemsC</pre>
enter">
                      <div class="displayFlex justifyContentSpaceBetween laptop</pre>
FlexDirectionColumn">
                         <select id="sort" class="redBackgroundColor borderRad</pre>
ius whiteColor tinyPadding tinyMarginTop"></select>
                         <span class="displayFlex tinyMarginTop">
                             <span class="fa fa-</pre>
search redColor tinyMarginRight marginOAuto" aria-hidden="true"></span>
                             <input type="search" class="redBackgroundColor bo</pre>
rderRadius whiteColor tinyPadding margin0Auto" id="searchTitles" placeholder="Sea
rch titles..."/>
                         </span>
```

```
</div>
                        <span class="displayFlex tinyMarginTop">
                            <h4 class="tinyMarginRight redColor">Price range from
 0 to <output id="topLine">70.64</output>:</h4>
                            <input type="range" min="0" step="0.01" max="70.64" v</pre>
alue="70.64" id="priceRange"/>
                        </span>
                    </div>
                    <div id="titles"></div>
                </div>
            </div>
        </div>
        <?php
            include "fixed/footer.php";
        <script src="https://ajax.googleapis.com/ajax/libs/jquery/3.2.1/jquery.mi</pre>
n.js"> </script>
        <script src="assets/js/main.js" type="text/javascript"></script>
        <?php
            if(isset($_SESSION['user'])||isset($_SESSION['admin'])):
        <a href="survey.php" class="boxClipPath redBackgroundColor whiteColor des
criptiveImageBoxShadow" id="survey">Survey</a>
        <script type="text/javascript">
            setTimeout(() => {
                var cartButtons = document.getElementsByClassName("addToCart");
                //console.log(cartButtons);
                for(var i=0;i<cartButtons.length;i++){</pre>
                    ///console.log(cartButtons[i]);
                cartButtons[i].removeAttribute("disabled");
                   //cartButtons[i].previousElementSibling.previousElementSibling
.childNodes[1].textContent=="In stock"?"In stock":"cartButtons[i].setAttribute('d
                   if(cartButtons[i].previousElementSibling.previousElementSiblin
g.childNodes[1].textContent=="Not in stock"){
                    cartButtons[i].setAttribute('disabled','true');
            }, 1000);
        </script>
        <?php
           endif;
```

dramaNovels.php

```
<?php
            session_start();
<!DOCTYPE html>
<html>
    <head>
        <meta charset="UTF-8"/>
        <meta name="viewport" content="width=device-width, initial-scale=1.0"/>
        <title>The Greatest Gift &#124; Drama novels</title>
        <meta name="keywords" content="Greatest, Gift, Christmas, Prison, Crime"/</pre>
        <meta name="description" content="As for drama novels, The Greatest Gift</pre>
is gonna make you an offer you cannot refuse!"/>
        <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-</pre>
awesome/4.7.0/css/font-awesome.min.css"/>
        <link href="https://fonts.googleapis.com/css2?family=Krub:wght@300;400&di</pre>
splay=swap" rel="stylesheet"/>
        <link rel="stylesheet" type="text/css" href="assets/css/style.css"/>
        <link rel="shortcut icon" href="assets/img/smallLogo.ico"/>
    </head>
    <body>
        <?php
            include "fixed/header.php";
            include "fixed/slider.php";
        <div class="width100 displayFlex flexDirectionColumn positionAbsolute ali</pre>
gnItemsCenter bottom50 tabletDisplayNone">
            <div class="wrapper textAlignCenter">
                <h1 class="redColor">The Greatest Gift</h2>
                <h2 class="redColor">The New York's first screened novels booksto
re</h3>
                <h3 class="redColor">Drama novels</h3>
            </div>
        </div>
        <div class="width100 blockPaddingTop blockPaddingBottom">
            <div class="wrapper margin@Auto displayFlex justifyContentSpaceBetwee</pre>
n tabletFlexDirectionColumn tabletAlignItemsCenter">
                <div class="width20 displayFlex flexDirectionColumn redColor tabl</pre>
etBlockPaddingTop mobileBlockPaddingTop">
```

```
<h4 id="subgenresLabel">Subgenres<span class="fa fa-chevron-
down tinyMarginLeft tinyMarginTop" aria-hidden="true"></span></h4>
                  <//>
u1>
                  <h4 id="authorsLabel">Authors <span class="fa fa-chevron-</pre>
down tinyMarginLeft tinyMarginTop" aria-hidden="true"></span></h4>
                  </ul</pre>
                  <h4 id="publishingHousesLabel">Publishing houses <span class=</pre>
'fa fa-chevron-down tinyMarginLeft tinyMarginTop" aria-hidden="true"></span></h4>
                  umn">
                  <h4 id="availabilityLabel">Availability<span class="fa fa-
chevron-down tinyMarginLeft tinyMarginTop" aria-hidden="true"></span></h4>
                  >
              </div>
              <div class="width75">
                  <div class="displayFlex flexDirectionColumn laptopAlignItemsC</pre>
enter">
                     <div class="displayFlex justifyContentSpaceBetween laptop</pre>
FlexDirectionColumn">
                         <select id="sort" class="redBackgroundColor borderRad</pre>
ius whiteColor tinyPadding tinyMarginTop"></select>
                         <span class="displayFlex tinyMarginTop">
                             <span class="fa fa-</pre>
search redColor tinyMarginRight marginOAuto" aria-hidden="true"></span>
                             <input type="search" class="redBackgroundColor bo</pre>
rderRadius whiteColor tinyPadding margin@Auto" id="searchTitles" placeholder="Sea
rch titles..."/>
                         </span>
                     </div>
                     <span class="displayFlex tinyMarginTop">
                         <h4 class="tinyMarginRight redColor">Price range from
 0 to <output id="topLine">14.56</output>:</h4>
                         <input type="range" min="0" step="0.01" max="14.56" v</pre>
alue="14.56" id="priceRange"/>
                     </span>
                  </div>
                  <div id="titles"></div>
              </div>
          </div>
       </div>
       <?php
          include "fixed/footer.php";
```

```
<script src="https://ajax.googleapis.com/ajax/libs/jquery/3.2.1/jquery.mi</pre>
n.js"> </script>
        <script src="assets/js/main.js" type="text/javascript"></script>
        <?php
            if(isset($_SESSION['user'])||isset($_SESSION['admin'])):
        <a href="survey.php" class="boxClipPath redBackgroundColor whiteColor des
criptiveImageBoxShadow" id="survey">Survey</a>
        <script type="text/javascript">
            setTimeout(() => {
                var cartButtons = document.getElementsByClassName("addToCart");
                //console.log(cartButtons);
                for(var i=0;i<cartButtons.length;i++){</pre>
                    ///console.log(cartButtons[i]);
                cartButtons[i].removeAttribute("disabled");
                   //cartButtons[i].previousElementSibling.previousElementSibling
.childNodes[1].textContent=="In stock"?"In stock":"cartButtons[i].setAttribute('d
isabled','true')";
                   if(cartButtons[i].previousElementSibling.previousElementSiblin
g.childNodes[1].textContent=="Not in stock"){
                    cartButtons[i].setAttribute('disabled','true');
                   console.log(cartButtons[i].previousElementSibling.previousElem
entSibling.childNodes[1].textContent);
                   console.log(cartButtons[i]);
            }, 1000);
        </script>
        <?php
            endif;
    </body>
</html>
```

survey.php

```
<title>The Greatest Gift &#124; Survey</title>
        <meta name="keywords" content="Greatest, Gift, Family, Romance, screened"</pre>
        <meta name="description" content="No matter if you love family or romance</pre>
 comedies more because The Greatest Gift has novels that'll satisfy everybody."/>
        <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-</pre>
awesome/4.7.0/css/font-awesome.min.css"/>
        <link href="https://fonts.googleapis.com/css2?family=Krub:wght@300;400&di</pre>
splay=swap" rel="stylesheet"/>
        <link rel="stylesheet" type="text/css" href="assets/css/style.css"/>
        <link rel="shortcut icon" href="assets/img/smallLogo.ico"/>
    </head>
    <body>
        <?php
            include "fixed/header.php";
            include "fixed/slider.php";
        <div class="width100 displayFlex flexDirectionColumn positionAbsolute ali</pre>
gnItemsCenter bottom50 tabletDisplayNone">
            <div class="wrapper textAlignCenter">
                <h1 class="redColor">The Greatest Gift</h2>
                <h2 class="redColor">The New York's first screened novels booksto
re</h3>
                <h3 class="redColor">Comedy novels</h3>
            </div>
        </div>
        <div class="wrapper margin0Auto displayFlex flexDirectionColumn alignItem</pre>
sCenter blockPaddingTop blockPaddingBottom">
            <h4 class="redColor">What is your favourite subgenre?</h4>
            <form class="width100">
                <div id="subgenresSurvey" class="displayFlex flexDirectionColumn"</pre>
alignItemsCenter blockPaddingTop blockPaddingBottom">
                </div>
                <div class="displayFlex justifyContentSpaceBetween">
                     <input id="vote" type="button" value="Vote!" class="tinyPaddi</pre>
ng redBackgroundColor whiteColor borderRadius tinyMarginBottom width45"/>
                    <input id="results" type="button" value="Results" class="tiny</pre>
Padding redBackgroundColor whiteColor borderRadius tinyMarginBottom width45"/>
                </div>
                <div id="showResults" class="displayNone">
                </div>
            </form>
        </div>
        <?php
            include "fixed/footer.php";
```

o registration.php

```
<!DOCTYPE html>
<html>
    <head>
        <meta charset="UTF-8"/>
        <meta name="viewport" content="width=device-width, initial-scale=1.0"/>
        <title>The Greatest Gift &#124; Registration</title>
        <meta name="keywords" content="Greatest, Gift, screen, adaptation, bookst</pre>
ore"/>
        <meta name="description" content="The Greatest Gift is the largest New Yo</pre>
rk bookstore strictly intended for the sale of screened novels."/>
        <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-</pre>
awesome/4.7.0/css/font-awesome.min.css"/>
        <link href="https://fonts.googleapis.com/css2?family=Krub:wght@300;400&di</pre>
splay=swap" rel="stylesheet"/>
        <link rel="stylesheet" type="text/css" href="assets/css/style.css"/>
        <link rel="shortcut icon" href="assets/img/smallLogo.ico"/>
    </head>
    <body>
    <?php
            include "fixed/header.php";
            include "fixed/slider.php";
        <div class="width100 displayFlex flexDirectionColumn positionAbsolute ali</pre>
gnItemsCenter bottom50 tabletDisplayNone">
            <div class="wrapper textAlignCenter">
                <h1 class="redColor">The Greatest Gift</h2>
                <h2 class="redColor">The New York's first screened novels booksto
re</h3>
                <h3 class="redColor">Registration</h3>
            </div>
        </div>
        <div class="width100 blockPaddingTop blockPaddingBottom">
            <div class="wrapper margin0Auto">
                <h4 class="redColor textAlignCenter blockPaddingBottom">Registrat
ion form</h4>
                         <form>
```

```
<div class="displayFlex justifyContentSpaceBetween mo</pre>
bileFlexDirectionColumn">
                                 <div class="displayFlex flexDirectionColumn width</pre>
45 mobileWidth100">
                                      <h5 class="redColor textAlignCenter">First na
me</h5>
                                      <input type="text" id="firstName" class="redB</pre>
ackgroundColor borderRadius whiteColor tinyPadding"/>
                                      <span id="firstNameNote"></span>
                                 </div>
                                 <div class="displayFlex flexDirectionColumn width"</pre>
45 mobileWidth100">
                                      <h5 class="redColor textAlignCenter">Last nam
e</h5>
                                      <input type="text" id="lastName" class="redBa</pre>
ckgroundColor borderRadius whiteColor tinyPadding"/>
                                      <span id="lastMessage"></span>
                                 </div>
                             </div>
                             <h5 class="redColor textAlignCenter">User name</h5>
                             <input type="text" id="userName" class="width100 boxS</pre>
izingBorderBox redBackgroundColor borderRadius whiteColor tinyPadding"/>
                             <span id="userNameMessage"></span>
                             <h5 class="redColor textAlignCenter">Email address/h
                             <input type="text" id="mailAddress" class="width100 b</pre>
oxSizingBorderBox redBackgroundColor borderRadius whiteColor tinyPadding"/>
                             <span id="emailAddressNote"></span>
                             <h5 class="redColor textAlignCenter">Password</h5>
                             <input type="password" id="password" class="width100</pre>
boxSizingBorderBox redBackgroundColor borderRadius whiteColor tinyPadding"/>
                             <span id="passwordMessage"></span>
                             <h5 class="redColor textAlignCenter">Confirmation of
password</h5>
                             <input type="password" id="confPass" class="width100</pre>
boxSizingBorderBox redBackgroundColor borderRadius whiteColor tinyPadding"/>
                             <span id="confPassMessage"></span>
                             <h5 class="redColor textAlignCenter">Home address</h5</pre>
                             <input type="text" id="homeAddress" class="width100 b</pre>
oxSizingBorderBox redBackgroundColor borderRadius whiteColor tinyPadding"/>
                             <span id="homeMessage"></span>
                             <input type="button" id="register" value="Register!"</pre>
class="width100 redBackgroundColor borderRadius whiteColor tinyPadding tinyMargin
Top"/>
```

o loggingOut.php

```
    session_start();
    ob_start();
    require_once "config/connection.php";
    if(isset($_SESSION['user'])){
        unset($_SESSION['user']);
    }
    if (isset($_SESSION['admin'])){
        unset($_SESSION['admin']);
    }
    header('Location: index.php');
}
```

○ loggingIn.php

```
</head>
    <body>
    <?php
            include "fixed/header.php";
            include "fixed/slider.php";
        <div class="width100 displayFlex flexDirectionColumn positionAbsolute ali</pre>
gnItemsCenter bottom50 tabletDisplayNone">
            <div class="wrapper textAlignCenter">
                <h1 class="redColor">The Greatest Gift</h2>
                <h2 class="redColor">The New York's first screened novels booksto
re</h3>
                <h3 class="redColor">Logging In</h3>
            </div>
        </div>
        <div class="width100 blockPaddingTop blockPaddingBottom">
            <div class="wrapper margin0Auto">
                <h4 class="redColor textAlignCenter blockPaddingBottom">Logging i
n form</h4>
                         <form>
                         <h5 class="redColor textAlignCenter">User name</h5>
                             <input type="text" id="user" class="width100 boxSizin</pre>
gBorderBox redBackgroundColor borderRadius whiteColor tinyPadding"/>
                             <span id="userMessage"></span>
                             <h5 class="redColor textAlignCenter">Password</h5>
                             <input type="password" id="pass" class="width100 boxS</pre>
izingBorderBox redBackgroundColor borderRadius whiteColor tinyPadding"/>
                             <span id="passMessage"></span>
                             <input type="button" id="logIn" value="Log in!" class</pre>
="width100 redBackgroundColor borderRadius whiteColor tinyPadding tinyMarginTop"/
                        </form>
            </div>
        </div>
        <?php
            include "fixed/footer.php";
        <script src="https://ajax.googleapis.com/ajax/libs/jquery/3.2.1/jquery.mi</pre>
n.js"> </script>
        <script src="assets/js/main.js" type="text/javascript" ></script>
    </body>
</html>
```

o dashboard.php

```
<?php
            session start();
<!DOCTYPE html>
<html>
    <head>
        <meta charset="UTF-8"/>
        <meta name="viewport" content="width=device-width, initial-scale=1.0"/>
        <title>The Greatest Gift &#124; Logging In</title>
        <meta name="keywords" content="Greatest, Gift, screen, adaptation, bookst</pre>
ore"/>
        <meta name="description" content="The Greatest Gift is the largest New Yo</pre>
rk bookstore strictly intended for the sale of screened novels."/>
        <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-</pre>
awesome/4.7.0/css/font-awesome.min.css"/>
        <link href="https://fonts.googleapis.com/css2?family=Krub:wght@300;400&di</pre>
splay=swap" rel="stylesheet"/>
        <link rel="stylesheet" type="text/css" href="assets/css/style.css"/>
        <link rel="shortcut icon" href="assets/img/smallLogo.ico"/>
    <body>
    <?php
            include "fixed/header.php";
            include "fixed/slider.php";
        <div class="width100 displayFlex flexDirectionColumn positionAbsolute ali</pre>
gnItemsCenter bottom50 tabletDisplayNone">
            <div class="wrapper textAlignCenter">
                <h1 class="redColor">The Greatest Gift</h2>
                <h2 class="redColor">The New York's first screened novels booksto
re</h3>
                <h3 class="redColor">Dashboard</h3>
            </div>
        </div>
        <div class="width100 blockPaddingTop blockPaddingBottom">
        <div class="wrapper margin0Auto displayFlex flexDirectionColumn">
                <h4 class="redColor textAlignCenter blockPaddingBottom">Manage wi
th the site here...</h4>
                    <a href="crudUsers.php">Create, update or delete users</a>
                    <a href="crudNovels.php">Create, update or delete novels</a>
            </div>
        </div>
        <?php
            include "fixed/footer.php";
```

crudUsers

```
<?php
session_start();
<!DOCTYPE html>
<html>
        <meta charset="UTF-8"/>
        <meta name="viewport" content="width=device-width, initial-scale=1.0"/>
        <title>The Greatest Gift &#124; Registration</title>
        <meta name="keywords" content="Greatest, Gift, screen, adaptation, bookst</pre>
ore"/>
        <meta name="description" content="The Greatest Gift is the largest New Yo</pre>
rk bookstore strictly intended for the sale of screened novels."/>
        <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-</pre>
awesome/4.7.0/css/font-awesome.min.css"/>
        <link href="https://fonts.googleapis.com/css2?family=Krub:wght@300;400&di</pre>
splay=swap" rel="stylesheet"/>
        <link rel="stylesheet" type="text/css" href="assets/css/style.css"/>
        <link rel="shortcut icon" href="assets/img/smallLogo.ico"/>
    <body>
        <?php
        if(isset($_SESSION['admin'])){
    <?php
```

```
include "fixed/header.php";
            include "fixed/slider.php";
        <div class="width100 displayFlex flexDirectionColumn positionAbsolute ali</pre>
gnItemsCenter bottom50 tabletDisplayNone">
            <div class="wrapper textAlignCenter">
                <h1 class="redColor">The Greatest Gift</h2>
                <h2 class="redColor">The New York's first screened novels booksto
re</h3>
                <h3 class="redColor">Registration</h3>
            </div>
        </div>
        <div class="width100 blockPaddingTop blockPaddingBottom">
            <div class="wrapper margin0Auto">
                <h4 class="redColor textAlignCenter blockPaddingBottom">Logging i
n form</h4>
                <div id="users"></div>
                <input type="button" value="Add an user" id="addingAnUser"/>
            </div>
        </div>
        <?php
            include "fixed/footer.php";
        <script src="https://ajax.googleapis.com/ajax/libs/jquery/3.2.1/jquery.mi</pre>
n.js"> </script>
        <script src="assets/js/main.js" type="text/javascript" ></script>
        <?php
        else{
           <script type="text/javascript">
            window.location.href="404.php";
           </script>
           <?php
        };
    </body>
</html>
```

crudNovels.php

```
session_start();
<!DOCTYPE html>
<html>
    <head>
        <meta charset="UTF-8"/>
        <meta name="viewport" content="width=device-width, initial-scale=1.0"/>
        <title>The Greatest Gift &#124; Comedy novels</title>
        <meta name="keywords" content="Greatest, Gift, Family, Romance, screened"</pre>
        <meta name="description" content="No matter if you love family or romance</pre>
 comedies more because The Greatest Gift has novels that'll satisfy everybody."/>
        <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-</pre>
awesome/4.7.0/css/font-awesome.min.css"/>
        <link href="https://fonts.googleapis.com/css2?family=Krub:wght@300;400&di</pre>
splay=swap" rel="stylesheet"/>
        <link rel="stylesheet" type="text/css" href="assets/css/style.css"/>
        <link rel="shortcut icon" href="assets/img/smallLogo.ico"/>
    </head>
    <body>
    <?php
        if(!isset($_SESSION['admin'])){
            header('Location: 404.php');
        if(isset($ SESSION['admin'])):
        <?php
            include "fixed/header.php";
            include "fixed/slider.php";
        <div class="width100 displayFlex flexDirectionColumn positionAbsolute ali</pre>
gnItemsCenter bottom50 tabletDisplayNone">
            <div class="wrapper textAlignCenter">
                <h1 class="redColor">The Greatest Gift</h2>
                <h2 class="redColor">The New York's first screened novels booksto
re</h3>
                <h3 class="redColor">Crud novels</h3>
            </div>
        </div>
        <div class="width100 blockPaddingTop blockPaddingBottom">
            <div class="wrapper margin@Auto displayFlex justifyContentSpaceBetwee</pre>
n tabletFlexDirectionColumn tabletAlignItemsCenter">
                <div class="width20 displayFlex flexDirectionColumn redColor tabl</pre>
etBlockPaddingTop mobileBlockPaddingTop">
```

```
<h4 id="subgenresLabel">Subgenres<span class="fa fa-chevron-
down tinyMarginLeft tinyMarginTop" aria-hidden="true"></span></h4>
                  <//>
u1>
                  <h4 id="authorsLabel">Authors <span class="fa fa-chevron-</pre>
down tinyMarginLeft tinyMarginTop" aria-hidden="true"></span></h4>
                  </ul</pre>
                  <h4 id="publishingHousesLabel">Publishing houses <span class=</pre>
'fa fa-chevron-down tinyMarginLeft tinyMarginTop" aria-hidden="true"></span></h4>
                  umn">
                  <h4 id="availabilityLabel">Availability<span class="fa fa-
chevron-down tinyMarginLeft tinyMarginTop" aria-hidden="true"></span></h4>
                  >
              </div>
              <div class="width75">
                  <div class="displayFlex flexDirectionColumn laptopAlignItemsC</pre>
enter">
                      <div class="displayFlex justifyContentSpaceBetween laptop"</pre>
FlexDirectionColumn">
                         <select id="sort" class="redBackgroundColor borderRad</pre>
ius whiteColor tinyPadding tinyMarginTop"></select>
                         <span class="displayFlex tinyMarginTop">
                             <span class="fa fa-</pre>
search redColor tinyMarginRight marginOAuto" aria-hidden="true"></span>
                             <input type="search" class="redBackgroundColor bo</pre>
rderRadius whiteColor tinyPadding margin@Auto" id="searchTitles" placeholder="Sea
rch titles..."/>
                         </span>
                      </div>
                      <span class="displayFlex tinyMarginTop">
                         <h4 class="tinyMarginRight redColor">Price range from
 0 to <output id="topLine">70.64</output>:</h4>
                         <input type="range" min="0" step="0.01" max="70.64" v</pre>
alue="70.64" id="priceRange"/>
                      </span>
                  </div>
                  <div id="titles"></div>
                  <input type="button" value="Show insert modal!" id="showingIn</pre>
sertModal"/>
                  <div id="insertModal" class="displayNone positionFixed width1</pre>
00 redColor height100vh alignItemsCenter">
```

```
<div class="whiteBackgroundColor width45 po</pre>
sitionRelative marginOAuto modalDialog borderRadius tinyPadding">
                                           <div class="displayFlex justifyContentS</pre>
paceBetween">
                                               <h4></h4>
                                               <h4 class="exit">&times;</h4>
                                           <div class="modalBody tinyPadding">
                                               <input type="file" id="insertedImag</pre>
                                               <h5 class="tinyMarginTop">Title: <i
nput type="text" value="" id="insertedId"/></h5>
                                               <h5>Author: <input type="text" valu
e="" id="insertedAuthor"/></h5>
                                               <h5>Price: $<input type="text" valu
e="" id="insertedPrice"/></h5>
                                               <h5>Subgenre: <input type="text" va
lue="" id="insertedSubgenre"/></h5>
                                               <h5>Year of issue: <input type="tex
t" value="" id="insertedYearOfIssue"/></h5>
                                               <h5>Publishing house:<input type="t
ext" value="" id="insertedPublishingHouse"/></h5>
                                               <h5>Number of pages: <input type="t
ext" value="" id="insertedNumberOfPages"/></h5>
                                               <h5>Availability: <input type="text
" value="" id="insertedAvailability"/></h5>
                                               <textar</pre>
ea id="insertedDescription"></textarea>
                                               <input type="button" id="insert" cl</pre>
ass="width100 borderRadius redBackgroundColor whiteColor tinyPadding tinyMarginTo
p" value="Insert!"/>
                                          </div>
                                      </div>
                                  </div>
  <div id="pagination"><a href="#">1</a><a href="#">2</a></div> -->
                </div>
            </div>
        </div>
        <?php
            include "fixed/footer.php";
        <script src="https://ajax.googleapis.com/ajax/libs/jquery/3.2.1/jquery.mi</pre>
n.is"> </script>
```

cart.php

```
<?php
            session_start();
<!DOCTYPE html>
<html>
    <head>
        <meta charset="UTF-8"/>
        <meta name="viewport" content="width=device-width, initial-scale=1.0"/>
        <title>The Greatest Gift &#124; Cart</title>
        <meta name="keywords" content="Greatest, Gift, Cart, Quantity, novels"/>
        <meta name="description" content="Take a look at the novels you have adde</pre>
d to the cart of The Greatest Gift and manage their quantity."/>
        <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-</pre>
awesome/4.7.0/css/font-awesome.min.css"/>
        <link href="https://fonts.googleapis.com/css2?family=Krub:wght@300;400&di</pre>
splay=swap" rel="stylesheet"/>
        <link rel="stylesheet" type="text/css" href="assets/css/style.css"/>
        <link rel="shortcut icon" href="assets/img/smallLogo.ico"/>
    </head>
    <body>
        <?php
            include "fixed/header.php";
            include "fixed/slider.php";
        <div class="width100 displayFlex flexDirectionColumn positionAbsolute ali</pre>
gnItemsCenter bottom50 tabletDisplayNone">
            <div class="wrapper textAlignCenter">
                <h1 class="redColor">The Greatest Gift</h2>
                <h2 class="redColor">The New York's first screened novels booksto
re</h3>
                <h3 class="redColor">Cart</h3>
            </div>
        </div>
        <div class="width100">
```

o author.php

```
<?php
            session_start();
<!DOCTYPE html>
<html>
    <head>
        <meta charset="UTF-8"/>
        <meta name="viewport" content="width=device-width, initial-scale=1.0"/>
        <title>The Greatest Gift &#124; Author</title>
        <meta name="keywords" content="Greatest, Gift, author, language, programm</pre>
ing"/>
        <meta name="description" content="Learn more about the author of The Grea</pre>
test Gift site."/>
        <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-</pre>
awesome/4.7.0/css/font-awesome.min.css"/>
        <link href="https://fonts.googleapis.com/css2?family=Krub:wght@300;400&di</pre>
splay=swap" rel="stylesheet"/>
        <link rel="stylesheet" type="text/css" href="assets/css/style.css"/>
        <link rel="shortcut icon" href="assets/img/smallLogo.ico"/>
    </head>
```

```
<body>
        <?php
            include "fixed/header.php";
            include "fixed/slider.php";
        <div class="width100 displayFlex flexDirectionColumn positionAbsolute ali</pre>
gnItemsCenter bottom50 tabletDisplayNone">
            <div class="wrapper textAlignCenter">
                <h1 class="redColor">The Greatest Gift</h2>
                <h2 class="redColor">The New York's first screened novels booksto
re</h3>
                <h3 class="redColor">Author</h3>
            </div>
        </div>
        <div class="width100 blockPaddingTop blockPaddingBottom">
            <div class="wrapper margin0Auto">
                <h4 class="redColor textAlignCenter blockPaddingBottom">A few wor
ds about author...</h4>
                <div class="displayFlex justifyContentSpaceBetween tabletAlignIte</pre>
msCenter tabletFlexDirectionColumn">
                    <div class="displayFlex flexDirectionColumn width45 tabletWid">

th95 tabletBlockPaddingBottom">
                        <img class="borderRadius descriptiveImage" src="assets/im</pre>
g/author.jpg" alt="Marko Stojanović"/>
                        <h5 class="redColor textAlignCenter descriptionPadding">M
arko Stojanović</h5>
                    </div>
                    <div class="width45 tabletWidth95">
                        The author of the th
is website is a front-
end developer Marko Stojanović. He was born on February 11 2001 in Serbian town o
f Požarevac. He finished ET School in his birthplace and in 2019 and earned title
of economic technician. In the same year he was enlisted in ICT College in Serbi
an capital Belgrade. His capabilities include programming in programming language
s C and C#, script language JavaScript (including jQuery library and knowledge of
AJAX way of using JavaScript too), markup language HTML, style sheet language CS
S and in domain-
specific language of SQL. He also has knowledge of TCP/IP architecture. In the sp
are time, he enjoys reading books, watching movies and listening to music.
                    </div>
                </div>
            </div>
        </div>
        <?php
            include "fixed/footer.php";
```

○ 404.php

```
<!DOCTYPE html>
<html>
    <head>
        <meta charset="UTF-8"/>
        <meta name="viewport" content="width=device-width, initial-scale=1.0"/>
        <title>The Greatest Gift &#124; Survey</title>
        <meta name="keywords" content="Greatest, Gift, Family, Romance, screened"</pre>
        <meta name="description" content="No matter if you love family or romance</pre>
 comedies more because The Greatest Gift has novels that'll satisfy everybody."/>
        <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-</pre>
awesome/4.7.0/css/font-awesome.min.css"/>
        <link href="https://fonts.googleapis.com/css2?family=Krub:wght@300;400&di</pre>
splay=swap" rel="stylesheet"/>
        <link rel="stylesheet" type="text/css" href="assets/css/style.css"/>
        <link rel="shortcut icon" href="assets/img/smallLogo.ico"/>
    </head>
    <body>
        <?php
            include "fixed/header.php";
            include "fixed/slider.php";
        <div class="width100 displayFlex flexDirectionColumn positionAbsolute ali</pre>
gnItemsCenter bottom50 tabletDisplayNone">
            <div class="wrapper textAlignCenter">
```

```
<h1 class="redColor">The Greatest Gift</h2>
                <h2 class="redColor">The New York's first screened novels booksto
re</h3>
                <h3 class="redColor">404</h3>
            </div>
        </div>
        <div class="wrapper marginOAuto displayFlex flexDirectionColumn alignItem</pre>
sCenter blockPaddingTop blockPaddingBottom">
            <h4 class="redColor">Unfortunately, you do not have access to this pa
ge.</h4>
        </div>
        <?php
            include "fixed/footer.php";
        <script src="https://ajax.googleapis.com/ajax/libs/jquery/3.2.1/jquery.mi</pre>
n.js"> </script>
        <script src="assets/js/main.js" type="text/javascript"></script>
    </body>
</html>
```

models/

o contact.php

```
<?php
 header("Content-type: application/json");
    //if($_SERVER['REQUEST_METHOD'] == 'POST'){
    if(isset($_POST['sendProperty']) && !empty($_POST['sendProperty'])){
        include "../config/connection.php";
        include "functions.php";
       try{
         // nameModel = /^[A-ZČĆŽŠĐ][A-zČĆŽŠĐčćžšđ']+([][A-ZČĆŽŠĐ][A-
zČĆŽŠĐčćžšđ']+)*$/;
         // \emailAddressModel = /^(?=.{6,30}@)[0-9a-z]+(?:\.[0-9a-z]+)*@[a-z0-
9]{2,}(?:\.[a-z]{2,})+$/;
          // credentialModel = /^(?=.*[a-z])(?=.*[A-Z])(?=.*[0-9]).{8,50}
            $firstName = $_POST['firstNameProperty'];
            $lastName = $_POST['lastNameProperty'];
            $emailAddress = $_POST['emailAddressProperty'];
            $purpose = $_POST['purposeProperty'];
            $message = $_POST['messageProperty'];
            $errors = [];
            if($firstName == ""){
```

```
$errors[]="The field for the first name must not be left blank!";
            else if(!preg_match("/^[A-ZČĆŽŠĐ][A-zČĆŽŠĐčćžšđ']+([ ][A-ZČĆŽŠĐ][A-
zČĆŽŠĐčćžšđ']+)*$/",$firstName)){
                $errors[]="You did not fill the field for the first name properly
 Example: Al McKay";
            if($lastName == ""){
                $errors[]="The field for the last name must not be left blank!";
            else if(!preg_match("/^[A-ZČĆŽŠĐ][A-zČĆŽŠĐčćžšđ']+([ ][A-ZČĆŽŠĐ][A-
zČĆŽŠĐčćžšđ']+)*$/",$lastName)){
                $errors[]="You did not fill the field for the last name properly.
Example: O'Bryant Junior";
            if($emailAddress == ""){
                $errors[]="The field for the email address must not be left blank
!";
            else if(!preg_match("/^(?=.{6,30}@)[0-9a-z]+(?:\.[0-9a-z]+)*@[a-z0-
9]{2,}(?:\.[a-z]{2,})+$/",$emailAddress)){
                $errors[]="You did not fill the field for the email address prope
rly. Example: 1james.caa1n@3mail.co.us";
            if($purpose == "Choose..."){
                $errors[]="You did not select a purpose. Example: Suggestion";
            if($message == ""){
                $errors[]="The field for the home address must not be left blank!
            if(count($errors)==0){
                $insertMessage = insertMessage($firstName,$lastName,$emailAddress
,$purpose,$message);
                $response = ["message"=>"Your message has been successfully sent!
 ];
                echo json encode($response);
                http_response_code(200);
            else {
                $response = ["message"=>$errors];
                 echo json encode($response);
                 http_response_code(200);
            }
```

```
catch(PDOException $exception){
    http_response_code(500);
}
else{
    http_response_code(404);
}
?>
```

o changing Password.php

```
<?php
header("Content-type: application/json");
   if($_SERVER['REQUEST_METHOD'] == 'POST'){
       include "../config/connection.php";
       include "functions.php";
       try{
            $userName = $_POST['userName'];
           $newPass = $_POST['newPass'];
            changingPassword($userName,md5($newPass));
            $response = ["message"=>"Successfully changed password"];
            echo json_encode($response);
           http_response_code(200);
       catch(PDOException $exception){
            http_response_code(500);
       }
   else{
       http_response_code(404);
```

deleteUser.php

```
<?php
header("Content-type: application/json");
  if($_SERVER['REQUEST_METHOD'] == 'POST'){
    include "../config/connection.php";
    include "functions.php";</pre>
```

o deletingNovels.php

o submitNovels.php

```
if($_SERVER['REQUEST_METHOD'] == 'POST'){
        include "../config/connection.php";
        include "functions.php";
        try{
            $image = $_FILES['image']['name'];
            $temporaryFile = $ FILES['image']['tmpName'];
            $title = $_POST['insertedAuthor'];
            $price = $_POST['insertedPrice'];
            $genre = $ POST['insertedGenre'];
            $subgenre = $_POST['insertedSubgenre'];
            $yearOfIssue = $ POST['insertedYearOfIssue'];
            $publishingHouse = $_POST['insertedPublishingHouse'];
            $numberOfPages = $ POST['insertedNumberOfPages'];
            $availability = $ POST['insertedAvailability'];
            $description = $_POST['insertedDescription'];
            $extension = strtolower(pathinfo($image, PATHINFO EXTENSION));
            $finalImage = rand(1000,1000000).$image;
            $path = "assets/img/".$finalImage;
            if(move_uploaded_file($temporaryFile,$path)){
            $imageId = int(getLastImageId())+1;
            $publishingInformationId = int(getLastPublishingInformationId())+1;
            $jsonData = insertANovel($path,$title,$price,$genre,$subgenre,$yearOf
Issue,$publishingHouse,$numberOfPages,$availability,$description);
            echo json_encode($jsonData);
            http_response_code(200);
        }}
        catch(PDOException $exception){
            http response code(500);
    }
   else{
        http_response_code(404);
```

o functions.php

```
function showSortCategories(){
        global $connection;
        $query = "SELECT * FROM sortcategories";
        $data = $connection->query($query)->fetchAll();
        return $data;
    function showPurposes(){
        global $connection;
        $query = "SELECT * FROM purpose";
        $data = $connection->query($query)->fetchAll();
        return $data;
    function showSlides(){
        global $connection;
        $query = "SELECT * FROM slider";
        $data = $connection->query($query)->fetchAll();
        return $data;
    function showMenu(){
        global $connection;
        $query = "SELECT id, secondaryHrefId, secondaryLabelId, primaryHref,prima
ryLabel,secondaryHrefName,secondaryLabelName FROM menu m LEFT OUTER JOIN secondar
yhrefs sh ON m.id=sh.menuId LEFT OUTER JOIN secondarylabels sl ON m.id=sl.menuId
WHERE m.primaryHref NOT LIKE 'dashboard.php';";
        $data = $connection->query($query)->fetchAll();
        return $data;
    function loadContactInformationList(){
        global $connection;
        $query = "SELECT p.id,p.primaryLabel,s.secondaryLabelId,s.secondaryLabelN
ame FROM contactinformationlistprimarylabels p LEFT OUTER JOIN contactinformation
listsecondarylabels s ON p.id=s.primaryLabelId";
        $data = $connection->query($query)->fetchAll();
        return $data;
    function showMenuWithoutCart(){
        global $connection;
        $query = "SELECT id, secondaryHrefId, secondaryLabelId, primaryHref,prima
ryLabel, secondaryHrefName, secondaryLabelName FROM menu m LEFT OUTER JOIN secondar
yhrefs sh ON m.id=sh.menuId LEFT OUTER JOIN secondarylabels sl ON m.id=sl.menuId
```

```
WHERE m.primaryHref NOT LIKE 'cart.php' AND m.primaryHref NOT LIKE 'dashboard.php
        $data = $connection->query($query)->fetchAll();
        return $data;
    function showMenuForAdmin(){
        global $connection;
        $query = "SELECT id, secondaryHrefId, secondaryLabelId, primaryHref,prima
ryLabel,secondaryHrefName,secondaryLabelName FROM menu m LEFT OUTER JOIN secondar
yhrefs sh ON m.id=sh.menuId LEFT OUTER JOIN secondarylabels sl ON m.id=sl.menuId"
        $data = $connection->query($query)->fetchAll();
        return $data;
    function showLinks(){
        global $connection;
        $query = "SELECT * FROM links";
        $data = $connection->query($query)->fetchAll();
        return $data;
    function showCheckboxes($parameter){
        global $connection;
        $query = "SELECT * FROM ".$parameter.";";
        $data = $connection->query($query)->fetchAll();
        return $data;
    function showAllCheckboxes($table1,$table2){
        global $connection;
        $query = "SELECT * FROM $table1 UNION SELECT * FROM $table2;";
        $data = $connection->query($query)->fetchAll();
        return $data;
    function showSubgenres($parameter){
        global $connection;
        $query = "SELECT * FROM ".$parameter.";";
        $data = $connection->query($query)->fetchAll();
        return $data;
    function showNovels($parameter){
        global $connection;
        if($parameter != "All"){
            $query = "SELECT n.id,n.title,n.author,n.subgenre,n.price,im.src,im.a
lt,n.numberOfPages,pi.yearOfIssue,pi.publishingHouse,n.availability,n.description
,n.genre FROM novels n,imagenovels im, publishinginformationnovels pi WHERE n.pub
```

```
lishingInformationId=pi.publishingInformationId AND n.imageId=im.imageId AND n.ge
nre='".$parameter."';";
         $data = $connection->query($query)->fetchAll();
         return $data;
        else {
            $query = "SELECT n.id,n.title,n.author,n.subgenre,n.price,im.src,im.a
lt,n.numberOfPages,pi.yearOfIssue,pi.publishingHouse,n.availability,n.description
,n.genre FROM novels n,imagenovels im, publishinginformationnovels pi
            WHERE n.publishingInformationId=pi.publishingInformationId AND n.imag
eId=im.imageId;";
            $data = $connection->query($query)->fetchAll();
            return $data;
    function countNovels(){
        global $connection;
        $query = "SELECT COUNT(*) AS num FROM novels;";
        $data = $connection->query($query)->fetch();
        return $data;
    function userExist($userName){
        global $connection;
        $query = "SELECT * FROM users WHERE userName ='".$userName."';";
        $data = $connection->query($query)->fetchColumn();
        return $data;
    function insertUser($firstName,$lastName,$emailAddress,$userName,$passwordNam
e,$homeAddress,$roleName){
        global $connection;
        $query = "INSERT INTO users VALUES(null,:firstName,:lastName,:emailAddres
s,:userName,:passwordName,:homeAddress,:roleName)";
        $result = $connection->prepare($query);
        $result->bindParam(':firstName',$firstName);
        $result->bindParam(':lastName',$lastName);
        $result->bindParam(':emailAddress',$emailAddress);
        $result->bindParam('userName',$userName);
        $result->bindParam(':passwordName',$passwordName);
        $result->bindParam(':homeAddress',$homeAddress);
        $result->bindParam(':roleName',$roleName);
        $response = $result->execute();
        return $response;
    function insertMessage($firstName,$lastName,$emailAddress,$purpose,$message){
```

```
global $connection;
        $query = "INSERT INTO messages VALUES(null,:firstName,:lastName,:emailAdd
ress,:purpose,:message)";
        $result = $connection->prepare($query);
        $result->bindParam(':firstName',$firstName);
        $result->bindParam(':lastName',$lastName);
        $result->bindParam(':emailAddress',$emailAddress);
        $result->bindParam(':purpose',$purpose);
        $result->bindParam(':message',$message);
        $response = $result->execute();
        return $response;
    function insertANovel($path,$title,$price,$genre,$subgenre,$yearOfIssue,$publ
ishingHouse,$numberOfPages,$availability,$description){
        global $connection;
        $query1 = "INSERT INTO publishinginformationnovels VALUES (null,:yearOfIs
sue,:publishingHouse);";
        $result1 = $connection->prepare($query1);
        $result1->bindParam(':yearOfIssue',$yearOfIssue);
        $result1->bindParam(':publishingHouse',$publishingHouse);
        $result1->execute();
        $query2 = "SELECT publishingInformationId FROM publishinginformationnovel
s ORDER BY
              publishingInformationId DESC LIMIT 1";
        $result2 = $connection->query($query2);
        $lastPublishingId=$result2->fetch();
        $query3 = "INSERT INTO imagenovels VALUES (null,:src,:alt);";
        $result3 = $connection->prepare($query3);
        $result3->bindParam(':src',$path);
        $result3->bindParam(':alt',$path);
        $result3->execute();
        $query4 = "SELECT imageId FROM imagenovels ORDER BY imageId DESC LIMIT 1"
        $result4 = $connection->query($query4);
        $lastImageId=$result4->fetch();
        $query5 = "SELECT id FROM novels ORDER BY id DESC LIMIT 1";
        $result5 = $connection->query($query5);
        $lastNovelId=$result5->fetch();
        $lastNovelId = (int)$lastNovelId+1;
```

```
$query6 = "INSERT INTO novels VALUES (:lastNovelId,:title,:author,:subgen
re,:price,:lastImageId,:numberOfPages,:lastPublishingId,:availability,:descriptio
n,:genre);";
        $result6 = $connection->prepare($query6);
        $result6->bindParam(':lastNovelId',$lastNovelId);
        $result6->bindParam(':title',$title);
        $result6->bindParam(':author',$author);
        $result6->bindParam(':subgenre',$subgenre);
        $result6->bindParam(':price',$price);
        $result6->bindParam(':lastImageId',$lastImageId);
        $result6->bindParam(':numberOfPages',$numberOfPages);
        $result6->bindParam(':lastPublishingId',$lastPublishingId);
        $result6->bindParam(':availability',$availability);
        $result6->bindParam(':description',$description);
        $result6->bindParam(':genre',$genre);
        $response = $result6->execute();
        return $response;
    function checkLogin($user,$pass){
        global $connection;
        $query = "SELECT * FROM users WHERE userName =:user AND password=:pass;";
        $result = $connection->prepare($query);
        $result->bindParam(':user',$user);
        $result->bindParam(':pass',$pass);
        $result->execute();
        $response=$result->fetch();
        return $response;
    function checkAdmin($user,$pass){
        global $connection;
        $query = "SELECT * FROM users WHERE userName =:user AND password=:pass AN
D role='admin';";
        $result = $connection->prepare($query);
        $result->bindParam(':user',$user);
        $result->bindParam(':pass',$pass);
        $result->execute();
        $response=$result->fetch();
        return $response;
    function insertAnswer($answer){
        global $connection;
        $query = "UPDATE survey SET numberOfVotes=numberOfVotes+1 WHERE answer=:a
nswer":
        $result = $connection->prepare($query);
        $result->bindParam(':answer',$answer);
```

```
$response = $result->execute();
        return $response;
    function showResults($parameter){
        global $connection;
        $query = "SELECT answer,ROUND((numberOfVotes/(SELECT SUM(numberOfVotes) F
ROM survey)*100),0) as 'percentage'
        FROM ".$parameter." GROUP BY answer";
        $data = $connection->query($query)->fetchAll();
        return $data;
    function showAllUsers($parameter){
        global $connection;
        $query = "SELECT id,firstName,lastName,emailAddress,userName,homeAddress,
role FROM ".$parameter.";";
        $data = $connection->query($query)->fetchAll();
        return $data;
    function deletingUsers($id){
        global $connection;
        $query = "DELETE FROM users WHERE id = :id;";
        $result = $connection->prepare($query);
        $result->bindParam(':id',$id);
        $result->execute();
    function deleteNovels($id){
        global $connection;
        $query = "DELETE FROM novels WHERE id = :id;";
        $result = $connection->prepare($query);
        $result->bindParam(':id',$id);
        $result->execute();
    function updatingUser($id,$firstName,$lastName,$emailAddress, $userName,$home
Address, $role){
        global $connection;
        $query = "UPDATE users SET firstName=:firstName,lastName=:lastName,emailA
ddress=:emailAddress,userName=:userName,homeAddress=:homeAddress,role=:role wHERE
id=:id";
        $result = $connection->prepare($query);
        $result->bindParam(':id',$id);
        $result->bindParam(':firstName',$firstName);
        $result->bindParam(':lastName',$lastName);
        $result->bindParam(':emailAddress',$emailAddress);
        $result->bindParam(':userName',$userName);
        $result->bindParam(':homeAddress',$homeAddress);
```

```
$result->bindParam(':role',$role);
        $result->execute();
    function updatingNovels($id,$title,$author,$price,$subgenre,$yearOfIssue,$pub
lishingHouse, $numberOfPages,$availability,$description){
        global $connection;
        $query = "UPDATE novels SET title = :title, author = :author, subgenre =
:subgenre, price = :price, numberOfPages = :numberOfPages, publishingInformationI
d=(SELECT id FROM publishinginformationnovels WHERE yearOfIssue = :yearOfIssue AN
D publishingHouse = :publishingHouse), availability = :availability , description
 = :description WHERE id= :id ;";
        $result = $connection->prepare($query);
        $result->bindParam(':id',$id);
        $result->bindParam(':title',$title);
        $result->bindParam(':author',$author);
        $result->bindParam(':subgenre',$subgenre);
        $result->bindParam(':price',$price);
        $result->bindParam(':numberOfPages',$numberOfPages);
        $result->bindParam(':yearOfIssue',$yearOfIssue);
        $result->bindParam(':publishingHouse',$publishingHouse);
        $result->bindParam(':availability',$availability);
        $result->bindParam(':description',$description);
        $response = $result->execute();
        return $response;
    function getLastUserId(){
        global $connection;
        $query = "SELECT id FROM users ORDER BY id DESC LIMIT 1";
        $result = $connection->query($query);
        $response=$result->fetch();
        return $response;
    function getLastImageId(){
        global $connection;
        $query = "SELECT imageId FROM imageNovels ORDER BY imageId DESC LIMIT 1";
        $result = $connection->query($query);
        $response=$result->fetch();
        return $response;
    function getLastPublishingInformationId(){
        global $connection;
        $query = "SELECT publishingInformationId FROM publishinginformationnovels
 ORDER BY publishingInformationId DESC LIMIT 1";
        $result = $connection->query($query);
        $response=$result->fetch();
```

```
return $response;
}
function changingPassword($userName,$newPass){
    global $connection;
    $query = "UPDATE users SET password=:newPass WHERE username=:userName";
    $result = $connection->prepare($query);
    $result->bindParam(':userName',$userName);
    $result->bindParam(':newPass',$newPass);
    $result->execute();
}
```

showContactInformationList.php

o getAllCheckboxes.php

```
<?php
 header("Content-type: application/json");
    if($_SERVER['REQUEST_METHOD'] == 'POST'){
        include "../config/connection.php";
        include "functions.php";
        try{
            $tableName = $_POST['table'];
            if($tableName=="allSubgenres"){
                $jsonCheckboxes = showAllCheckboxes("comedysubgenres", "dramasubge
nres");
            }
            else if($tableName=="allAuthors"){
                $jsonCheckboxes = showAllCheckboxes("comedyauthors", "dramaauthors
 );
            }
            echo json_encode($jsonCheckboxes);
            http_response_code(200);
        catch(PDOException $exception){
            http_response_code(500);
    else{
        http response code(404);
```

getCheckboxes.php

```
<?php
header("Content-type: application/json");
if($_SERVER['REQUEST_METHOD'] == 'POST'){
   include "../config/connection.php";
   include "functions.php";

   try{
        $tableName = $_POST['table'];
        $jsonCheckboxes = showCheckboxes($tableName);</pre>
```

```
echo json_encode($jsonCheckboxes);
    http_response_code(200);
}
catch(PDOException $exception){
    http_response_code(500);
}
else{
    http_response_code(404);
}
```

o getLastUserId.php

```
**Php
header("Content-type: application/json");

if($_SERVER['REQUEST_METHOD'] == 'POST'){
    include "../config/connection.php";
    include "functions.php";

    try{
        $jsonId = getLastUserId();

        echo json_encode($jsonId);
        http_response_code(200);
    }
    catch(PDOException $exception){
        http_response_code(500);
    }
}
else{
    http_response_code(404);
}
```

ogetResults.php

```
<?php
header("Content-type: application/json");
if($_SERVER['REQUEST_METHOD'] == 'POST'){</pre>
```

```
include "../config/connection.php";
include "functions.php";

try{
    $tableName = $_POST['table'];
    $jsonResults = showResults($tableName);

    echo json_encode($jsonResults);
    http_response_code(200);
}
catch(PDOException $exception){
    http_response_code(500);
}
else{
    http_response_code(404);
}
```

ogetSurvey.php

ogetUsers.php

o insertingAnUser.php

o insertSurvey.php

loadSlides.php

```
<?php
if($_SERVER['REQUEST_METHOD'] == 'POST'){
  include "../config/connection.php";</pre>
```

```
include "functions.php";

try{

    $jsonSlides = showSlides();

    echo json_encode($jsonSlides);
    http_response_code(200);
}

catch(PDOException $exception){
    http_response_code(500);
}
}
else{
    http_response_code(404);
}
```

$\circ \ load Sort Categories. php$

```
<?php
   if($_SERVER['REQUEST_METHOD'] == 'POST'){
      include "../config/connection.php";
      include "functions.php";

      try{

      $sort = showSortCategories();

      echo json_encode($sort);
      http_response_code(200);
   }
   catch(PDOException $exception){
      http_response_code(500);
   }
}</pre>
```

```
}
  else{
    http_response_code(404);
}
```

○ loggingIn.php

```
<?php
session start();
 header("Content-type: application/json");
    if($_SERVER['REQUEST_METHOD'] == 'POST'){
        include "../config/connection.php";
        include "functions.php";
        try{
            $userName = $_POST['userNameProperty'];
            $passwordName = $_POST['passProperty'];
            $passwordName=md5($passwordName);
            $userObject = checkLogin($userName,$passwordName);
            $userAdmin = checkAdmin($userName,$passwordName);
            if($userAdmin){
                $_SESSION['admin']=$userAdmin;
                $response = ["message"=>"Succesfull logging in"];
                echo json_encode($response);
                http_response_code(200);
            else if($userObject){
            $_SESSION['user']=$userObject;
                $response = ["message"=>"Succesfull logging in"];
                echo json encode($response);
                http_response_code(200);
              else {
                 $response = ["message"=>"There is not authentificted user with t
hat user name and password"];
                 echo json_encode($response);
                 http_response_code(200);
              }
        catch(PDOException $exception){
            http_response_code(500);
```

```
else{
    http_response_code(404);
}
```

o menu.php

```
<?php
session_start();
    if($_SERVER['REQUEST_METHOD'] == 'POST'){
        include "../config/connection.php";
        include "functions.php";
        try{
             if(isset($_SESSION['admin'])){
                 $jsonMenu = showMenuForAdmin();
            else if(isset($_SESSION['user'])){
                $jsonMenu = showMenu();
            }
            else{
                $jsonMenu = showMenuWithoutCart();
            echo json_encode($jsonMenu);
            http_response_code(200);
        catch(PDOException $exception){
            http_response_code(500);
    else{
        http_response_code(404);
```

o registration.php

```
<?php
header("Content-type: application/json");
   //if($_SERVER['REQUEST_METHOD'] == 'POST'){
   if(isset($_POST['buttonProperty']) && !empty($_POST['buttonProperty'])){
     include "../config/connection.php";
   include "functions.php";</pre>
```

```
try{
                      // nameModel = /^[A-ZČĆŽŠĐ][A-zČĆŽŠĐčćžšđ']+([][A-ZČĆŽŠĐ][A-
zČĆŽŠĐčćžšđ']+)*$/;
                      // = \frac{(-30)}{0} = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = -(-30) = 
9]{2,}(?:\.[a-z]{2,})+$/;
                        // \c = .*[a-z])(?=.*[A-z])(?=.*[0-9]).{8,50}
                          $firstName = $ POST['firstNameProperty'];
                           $lastName = $_POST['lastNameProperty'];
                           $emailAddress = $ POST['emailAddressProperty'];
                           $userName = $_POST['userNameProperty'];
                           $passwordName = $ POST['passwordProperty'];
                           $confPassword = $_POST['confPasswordProperty'];
                           $homeAddress = $_POST['homeAddressProperty'];
                           $errors = [];
                           if($firstName == ""){
                                   $errors[]="The field for the first name must not be left blank!";
                           else if(!preg match("/^[A-ZČĆŽŠĐ][A-zČĆŽŠĐčćžšđ']+([ ][A-ZČĆŽŠĐ][A-
zČĆŽŠĐčćžšđ']+)*$/",$firstName)){
                                   $errors[]="You did not fill the field for the first name properly
    Example: Al McKay";
                           if($lastName == ""){
                                   $errors[]="The field for the last name must not be left blank!";
                           else if(!preg match("/^[A-ZČĆŽŠĐ][A-zČĆŽŠĐčćžšđ']+([ ][A-ZČĆŽŠĐ][A-
zČĆŽŠĐčćžšđ']+)*$/",$lastName)){
                                   $errors[]="You did not fill the field for the last name properly.
  Example: O'Bryant Junior";
                           if($userName == ""){
                                   $errors[]="The field for the user name must not be left blank!";
                           else if(!preg match("/^(?=.*[a-z])(?=.*[A-Z])(?=.*[0-
9]).{8,50}$/",$userName)){
                                   $errors[]="You did not fill the field for the user name properly.
  Example: s15iNatra";
                           if($passwordName == ""){
                                   $errors[]="The field for the password must not be left blank!";
                          else if(!preg_match("/^(?=.*[a-z])(?=.*[A-Z])(?=.*[0-
9]).{8,50}$/",$passwordName)){
                                   $errors[]="You did not fill the field for the password properly.
Example: rickleS26";
```

```
if($passwordName != $confPassword){
                $errors[]="Passwords do not match!";
            if($emailAddress == ""){
                $errors[]="The field for the email address must not be left blank
!";
            else if(!preg_match("/^(?=.{6,30}@)[0-9a-z]+(?:\.[0-9a-z]+)*@[a-z0-
9]{2,}(?:\.[a-z]{2,})+$/",$emailAddress)){
                $errors[]="You did not fill the field for the email address prope
rly. Example: 1james.caa1n@3mail.co.us";
            if($homeAddress == ""){
                $errors[]="The field for the home address must not be left blank!
            if(count($errors)==0){
            $passwordName=md5($passwordName);
            $roleName = "user";
              $countUsers = userExist($userName);
              if($countUsers==0){
                $insertUser = insertUser($firstName,$lastName,$emailAddress,$user
Name,$passwordName,$homeAddress,$roleName);
                $response = ["message"=>"Succesfull registration"];
                echo json encode($response);
                http_response_code(200);
              else {
                 $response = ["message"=>"There is user with the same user name"]
                 echo json_encode($response);
                 http_response_code(200);
            }
            else {
                $response = ["message"=>$errors];
                 echo json_encode($response);
                 http_response_code(200);
        catch(PDOException $exception){
            http_response_code(500);
```

```
else{
    http_response_code(404);
}
```

o showLinks.php

o showNovels.php

```
<?php
header("Content-type: application/json");
  if($_SERVER['REQUEST_METHOD'] == 'POST'){
    include "../config/connection.php";
    include "functions.php";

    try{</pre>
```

```
$genre = $_POST['genre'];
$jsonNovels = showNovels($genre);

echo json_encode($jsonNovels);
http_response_code(200);
}
catch(PDOException $exception){
   http_response_code(500);
}
}
else{
http_response_code(404);
}
?>
```

o showNumberOfNovels.php

o showSubgenres.php

o updateNovels.php

```
<?php
header("Content-type: application/json");
   if($_SERVER['REQUEST_METHOD'] == 'POST'){
       include "../config/connection.php";
       include "functions.php";
       try{
           $id = $_POST['id'];
           $title = $_POST['title'];
           $author = $_POST['author'];
           $price = $_POST['price'];
           $subgenre = $_POST['subgenre'];
           $yearOfIssue = $_POST['yearOfIssue'];
           $publishingHouse = $_POST['publishingHouse'];
           $numberOfPages = $_POST['numberOfPages'];
           $availability = $_POST['availability'];
           $description = $_POST['description'];
```

updatingUsers.php

```
<?php
 header("Content-type: application/json");
    if($_SERVER['REQUEST_METHOD'] == 'POST'){
        include "../config/connection.php";
        include "functions.php";
        try{
            $id = $_POST['id'];
            $firstName = $ POST['firstName'];
            $lastName = $_POST['lastName'];
            $emailAddress = $_POST['emailAddress'];
            $userName = $_POST['userName'];
            $homeAddress = $_POST['homeAddress'];
            $role = $_POST['role'];
            updatingUser($id,$firstName,$lastName,$emailAddress, $userName,$homeA
ddress, $role);
            $response = ["message"=>"Successfully updated user with an id of ".$i
d];
            echo json_encode($response);
            http_response_code(200);
```

```
}
catch(PDOException $exception){
    http_response_code(500);
}
else{
    http_response_code(404);
}
```

js/

o main.js

```
//getViaAjax("menu", showMenu);
//getViaAjax("slider", showSlides);
//getViaAjax("links", showLinks);
$.ajax({
  url: "models/loadSlides.php",
  method : "post",
  dataType: "json",
  success: function(result){
    showSlides(result);
  },
  error: function(xhr){
    console.error(xhr);
});
$.ajax({
  url: "models/menu.php",
  method : "post",
  dataType: "json",
  success: function(result){
    showMenu(result);
  },
  error: function(xhr){
    console.error(xhr);
});
$.ajax({
  url: "models/showLinks.php",
  method : "post",
  dataType: "json",
  success: function(result){
```

```
showLinks(result);
  },
  error: function(xhr){
    console.error(xhr);
});
// function getViaAjax(fileName, specificFunction) {
     $.ajax({
       url: "assets/data/" + fileName + ".json",
       dataType: "json",
       success: function (jsonData) {
         specificFunction(jsonData);
       error: function (xhr, status, errorMessage) {
       console.log(xhr);
        console.log(status);
function getNovelsViaAjax(specificFunction,genres) {
 $.ajax({
    url: "models/showNovels.php",
    method: "post",
    data : {
      genre : genres
    },
    dataType: "json",
    success: function (jsonData) {
      specificFunction(jsonData);
    error: function (xhr, status, errorMessage) {
      console.log(xhr);
      console.log(status);
      console.log(errorMessage);
  });}
  function getNumberOfNovels(){
    $.ajax({
      url: "models/showNumberOfNovels.php",
      method: "post",
      dataType: "json",
      success: function (jsonData) {
        showNumberOfNovels(jsonData.num);
```

```
error: function (xhr, status, errorMessage) {
      console.log(xhr);
      console.log(status);
      console.log(errorMessage);
  });
function deleteNovels(jsonData){
 alert(jsonData.message);
 window.location.href="crudNovels.php";
function showNumberOfNovels(number){
 novelCounter=number;
 console.log(novelCounter);
var novelCounter = 0;
function getPhp(parameterName, specificFunction,tableName) {
 $.ajax({
    url: "models/" + parameterName + ".php",
    method: "post",
   data : {
      table : tableName
    },
    dataType: "json",
    success: function (jsonData) {
      specificFunction(jsonData);
    },
    error: function (xhr, status, errorMessage) {
      console.log(xhr);
      console.log(status);
      console.log(errorMessage);
  });}
  function deletingViaAjax(parameterName, specificFunction,ida) {
    $.ajax({
      url: "models/" + parameterName + ".php",
      method: "post",
      data : {
        id : ida
      },
      dataType: "json",
      success: function (jsonData) {
        specificFunction(jsonData);
```

```
error: function (xhr, status, errorMessage) {
          console.log(xhr);
          console.log(status);
          console.log(errorMessage);
      });}
function addingToCart(e){
  e.preventDefault();
  alert("You have successfully added a book to your cart!");
  var novelId = Number(this.dataset.id);
  var novelsInCart = [];
  if(!localStorage.getItem("novelsToBuy")){
    var novel = {id:novelId, quantity:1};
    novelsInCart.push(novel);
    localStorage.setItem("novelsToBuy", JSON.stringify(novelsInCart));
    var novelsInCartLocalStorage=JSON.parse(localStorage.getItem("novelsToBuy"));
    var existingNovelInCart = novelsInCartLocalStorage.filter(novel=>novel.id==no
velId);
    if(existingNovelInCart.length){
      existingNovelInCart[0].quantity+=1;
      localStorage.setItem("novelsToBuy", JSON.stringify(novelsInCartLocalStorage)
);
    else {
      var novelsInCartLocalStorage=JSON.parse(localStorage.getItem("novelsToBuy")
);
          var novel = {id:novelId, quantity:1};
      novelsInCartLocalStorage.push(novel);
      localStorage.setItem("novelsToBuy", JSON.stringify(novelsInCartLocalStorage)
);
  numberOfNovelsInCart();
function numberOfNovelsInCart(){
  var numberOfNovels;
  if (!localStorage.getItem("novelsToBuy")){
    numberOfNovels = "";
  }
 else {
```

```
var novelsInCartLocalStorage=JSON.parse(localStorage.getItem("novelsToBuy"));
   var quantity = 0;
   novelsInCartLocalStorage.forEach(novel => {
     quantity+=novel.quantity;
   });
   numberOfNovels=quantity;
 var cartNumbers = document.querySelectorAll(".numberOfNovels");
  for (cartNumber in cartNumbers){
   cartNumbers[cartNumber].innerHTML=numberOfNovels;
function showMenu(menuJsonData) {
  var writingMenu = "";
 var writingSubmenu = "";
 var writingTabletMenu = "";
 var userLoggingIn = localStorage.getItem("userLoggingIn");
 for (partOfMenu in menuJsonData) {
   if (menuJsonData[partOfMenu].primaryHref != "#") {
     if(userLoggingIn){
       if(menuJsonData[partOfMenu].primaryHref!="loggingIn.php" && menuJsonData[
partOfMenu].primaryHref!="registration.php"){
     writingMenu += `
                           <a href="${menuJsonData[partOfMenu].primaryHref}" id=</pre>
"${menuJsonData[partOfMenu].primaryHref}" class="whiteColor">${menuJsonData[partO
fMenu].primaryLabel}</a>
                       `;
     writingTabletMenu += `
                          <a href="${menuJsonData[partOfMenu].primaryHref}" id=</pre>
"${menuJsonData[partOfMenu].primaryHref}a" class="whiteColor">${menuJsonData[part
OfMenu].primaryLabel}</a>
                       `;
   } }
 else{
   if(menuJsonData[partOfMenu].primaryHref!="loggingOut.php"){
     writingMenu += `
                           <a href="${menuJsonData[partOfMenu].primaryHref}" cla</pre>
ss="whiteColor">${menuJsonData[partOfMenu].primaryLabel}</a>
                       `;
     writingTabletMenu += `
```

```
<a href="${menuJsonData[partOfMenu].primaryHref}" cla</pre>
ss="whiteColor">${menuJsonData[partOfMenu].primaryLabel}</a>
                    `;
 }}else if(menuJsonData[partOfMenu].primaryHref=="#"&&menuJsonData[partOfMenu].s
econdaryLabelId==menuJsonData[partOfMenu].secondaryHrefId) {
     if(!writingMenu.includes("Catalog")){
     writingMenu += `
                        <a href="${menuJsonData[partOfMenu].primaryHref}" cla</pre>
ss="whiteColor">${menuJsonData[partOfMenu].primaryLabel}<span class="fa fa-
chevron-down tinyMarginLeft" aria-hidden="true"></span>
                        </a>
                     >;
     writingTabletMenu += `
                               <a href="${menuJsonData[partOfMenu].primaryHr</pre>
ef}" class="whiteColor">${menuJsonData[partOfMenu].primaryLabel}<span class="fa f
a-chevron-down tinyMarginLeft" aria-hidden="true"></span>
                            `;
     //for (partOfSubmenu in menuJsonData[partOfMenu].secondaryHrefs) {
       writingSubmenu += `
                                              <a href="${menuJsonData[part</pre>
OfMenu].secondaryHrefName}" class="whiteColor">${menuJsonData[partOfMenu].seconda
ryLabelName}</a>
       writingTabletMenu += `
                                          <a href="${menuJsonData[partOfMe</pre>
nu].secondaryHrefName}" class="whiteColor">${menuJsonData[partOfMenu].secondaryLa
belName}</a>
                                       `;
       if(writingTabletMenu.includes("Drama")){
     writingTabletMenu += ""}
     document.querySelector("#submenu").innerHTML = writingSubmenu;
 document.querySelector("#menu").innerHTML = writingMenu;
```

```
if(writingMenu.includes("Log out")){
    document.getElementById("loggingOut.php").addEventListener("click", function()
      localStorage.removeItem("userLoggingIn");
    });
  document.querySelector("#tabletMenu").innerHTML = writingTabletMenu;
  if(writingTabletMenu.includes("Log out")){
    document.getElementById("loggingOut.phpa").addEventListener("click",function(
){
      localStorage.removeItem("userLoggingIn");
    });
  numberOfNovelsInCart();
function showSlides(slidesJsonData) {
  var writingSlides = "";
  for (slide in slidesJsonData) {
    if (slide == 0) {
      writingSlides += `<img class="height100vh" src="${slidesJsonData[slide].src</pre>
}" alt="${slidesJsonData[slide].alt}"/>`;
    } else {
      writingSlides += `<img class="displayNone height100vh" src="${slidesJsonDat</pre>
a[slide].src}" alt="${slidesJsonData[slide].alt}"/>`;
  document.querySelector("#slider").innerHTML = writingSlides;
function slideShow() {
  var slides = $("#slider img");
  for (var i = 0; i < slides.length; i++) {</pre>
    if (i != slides.length - 1) {
      if ($(slides[i]).hasClass("displayNone") == false) {
        $(slides[i]).addClass("displayNone");
        $(slides[i + 1]).removeClass("displayNone");
        break;
    } else {
      $(slides[i]).addClass("displayNone");
      $(slides[0]).removeClass("displayNone");
  setTimeout("slideShow()", 3000);
```

```
slideShow();
$("#menu").on("mouseenter", ".includesSubmenu", function () {
  $("#submenu").parent().parent().removeClass("displayNone");
$("#submenu").parent().parent().mouseleave(function () {
    $("#submenu").parent().parent().addClass("displayNone");
$("#hamburger").click(function () {
  $("#tabletMenu").slideToggle("slow");
$("#tabletMenu").on("click", ".includesTabletSubmenu", function () {
  $(".includesTabletSubmenu ul").slideToggle("slow");
});
function showLinks(links) {
  var writingLinks = "";
  for (link in links) {
    writingLinks += `
                             <a href="${links[link].href}" class="whiteColor">${li
nks[link].label}</a>
                        `;
  document.querySelector("#linkList").innerHTML = writingLinks;
if (window.location =="https://uncrossed-prism.000webhostapp.com/index.php") {
  //getViaAjax("contactInformation", showContactInformationList);
  getPhp("loadPurposes", showPurposes, "purpose");
  function showPurposes(purposes) {
    var writingPurposes = `<option value="0">Choose...</option>`;
    for (purpose in purposes) {
      writingPurposes += `<option value="${purposes[purpose].id}">${purposes[purposes].id}">${purposes[purposes].id}"
ose].purposeName}</option>`;
    document.querySelector("#purpose").innerHTML = writingPurposes;
  $("#send").click(function () {
    var firstNameVar = $("#firstName").val();
    var lastNameVar = $("#lastName").val();
    var emailAddressVar = $("#emailAddress").val();
    var purposeVar = $("#purpose").find(":selected").text();
    console.log(purposeVar);
    var messageVar = $("#message").val();
    var sendVar = $("#send").val();
    var nameModel = /^[A-ZČĆŽŠĐ][A-zČĆŽŠĐčćžšđ']+([ ][A-ZČĆŽŠĐ][A-
zČĆŽŠĐčćžšđ'l+)*$/:
```

```
var emailAddressModel = /^(?=.\{6,30\}@)[0-9a-z]+(?:\.[0-9a-z]+)*@[a-z0-
9]{2,}(?:\.[a-z]{2,})+$/;
    var numberOfErrors = 0;
    if (firstNameVar != "") {
      if (nameModel.test(firstNameVar)) {
        $("#firstNameNote").html("You filled this field properly!");
        $("#firstNameNote").removeClass("redColor");
        $("#firstNameNote").addClass("greenColor");
      } else {
        numberOfErrors++;
        $("#firstNameNote").html(
          "You did not fill this field properly. Example: Al McKay"
        );
        $("#firstNameNote").removeClass("greenColor");
       $("#firstNameNote").addClass("redColor");
    } else {
      numberOfErrors++;
      $("#firstNameNote").html("This field must not be left blank!");
     $("#firstNameNote").removeClass("greenColor");
      $("#firstNameNote").addClass("redColor");
    if (lastNameVar != "") {
     if (nameModel.test(lastNameVar)) {
        $("#lastNameNote").html("You filled this field properly!");
        $("#lastNameNote").removeClass("redColor");
        $("#lastNameNote").addClass("greenColor");
      } else {
        numberOfErrors++;
        $("#lastNameNote").html(
          "You did not fill this field properly. Example: O'Bryant Junior"
       $("#lastNameNote").removeClass("greenColor");
        $("#lastNameNote").addClass("redColor");
    } else {
      numberOfErrors++;
      $("#lastNameNote").html("This field must not be left blank!");
      $("#lastNameNote").removeClass("greenColor");
      $("#lastNameNote").addClass("redColor");
    if (emailAddressVar != "") {
      if (emailAddressModel.test(emailAddressVar)) {
        $("#emailAddressNote").html("You filled this field properly!");
        $("#emailAddressNote").removeClass("redColor");
```

```
$("#emailAddressNote").addClass("greenColor");
  } else {
    numberOfErrors++;
    $("#emailAddressNote").html(
      "You did not fill this field properly. Example: 1james.caa1n@3mail.co.u
    $("#emailAddressNote").removeClass("greenColor");
    $("#emailAddressNote").addClass("redColor");
} else {
  numberOfErrors++;
  $("#emailAddressNote").html("This field must not be left blank!");
  $("#emailAddressNote").removeClass("greenColor");
  $("#emailAddressNote").addClass("redColor");
if (purposeVar != "Choose...") {
  $("#purposeNote").html("You selected a purpose properly!");
  $("#purposeNote").removeClass("redColor");
  $("#purposeNote").addClass("greenColor");
} else {
  numberOfErrors++;
  $("#purposeNote").html(
    "You did not select a purpose. Example: Suggestion"
  );
  $("#purposeNote").removeClass("greenColor");
  $("#purposeNote").addClass("redColor");
if (messageVar != "") {
 $("#messageNote").html("You filled this field properly!");
  $("#messageNote").removeClass("redColor");
  $("#messageNote").addClass("greenColor");
} else {
  numberOfErrors++;
  $("#messageNote").html("This field must not be left blank!");
  $("#messageNote").removeClass("greenColor");
  $("#messageNote").addClass("redColor");
if (numberOfErrors == 0) {
  $.ajax({
    url: "models/contact.php",
   method: "post",
    dataType: "json",
    data: {
      firstNameProperty: firstNameVar,
```

```
lastNameProperty: lastNameVar,
         emailAddressProperty: emailAddressVar,
         purposeProperty: purposeVar,
         messageProperty: messageVar,
         sendProperty: sendVar
       },
       success: function(result){
         if(!Array.isArray(result.message)){
           alert(result.message);
           else {
             for(var i=0;i<result.message.length;i++){</pre>
               alert(result.message[i]);
           }
       },
       error: function(xhr){
         console.error(xhr)
     });
 });
 $.ajax({
   url: "models/showContactInformationList.php",
   method : "post",
   dataType: "json",
   success: function(result){
     showContactInformationList(result);
   error: function(xhr){
     console.error(xhr);
  });
  function showContactInformationList(contactInformation) {
   var writingContactInformationList = "";
   for (partOfContactInformation in contactInformation) {
     if(!writingContactInformationList.includes(contactInformation[partOfContact
Information].primaryLabel)){
     writingContactInformationList += `
                                              <h5>${contactInformation[partOfCo
ntactInformation].primaryLabel}</h5>
                                              `;
     //for (tinyPartOfContactInformation in contactInformation[
      // partOfContactInformation
```

```
// ].secondaryLabels) {
        writingContactInformationList += `
                                                           <h6>${contactInformat
ion[partOfContactInformation].secondaryLabelName}</h6></ha>
                                                       `;
      if(contactInformation[partOfContactInformation].secondaryLabelId==5 || cont
actInformation[partOfContactInformation].secondaryLabelId==8 || contactInformatio
n[partOfContactInformation].secondaryLabelId==10){
      writingContactInformationList += "";
      }
    document.querySelector("#contactInformationList").innerHTML = writingContactI
nformationList;
  $("#contactInformationList").on("mouseenter", "li", function () {
    $(this).find("ul").slideDown();
  });
  $("#contactInformationList").on("mouseleave", "li", function () {
    $(this).find("ul").slideUp();
  });
if ((window.location == "https://uncrossed-
prism.000webhostapp.com/author.php")||(window.location == "https://uncrossed-
prism.000webhostapp.com/index.php")) {
  $(".descriptiveImage").mouseover(function () {
   $(this).addClass("descriptiveImageBoxShadow");
  });
 $(".descriptiveImage").mouseleave(function () {
   $(this).removeClass("descriptiveImageBoxShadow");
  });
if ((window.location == "https://uncrossed-
prism.000webhostapp.com/comedyNovels.php")||(window.location == "https://uncrosse
prism.000webhostapp.com/dramaNovels.php")||(window.location == "https://uncrossed
-prism.000webhostapp.com/crudNovels.php")) {
  function filterChange(){
    if (window.location == "https://uncrossed-
prism.000webhostapp.com/crudNovels.php"){
    getNovelsViaAjax(editingNovels, "All");
```

```
if (window.location == "https://uncrossed-
prism.000webhostapp.com/comedyNovels.php"){
  getNovelsViaAjax(showNovels, "Comedy");
if (window.location == "https://uncrossed-
prism.000webhostapp.com/dramaNovels.php"){
  getNovelsViaAjax(showNovels,"Drama");
    var novelsJsonData = "";
  $("#titles").on("mouseover", ".descriptiveImage", function () {
    $(this).addClass("descriptiveImageBoxShadow");
  $("#titles").on("mouseleave", ".descriptiveImage", function () {
    $(this).removeClass("descriptiveImageBoxShadow");
  });
  //getViaAjax("publishingHouses", showPublishingHouses);
  //getViaAjax("availability", showAvailability);
  // getViaAjax("sortCategories", showSortCategories);
  getPhp("getCheckboxes", showPublishingHouses, "publishinghouses");
  getPhp("getCheckboxes", showAvailability, "availability");
  $.ajax({
    url: "models/loadSortCategories.php",
    method : "post",
    dataType: "json",
    success: function(result){
      showSortCategories(result);
    },
    error: function(xhr){
      console.error(xhr);
  });
  function showSubgenres(subgenres) {
    var writingSubgenres = "";
    for (subgenre in subgenres) {
      writingSubgenres += `
                                <input type="checkbox" name="subgenresName" v</pre>
alue="${subgenres[subgenre].name}" class="tinyMarginTop tinyMarginRight subgenres
 id="${subgenres[subgenre].id}"/><h5>${subgenres[subgenre].name}</h5>
                                `:
```

```
document.querySelector("#subgenres").innerHTML = writingSubgenres;
    $(".subgenres").change(filterChange);
  function showAuthors(authors) {
    var writingAuthors = "";
    for (author in authors) {
     writingAuthors += `
                               <input type="checkbox" name="authorsName" val</pre>
ue="${authors[author].firstName} ${authors[author].lastName}" class="tinyMarginTo"
p tinyMarginRight authors" id="${authors[author].id}"/><h5>${authors[author].firs
tName} ${authors[author].lastName}</h5>
                               `;
   document.querySelector("#authors").innerHTML = writingAuthors;
    $(".authors").change(filterChange);
  function showPublishingHouses(publishingHouses) {
    var writingPublishingHouses = "";
    for (publishingHouse in publishingHouses) {
     writingPublishingHouses += `
                               <input type="checkbox" name="publishingHouses</pre>
Name" value="${publishingHouses[publishingHouse].name}" class="tinyMarginTop tin"
yMarginRight publishingHouses" id="${publishingHouses[publishingHouse].id}"/><h5>
${publishingHouses[publishingHouse].name}</h5>
                               `;
    document.querySelector(
      "#publishingHouses"
    ).innerHTML = writingPublishingHouses;
   $(".publishingHouses").change(filterChange);
  function showAvailability(availability) {
    var writingAvailability = "";
    for (availabilityStatus in availability) {
     writingAvailability += `
                               <input type="checkbox" name="availabilityName</pre>
 value="${availability[availabilityStatus].status}" class="tinyMarginTop tinyMar
ginRight availability" id="${availability[availabilityStatus].id}"/><h5>${availab
ility[availabilityStatus].status}</h5>
                               `;
```

```
document.querySelector("#availability").innerHTML = writingAvailability;
    $(".availability").change(filterChange);
  $("#subgenresLabel").click(function () {
    $("#subgenres").slideToggle("slow");
  });
  $("#authorsLabel").click(function () {
    $("#authors").slideToggle("slow");
  });
  $("#publishingHousesLabel").click(function () {
    $("#publishingHouses").slideToggle("slow");
  });
  $("#availabilityLabel").click(function () {
    $("#availability").slideToggle("slow");
  });
  function showSortCategories(sortCategories) {
    var writingSortCategories = "";
    for (sortCategory in sortCategories) {
      writingSortCategories += `
                                    <option value="${sortCategories[sortCategory]</pre>
.id}">${sortCategories[sortCategory].categoryName}
                                    </option>
    document.querySelector("#sort").innerHTML = writingSortCategories;
  function getNovels(novels){
    novelsJsonData = novels;
  function showNovels(novels) {
  novels=filterBySubgenres(novels);
  novels=filterByAuthors(novels);
  novels=filterByPublishingHouses(novels);
  novels=filterByAvailabilities(novels);
  novels=filterByPriceRange(novels);
  novels=filterByTitle(novels);
  novels=sort(novels);
  var writingNovels = "";
 if(novels.length == 0){
    writingNovels=`<div class="width100 displayFlex justifyContentCenter blockPad
dingTop"><h4 class="redColor">Unfortunately, there are no novels matching your se
arch.</h4><div>`;
  }else {
   for (novel in novels) {
```

```
writingNovels +=
                            <div class="width25 tabletWidth45 mobileWidth100 floa</pre>
tLeft ${novel == novels.length - 1? "": "novelMarginRight"}">
                                <img class="borderRadius descriptiveImage" src="$</pre>
{novels[novel].src}" alt="${novels[novel].alt}"/>
                                <h4 class="redColor textAlignCenter">${novels[nov
el].title}</h4>
                                <h5 class="redColor textAlignCenter">${novels[nov
el].author}</h5>
                                 <input type="button" class="width100 proceed bord</pre>
erRadius redBackgroundColor whiteColor tinyPadding tinyMarginBottom" value="Proce
ed!"/>
                                 <div class="displayNone positionFixed modal width</pre>
100 redColor height100vh alignItemsCenter">
                                     <div class="whiteBackgroundColor width45 posi</pre>
tionRelative marginOAuto modalDialog borderRadius tinyPadding">
                                         <div class="displayFlex justifyContentSpa</pre>
ceBetween">
                                             <h4>${novels[novel].title}</h4>
                                             <h4 class="exit">&times;</h4>
                                         </div>
                                         <div class="modalBody tinyPadding">
                                             <img class="borderRadius descriptiveI</pre>
mage" src="${novels[novel].src}" alt="${novels[novel].alt}"/>
                                             <h5 class="tinyMarginTop">Title: ${no
vels[novel].title}</h5>
                                             <h5>Author: ${novels[novel].author}</
h5>
                                             <h5>Price: $${novels[novel].price}</h
                                             <h5>Subgenre: ${novels[novel].subgenr
e}</h5>
                                             <h5>Year of issue: ${novels[novel].ye
arOfIssue}</h5>
                                             <h5>Publishing house: ${novels[novel]}
.publishingHouse}</h5>
                                             <h5>Number of pages: ${novels[novel].
numberOfPages}</h5>
                                             <h5>Availability: <span class="${nove}
ls[novel].availability =="In stock"? "greenColor": "redColor"}">${novels[novel].a
vailability}</span></h5>
                                             ${novels[
novel].description}
                                             <input type="button" class="width100</pre>
addToCart borderRadius redBackgroundColor whiteColor tinyPadding tinyMarginTop" d
```

```
ata-
id="${novels[novel].id}" value="Add to cart!" ${novels[novel].availability == "In
 stock"?"":"disabled"} disabled/>
                                         </div>
                                     </div>
                                 </div>
                             </div>
    }}
    document.querySelector("#titles").innerHTML = writingNovels;
    $(".addToCart").click(addingToCart);
  function editingNovels(novels) {
    novels=filterBySubgenres(novels);
    novels=filterByAuthors(novels);
    novels=filterByPublishingHouses(novels);
    novels=filterByAvailabilities(novels);
    novels=filterByPriceRange(novels);
    novels=filterByTitle(novels);
    novels=sort(novels);
    var writingNovels = "";
    if(novels.length == 0){
      writingNovels=`<div class="width100 displayFlex justifyContentCenter blockP
addingTop"><h4 class="redColor">Unfortunately, there are no novels matching your
search.</h4><div>`;
    }else {
      for (novel in novels) {
        writingNovels += `
                               <div class="width25 tabletWidth45 mobileWidth100 fl</pre>
oatLeft ${novel == novels.length - 1? "": "novelMarginRight"}">
                                   <img class="borderRadius descriptiveImage" src=</pre>
"${novels[novel].src}" alt="${novels[novel].alt}"/>
                                   <h4 class="redColor textAlignCenter">${novels[n]}
ovel].title}</h4>
                                   <h5 class="redColor textAlignCenter">${novels[n
ovel].author}</h5>
                                   <input type="button" class="width45 update bord</pre>
erRadius redBackgroundColor whiteColor tinyPadding tinyMarginBottom" value="Updat
e!"/>
                                   <input type="button" class="width45 delete bord</pre>
erRadius redBackgroundColor whiteColor tinyPadding tinyMarginBottom" data-
id="${novels[novel].id}" value="Delete!"/>
                                   <div class="displayNone positionFixed editingMo</pre>
dal width100 redColor height100vh alignItemsCenter">
```

```
<div class="whiteBackgroundColor width45 po</pre>
sitionRelative marginOAuto modalDialog borderRadius tinyPadding">
                                          <div class="displayFlex justifyContentS</pre>
paceBetween">
                                              <h4>${novels[novel].title}</h4>
                                              <h4 class="exit">&times;</h4>
                                          </div>
                                          <div class="modalBody tinyPadding">
                                              <h5 class="tinyMarginTop">Title: <i
nput type="text" value="${novels[novel].title}" id="${novels[novel].id}Title"/>
h5>
                                              <h5>Author: <input type="text" valu
e="${novels[novel].author}" id="${novels[novel].id}Author"/></h5>
                                              <h5>Price: $<input type="text" valu
e="${novels[novel].price}" id="${novels[novel].id}Price"/></h5>
                                              <h5>Subgenre: <input type="text" va
lue="${novels[novel].subgenre}" id="${novels[novel].id}Subgenre"/></h5>
                                              <h5>Year of issue: <input type="tex
t" value="${novels[novel].yearOfIssue}" id="${novels[novel].id}YearOfIssue"/></h5
                                              <h5>Publishing house:<input type="t
ext" value="${novels[novel].publishingHouse}" id="${novels[novel].id}PublishingHo
use"/></h5>
                                              <h5>Number of pages: <input type="t
ext" value="${novels[novel].numberOfPages}" id="${novels[novel].id}NumberOfPages"
/></h5>
                                              <h5>Availability: <input type="text
" value="${novels[novel].availability}" id="${novels[novel].id}Availability"/></h
                                              <textar</pre>
ea id="${novels[novel].id}Description">${novels[novel].description}</textarea>
                                              <input type="button" class="width10</pre>
0 change borderRadius redBackgroundColor whiteColor tinyPadding tinyMarginTop" da
ta-id="${novels[novel].id}" value="Change!"/>
                                      </div>
                                  </div>
                              </div>
      }}
      document.querySelector("#titles").innerHTML = writingNovels;
      $(".addToCart").click(addingToCart);
```

```
$("#titles").on("click", ".update", function () {
      $(this).parent().find(".editingModal").removeClass("displayNone");
      $(this).parent().find(".editingModal").addClass("displayFlex");
    $("#showingInsertModal").on("click", function () {
      $("#insertModal").removeClass("displayNone");
      $("#insertModal").addClass("displayFlex");
    });
    $("#titles").on("click", ".change", function () {
      var id= this.dataset.id;
      var title= document.getElementById(id+"Title").value;
      var author= document.getElementById(id+"Author").value;
      var price= document.getElementById(id+"Price").value;
      var subgenre= document.getElementById(id+"Subgenre").value;
      var yearOfIssue= document.getElementById(id+"YearOfIssue").value;
      var publishingHouse= document.getElementById(id+"PublishingHouse").value;
      var numberOfPages= document.getElementById(id+"NumberOfPages").value;
      var availability= document.getElementById(id+"Availability").value;
      var description= document.getElementById(id+"Description").textContent;
      sendUpdatedNovelData(id, title, author, price, subgenre, yearOfIssue, publishingH
ouse,numberOfPages,availability,description);
    });
    function sendUpdatedNovelData(id,title,author,price,subgenre,yearOfIssue,publ
ishingHouse,numberOfPages,availability,description){
       $.ajax({
      url: "models/updateNovels.php",
      method: "post",
      data : {
        id: id,
        title : title,
        author: author,
        price : price,
        subgenre : subgenre,
        yearOfIssue : yearOfIssue,
        publishingHouse : publishingHouse,
        numberOfPages : numberOfPages,
        availability : availability,
        description : description
      },
      dataType: "json",
      success: function (jsonData) {
        alert(jsonData.message);
        window.location.href="crudNovels.php";
```

```
error: function (xhr, status, errorMessage) {
       console.log(xhr);
       console.log(status);
       console.log(errorMessage);
   });
  $("#titles").on("click", ".delete", function () {
    var id= this.dataset.id;
    var sure = confirm("Are you sure about deleting novel with an id of "+id+"?
);
    if(sure){
      deletingViaAjax("deletingNovels", deleteNovels, id);
   });
$("#titles").on("click", ".proceed", function () {
  $(this).parent().find(".modal").removeClass("displayNone");
  $(this).parent().find(".modal").addClass("displayFlex");
$("#titles").on("click", ".exit", function () {
  $(this).parent().parent().addClass("displayNone");
  $(this).parent().parent().removeClass("displayFlex");
 });
 function sort(novels) {
  if ($("#sort").val() == '0'){
        return novels;
  if ($("#sort").val() == '1') {
    novels.sort(function (a, b) {
      if (a.title < b.title) {</pre>
        return -1;
       if (a.title > b.title) {
           return 1;
         if (a.title == b.title) {
           return 0;
    });
   if ($("#sort").val() == '2') {
```

```
novels.sort(function (a, b) {
    if (a.title > b.title) {
      return -1;
    if (a.title < b.title) {</pre>
        return 1;
      if (a.title == b.title) {
        return 0;
  });
if ($("#sort").val() == '3') {
  novels.sort(function (a, b) {
    if (a.price < b.price) {</pre>
      return -1;
    if (a.price > b.price) {
        return 1;
      if (a.price == b.price) {
        return 0;
  });
if ($("#sort").val() == '4') {
  novels.sort(function (a, b) {
    if (a.price > b.price) {
      return -1;
    if (a.price < b.price) {</pre>
        return 1;
      if (a.price == b.price) {
        return 0;
  });
if ($("#sort").val() == '5') {
 novels.sort(function (a, b) {
    if (a.yearOfIssue < b.yearOfIssue) {</pre>
```

```
return -1;
          if (a.yearOfIssue > b.yearOfIssue) {
              return 1;
            if (a.yearOfIssue == b.yearOfIssue) {
              return 0;
            }
        });
      if ($("#sort").val() == '6') {
        novels.sort(function (a, b) {
          if (a.yearOfIssue > b.yearOfIssue) {
            return -1;
          if (a.yearOfIssue < b.yearOfIssue) {</pre>
              return 1;
            if (a.yearOfIssue == b.yearOfIssue) {
              return 0;
        });
    return novels;
   function filterByTitle(novels){
      var userTitle = $("#searchTitles").val();
      var filteredNovelsByTitle = novels.filter(function(novel){
          if(novel.title.toUpperCase().indexOf(userTitle.trim().toUpperCase())!=-
1){
              return novel;
      });
      return filteredNovelsByTitle;
  $("#sort").on("change", filterChange);
$("#searchTitles").on("keyup",filterChange);
  $("#priceRange").on("change",filterChange);
  function filterByPriceRange(novels){
    var userTopPrice = $("#priceRange").val();
   var novelsInRange = novels.filter(function(novel){
      if(parseFloat(novel.price)<=parseFloat(userTopPrice)){</pre>
        return novel;
```

```
});
    return novelsInRange;
  function filterBySubgenres(novels){
var selectedSubgenres=[];
$(".subgenres:checked").each(function(item){
  selectedSubgenres.push($(this).val());
  });
if(selectedSubgenres.length !=0){
  return novels.filter(novel=>selectedSubgenres.includes(novel.subgenre));
     return novels;
  function filterByAuthors(novels){
var selectedAuthors=[];
$(".authors:checked").each(function(item){
  selectedAuthors.push($(this).val());
 });
if(selectedAuthors.length !=0){
  return novels.filter(novel=>selectedAuthors.includes(novel.author));
     return novels;
 function filterByPublishingHouses(novels){
var selectedPublishingHouses=[];
$(".publishingHouses:checked").each(function(item){
  selectedPublishingHouses.push($(this).val());
  });
if(selectedPublishingHouses.length !=0){
  return novels.filter(novel=>selectedPublishingHouses.includes(novel.publishingH
ouse));
     return novels;
 function filterByAvailabilities(novels){
var selectedAvailability=[];
$(".availability:checked").each(function(item){
  selectedAvailability.push($(this).val());
  });
```

```
if(selectedAvailability.length !=0){
  return novels.filter(novel=>selectedAvailability.includes(novel.availability));
     return novels;
  $("#priceRange").on("input",function(){
    $("#topLine").html($(this).val());
  });
if (window.location == "https://uncrossed-
prism.000webhostapp.com/crudNovels.php"){
  // getNumberOfNovels();
  // var limitPagination = novelCounter;
  getPhp("getAllCheckboxes", showSubgenres, "allSubgenres");
  getPhp("getAllCheckboxes", showAuthors, "allAuthors");
  getNovelsViaAjax(editingNovels, "All");
  getNovelsViaAjax(getNovels, "All");
  $("#insertNovelForm").on("submit",function(e){
    var formData = new FormData(this);
    console.log("dasdsada");
    e.preventDefault;
    $.ajax({
      url : "models/submitNovel.php",
      method: "POST",
      data : formData,
      success: function(response){
        alert(response);
      },
      cache: false,
      contentType : false,
      processData: false,
      error : function(xhr){
        console.error(xhr);
    });
  });
```

```
if (window.location == "https://uncrossed-
prism.000webhostapp.com/comedyNovels.php"){
  // getNumberOfNovels();
 // var limitPagination = novelCounter;
 //getViaAjax("comedySubgenres", showSubgenres);
  getPhp("getCheckboxes",showSubgenres,"comedysubgenres");
  getPhp("getCheckboxes", showAuthors, "comedyauthors");
  //getPhp("getCheckboxes",showNovels,"novels");
  //getViaAjax("comedyAuthors", showAuthors);
  //getViaAjax("comedyNovels", showNovels);
  getNovelsViaAjax(showNovels, "Comedy");
  getNovelsViaAjax(getNovels, "All");
if (window.location == "https://uncrossed-
prism.000webhostapp.com/dramaNovels.php"){
 // getNumberOfNovels();
 // var limitPagination = novelCounter;
 // getViaAjax("dramaSubgenres", showSubgenres);
  getPhp("getCheckboxes", showSubgenres, "dramasubgenres");
  getPhp("getCheckboxes", showAuthors, "dramaauthors");
  //getViaAjax("dramaAuthors", showAuthors);
  //getViaAjax("dramaNovels", showNovels);
 //getViaAjax("dramaNovels", getNovels);
  getNovelsViaAjax(showNovels, "Drama");
  getNovelsViaAjax(getNovels, "All");
if (window.location == "https://uncrossed-prism.000webhostapp.com/cart.php"){
  getNovelsViaAjax(getComedyNovels, "Comedy");
  getNovelsViaAjax(getDramaNovels, "Drama");
  //getViaAjax("comedyNovels",getComedyNovels);
  //getViaAjax("dramaNovels",getDramaNovels);
  var globalNovels;
  var comedyNovels=[];
  var dramaNovels=[];
  function getComedyNovels(novels){
        comedyNovels=novels;
  function getDramaNovels(novels){
      dramaNovels=novels;
setTimeout(() => {
  globalNovels=comedyNovels.concat(dramaNovels);
readingAllNovels(globalNovels);
readingNovelsFromCart(globalNovels);
```

```
}, 500);
  function readingNovelsFromCart(novels){
    emptyCart();
    var cartBlock = document.getElementById("cartBlock");
    if(!localStorage.getItem("novelsToBuy")){
      cartBlock.innerHTML=`<div class="width100 displayFlex justifyContentCenter</pre>
blockPaddingTop"><h4 class="redColor">Your cart is empty!</h4></div>`;
    else {
      var novelsInCartLocalStorage=JSON.parse(localStorage.getItem("novelsToBuy")
);
      var novelsInCart = [];
      novelsInCartLocalStorage.forEach(novel=>{
        novelsInCart.push(novel.id);
      });
      console.log(novelsInCart);
      var showNovels = novels.filter(novel=>novelsInCart.includes(parseInt(novel.
id)));
      showNovelsFromCart(showNovels);
    }
  function showNovelsFromCart(novels){
    emptyCart();
    var writingNovels = "";
    var cartBlock = document.getElementById("cartBlock");
    writingNovels="<div class='displayFlex justifyContentSpaceBetween tabletFlexD
irectionColumn tabletBlockPaddingTop tabletAlignItemsCenter'><div class='width15</pre>
tabletWidth45 textAlignCenter'><h5 class='redColor'>Image</h5></div><div class='w
idth15 tabletWidth45 textAlignCenter'><h5 class='redColor'>Title</h5></div><div c
lass='width15 tabletWidth45 textAlignCenter'><h5 class='redColor'>Unit price</h5>
</div><div class='width15 tabletWidth45 textAlignCenter'><h5 class='redColor'>Qua
ntity</h5></div><div class='width15 tabletWidth45 textAlignCenter'><h5 class='red
Color'>Quantity management</h5></div></div>";
    novels.forEach(novel=>{
      writingNovels+=`
                <div class='displayFlex justifyContentSpaceBetween tabletFlexDire</pre>
ctionColumn tabletAlignItemsCenter'><div class='width15 tabletWidth45'><img class
="borderRadius descriptiveImage" src="${novel.src}" alt="${novel.alt}"/></div><di
v class='width15 tabletWidth45 textAlignCenter'><h6 class='redColor'>${novel.titl
e}</h6></div><div class='width15 tabletWidth45 textAlignCenter'><h6 class='redCol
or'>$${novel.price}</h6></div><div id="quantityOf${novel.id}" class='width15 tabl
etWidth45 textAlignCenter'><h6 class="redColor">${quantityOfANovel(novel.id)}</h6
></div><div class='width15 displayFlex flexDirectionColumn tabletWidth45'><button
type="button" class="addMore redBackgroundColor whiteColor borderRadius tinyMarg
```

```
inBottom tinyPadding" data-id="${novel.id}"><span class="fa fa-plus" aria-</pre>
hidden="true"></span></button><button type="button" class="removeMore tinyPadding
 redBackgroundColor whiteColor borderRadius tinyMarginBottom" data-
id="${novel.id}"><span class="fa fa-minus" aria-</pre>
hidden="true"></span></button><button type="button" class="removeAll tinyPadding"
redBackgroundColor whiteColor borderRadius tinyMarginBottom" class="removeAll wid
th100" data-id="${novel.id}"><span class="fa fa-trash" aria-
hidden="true"></span></button></div></div>
    });
    writingNovels+=`<div class="width100 displayFlex justifyContentCenter tinyMar
ginTop"><h5 class='redColor'>Totally to pay: $${totalPriceOfNovels(novels)}</h5><</pre>
/div>`;
    cartBlock.innerHTML=writingNovels;
    $(".addMore").click(addANovel);
    $(".removeMore").click(removeANovel);
    $(".removeAll").click(removeAllSameNovels);
  function quantityOfANovel(novelId){
    emptyCart();
    var novelsInCartLocalStorage=JSON.parse(localStorage.getItem("novelsToBuy"));
    var quantity = novelsInCartLocalStorage.filter(novel=>novel.id==novelId);
    return quantity[0].quantity;
function totalPriceOfNovels(novels){
  var totalPrice = 0;
  novels.forEach(novel=>{
    totalPrice+=novel.price*quantityOfANovel(novel.id);
  return totalPrice.toFixed(2);
function addANovel(e){
  e.preventDefault();
  var novelId = this.dataset.id;
  var novelsInCartLocalStorage=JSON.parse(localStorage.getItem("novelsToBuy"));
  var novel = novelsInCartLocalStorage.filter(novel=>novel.id==novelId);
  novel[0].quantity++;
  localStorage.setItem("novelsToBuy", JSON.stringify(novelsInCartLocalStorage));
  refreshQuantity(novelId);
  checkQuantity(novelId);
  readingNovelsFromCart(allNovels);
  numberOfNovelsInCart();
function removeANovel(e){
  e.preventDefault();
```

```
var novelId = this.dataset.id;
  var novelsInCartLocalStorage=JSON.parse(localStorage.getItem("novelsToBuy"));
  var novel = novelsInCartLocalStorage.filter(novel=>novel.id==novelId);
  novel[0].quantity--;
  localStorage.setItem("novelsToBuy", JSON.stringify(novelsInCartLocalStorage));
  refreshQuantity(novelId);
  checkQuantity(novelId);
  readingNovelsFromCart(allNovels);
  emptyCart();
  numberOfNovelsInCart();
function removeAllSameNovels(e){
  e.preventDefault();
  var index;
 var novelId = this.dataset.id;
  var novelsInCartLocalStorage=JSON.parse(localStorage.getItem("novelsToBuy"));
  for(var i in novelsInCartLocalStorage){
    if(novelsInCartLocalStorage[i].id==novelId){
      index = i;
  novelsInCartLocalStorage.splice(index,1);
 localStorage.setItem("novelsToBuy", JSON.stringify(novelsInCartLocalStorage));
  emptyCart();
  readingNovelsFromCart(allNovels);
  numberOfNovelsInCart();
function readingAllNovels(novels){
  allNovels= novels;
function checkQuantity(novelId){
 var novelsInCartLocalStorage=JSON.parse(localStorage.getItem("novelsToBuy"));
 var novel = novelsInCartLocalStorage.filter(novel=>novel.id==novelId);
 var quantity = novel[0].quantity;
 var indexOfNovel = 0;
 if(quantity == 0){
    for (var i in novelsInCartLocalStorage){
      if(novelsInCartLocalStorage[i].id==novelId){
        indexOfNovel = i;
      }
    novelsInCartLocalStorage.splice(indexOfNovel,1);
    localStorage.setItem("novelsToBuy", JSON.stringify(novelsInCartLocalStorage));
    emptyCart();
```

```
numberOfNovelsInCart();
function refreshQuantity(novelId){
  var novelsInCartLocalStorage=JSON.parse(localStorage.getItem("novelsToBuy"));
  var novel = novelsInCartLocalStorage.filter(novel=>novel.id==novelId);
  document.getElementById(`quantityOf${novelId}`).innerHTML=novel[0].quantity;
  emptyCart();
  numberOfNovelsInCart();
function emptyCart(){
  var novelsInCartLocalStorage=JSON.parse(localStorage.getItem("novelsToBuy"));
  if(novelsInCartLocalStorage==null || novelsInCartLocalStorage.length==0){
    localStorage.removeItem("novelsToBuy");
$("#cartBlock").on("mouseover", ".descriptiveImage", function () {
 $(this).addClass("descriptiveImageBoxShadow");
});
$("#cartBlock").on("mouseleave", ".descriptiveImage", function () {
 $(this).removeClass("descriptiveImageBoxShadow");
});
if (window.location =="https://uncrossed-
prism.000webhostapp.com/registration.php") {
  $(document).on('click','#register',function(){
    var firstNameVar = $("#firstName").val();
    var lastNameVar = $("#lastName").val();
    var userName = $("#userName").val();
    var emailAddressVar = $("#mailAddress").val();
    var password = $("#password").val();
    var confPassword = $("#confPass").val();
    var homeAddress = $("#homeAddress").val();
    var button = $("#register").val();
    var numberOfErrors = 0;
    var nameModel = /^[A-ZČĆŽŠĐ][A-zČĆŽŠĐčćžšđ']+([ ][A-ZČĆŽŠĐ][A-
zČĆŽŠĐčćžšđ']+)*$/;
    var emailAddressModel = /^(?=.\{6,30\}@)[0-9a-z]+(?:\.[0-9a-z]+)*@[a-z0-
9{2,}(?:\.[a-z]{2,})+$/;
    var credentialModel = /^(?=.*[a-z])(?=.*[A-Z])(?=.*[0-9]).{8,50}$/;
    if (firstNameVar != "") {
      if (nameModel.test(firstNameVar)) {
        $("#firstMessage").html("You filled this field properly!");
        $("#firstMessage").removeClass("redColor");
```

```
$("#firstMessage").addClass("greenColor");
 } else {
   numberOfErrors++;
   $("#firstMessage").html(
      "You did not fill this field properly. Example: Al McKay"
    );
   $("#firstMessage").removeClass("greenColor");
   $("#firstMessage").addClass("redColor");
} else {
 numberOfErrors++;
 $("#firstMessage").html("This field must not be left blank!");
 $("#firstMessage").removeClass("greenColor");
 $("#firstMessage").addClass("redColor");
if (lastNameVar != "") {
 if (nameModel.test(lastNameVar)) {
   $("#lastMessage").html("You filled this field properly!");
   $("#lastMessage").removeClass("redColor");
   $("#lastMessage").addClass("greenColor");
 } else {
   numberOfErrors++;
   $("#lastMessage").html(
      "You did not fill this field properly. Example: O'Bryant Junior"
    );
   $("#lastMessage").removeClass("greenColor");
   $("#lastMessage").addClass("redColor");
} else {
 numberOfErrors++;
 $("#lastMessage").html("This field must not be left blank!");
 $("#lastMessage").removeClass("greenColor");
 $("#lastMessage").addClass("redColor");
if (emailAddressVar != "") {
 if (emailAddressModel.test(emailAddressVar)) {
   $("#emailAddressNote").html("You filled this field properly!");
   $("#emailAddressNote").removeClass("redColor");
   $("#emailAddressNote").addClass("greenColor");
  } else {
   numberOfErrors++;
    $("#emailAddressNote").html(
      "You did not fill this field properly. Example: 1james.caa1n@3mail.co.u
```

```
$("#emailAddressNote").removeClass("greenColor");
    $("#emailAddressNote").addClass("redColor");
} else {
  numberOfErrors++;
  $("#emailAddressNote").html("This field must not be left blank!");
  $("#emailAddressNote").removeClass("greenColor");
  $("#emailAddressNote").addClass("redColor");
if (password != "") {
  if (credentialModel.test(password)) {
    $("#passwordMessage").html("You filled this field properly!");
    $("#passwordMessage").removeClass("redColor");
    $("#passwordMessage").addClass("greenColor");
  } else {
   numberOfErrors++;
    $("#passwordMessage").html(
      "You did not fill this field properly. Example: rickleS26"
    );
    $("#passwordMessage").removeClass("greenColor");
    $("#passwordMessage").addClass("redColor");
} else {
  numberOfErrors++;
  $("#passwordMessage").html("This field must not be left blank!");
  $("#passwordMessage").removeClass("greenColor");
  $("#passwordMessage").addClass("redColor");
if (confPassword==password){
    $("#confPassMessage").html("Passwords match!");
    $("#confPassMessage").removeClass("redColor");
    $("#confPassMessage").addClass("greenColor");
else {
  numberOfErrors++
  $("#confPassMessage").html("Passwords do not match!");
    $("#confPassMessage").removeClass("redColor");
    $("#confPassMessage").addClass("greenColor");
if (userName != "") {
  if (credentialModel.test(userName)) {
    $("#userNameMessage").html("You filled this field properly!");
    $("#userNameMessage").removeClass("redColor");
    $("#userNameMessage").addClass("greenColor");
  } else {
```

```
numberOfErrors++;
    $("#userNameMessage").html(
      "You did not fill this field properly. Example: s15iNatra"
    $("#userNameMessage").removeClass("greenColor");
    $("#userNameMessage").addClass("redColor");
} else {
  numberOfErrors++;
  $("#userNameMessage").html("This field must not be left blank!");
  $("#userNameMessage").removeClass("greenColor");
  $("#userNameMessage").addClass("redColor");
if(homeAddress!=""){
  $("#homeMessage").html("You filled this field properly!");
    $("#homeMessage").removeClass("redColor");
    $("#homeMessage").addClass("greenColor");
else {
  numberOfErrors++;
  $("#homeMessage").html("This field must not be left blank!");
  $("#homeMessage").removeClass("greenColor");
  $("#homeMessage").addClass("redColor");
if (numberOfErrors == 0)
  $.ajax({
    url: "models/registration.php",
    method: "post",
    dataType: "json",
    data: {
      firstNameProperty: firstNameVar,
      lastNameProperty: lastNameVar,
      emailAddressProperty: emailAddressVar,
      userNameProperty: userName,
      passwordProperty: password,
      confPasswordProperty : confPassword,
      homeAddressProperty: homeAddress,
      buttonProperty: button
    },
    success:function(result){
      if(!Array.isArray(result.message)){
      alert(result.message);
      }
      else {
```

```
for(var i=0;i<result.message.length;i++){</pre>
              alert(result.message[i]);
          if(result.message=="Succesfull registration"){
            window.location.href="index.php";
        },
        error : function(xhr){
          console.error(xhr);
      });
  });
  var userLoggingIn = {user:"true"};
 if (window.location =="https://uncrossed-
prism.000webhostapp.com/loggingIn.php") {
  $(document).on('click','#logIn',function(){
    var userName = $("#user").val();
    var pass = $("#pass").val();
    $.ajax({
      url : "models/loggingIn.php",
      method: "post",
      data : {
        userNameProperty : userName,
        passProperty : pass
      },
      dataType: "json",
      success : function(response){
        alert(response.message);
        if(pass=="InitialPassword1"){
          var newPass = prompt('Now you have to change initial password with whic
h you have logged in. Enter a new password in the field bellow:');
          $.ajax({
            url : "models/changingPassword.php",
            method: "post",
            data : {
              userName : userName,
              newPass: newPass
            },
            dataType: "json",
            success : function(response){
              alert(response.message);
```

```
error : function(xhr){
              console.error(xhr);
            }
          });
        if(response.message=="Succesfull logging in"){
          localStorage.setItem("userLoggingIn", JSON.stringify(userLoggingIn));
          window.location.href="index.php";
      },
      error : function(xhr){
        console.error(xhr);
    });
  });
if (window.location == "https://uncrossed-prism.000webhostapp.com/survey.php"){
 var writingSurvey = "";
  getPhp("getSurvey", showSubgenresSurvey, "survey");
  function showSubgenresSurvey(surveyJsonData){
    for(subgenre in surveyJsonData){
      writingSurvey+=`<div class="displayFlex floatLeft"><input type="radio" clas
s="tinyMarginTop" id="${surveyJsonData[subgenre].answer}Subgenre" name="survey" v
alue="${surveyJsonData[subgenre].answer}"/><h5 class="redColor floatLeft tinyMarg
inLeft">${surveyJsonData[subgenre].answer}</h5></div>
   $("#subgenresSurvey").html(writingSurvey);
 $("#vote").on("click",function(){
   var checkedSubgenreSurvey = $("input[name='survey']:checked").val();
   $.ajax({
      url : "models/insertSurvey.php",
      method: "post",
      data : {
        checkedSubgenreSurvey : checkedSubgenreSurvey,
      },
      dataType: "json",
      success : function(response){
        alert(response.message);
```

```
error : function(xhr){
      console.error(xhr);
   });
 });
 var clickCounter = 0;
 var writingResults = "";
 $("#results").on("click",function(){
   if(clickCounter==0){
      getPhp("getResults", showResults, "survey");
      function showResults(jsonResults){
        for(result in jsonResults){
          writingResults+=`<label for="${jsonResults[result].answer}"><h5 class</pre>
="redColor">${jsonResults[result].answer}</h5></label>
          cprogress id="${jsonResults[result].answer}" value="${jsonResults[result].answer}"
ult].percentage}" class="width100" max="100">${jsonResults[result].percentage}</p
rogress><span id="span${jsonResults[result].answer}"><h6 class="redColor">${jsonR
esults[result].percentage} %</h6></span><br/>
        $("#showResults").html(writingResults);
        $("#showResults").removeClass("displayNone");
        clickCounter=1;
   else {
     $("#showResults").addClass("displayNone");
     clickCounter = 0;
     writingResults="";
 });
if (window.location == "https://uncrossed-
prism.000webhostapp.com/crudUsers.php"){
 function showAllUsers(jsonUsers){
   var writingUsers = `
yPadding redColor">IdFirst name<th cla
ss="tinyPadding redColor">Last nameEmail Ad
dressUser name
edColor">Home AddressRole<th class="ti
nyPadding redColor">UpdateDelete`
   for(jsonUser in jsonUsers){
```

```
writingUsers+=`${jsonUsers[jsonUser].i
d}<input type="text" class="redColor"</pre>
     value="${jsonUsers[jsonUser].id}FirstName}" id="${jsonUsers[jsonUser].id}First
Name"/>
     <input type="text" class="redColor" value="${jsonUs}
ers[jsonUser].lastName}" id="${jsonUsers[jsonUser].id}LastName"/>
     <input type="text" class="redColor" value="${jsonUs</pre>
ers[jsonUser].emailAddress}" id="${jsonUsers[jsonUser].id}EmailAddress"/>
     <input type="text" class="redColor" value="${jsonUs}
ers[jsonUser].userName}" id="${jsonUsers[jsonUser].id}UserName"/>
     <input type="text" class="redColor" value="${jsonUs}
ers[jsonUser].homeAddress}" id="${jsonUsers[jsonUser].id}HomeAddress"/>
     <input type="text" class="redColor" value="${jsonUs</pre>
ers[jsonUser].role}" id="${jsonUsers[jsonUser].id}Role"/>
     <button onclick="updateUser(${jsonUsers[js</pre>
onUser].id},document.getElementById('${jsonUsers[jsonUser].id}FirstName').value,
     document.getElementById('${jsonUsers[jsonUser].id}LastName').value,document
.getElementById('${jsonUsers[jsonUser].id}EmailAddress').value,
      document.getElementById('${jsonUsers[jsonUser].id}UserName').value,
      document.getElementById('${jsonUsers[jsonUser].id}HomeAddress').value,
      document.getElementById('${jsonUsers[jsonUser].id}Role').value)">Update</br>
utton>
      <button onclick="deleteUser(${jsonUsers[j</pre>
sonUser].id});">Delete</button>`;
   writingUsers+=``;
   $("#users").html(writingUsers);
 function deleteUser(id){
   var sure = confirm("Are you sure about deleting user with an id of "+id+"?");
   if(sure){
     deletingViaAjax("deleteUser",deletingUsers,id);
 function updateUser(id,firstName,lastName,emailAddress,userName,homeAddress,rol
e){
   $.ajax({
     url : "models/updatingUsers.php",
     method: "post",
     data : {
       id: id,
       firstName : firstName,
       lastName : lastName,
       emailAddress : emailAddress,
       userName: userName,
```

```
homeAddress : homeAddress,
       role : role
     },
     dataType: "json",
     success : function(response){
       alert(response.message);
     },
     error : function(xhr){
       console.error(xhr);
   });
  getPhp("getUsers", showAllUsers, "users");
  function deletingUsers(response){
  alert(response.message);
  getPhp("getUsers", showAllUsers, "users");
 $("#addingAnUser").click(function(){
   $("#addingAnUser").hide();
   $.ajax({
     url : "models/getLastUserId.php",
     method: "post",
     dataType: "json",
     success : function(response){
       readUserId(response.id);
     },
     error : function(xhr){
       console.error(xhr);
   });
   function readUserId(id){
     console.log(id);
     var lastUserId=parseInt(id);
     lastUserId++;
     console.log(lastUserId);
     $("#userTable").append(`
="tinyPadding"><input type="text" class="redColor"</pre>
     id="${lastUserId}FirstName"/>
    <input type="text" class="redColor" id="${lastUserI</pre>
d}LastName"/>
    <input type="text" class="redColor" id="${lastUserI</pre>
d}EmailAddress"/>
    <input type="text" class="redColor" id="${lastUserId</pre>
}UserName"/>
```

```
<input type="text" class="redColor" id="${lastUserId</pre>
}HomeAddress"/>
    <input type="text" class="redColor" id="${lastUserId</pre>
}Role"/>
    <input type="button" value="Ins</pre>
ert" id="insertingAnUser">
     `);
     $("#insertingAnUser").on("click",function(){
       var firstName = document.getElementById(lastUserId+"FirstName").value;
       var lastName = document.getElementById(lastUserId+"LastName").value;
       var userName = document.getElementById(lastUserId+"UserName").value;
       var homeAddress = document.getElementById(lastUserId+"HomeAddress").value
       var role = document.getElementById(lastUserId+"Role").value;
       var emailAddress = document.getElementById(lastUserId+"EmailAddress").val
ue;
       $.ajax({
         url : "models/insertingAnUser.php",
     method: "post",
     dataType: "json",
     data: {
       firstName : firstName,
       lastName : lastName,
       userName : userName,
       homeAddress : homeAddress,
       role : role,
       emailAddress : emailAddress
     },
     success : function(response){
       alert(response.message);
       window.location.href="crudUsers.php";
     },
     error : function(xhr){
       console.error(xhr);
       });
     });
 });
```

o footer.php

header.php

```
<header class="width100 redBackgroundColor positionFixed">
         <div class='wrapper displayFlex justifyContentSpaceBetween margin0Aut</pre>
o mobileFlexDirectionColumn mobileAlignItemsCenter'>
            <div id='logo'>
                <a href="index.php">
                   <img src='assets/img/logo.png' alt='Logo of The Greatest</pre>
Gift'/>
                </a>
             </div>
            <nav>
                enuCenter tabletDisplayNone'>
                <span id="hamburger" class="fa fa-</pre>
bars displayNone tabletDisplayFlex menuCenter whiteColor" aria-
hidden="true"></span>
                xtAlignCenter linkPaddingTopBottom">
             </nav>
         </div>
         <div class="displayNone">
             <div class="wrapper margin0Auto displayFlex justifyContentFlexEnd</pre>
                n"></u1>
            </div>
         </div>
</header>
```

slider.php

```
<div id="slider" class="width100 height100vh positionRelative tabletDisplayNone">
</div>
```

config/

o connection.php

```
define("SERVER", "localhost");
define("DATABASE", "id16323078_thegreatestgiftdb");
define("USERNAME", "id16323078_thegreatestgiftdbusername");
define("PASSWORD", "KlintIstvud30_");
try {
    $connection = new PDO("mysql:host=".SERVER.";dbname=".DATABASE.";charset=utf8", USERNAME, PASSWORD);

    $connection->setAttribute(PDO::ATTR_DEFAULT_FETCH_MODE, PDO::FETCH_OBJ);

    $connection->setAttribute(PDO::ATTR_ERRMODE, PDO::ERRMODE_EXCEPTION);
}
catch(PDOException $ex){
    echo $ex->getMessage();
}
```

```
css/
style.css
```

```
* {
```

```
margin: 0px;
    padding: 0px;
    font-family: 'Krub', sans-serif;
.width100,img {
    width: 100%;
.redBackgroundColor {
    background-color: #e70029;
.redColor {
    color: #e70029;
.greenColor {
    color: #04bf49;
header {
    z-index: 500;
    box-shadow: 0px 5px 10px #000000;
#logo {
    width: 80px;
.wrapper {
    width: 1152px;
.margin0Auto {
    margin: 0px auto;
.displayFlex {
    display: flex;
.displayNone {
    display: none;
.justifyContentSpaceBetween {
    justify-content: space-between;
.justifyContentFlexEnd {
    justify-content: flex-end;
.justifyContentCenter {
    justify-content: center;
.flexDirectionColumn {
```

```
flex-direction: column;
.alignItemsCenter {
    align-items: center;
.textAlignCenter {
    text-align: center;
.textAlignJustify {
    text-align: justify;
.positionFixed {
    position: fixed;
.postionRelative {
    position: relative;
.positionAbsolute {
    position: absolute;
ul {
    list-style-type: none;
a {
    text-decoration: none;
h1 {
    font-size: 80px;
h2 {
    font-size: 50px;
h3 {
    font-size: 40px;
h4 {
    font-size: 28px;
h5 {
    font-size: 24px;
h6 {
    font-size: 22px;
```

```
font-size: 20px;
#hamburger {
    font-size: 35px;
.whiteColor,::placeholder {
    color: #ffffff;
.linkPaddingLeftRight {
    padding: 0px 40px;
.linkPaddingTopBottom {
    padding: 20px 0px;
.menuCenter {
    margin-top: 30px;
#submenu {
    width: 400px;
.height100vh {
    height: 100vh;
.bottom50 {
    bottom: 50px;
.width45 {
    width: 45%;
.blockPaddingTop {
    padding-top: 50px;
.blockPaddingBottom {
    padding-bottom: 50px;
.borderRadius {
    border-radius: 10px;
input,select,textarea,button {
    border: 0px solid #000000;
input:focus, select:focus, textarea:focus,button {
    outline: none;
.tinyPadding {
```

```
padding: 10px;
.boxSizingBorderBox {
    box-sizing: border-box;
.sublistPaddingLeft {
    padding-left: 20px;
.descriptiveImageBoxShadow {
    box-shadow: 5px 5px 10px #000000;
.descriptionPadding {
    padding-top: 10px;
.width15 {
    width: 15%;
.width25 {
    width: 25%;
.width20 {
    width: 20%;
.width75 {
    width: 75%;
input[type=checkbox],input[type=radio]{
    transform: scale(2);
.tinyMarginLeft {
    margin-left: 10px;
.tinyMarginRight {
    margin-right: 10px;
.tinyMarginTop {
    margin-top: 10px;
.tinyMarginBottom {
    margin-bottom: 10px;
.fa-search {
    font-size: 50px;
.modal {
```

```
z-index: 501;
    overflow: auto;
    left: 0;
    top: 0;
    background-color: #0000007F;
.editingModal {
    z-index: 501;
    overflow: auto;
    left: 0;
    top: 0;
    background-color: #0000007F;
#insertModal {
    z-index: 501;
    overflow: auto;
    left: 0;
    top: 0;
    background-color: #0000007F;
.modalDialog {
    overflow-y: initial !important;
.modalBody{
    height: 80vh;
    overflow-y: auto;
.whiteBackgroundColor {
    background-color: #ffffff;
.floatLeft {
    float: left;
.novelMarginRight {
    margin-right: 5%;
#survey {
    position: fixed;
    left: 10px;
    bottom: 10px;
    padding: 28px 10px;
    border-radius: 100%;
th, td {
    border: 1px solid #e70029;
```

```
:disabled{
    background-color: #c2c2c2;
@media screen and (max-width: 1152px) {
    .wrapper {
     width: 85%;
   h1 {
       font-size: 70px;
    h2 {
       font-size: 35px;
   h3 {
       font-size: 30px;
    .laptopFlexDirectionColumn {
        flex-direction: column;
    .laptopAlignItemsCenter {
        align-items: center;
@media screen and (max-width: 768px) {
    .tabletDisplayFlex {
        display: flex;
    .tabletDisplayNone {
        display: none;
    .tabletFlexDirectionColumn {
        flex-direction: column;
    .tabletWidth95 {
        width: 95%;
    .tabletAlignItemsCenter {
        align-items: center;
    .tabletBlockPaddingBottom {
        padding-bottom: 50px;
    .tabletBlockPaddingTop {
```

```
padding-top: 50px;
}
.tabletWidth45 {
    width: 45%;
}

@media screen and (max-width: 480px) {
    .mobileFlexDirectionColumn {
        flex-direction: column;
    }
    .mobileAlignItemsCenter {
        align-items: center;
    }
    .mobileBlockPaddingTop {
        padding-top: 120px;
    }
    .mobileWidth100 {
        width: 100%;
    }
}
```

skripta baze podataka:

```
-- phpMyAdmin SQL Dump
-- version 5.0.4
-- https://www.phpmyadmin.net/
--
-- Host: 127.0.0.1
-- Generation Time: Mar 20, 2021 at 12:44 AM
-- Server version: 10.4.17-MariaDB
-- PHP Version: 7.4.14

SET SQL_MODE = "NO_AUTO_VALUE_ON_ZERO";
START TRANSACTION;
SET time_zone = "+00:00";

/*!40101 SET @OLD_CHARACTER_SET_CLIENT=@@CHARACTER_SET_CLIENT */;
/*!40101 SET @OLD_CHARACTER_SET_RESULTS=@@CHARACTER_SET_RESULTS */;
/*!40101 SET @OLD_COLLATION_CONNECTION=@@COLLATION_CONNECTION */;
/*!40101 SET NAMES utf8mb4 */;
```

```
-- Database: `thegreatestgiftdatabase`
-- Table structure for table `availability`
CREATE TABLE `availability` (
 `id` int(11) NOT NULL,
 `status` varchar(30) NOT NULL
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4;
-- Dumping data for table `availability`
INSERT INTO `availability` (`id`, `status`) VALUES
(1, 'In stock'),
(2, 'Not in stock');
-- Table structure for table `comedyauthors`
CREATE TABLE `comedyauthors` (
 `id` int(11) NOT NULL,
 `firstName` varchar(100) NOT NULL,
 `lastName` varchar(100) NOT NULL
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4;
-- Dumping data for table `comedyauthors`
INSERT INTO `comedyauthors` (`id`, `firstName`, `lastName`) VALUES
(1, 'Winston', 'Groom'),
(2, 'Helen', 'Fielding'),
(4, 'Edward', 'Streeter'),
(5, 'Olivia\r\n', 'Goldsmith'),
(6, 'Anne', 'Fine'),
```

```
(7, 'Robert', 'Nathan');
-- Table structure for table `comedysubgenres`
CREATE TABLE `comedysubgenres` (
  `id` int(11) NOT NULL,
 `name` varchar(100) NOT NULL
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4;
-- Dumping data for table `comedysubgenres`
INSERT INTO `comedysubgenres` (`id`, `name`) VALUES
(1, 'Family'),
(2, 'Romance');

    Table structure for table `contactinformationlistprimarylabels`

CREATE TABLE `contactinformationlistprimarylabels` (
  `id` int(11) NOT NULL,
 `primaryLabel` text NOT NULL
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4;
-- Dumping data for table `contactinformationlistprimarylabels`
INSERT INTO `contactinformationlistprimarylabels` (`id`, `primaryLabel`) VALUES
(1, 'Address<span class=\'fa fa-map-marker tinyMarginLeft\' aria-</pre>
hidden=\'true\'></span>'),
(2, 'Business hours<span class=\'fa fa-clock-o tinyMarginLeft\' aria-
hidden=\'true\'></span>'),
(3, 'Contact us via...');
```

```
- Table structure for table `contactinformationlistsecondarylabels`
CREATE TABLE `contactinformationlistsecondarylabels` (
  `primaryLabelId` int(11) NOT NULL,
 `secondaryLabelId` int(11) NOT NULL,
 `secondaryLabelName` text NOT NULL
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4;
-- Dumping data for table `contactinformationlistsecondarylabels`
INSERT INTO `contactinformationlistsecondarylabels` (`primaryLabelId`, `secondary
LabelId`, `secondaryLabelName`) VALUES
(1, 1, '40 Fifth Avenue'),
(1, 2, 'New York County'),
(1, 3, 'New York City'),
(1, 4, 'State of New York'),
(1, 5, 'United States Of America'),
(2, 6, 'From Monday to Friday 06:00-22:00'),
(2, 7, 'Saturdays 06:00-14:00'),
(2, 8, 'We are closed on Sundays'),
(3, 9, '<span class=\'fa fa-volume-control-phone tinyMarginRight\' aria-
hidden=\'true\'></span>+1 202 762 1401'),
(3, 10, '<span class=\'fa fa-envelope tinyMarginRight\' aria-
hidden=\'true\'></span> thegreatestgift90&#64gmail.com');
-- Table structure for table `dramaauthors`
CREATE TABLE `dramaauthors` (
 `id` int(11) NOT NULL,
 `firstName` varchar(100) NOT NULL,
 `lastName` varchar(100) NOT NULL
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4;
-- Dumping data for table `dramaauthors`
```

```
INSERT INTO `dramaauthors` (`id`, `firstName`, `lastName`) VALUES
(1, 'Philip', 'Van Doren Stern'),
(2, 'Stephen', 'King'),
(3, 'Mario', 'Puzo'),
(4, 'David', 'Baldacci'),
(5, 'Nicholas', 'Pileggi');
-- Table structure for table `dramasubgenres`
CREATE TABLE `dramasubgenres` (
 `id` int(11) NOT NULL,
 `name` varchar(100) NOT NULL
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4;
-- Dumping data for table `dramasubgenres`
INSERT INTO `dramasubgenres` (`id`, `name`) VALUES
(1, 'Christmas'),
(2, 'Prison'),
(3, 'Crime');
-- Table structure for table `imagenovels`
CREATE TABLE `imagenovels` (
 `imageId` int(11) NOT NULL,
 `src` varchar(100) NOT NULL,
 `alt` varchar(100) NOT NULL
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4;
-- Dumping data for table `imagenovels`
INSERT INTO `imagenovels` (`imageId`, `src`, `alt`) VALUES
(1, 'assets/img/forrestGump.jpg', 'Forrest Gump'),
```

```
(2, 'assets/img/bridgetJonesSDiary.jpg', 'Bridget Jones\'s Diary'),
(3, 'assets/img/bridgetJonesTheEdgeOfReason.jpg', 'Bridget Jones: The Edge of Rea
son'),
(4, 'assets/img/fatherOfTheBride.jpg', 'Father of the Bride'),
(5, 'assets/img/theFirstWivesClub.jpg', 'The First Wives Club'),
(6, 'assets/img/madameDoubtfire.jpg', 'Madame Doubtfire'),
(7, 'assets/img/mrHobbsVacation.jpg', 'Mr. Hobbs\' Vacation'),
(8, 'assets/img/theBishopSWife.jpg', 'The Bishop\'s Wife'),
(9, 'assets/img/theGreatestGift.jpg', 'The Greatest Gift'),
(10, 'assets/img/ritaHayworthAndShawshankRedemption.jpg', 'Rita Hayworth and Shaw
shank Redemption'),
(11, 'assets/img/theGreenMile.jpg', 'The Green Mile'),
(12, 'assets/img/theGodfather.jpg', 'The Godfather'),
(13, 'assets/img/absolutePower.jpg', 'Absolute Power'),
(14, 'assets/img/theSicilian.jpg', 'The Sicilian'),
(15, 'assets/img/wiseguy.jpg', 'Wiseguy'),
(16, 'assets/img/casinoLoveAndHonorInLasVegas.jpg', 'Casino: Love and Honor in La
s Vegas');
-- Table structure for table `links`
CREATE TABLE `links` (
  `href` text NOT NULL,
 `label` text NOT NULL
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4;
-- Dumping data for table `links`
INSERT INTO `links` (`href`, `label`) VALUES
('https://www.instagram.com/theGreatestGift90', '<span class=\'fa fa-
instagram\' aria-hidden=\'true\'></span>'),
('https://twitter.com/TGift90', '<span class=\'fa fa-twitter-square\' aria-
hidden=\'true\'></span>'),
('https://uncrossed-prism.000webhostapp.com/sitemap.xml', '<span class=\'fa fa-
sitemap\' aria-hidden=\'true\'></span>'),
('https://uncrossed-
prism.000webhostapp.com/documentation.pdf', '<span class=\'fa fa-file-pdf-</pre>
o\' aria-hidden=\'true\'></span>'),
```

```
('https://uncrossed-prism.000webhostapp.com/author.php', '<span class=\'fa fa-
user\' aria-hidden=\'true\'></span>');
-- Table structure for table `menu`
CREATE TABLE `menu` (
  `id` int(11) NOT NULL,
  `primaryHref` varchar(100) NOT NULL,
 `primaryLabel` text NOT NULL
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4;
-- Dumping data for table `menu`
INSERT INTO `menu` (`id`, `primaryHref`, `primaryLabel`) VALUES
(1, 'index.php', 'Home'),
(2, '#', 'Catalog'),
(3, 'cart.php', '<span class=\'fa fa-shopping-cart tinyMarginRight\' aria-
hidden=\'true\'></span><span class=\'numberOfNovels\'></span>'),
(5, 'loggingIn.php', 'Log in'),
(6, 'registration.php', 'Sign in'),
(7, 'loggingOut.php', 'Log out'),
(8, 'dashboard.php', 'Dashboard');
-- Table structure for table `messages`
CREATE TABLE `messages` (
  `id` int(11) NOT NULL,
  `firstName` text NOT NULL,
 `lastName` text NOT NULL,
 `emailAddress` text NOT NULL,
  `purpose` text NOT NULL,
 `message` text NOT NULL
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4;
```

```
-- Dumping data for table `messages`
INSERT INTO `messages` (`id`, `firstName`, `lastName`, `emailAddress`, `purpose`,
 `message`) VALUES
(1, 'Marko', 'Stojanović', 'stojanovicmarkosrbija@gmail.com', 'Suggestion', 'sads
ad');
-- Table structure for table `novels`
CREATE TABLE `novels` (
  `id` int(11) NOT NULL,
  `title` varchar(100) NOT NULL,
  `author` varchar(100) NOT NULL,
  `subgenre` varchar(100) NOT NULL,
  `price` float NOT NULL,
  `imageId` int(11) NOT NULL,
  `numberOfPages` int(11) NOT NULL,
  `publishingInformationId` int(11) NOT NULL,
  `availability` varchar(100) NOT NULL,
  `description` text NOT NULL,
  `genre` varchar(100) NOT NULL
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4;
 Dumping data for table `novels`
INSERT INTO `novels` (`id`, `title`, `author`, `subgenre`, `price`, `imageId`, `n
umberOfPages`, `publishingInformationId`, `availability`, `description`, `genre`)
 VALUES
(1, 'Forrest Gump', 'Winston Groom', 'Romance', 11.39, 1, 228, 1, 'In stock', 'A
touching story about a man who becomes successful in many things thanks to the la
rge number of talents he possesses, despite his lower than average IQ. You will b
e enchanted by his way of looking at life, which is simple but very wise. This no
vel was screened in 1994 when it was turned into the film of the same name, direc
ted by Robert Zemeckis, starring Tom Hanks.', 'Comedy'),
(2, 'Bridget Jones\'s Diary', 'Helen Fielding', 'Romance', 7.4, 2, 288, 2, 'In st
ock', 'The novel is written in the form of a diary and follows the events in the
life of Bridget Jones, an unmarried woman in her 30s from London. In the diary, s
he writes on a regular basis about the fear of dying without anyone, but during t
```

```
he year, she will get involved in two romances. The 2001 film of the same name, d
irected by Sharon Maguire and starring Renee Zellweger, is an adaptation of this
novel.', 'Comedy'),
(3, 'Bridget Jones: The Edge of Reason', 'Helen Fielding', 'Romance', 14, 3, 432,
3, 'In stock', 'After Bridget Jones finds the man of her dreams, she will soon b
e disappointed with his lack of expression of love. Bridget\'s suspicion that her
boyfriend Mark fell in love with his colleague Rebecca, as well as her ex-
boyfriend Daniel\'s business offer to shoot a travel series together, will lead t
o an unexpected turn. The 2004 film of the same name, directed by Beeban Kidron a
nd starring Renee Zellweger, Colin Firth, Jacinda Barrett and Hugh Grant, is a sc
reened version of this novel.', 'Comedy'),
(4, 'Father of the Bride', 'Edward Streeter', 'Family', 11, 4, 240, 4, 'In stock'
  'The plot follows George Banks, whose quiet life turns into a nightmare when hi
s 22-year-
old daughter Annie comes home with the news that she is engaged and will get marr
ied soon. George is distrustful of her fiance Bryan MacKenzie, essentially fearin
g that Bryan is the right man for her daughter because then he will lose her. Aft
er he agrees with the wedding at the urging of his wife Nina, his problems will o
nly begin. This hilarious novel got its adaptation on screen in 1991 movie of the
same name, directed by Nancy Meyers and starring Steve Martin, Diane Keaton, Kim
berly Williams and George Newbern.', 'Comedy'),
(5, 'The First Wives Club', 'Olivia Goldsmith', 'Romance', 27.99, 5, 576, 5, 'In
stock', 'The novel follows Annie, Brenda and Elise who are divorced after their h
usbands left them for younger women. After their college friend commits suicide b
ecause her ex-
husband marries his mistress three days after the divorce, Annie, Brenda and Elis
e decide to take revenge on all four. In 1996, this novel received its adaptation
on the screen in the form of the motion picture of the same name, directed by Hu
gh Wilson, starring Diane Keaton, Betty Middler and Goldie Hawn.', 'Comedy'),
(6, 'Madame Doubtfire', 'Anne Fine', 'Family', 32.95, 6, 208, 6, 'Not in stock',
'Daniel Hillard is an impractical, unemployed actor, while Miranda Hillard is a s
uccessful businesswoman who gets custody of their children and leaves very limite
d time for Daniel to spend time with them. When Miranda decides to hire a nanny,
Daniel will disguise himself as a woman and get a job. Mrs. Doubtfire from 1993 i
s a screened version of this novel, and this picture, directed by Chris Columbus,
 stars Robin Williams and Sally Field.', 'Comedy'),
(7, 'Mr. Hobbs\' Vacation', 'Edward Streeter', 'Family', 55.9, 7, 156, 7, 'In sto
ck', 'Roger Hobbs looks back on his recent vacation. The idea was for his wife Pe
ggy and he to go to the sea alone, but Peggy instead invites the whole estranged
family. Although he is initially against any interference in the lives of his chi
ldren and grandchildren, Roger will start solving family problems one by one. Thi
s novel got its adaptation on the screen in 1962 under the name Mr. Hobbs Takes a
 Vacation directed by Henry Koster and starring James Stewart and Maureen O\'Hara
 ', 'Comedy'),
```

```
(8, 'The Bishop\'s Wife', 'Robert Nathan', 'Romance', 11.39, 8, 208, 8, 'Not in s
tock', 'Bishop Henry Brougham is a bishop whose obsession with financing the cons
truction of the cathedral leads to an estranged relationship with his wife Julia
and daughter Debby. After Henry\'s request for divine guidance, his requests were
answered in the form of the angel Dudley, who leads him to the conclusion where
he was wrong in his relationship with his family. The 1946 film of the same name,
 directed by Henry Koster and starring Cary Grant, David Niven, Loretta Young and
 Carolyn Grimes, is an adaptation on the screen of this novel.', 'Comedy'),
(9, 'The Greatest Gift', 'Philip Van Doren Stern', 'Christmas', 7.83, 9, 64, 9, '
In stock', 'A touching tale about George Pratt, a man who decides to commit suici
de on the eve of Christmas, dissatisfied with his life, whose guardian angel prev
ents him from doing so at the last moment to which George tells that he wishes he
had never been born. On his return home, he discovers what the world would have
looked like if he had not been born and after learning that his wife married anot
her man, he returns to the place where he almost committed suicide and calls on h
is guardian angel to return his greatest gift - his life. The screen adaptation o
f this novel - 1946 movie It\'s a Wonderful Life, directed by Frank Capra and sta
rring James Stewart and Donna Reed, has become a Christmas classic.', 'Drama'),
(10, 'Rita Hayworth and Shawshank Redemption', 'Stephen King', 'Prison', 9.67, 10
, 128, 10, 'In stock', 'You will enjoy this novel about a great friendship betwee
n Andy, unjustly convicted of the murder of his wife and her lover, and Red, who
has been suffering in prison for years for the mistakes he made in his youth. Dur
ing the novel, Andy finds a way to escape from prison and prove his innocence. Th
is artwork was screened in 1994 in the film The Shawshank Redemption, directed by
 Frank Darabont and starring Tim Robbins and Morgan Freeman.', 'Drama'),
(11, 'The Green Mile', 'Stephen King', 'Prison', 12.8, 11, 432, 11, 'Not in stock
 , 'Paul Edgecombe, a resident of a nursing home tells the story of his career as
 a prison guard in a death penalty block of a prison known as the Green Mile. You
 will find out how the arrival of the innocent convict John Coffey in his block c
hanged him forever. The novel got its adaptation in 1999 in the film of the same
name directed by Frank Darabont, starring Tom Hanks and Michael Clarke Duncan.',
(12, 'The Godfather', 'Mario Puzo', 'Crime', 10.24, 12, 608, 12, 'In stock', 'We
are confident that you will enjoy this novel, which is considered one of the best
 ever written, and which tells the story about life paths of father and son Vito
and Michael Corleone, Dons of the New York mafia family Corleone, originally from
 Sicily. You will find out how Michael\'s decision to enter the family business w
ill reflect on his relationship with his girlfriend and later wife Kay Adams. The
 eponymous 1972 screen adaptation of this novel, directed by Francis Ford Coppola
, a masterpiece in itself, stars Marlon Brando, Al Pacino and Diane Keaton.', 'Dr
ama'),
(13, 'Absolute Power', 'David Baldacci', 'Crime', 12, 13, 505, 13, 'In stock', 'T
he plot of this novel unfolds at breakneck speed without losing the thrill of the
 reader who will very soon empathize with the genius aged robber Luther Whitney,
who, intending to rob the house of a billionaire, will find himself at the scene
```

```
of the murder in which president is mixed in. Even though he managed to escape wi
th the money from the scene of the crime, he will decide to face the president an
d the secret service and reveal the truth for which he collected evidence at the
crime scene. You will also see how his relationship with his estranged daughter K
ate, who hated him during her childhood during which Luther was most of the time
in prison, will gradually change. The novel was adapted in the 1997 picture of th
e same name, directed by Clint Eastwood and starring Clint Eastwood and Laura Lin
ney.', 'Drama'),
(14, 'The Sicilian', 'Mario Puzo', 'Crime', 14.56, 14, 410, 14, 'Not in stock', '
The novel follows Michael, the son of the Don of the New York mafia family Corleo
ne - Vito, to whom his father entrusted the task of taking the famous bandit Salv
atore Guiliano with him to America before his return from exile in Sicily. In an
unexpected twist, Michael\'s role will be crucial in whether Salvatore will stay
alive or not. The novel was screened in 1987, as a film of the same name, directe
d by Michael Cimino and starring Christopher Lambert.', 'Drama'),
(15, 'Wiseguy', 'Nicholas Pileggi', 'Crime', 8.95, 15, 304, 15, 'In stock', 'The
protagonist Henry Hill remembers his life and the beginning of his criminal caree
r when he was recruited by Caporegime Polie as a child. The tale follows jobs he
did together with his friends Jimmy and Tommy as well as his decision to surrende
r to the federal authorities. The novel was screened in 1990 under direction of M
artin Scorsese as Goodfellas and starring Ray Liotta, Robert De Niro, Joe Pesci a
nd Paul Sorvino.', 'Drama'),
(16, 'Casino: Love and Honor in Las Vegas', 'Nicholas Pileggi', 'Crime', 4.88, 16
, 432, 16, 'In stock', 'The plot focuses on the story of Frank Rosenthal, a Chica
go bookmaker who works for the Mafia and his friend, also a member of the Mafia,
Anthony Spilotro. Rosenthal oversees the casino\'s operations, while Rosenthal pr
ovides protection, security and manages the jewelry robberies of his Hole in the
Wall Gang. The novel was screened as a 1995 film called Casino, directed by Marti
n Scorsese and starring Robert De Niro and Joe Pesci.', 'Drama');

    Table structure for table `publishinghouses`

CREATE TABLE `publishinghouses` (
  `id` int(11) NOT NULL,
  `name` varchar(100) NOT NULL
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4;
-- Dumping data for table `publishinghouses`
```

```
INSERT INTO `publishinghouses` (`id`, `name`) VALUES
(1, 'Random House'),
(2, 'Hachette'),
(3, 'HarperCollins');

    Table structure for table `publishinginformationnovels`

CREATE TABLE `publishinginformationnovels` (
  `publishingInformationId` int(11) NOT NULL,
  `yearOfIssue` int(11) NOT NULL,
  `publishingHouse` varchar(100) NOT NULL
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4;
-- Dumping data for table `publishinginformationnovels`
INSERT INTO `publishinginformationnovels` (`publishingInformationId`, `yearOfIssu
e`, `publishingHouse`) VALUES
(1, 1986, 'HarperCollins'),
(2, 1996, 'Hachette'),
(3, 1999, 'Hachette'),
(4, 1949, 'Random House'),
(5, 1992, 'Random House'),
(6, 1987, 'HarperCollins'),
(7, 1954, 'Hachette'),
(8, 1928, 'Random House'),
(9, 1943, 'Random House'),
(10, 1982, 'Hachette'),
(11, 1996, 'HarperCollins'),
(12, 1969, 'Random House'),
(13, 1996, 'Random House'),
(14, 1984, 'Hachette'),
(15, 1985, 'HarperCollins'),
(16, 1995, 'Hachette');
-- Table structure for table `purpose`
```

```
CREATE TABLE `purpose` (
 `id` int(11) NOT NULL,
 `purposeName` varchar(100) NOT NULL
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4;
-- Dumping data for table `purpose`
INSERT INTO `purpose` (`id`, `purposeName`) VALUES
(1, 'Suggestion'),
(2, 'Complaint'),
(3, 'Compliment'),
(4, 'Something else');
-- Table structure for table `secondaryhrefs`
CREATE TABLE `secondaryhrefs` (
 `menuId` int(11) NOT NULL,
 `secondaryHrefId` int(11) NOT NULL,
 `secondaryHrefName` varchar(100) NOT NULL
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4;
-- Dumping data for table `secondaryhrefs`
INSERT INTO `secondaryhrefs` (`menuId`, `secondaryHrefId`, `secondaryHrefName`) V
ALUES
(2, 1, 'comedyNovels.php'),
(2, 2, 'dramaNovels.php');
-- Table structure for table `secondarylabels`
CREATE TABLE `secondarylabels` (
 `menuId` int(11) NOT NULL,
```

```
secondaryLabelId` int(11) NOT NULL,
  `secondaryLabelName` varchar(100) NOT NULL
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4;
-- Dumping data for table `secondarylabels`
INSERT INTO `secondarylabels` (`menuId`, `secondaryLabelId`, `secondaryLabelName`
) VALUES
(2, 1, 'Comedy novels'),
(2, 2, 'Drama novels');
-- Table structure for table `slider`
CREATE TABLE `slider` (
 `src` varchar(100) NOT NULL,
 `alt` varchar(100) NOT NULL
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4;
-- Dumping data for table `slider`
INSERT INTO `slider` (`src`, `alt`) VALUES
('assets/img/satisfiedCustomer.jpg', 'Satisfied customer'),
('assets/img/exterior.jpg', 'Exterior of The Greatest Gift bookstore'),
('assets/img/bookshelves.jpg', 'Bookshelves');
CREATE TABLE `sortcategories` (
 `id` int(11) NOT NULL,
 `categoryName` varchar(100) NOT NULL
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4;
```

```
-- Dumping data for table `sortcategories`
INSERT INTO `sortcategories` (`id`, `categoryName`) VALUES
(0, 'Sort by...'),
(1, 'Sort by title in ascending order'),
(2, 'Sort by title in descending order'),
(3, 'Sort by price in ascending order'),
(4, 'Sort by price in descending order'),
(5, 'Sort by year of issue in ascending order'),
(6, 'Sort by year of issue in descending order');
-- Table structure for table `survey`
CREATE TABLE `survey` (
 `id` int(11) NOT NULL,
 `answer` varchar(100) NOT NULL,
 `numberOfVotes` int(11) NOT NULL
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4;
-- Dumping data for table `survey`
INSERT INTO `survey` (`id`, `answer`, `numberOfVotes`) VALUES
(1, 'Christmas', 13),
(2, 'Prison', 5),
(3, 'Crime', 6),
(4, 'Family', 2),
(5, 'Romance', 2);
-- Table structure for table `users`
CREATE TABLE `users` (
 `id` int(11) NOT NULL,
 `firstName` text NOT NULL,
 `lastName` text NOT NULL,
```

```
emailAddress` text NOT NULL,
  `userName` varchar(50) NOT NULL,
  `password` varchar(250) NOT NULL,
  `homeAddress` text NOT NULL,
  `role` varchar(5) NOT NULL
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4;
-- Dumping data for table `users`
INSERT INTO `users` (`id`, `firstName`, `lastName`, `emailAddress`, `userName`, `
password`, `homeAddress`, `role`) VALUES
(7, 'Dsdasdasd', 'Dasdasdasd', 'dsadfasdasdasd@gmial.com', 'dSADsadsa', '2aaf2b12
0447bd092b872fe2ee61800a', 'dwedwqed', 'user'),
(8, 'Dsdasdasd', 'Dasdasdasd', 'dsadfasdasdasd@gmial.com', 'dSADs', '2aaf2b120447
bd092b872fe2ee61800a', 'dwedwqed', 'user'),
(12, 'Ed', 'Sdasdad', 'adasdasdas@gafsd.com', 'dsad', '2aaf2b120447bd092b872fe2ee
61800a', '', 'user'),
(13, 'Ed', 'Sdasdad', 'adasdasdas@gafsd.com', 'dsad', '2aaf2b120447bd092b872fe2ee
61800a', 'dfsasf', 'user'),
(14, 'Ed', 'Sdasdad', 'adasdasdas@gafsd.com', 'dsad', '2aaf2b120447bd092b872fe2ee
61800a', 'dfsasf', 'user'),
(15, 'Ed McMahon', 'Carson', 'sdfsdfas@gagdff.com', 'mark', '2aaf2b120447bd092b87
2fe2ee61800a', 'dfsafdas', 'user'),
(16, 'Eddad', 'Edadsads', 'dsffsadfd@gmail.com', 'ed', '2aaf2b120447bd092b872fe2e
e61800a', 'dsfsadf', 'user'),
(17, 'Eddad', 'Edadsads', 'dsffsadfd@gmail.com', 'e', '2aaf2b120447bd092b872fe2ee
61800a', 'dsfsadf', 'user'),
(18, 'Eddad', 'Edadsads', 'dsffsadfd@gmail.com', 'u', '2aaf2b120447bd092b872fe2ee
61800a', 'admin', 'user'),
(19, 'Adasd', 'Sdfad', 'fdsafsadf@gmal.ocm', 'fsdafdsf', '2aaf2b120447bd092b872fe
2ee61800a', 'dasasd', 'user'),
(20, 'Doc', 'Severinsen', 'docseverinsen@gmail.com', 'docSeverinsen27', 'b8a3d259
2c7ae79b397e1dc3a062a5af', '5 Baker Street Hanover New Hampshire United States Of
America', 'user'),
(21, 'Johnny', 'Afasdf', 'dfafsdaf@gmail.com', 'fdsafsdfsf', '91a3379f1197516a014
6671b2a00fae5', 'sadsadsad', 'user'),
(22, 'Dfffd', 'Ffdsfdsfsf', 'fdsfsdfdssdf@gamil.com', 'dsfdfsdf', '91a3379f119751
6a0146671b2a00fae5', 'fdsfdf', 'user'),
(23, 'John', 'Carson', 'johncarson25@gmail.com', 'johnCarson25', '04a7b9fb3184df8
baafce00ab37472e5', '5 Rich Street Malibu Los Angeles California United States Of
America', 'admin'),
(24, 'Ddfdf', 'Dfdfsdf', 'johnntyterwerwe24@gmaik.com', 'fsdfsfs2524', 'fa8bdf878
0225c28ca57a22bd94ca3ff', '343 434 ', 'user'),
```

```
(26, 'Klint', 'Istvud', 'klintistvud30@gmail.com', 'theGood30', '79d7e408c89a1544
d52beef2a943ec4e', '3 Carmel', 'admin'),
(29, 'Marko', 'Ma', 'dsafdfsadf@gmail.com', 'johIhnt224', '979f631c0e0ad4b69ed8ea
a8b0585430', 'dasda', 'user');
-- Indexes for dumped tables
-- Indexes for table `availability`
ALTER TABLE `availability`
 ADD PRIMARY KEY ('id');

    Indexes for table `comedyauthors`

ALTER TABLE `comedyauthors`
 ADD PRIMARY KEY ('id');
 - Indexes for table `comedysubgenres`
ALTER TABLE `comedysubgenres`
 ADD PRIMARY KEY ('id');
 - Indexes for table `contactinformationlistprimarylabels`
ALTER TABLE `contactinformationlistprimarylabels`
 ADD PRIMARY KEY ('id');
 - Indexes for table `contactinformationlistsecondarylabels`
ALTER TABLE `contactinformationlistsecondarylabels`
  ADD PRIMARY KEY (`primaryLabelId`,`secondaryLabelId`);
-- Indexes for table `dramaauthors`
ALTER TABLE `dramaauthors`
 ADD PRIMARY KEY ('id');
```

```
- Indexes for table `dramasubgenres`
ALTER TABLE `dramasubgenres`
 ADD PRIMARY KEY ('id');
 - Indexes for table `imagenovels`
ALTER TABLE `imagenovels`
 ADD PRIMARY KEY (`imageId`);
ALTER TABLE `menu`
 ADD PRIMARY KEY (`id`);
ALTER TABLE `messages`
 ADD PRIMARY KEY ('id');
 - Indexes for table `novels`
ALTER TABLE `novels`
 ADD PRIMARY KEY (`id`),
 ADD KEY `imageconstraint` (`imageId`),
 ADD KEY `publishinginformationconstraint` (`publishingInformationId`);
 - Indexes for table `publishinghouses`
ALTER TABLE `publishinghouses`
 ADD PRIMARY KEY ('id');
 Indexes for table `publishinginformationnovels`
ALTER TABLE `publishinginformationnovels`
 ADD PRIMARY KEY (`publishingInformationId`);
```

```
Indexes for table `purpose`
ALTER TABLE `purpose`
  ADD PRIMARY KEY ('id');
-- Indexes for table `secondaryhrefs`
ALTER TABLE `secondaryhrefs`
  ADD PRIMARY KEY (`menuId`,`secondaryHrefId`);
-- Indexes for table `secondarylabels`
ALTER TABLE `secondarylabels`
  ADD PRIMARY KEY (`menuId`,`secondaryLabelId`);
 - Indexes for table `sortcategories`
ALTER TABLE `sortcategories`
  ADD PRIMARY KEY (`id`);
ALTER TABLE `survey`
  ADD PRIMARY KEY ('id');
-- Indexes for table `users`
ALTER TABLE `users`
  ADD PRIMARY KEY ('id');
 - AUTO_INCREMENT for dumped tables
-- AUTO_INCREMENT for table `availability`
ALTER TABLE `availability`
  MODIFY `id` int(11) NOT NULL AUTO_INCREMENT, AUTO_INCREMENT=3;
```

```
- AUTO INCREMENT for table `comedyauthors`
ALTER TABLE `comedyauthors`
 MODIFY `id` int(11) NOT NULL AUTO_INCREMENT, AUTO_INCREMENT=8;
 - AUTO_INCREMENT for table `comedysubgenres`
ALTER TABLE `comedysubgenres`
 MODIFY `id` int(11) NOT NULL AUTO_INCREMENT, AUTO_INCREMENT=3;
- AUTO INCREMENT for table `contactinformationlistprimarylabels`
ALTER TABLE `contactinformationlistprimarylabels`
 MODIFY `id` int(11) NOT NULL AUTO_INCREMENT, AUTO_INCREMENT=4;
 - AUTO INCREMENT for table `dramaauthors`
ALTER TABLE `dramaauthors`
 MODIFY `id` int(11) NOT NULL AUTO_INCREMENT, AUTO_INCREMENT=6;
 - AUTO_INCREMENT for table `dramasubgenres`
ALTER TABLE `dramasubgenres`
 MODIFY `id` int(11) NOT NULL AUTO INCREMENT, AUTO INCREMENT=4;
-- AUTO_INCREMENT for table `imagenovels`
ALTER TABLE `imagenovels`
 MODIFY `imageId` int(11) NOT NULL AUTO_INCREMENT, AUTO_INCREMENT=17;
-- AUTO INCREMENT for table `menu`
ALTER TABLE `menu`
 MODIFY `id` int(11) NOT NULL AUTO_INCREMENT, AUTO_INCREMENT=9;
-- AUTO_INCREMENT for table `messages`
```

```
ALTER TABLE `messages`
 MODIFY `id` int(11) NOT NULL AUTO INCREMENT, AUTO INCREMENT=2;
 - AUTO_INCREMENT for table `publishinghouses`
ALTER TABLE `publishinghouses`
 MODIFY `id` int(11) NOT NULL AUTO_INCREMENT, AUTO_INCREMENT=4;
-- AUTO_INCREMENT for table `publishinginformationnovels`
ALTER TABLE `publishinginformationnovels`
 MODIFY `publishingInformationId` int(11) NOT NULL AUTO INCREMENT, AUTO INCREMEN
T=17;
 - AUTO_INCREMENT for table `purpose`
ALTER TABLE `purpose`
 MODIFY `id` int(11) NOT NULL AUTO INCREMENT, AUTO INCREMENT=5;
-- AUTO INCREMENT for table `survey`
ALTER TABLE `survey`
 MODIFY `id` int(11) NOT NULL AUTO_INCREMENT, AUTO_INCREMENT=6;
 - AUTO_INCREMENT for table `users`
ALTER TABLE `users`
 MODIFY `id` int(11) NOT NULL AUTO_INCREMENT, AUTO_INCREMENT=31;
 - Constraints for dumped tables
 Constraints for table `contactinformationlistsecondarylabels`
ALTER TABLE `contactinformationlistsecondarylabels`
 ADD CONSTRAINT `contactConstraint` FOREIGN KEY (`primaryLabelId`) REFERENCES `c
ontactinformationlistprimarylabels` (`id`);
```

```
---
--- Constraints for table `novels`
---
ALTER TABLE `novels`
ADD CONSTRAINT `imageconstraint` FOREIGN KEY (`imageId`) REFERENCES `imagenovel
s` (`imageId`),
ADD CONSTRAINT `publishinginformationconstraint` FOREIGN KEY (`publishingInform
ationId`) REFERENCES `publishinginformationnovels` (`publishingInformationId`);
---
--- Constraints for table `secondarylabels`
---
ALTER TABLE `secondarylabels`
ADD CONSTRAINT `consta` FOREIGN KEY (`menuId`) REFERENCES `menu` (`id`);
COMMIT;

/*!40101 SET CHARACTER_SET_CLIENT=@OLD_CHARACTER_SET_CLIENT */;
/*!40101 SET CHARACTER_SET_RESULTS=@OLD_CHARACTER_SET_RESULTS */;
/*!40101 SET COLLATION_CONNECTION=@OLD_COLLATION_CONNECTION */;
```