PageSpeed Insights

Copy Link Docs

Report from Oct 28, 2026, 6:55:47 PM

https://otesevo.com/

Analyze

Mobile Desktop

Showing results for URL: https://otesevo.com/mk/
Run with original URL

Discover what your real users are experiencing

No Data

Diagnose performance issues

Performance	Accessibility	Best Practices	SEO	Agentic Browsing
59	84	100	100	▲ 1/4



Performance

Values are estimated and may vary. The performance score is calculated directly from these metrics. See calculator.

▲ 0–49 ■ 50–89 ● 90–100



METRICS Expand view

First Contentful Paint
1.9 s

Largest Contentful Paint
32.7 s

Total Blocking Time
310 ms

Cumulative Layout Shift
0

Speed Index
8.6 s

Captured at Oct 28, 2026, 6:55 PM GMT+1
Initial page load

Emulated Moto G Power with Lighthouse 13.5.0
Slow 4G throttling

Single page session
Using HeadlessChromium 153.0.8010.36 with lr





Show audits relevant to: All FCP LCP TBT

INSIGHTS

Improve image delivery — Est savings of 12,677 KiB

Reducing the download time of images can improve the perceived load time of the page and LCP. Learn more about optimizing image size LCP FCP Unscored

URL	Resource Size	Est Savings
otesevo.com 1st Party	13,055.4 KiB	12,676.7 KiB

 во чисто зеленило `<img src="/Content/tents.png" alt="Кампување во чисто зеленило" class="w-full h-full object-cover">`	/Content/tents.png (otesevo.com)	3,406.9 KiB	3,331.8 KiB
	Using a modern image format (WebP, AVIF) or increasing the image compression could improve this image's download size.		3,277.9 KiB
	This image file is larger than it needs to be (688x1152) for its displayed dimensions (739x624). Use responsive images to reduce the image download size.		1,423.8 KiB
 Бунгалови `<img src="/Content/appartments.png" alt="Бунгалови" class="w-full h-full object-cover">`	/Content/appartments.png (otesevo.com)	3,152.4 KiB	3,113.9 KiB
	Using a modern image format (WebP, AVIF) or increasing the image compression could improve this image's download size.		2,901.0 KiB
	This image file is larger than it needs to be (960x1609) for its displayed dimensions (379x624). Use responsive images to reduce the image download size.		2,669.4 KiB
 Авантура без граници `<img src="/Content/campervan2.jpg" alt="Авантура без граници" class="w-full h-full object-cover">`	/Content/campervan2.jpg (otesevo.com)	2,584.2 KiB	2,525.8 KiB
	Using a modern image format (WebP, AVIF) or increasing the image compression could improve this image's download size.		2,418.5 KiB
	This image file is larger than it needs to be (780x1306) for its displayed dimensions (575x624). Use responsive images to reduce the image download size.		1,673.2 KiB
Logo `<img src="/Content/logo.png" alt="Logo" class="w-full h-full object-contain">`	/Content/logo.png (otesevo.com)	1,513.2 KiB	1,513.1 KiB
	Using a modern image format (WebP, AVIF) or increasing the image compression could improve this image's download size.		1,257.2 KiB

	images to reduce the image download size.		
 Погодно за вашата камп-приколка `<img src="/Content/camphome.jpg" alt="Погодно за вашата камп-приколка" class="w-full h-full object-cover">`	/Content/camphome.jpg (otesevo.com)	1,270.7 KiB	1,204.1 KiB
	Using a modern image format (WebP, AVIF) or increasing the image compression could improve this image's download size.		1,063.1 KiB
	This image file is larger than it needs to be (873x1461) for its displayed dimensions (656x624). Use responsive images to reduce the image download size.		863.1 KiB
 Моменти за паметење `<img src="/Content/picnic.jpg" alt="Моменти за паметење" class="w-full h-full object-cover">`	/Content/picnic.jpg (otesevo.com)	582.1 KiB	508.8 KiB
	Using a modern image format (WebP, AVIF) or increasing the image compression could improve this image's download size.		410.7 KiB
	This image file is larger than it needs to be (794x1327) for its displayed dimensions (722x624). Use responsive images to reduce the image download size.		333.0 KiB
 Бунгалови `<img src="/Content/appartments2.jpg" alt="Бунгалови" class="w-full h-full object-cover">`	/Content/appartments2.jpg (otesevo.com)	545.8 KiB	479.2 KiB
	Using a modern image format (WebP, AVIF) or increasing the image compression could improve this image's download size.		337.8 KiB
	This image file is larger than it needs to be (873x1463) for its displayed dimensions (655x624). Use responsive images to reduce the image download size.		371.2 KiB

▲ Render-blocking requests — Est savings of 1,670 ms

URL	Transfer Size	Duration
otesevo.com 1st Party	**150.7 KiB**	**4,380 ms**
/Scripts/tailwind_3-4-17.min.js (otesevo.com)	111.7 KiB	1,450 ms
/Scripts/modernizr-2.8.3.js (otesevo.com)	15.4 KiB	810 ms
...css/dataTables.bootstrap.css (otesevo.com)	1.6 KiB	490 ms
...css/style.css (otesevo.com)	1.3 KiB	490 ms
/Content/site.css (otesevo.com)	1.1 KiB	490 ms
/Content/bootstrap.css (otesevo.com)	19.5 KiB	650 ms

▲ Use efficient cache lifetimes — Est savings of 11,856 KiB

A long cache lifetime can speed up repeat visits to your page. Learn more about caching. LCP FCP Unscored

Request	Cache TTL	Transfer Size
otesevo.com 1st Party		**17,436 KiB**
/Content/bannerVideo.webm (otesevo.com)	4h	3,726 KiB
/Content/tents.png (otesevo.com)	4h	3,408 KiB
/Content/appartments.png (otesevo.com)	4h	3,153 KiB
/Content/campervan2.jpg (otesevo.com)	4h	2,585 KiB
/Content/logo.png (otesevo.com)	4h	1,514 KiB
/Content/camphome.jpg (otesevo.com)	4h	1,271 KiB
/Content/picnic.jpg (otesevo.com)	4h	583 KiB
/Content/appartments2.jpg (otesevo.com)	4h	546 KiB
/Content/banner3.jpg (otesevo.com)	4h	280 KiB
/Scripts/tailwind_3-4-17.min.js (otesevo.com)	4h	112 KiB
...DataTables/jquery.dataTables.js (otesevo.com)	4h	101 KiB
/Scripts/jquery-3.4.1.js (otesevo.com)	4h	77 KiB
/Scripts/alpinejs.min.js (otesevo.com)	4h	20 KiB
/Content/bootstrap.css (otesevo.com)	4h	19 KiB
/Scripts/bootstrap.js (otesevo.com)	4h	16 KiB
/Scripts/modernizr-2.8.3.js (otesevo.com)	4h	15 KiB
...DataTables/dataTables.bootstrap.js (otesevo.com)	4h	2 KiB
...js/global.js (otesevo.com)	4h	2 KiB
/Content/globe.svg (otesevo.com)	4h	2 KiB
...css/dataTables.bootstrap.css (otesevo.com)	4h	2 KiB
...css/style.css (otesevo.com)	4h	1 KiB
/Content/site.css (otesevo.com)	4h	1 KiB

Network dependency tree

Avoid chaining critical requests by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load. LCP Unscored

Maximum critical path latency: **770 ms**

Initial Navigation

- /mk/ (otesevo.com) - **193 ms,** 10.45 KiB
  - ...cloudflare-static/email-decode.min.js (otesevo.com) - **765 ms,** 1.21 KiB
  - /Scripts/jquery-3.4.1.js (otesevo.com) - **770 ms,** 76.53 KiB
  - /Scripts/bootstrap.js (otesevo.com) - **769 ms,** 15.66 KiB
  - ...DataTables/jquery.dataTables.js (otesevo.com) - **768 ms,** 100.59 KiB
  - ...DataTables/dataTables.bootstrap.js (otesevo.com) - **767 ms,** 2.40 KiB
  - ...js/global.js (otesevo.com) - **767 ms,** 1.83 KiB
  - /Content/bootstrap.css (otesevo.com) - **346 ms,** 19.48 KiB
  - /Content/site.css (otesevo.com) - **347 ms,** 1.15 KiB
  - ...css/dataTables.bootstrap.css (otesevo.com) - **347 ms,** 1.60 KiB
  - /Scripts/modernizr-2.8.3.js (otesevo.com) - **349 ms,** 15.38 KiB
  - /Scripts/tailwind_3-4-17.min.js (otesevo.com) - **383 ms,** 111.74 KiB
  - ...css/style.css (otesevo.com) - **348 ms,** 1.33 KiB

Preconnected origins

preconnect hints help the browser establish a connection earlier in the page load, saving time when the first request for that origin is made. The following are the origins that the page preconnected to.

no origins were preconnected

Preconnect candidates

Add preconnect hints to your most important origins, but try to use no more than 4.

No additional origins are good candidates for preconnecting

LCP breakdown

3rd parties

These insights are also available in the Chrome DevTools Performance Panel - record a trace to view more detailed information.

DIAGNOSTICS

consumed by network activity. Learn how to reduce unused CSS. LCP FCP Unscored

URL	Transfer Size	Est Savings
otesevo.com 1st Party	**18.7 KiB**	**18.4 KiB**
/Content/bootstrap.css (otesevo.com)	18.7 KiB	18.4 KiB

Reduce unused JavaScript — Est savings of 205 KiB

Reduce unused JavaScript and defer loading scripts until they are required to decrease bytes consumed by network activity. Learn how to reduce unused JavaScript. LCP FCP Unscored

Show 3rd-party resources (1)

URL	Transfer Size	Est Savings
otesevo.com 1st Party	**286.4 KiB**	**131.8 KiB**
/Scripts/jquery-3.4.1.js (otesevo.com)	75.7 KiB	49.1 KiB
...DataTables/jquery.dataTables.js (otesevo.com)	99.8 KiB	48.8 KiB
/Scripts/tailwind_3-4-17.min.js (otesevo.com)	110.9 KiB	33.9 KiB
Google Tag Manager Tag-Manager	**196.6 KiB**	**73.4 KiB**
/gtag/js?id=G-FY6047P9JE (www.googletagmanager.com)	196.6 KiB	73.4 KiB

Minify JavaScript — Est savings of 121 KiB

Minifying JavaScript files can reduce payload sizes and script parse time. Learn how to minify JavaScript. LCP FCP Unscored

URL	Transfer Size	Est Savings
otesevo.com 1st Party	**204.9 KiB**	**121.0 KiB**
...DataTables/jquery.dataTables.js (otesevo.com)	99.8 KiB	69.7 KiB
/Scripts/jquery-3.4.1.js (otesevo.com)	75.7 KiB	36.7 KiB
/Scripts/modernizr-2.8.3.js (otesevo.com)	14.5 KiB	9.7 KiB
/Scripts/bootstrap.js (otesevo.com)	14.8 KiB	4.9 KiB

Minify CSS — Est savings of 3 KiB

Minifying CSS files can reduce network payload sizes. Learn how to minify CSS. LCP FCP Unscored

/Content/bootstrap.css (otesevo.com)	19.5 KiB	3.1 KiB

Avoid enormous network payloads — Total size was 17,645 KiB

Large network payloads cost users real money and are highly correlated with long load times. Learn how to reduce payload sizes. Unscored

Show 3rd-party resources (1)

URL	Transfer Size
otesevo.com 1st Party	**17,065.9 KiB**
/Content/bannerVideo.webm (otesevo.com)	3,725.7 KiB
/Content/tents.png (otesevo.com)	3,407.6 KiB
/Content/appartments.png (otesevo.com)	3,153.1 KiB
/Content/campervan2.jpg (otesevo.com)	2,584.9 KiB
/Content/logo.png (otesevo.com)	1,513.9 KiB
/Content/camphome.jpg (otesevo.com)	1,271.4 KiB
/Content/picnic.jpg (otesevo.com)	582.8 KiB
/Content/appartments2.jpg (otesevo.com)	546.4 KiB
/Content/banner3.jpg (otesevo.com)	280.1 KiB
Google Tag Manager Tag-Manager	**197.3 KiB**
/gtag/js?id=G-FY6047P9JE (www.googletagmanager.com)	197.3 KiB

Avoid long main-thread tasks — 4 long tasks found

More information about the performance of your application. These numbers don't directly affect the Performance score.

PASSED AUDITS (15) Show

Accessibility


These checks highlight opportunities to improve the accessibility of your web app. Automatic detection can only detect a subset of issues and does not guarantee the accessibility of your web app, so manual testing is also encouraged.

NAMES AND LABELS

▲ Select elements do not have associated label elements.

Form elements without effective labels can create frustrating experiences for screen reader users. Learn more about the `select` element.

Failing Elements



1 гостин 2 гости 3 гости 4 гости 5 гости 6 гости 7 гости 8 гости

```
<select id="bookingGuests" class="w-full max-w-full text-slate-800 text-sm font-medium outline-none bg-trans…">
```


These are opportunities to improve the semantics of the controls in your application. This may enhance the experience for users of assistive technology, like a screen reader.

CONTRAST

▲ Background and foreground colors do not have a sufficient contrast ratio.


Low-contrast text is difficult or impossible for many users to read. Learn how to provide sufficient color contrast.

Failing Elements




ПРИСТИГНУВАЊЕ

```
<span class="text-[11px] text-slate-400 font-semibold uppercase tracking-wider flex ite…">
```




ПРИСТИГНУВАЊЕ

```
<label for="bookingCheckIn" class="flex flex-col gap-1 px-4 py-3 border border-slate-200 rounded-xl bg-white …">
```




ЗАМИНУВАЊЕ


```
<span class="text-[11px] text-slate-400 font-semibold uppercase tracking-wider flex ite…">
```



ЗАМИНУВАЊЕ
<label for="bookingCheckOut" class="flex flex-col gap-1 px-4 py-3 border border-slate-200 rounded-xl bg-white …">



ГОСТИ



ГОСТИ 1 гостин 2 гости 3 гости 4 гости 5 гости 6 гости 7 гости 8 гости

© 2026 Автокамп Отешево. Сите права задржани.

Автокамп Отешево Преспанското Езеро Природен рај на брегот на Преспанското Езе…
<footer id="contact" class="py-20 px-6 text-white" style="background-color: #0d1f17;">

Преспанско Езеро, Р. Северна Македонија

Автокамп Отешево Преспанското Езеро Природен рај на брегот на Преспанското Езе…
<footer id="contact" class="py-20 px-6 text-white" style="background-color: #0d1f17;">


These are opportunities to improve the legibility of your content.

BEST PRACTICES


▲ Touch targets do not have sufficient size or spacing.

Touch targets with sufficient size and spacing help users who may have difficulty targeting small controls to activate the targets. Learn more about touch targets.


Failing Elements



Слајд 1
<button class="carousel-dot transition-all duration-300 rounded-full cursor-pointer h-2 w…" aria-label="Слајд 1">





Слајд 2
<button class="carousel-dot transition-all duration-300 rounded-full cursor-pointer h-2 w…" aria-label="Слајд 2">





Слајд 2
<button class="carousel-dot transition-all duration-300 rounded-full cursor-pointer h-2 w…" aria-label="Слајд 2">






Слајд 3



Слајд 3



Слајд 2



Слајд 4



Слајд 4



Слајд 3



Слајд 5


Слајд 5


Слајд 4


Слајд 6


Слајд 6



Слајд 5

AUDIO AND VIDEO

`<video>` elements contain a `<track>` element with `[kind="captions"]`

When a video provides a caption it is easier for deaf and hearing impaired users to access its information. Learn more about video captions. Unscored

Failing Elements



main.flex-grow > section#home > div.absolute > video.w-full

```
<video autoplay="" loop="" muted="" playsinline="" poster="/Content/banner3.jpg"
class="w-full h-full object-cover">
```

These are opportunities to provide alternative content for audio and video. This may improve the experience for users with hearing or vision impairments.

ADDITIONAL ITEMS TO MANUALLY CHECK (10) Show

These items address areas which an automated testing tool cannot cover. Learn more in our guide on conducting an accessibility review.

PASSED AUDITS (16) Show

NOT APPLICABLE (43) Show

100

Best Practices

TRUST AND SAFETY

Use a strong HSTS policy

- Ensure proper origin isolation with COOP
- Mitigate clickjacking with XFO or CSP
- Mitigate DOM-based XSS with Trusted Types

BROWSER COMPATIBILITY

- Baseline Features

GENERAL

- Detected JavaScript libraries

PASSED AUDITS (13) Show

NOT APPLICABLE (1) Show



SEO

These checks ensure that your page is following basic search engine optimization advice. There are many additional factors Lighthouse does not score here that may affect your search ranking, including performance on Core Web Vitals. Learn more about Google Search Essentials.

ADDITIONAL ITEMS TO MANUALLY CHECK (1) Hide

PASSED AUDITS (10) Show

▲ 1/4

Agentic Browsing


These checks ensure high-quality, browsable websites for AI agents and validate the correctness of WebMCP integrations. This category is still under development and subject to change.

AGENT ACCESSIBILITY

▲ Accessibility tree is not well-formed

A well-formed accessibility tree helps AI agents to navigate and interact with the page.

Failed Audits

Description	Failing Element	
Select element must have an accessible name		1 гостин 2 гости 3 гости 4 гости 5 гости 6 гости 7 гости 8 гости `<select id="bookingGuests" class="w-full max-w-full text-slate-800 text-sm font-medium outline-none bg-trans…">`

These audits highlight best practices for improving the accessibility of the website for AI agents.

AGENT DISCOVERABILITY

▲ llms.txt does not follow recommendations

If your llms.txt file does not follow recommendations, large language models may not be able to understand how you want your website to be crawled or used for training. The llms.txt file should be a Markdown file containing at

File is missing a required H1 header (e.g., "# Title").
File does not appear to contain any links.

▲ `ai-catalog.json` schema is invalid

Valid `ai-catalog.json` manifests are required for autonomous AI agents and registries to discover and verify your resources. Learn more about the ARD specification.

Element	Issue	Severity
Root	Malformed JSON in manifest: SyntaxError: Unexpected token '<', " <!DOCTYPE "... is not valid JSON	Error

These audits validate that websites expose discoverable resources, documentation, and catalogs for AI agents.

PASSED AUDITS (1) Show

NOT APPLICABLE (3) Show