

Universal Task Documentation

Universal Automation Center support for Oracle

ut-sqlserver-exec-dbscript-for-oracle-sqlserver-windows

Associated Activities:

Date: 05 September 2018

Author: Nils Buer

Revision: 00

CONFIDENTIALITY INFORMATION

Distribution list: Stonebranch Customer

Revision	Date	Author	Changes
00	20180905	Nils Buer	Initial Document (WIP)

Abstract:

This Universal Task allows to execute an oracle PLSQL block or an SQLSERVER T-sql statement. It uses an agentless connection via ODBC towards SQLSERVER and the oracle basic instant client to connect to an Oracle database.

Contents

1 **Disclaimer** 3

2 **Introduction**..... 3

3 **Installation**..... 3

 3.1 *Software Requirements for Windows Agent* 3

 3.3 *Installation Steps* 4

4 **Universal Task Configuration** 6

5 **Test Cases** 11

6 **Document References**..... 13

1 Disclaimer

No support and no warranty are provided by Stonebranch GmbH for this document and the related Universal Task. The use of this document and the related Universal Task is on your own risk.

Before using this task in a production system, please perform extensive testing.

Stonebranch GmbH assumes no liability for damage caused by the performance of the Universal Tasks

2 Introduction

The here described Universal Task allows to execute an oracle PLSQL block or an SQLSERVER T-sql statement. It uses an agentless connection via ODBC towards SQLSERVER and the oracle basic instant client to connect to an Oracle database. The connection and execution of the sql statements is performed using the python `cx_oracle` and `pyodbc` modules.

Some details about the universal task to monitor a value in a database column

- The Universal Task supports SQLSERVER & Oracle
- MySql and PostgreSQL can be added in the future
- The Universal Task supports both Universal Agent for Linux/Unix and Windows (Note: This Universal Task has been tested only on Windows Universal Agent).
- You can select different log-levels e.g. Info and debug
- You can execute oracle PLSQL blocks and SQLSERVER T-SQL statements
- You can decide if the sql-output is provided in the standard out or not
- All Passwords are encrypted using Controller Credentials

3 Installation

3.1 Software Requirements for Windows Agent

Universal Template name: ut-sqlserver-exec-dbscript-for-oracle-sqlserver-windows

Related UAC XML Files for template and task: [1]

Requirements to remotely connect from a Windows agent to an Oracle and/or SQLSERVER:

- Python 3.7.0-amd64 installed on a windows server where a Universal Agent is installed.
- For Python the following modules are required:
 - *sys, for output re-direct processing*
 - *datetime, date and time stamps for messages*
 - *pyodbc to perform the ODBC connection*
 - *cx_Oracle – Oracle DB support*
 - *logging, for python loglevel support*
- Universal Controller V6.4.7.0 or higher
- Universal Agent V6.4.2.2 or higher installed on a Windows Server
- Microsoft ODBC driver V17 installed on the Windows SQLSERVER
- The Windows Server needs to have Visual Studio VS 2013 installed.

- The Windows Server needs to have oracle instant client Version 18.3.0.0.0 installed.

3.2 Installation Steps

The following describes the installation steps:

1. Install Python 3.7.0/64bit (python-3.7.0-amd64) for Windows on any Windows Server running a Universal Agent.

Official Download link: <https://www.python.org/downloads/>

Important Note:

Install python with the options:

- add python to windows path
- Install for all users

2. Add the required python modules

In a dos command shell run as Administrator:

- *pip install pyodbc*
- *pip install cx_oracle*
- *pip install datetime*
- *pip install logging*

Note: The module *pyodbc* contain the commands to perform SQL commands via an ODBC connection a SQLSERVER database.

The module *cx_oracle* contain the commands to perform PLSQL commands via the oracle basic Instant Client to an oracle database.

It is assumed that the modules logging, sys, datetime are already available. If not install them via pip.

3. Install the Microsoft ODBC driver V17 installed on the Windows SQLSERVER

<https://docs.microsoft.com/de-de/sql/connect/odbc/download-odbc-driver-for-sql-server?view=sql-server-2017>

4. Install Visual Studio VS 2013 on the windows server

<https://support.microsoft.com/en-us/help/3179560/update-for-visual-c-2013-and-visual-c-redistributable-package>

5. Install the oracle instant client Version 18.3.0.0.0

(<http://www.oracle.com/technetwork/topics/winx64soft-089540.html>)

Installation of oracle instant client:

- a. Download the Instant Client packages oracle instant client Version 18.3.0.0.0 for windows.

<http://www.oracle.com/technetwork/topics/winx64soft-089540.html>

- [downloads#bookmark-vs2013](#)

Go to “All Tasks” and load via the Import functionality the Universal Task configuration into the Controller.



4 Universal Task Configuration

1. Activate: Resolvable Credentials in Universal Automation Center properties:

Dashboards	RUN SAPBO REPORT Tasks	Properties
93 Properties		
Name	Value	
Resolvable Credentials Permitted	true	

2. Fill Out the Universal Task for SQL script to be scheduled:

Oracle example:

The following PLSQL block should be scheduled:

Begin

GetPopulation ('Greece');

dbms_output.put_line ('Dies ist ein Test!');

END;

- a) Fill out the script to be called
Note: in the script you can use Controller Variables.

Script Details: oracle_script

Update Upload Script Copy Delete Refresh Close

Script Tasks Notes Versions

Details

Script Name: oracle_script Version: 5

Description:

Script Type: Data Resolve UAC Variables: ☒

```

Begin
GetPopulation ('Greece');
dbms_output.put_line ('Dies ist ein Test!');
END;

```

Update Upload Script Copy Delete Refresh Close

- b) Fill out the Universal Task and assign the script to it

execute_dbscript Task Details: execute oracle block_win

execute_dbscript Task | Variables | Actions | Virtual Resources | Mutually Exclusive | Instances | Triggers | Notes | Versions

General

Task Name: execute oracle block_win Version: 2

Task Description:

Member of Business Services:

Resolve Name Immediately: ☐ Time Zone Preference: -- System Default --

Hold on Start: ☐

Virtual Resource Priority: 10 Hold Resources on Failure: ☐

Further Info's:

System:

execute_dbscript Details

Agent: SAP Win7 AGT64 Agent Cluster:

Agent Variable: ☐ Agent Cluster Variable: ☐

Credentials: ☐ Cluster Broadcast: ☐

Credentials Variable: ☐ Run with Highest Privileges: ☐

database name: demodb script: oracle_script

loglevel: INFO server: 192.168.88.15

database_port: 1521 credentials: oracle_demodb_resolv

odbc_drivename: ODBC Driver 17 for SQL Server schema:

getoutput: ☒ database_type: oracle

Credential for Universal Task:

Credential Details: oracle_demodb_resolv

Update | Convert... | Delete | Refresh | Close

Credential | Versions

Details

Name: oracle_demodb_resolv Version:

Type: Resolvable

Runtime User: c##opwise

Runtime Password:

Description:

Task Output:

Because the *getoutput* field is checked, the STDOUT contains the *dbms_output* of the stored procedure.

execute_dbscript Task Instance Details: execute oracle block_win			
execute_dbscript Task Instance			
Virtual Resources			
Exclusive Requests			
Output			
Notes			
3 Output			
Type	Attempt	Output	
STDOUT	1	SQL: SELECT NAME,population FROM country WHERE NAME like 'Greece' Country: Greece, population: 10545700 Processing Finished Dies ist ein Test!	
STDERR	1	2018-09-05 21:17:00,541 - INFO - Executing version 1.0 2018-09-05 21:17:00,541 - INFO - Server: 192.168.88.15 2018-09-05 21:17:00,541 - INFO - database: demodb 2018-09-05 21:17:00,541 - INFO - database port e.g. 1521 oracle, 3306 mysql, 1433 mssql: 1521 2018-09-05 21:17:00,541 - INFO - username: c#opswise 2018-09-05 21:17:00,541 - INFO - password: **** 2018-09-05 21:17:00,541 - INFO - odbc driver name: ODBC Driver 17 for SQL Server 2018-09-05 21:17:00,541 - INFO - schema: 2018-09-05 21:17:00,557 - INFO - Outputprocessing: true 2018-09-05 21:17:00,557 - INFO - Script to execute: oracle_script 2018-09-05 21:17:00,557 - INFO - Connecting to oracle ... 2018-09-05 21:17:01,276 - INFO - script: oracle_script executed	

SQLSERVER example

The following T-SQL block should be scheduled:

EXEC dbo.listtask_all;

- Fill out the script to be called
Note: in the script you can use Controller Variables.

Script Details: sqlserver script

Update

Upload Script

Copy

Delete

Refresh

Close

Script

Tasks

Notes

Versions

Details

Script Name : sqlserver script

Version : 3

Description :

Script Type : Data

Resolve UAC Variables : ☒

EXEC dbo.listtask_all;

Update

Upload Script


Copy

Delete

Refresh

Close

- Fill out the Universal Task and assign the script to it



execute_dbscript Task Details: execute sqlserver block_win

execute_dbscript Task | Variables | Actions | Virtual Resources | Mutually Exclusive | Instances | Triggers | Notes | Versions

General

Task Name: execute sqlserver block_win Version: 7

Task Description:

Member of Business Services:

Resolve Name Immediately: ☐ Time Zone Preference: -- System Default --

Hold on Start: ☐

Virtual Resource Priority: 10 Hold Resources on Failure: ☐

Further Info's:

System:

execute_dbscript Details

Agent: SAP Win7 AGT64 Agent Cluster:

Agent Variable: ☐ Agent Cluster Variable: ☐

Credentials: ☐ Cluster Broadcast: ☐

Credentials Variable: ☐ Run with Highest Privileges: ☐

database name: opwise64 script: sqlserver script


loglevel: INFO server: 192.168.88.12

database_port: credentials: SQLSERVER_WIN7

odbc_drivename: Sql Server schema:

getoutput: ☒ database_type: sqlserver

Credential for Universal Task:



Credential Details: SQLSERVER_WIN7

Credential | Versions

Details

Name: SQLSERVER_WIN7 Version: 1

Type: Resolvable

Runtime User: opwise

Runtime Password:

Task Output:

Because the *getouput* field is checked, the STDOUT contains the *dbms_output* of the stored procedure.

execute_dbscript Task Instance
Virtual Resources
Exclusive Requests
Output
Notes

3 Output

Type	Attempt	Output
		<pre> (None, 'ops_task_sap', None, 'SAP_SUBMIT_RUN_JOB_USAP', 4, None, None, 17, 13, 13, 13, 13, 2, 26, 0, datetime.date (None, 'ops_task_sleep', None, 'RUN_1Min', 1, None, None, 2, None, None, None, None, 0, 0, 0, None, None, None, No (None, 'ops_task_universal', 'b10c1f0220754ca79ccbbf8f8d691acf', 'js-shutdown task1', 1, None, None, 99, None, Non (None, 'ops_task_file_monitor', None, 'File Monitor SAP HR', 8, 'Microsoft SSIS example', None, 6, None, None, No (None, 'ops_task_ftp', None, 'BP#Create SAP Task based on template', 2, 'requires Create SAP_TASK webservice tasks (None, 'ops_task_sql', None, 'create stored procedure GetPopulation_all (Oracle)', 4, 'Oracle', None, 10, 0, 0, 0, (None, 'ops_task_workflow', None, 'SAP_Timer_Critical_Path_WF', 5, 'WF with Timer Tasks and Manual Approval step', (None, 'ops_task_email_monitor', None, 'Get Email Confirmation - ETL Team', 2, 'Monitor for Inbox with Subject ETL (None, 'ops_task_unix', None, 'Show host ip', 2, None, None, 4, None, None, None, None, 0, 0, 0, None, None, None, (None, 'ops_task_sleep', None, 'App102_T10', 4, None, None, 2, 10, 10, 10, 10, 10, 2, 20, 0, datetime.datetime(2017, 1 (None, 'ops_task_universal', 'bc9790256878440bb9b680bde9437795', 'LEDIALRESET', 1, '198 post Reset table buffer fo (None, 'ops_task_universal', 'ef1c760913084d1f872efe1294e64807', 'Build Weekly Maintenance Image', 7, 'Runs the Bu (None, 'ops_task_windows', None, 'Druckauftrag Zip-Encrypt', 24, None, None, 3, None, None, None, None, 0, 0, 0, N (None, 'ops_task_email', None, 'Email - Normal Operations', 6, None, None, 8, 2, 3, 2, 2, 5, 11, 0, datetime.datet </pre>
STDErr	1	<pre> 2018-09-05 21:24:01,449 - INFO - Executing version 1.0 2018-09-05 21:24:01,463 - INFO - Server: 192.168.88.12 2018-09-05 21:24:01,463 - INFO - database: opwise64 2018-09-05 21:24:01,463 - INFO - database port e.g. 1521 oracle, 3306 mysql, 1433 mssql: 2018-09-05 21:24:01,463 - INFO - username: opwise 2018-09-05 21:24:01,463 - INFO - password: **** 2018-09-05 21:24:01,463 - INFO - odbc driver name: Sql Server 2018-09-05 21:24:01,463 - INFO - schema: 2018-09-05 21:24:01,463 - INFO - Outputprocessing: true 2018-09-05 21:24:01,463 - INFO - Script to execute: sqlserver script 2018-09-05 21:24:01,463 - INFO - Connecting to sqlserver ... 2018-09-05 21:24:01,651 - INFO - script: sqlserver script executed </pre>

Description:

Field	Description
DB credentials	Database Credentials
Database	Database or oracle service name (tnsnames.ora)
Table	Table in which the field to monitor is located
Column	Column in which the field to monitor is located
Script	The database script to execute
Database_port	Port of the database e.g. 1521 for oracle
Server	Database Servername e.g. localhost
Loglevel	log level: DEBUG, INFO, WARNING, ERROR, CRITICAL
Schema	Database Schema
getoutput flag	If getouput field is checked, the STDOUT contains the dbms_output of the stored procedure. Otherwise not output is written to STDOUT
odbc_drivername	Only used for SQLSERVER (on linux you can check the odbc drivername in /etc/odbcinst.ini)

5 Test Cases

The following basic test cases has been performed:

Case#	Assumed behavior	Result
Start a PLSQL block with a stored procedure (getoutput flag set)	PLSQL Procedure is executed. <i>The dbms_output is written STDOUT</i>	Correct
Start a PLSQL block with a stored procedure (getoutput flag not set)	PLSQL Procedure is executed. <i>The dbms_output is not written to STDOUT</i>	Correct
Execute an SQLSERVER procedure (getoutput flag set)	T-SQL Procedure is executed. <i>Procedure output is written to STDOUT</i>	Correct
Execute an SQLSERVER procedure (getoutput flag is not set)	T-SQL Procedure is executed. <i>Procedure output is not written to STDOUT</i>	Correct
Start a PLSQL block with wrong db port	Task fails with message: cx_Oracle.DatabaseError: ORA-12541: TNS:no listener	Correct
Start a PLSQL block with wrong server ip	Task fails with message: cx_Oracle.DatabaseError: ORA-12170: TNS:Connect timeout occurred	Correct
Start a PLSQL block with a non-existing plsql procedure	Task fails with message: PLS-00201: identifier 'GETPOPULATIONS' must be declared	Correct
Start a PLSQL block with wrong credentials	Task fails with message: cx_Oracle.DatabaseError: ORA-01017: invalid username/password; logon denied	Correct
Oracle client library path wrong	Task fails with message: cx_Oracle.DatabaseError: DPI-1047: 64-bit Oracle Client library cannot be loaded	Correct
Start a TSQL block with wrong ODBC connector	Task fails with message: pyodbc.InterfaceError: ('IM002', '[IM002] [Microsoft][ODBC Driver Manager] Der Datenquellennamen wurde nicht gefunden, und es wurde kein Standardtreiber angegeben (0) (SQLDriverConnect)')	Correct
Start a TSQL block with wrong server ip	Task fails with message: pyodbc.OperationalError: ('08001', '[08001] [Microsoft][ODBC SQL Server Driver][DBNETLIB]SQL Server existiert nicht	Correct

	oder Zugriff verweigert. (17) (SQLDriverConnect)	
Start a TSQL block with a non-existing plsql procedure	Task fails with message: ERROR - ('42000', "[42000] [Microsoft][ODBC SQL Server Driver][SQL Server]Could not find stored procedure 'dbo.listtask_all's'.	Correct
Start a TSQL block with wrong credentials	Task fails with message: pyodbc.InterfaceError: ('28000', "[28000] [Microsoft][ODBC SQL Server Driver][SQL Server]Login failed for user ERROR - ORA-06550: line 3, column 1: PLS-00201: identifier 'GETPOPULATIONS' must be declared	Correct

6 Document References

This document references the following documents:

Ref#	Description
[1] XML extract of Universal Task	UAC XML extract of the Universal Template and Task