



EUROGRAPHICS 2016

THE 37th ANNUAL CONFERENCE OF THE
EUROPEAN ASSOCIATION FOR COMPUTER GRAPHICS

Character contact re-positioning under large environment deformation

Steve Tonneau¹, Rami Ali Al-Ashqar², Julien Pettré³,
Taku Komura², Nicolas Mansard¹

¹CNRS-LAAS

²University of Edinburgh

³Inria Rennes

Motion capture does not consider contact interactions



EUROGRAPHICS 2016

THE 37th ANNUAL CONFERENCE OF THE
EUROPEAN ASSOCIATION FOR COMPUTER GRAPHICS

Motion capture does not consider contact interactions

Virtual characters are very good mimes

Geometry does not matter...
... except for the user !



Motion capture does not consider contact interactions

Virtual characters are very good mimes

Geometry does not matter...
... except for the user !

How to adapt the motion to
position errors / deformed geometries?



- ⇒ A very rich list of contributions on motion editing
[Watkin et al. 95, Kovar et al. 02, Pettré et al. 03, Choi et al. 03, Kim et al. '09, Levine '12...]



Relationship descriptors

[Al Ashqar et al. 2013]

Joint positions described by:

a configuration \mathbf{q}



EUROGRAPHICS 2016

THE 37th ANNUAL CONFERENCE OF THE
EUROPEAN ASSOCIATION FOR COMPUTER GRAPHICS


Relationship descriptors

[Al Ashqar et al. 2013]

Joint positions described by:

a configuration \mathbf{q}

relative positions to elements of geometry



Geometry deformed =>

update joint position to preserve relationship




EUROGRAPHICS 2016

THE 37th ANNUAL CONFERENCE OF THE
EUROPEAN ASSOCIATION FOR COMPUTER GRAPHICS

Relationship descriptors


[Al Ashqar et al. 2013]

Original Motion




Motion editing fails when deformation is too important

Original Motion



Solution: use contact repositioning

Solved By Interactive Contact Repositioning



Paper contribution

We propose a framework to automatically:

Detect contact failure upon geometry deformation

Automatically compute replacement contact

Adapt reference motion to new contact:

- With fidelity w.r.t. original motion
- Preserving motion continuity



Contact generation through procedural techniques

- Contact Invariant Optimization
[Mordatch et al. '12]
- Monte Carlo approaches
[Hämäläinen et al. '15]
- Sampling based, discrete contact planning
[Bretl et al. 05, Escande et al. '08]
[Tonneau et al. '15-16, Carpentier et al. '15]



Contact generation through procedural techniques

- Sampling based, discrete contact planning
[Tonneau et al. '15-16, Carpentier et al. '15]




Generating a contact for one limb



EUROGRAPHICS 2016

THE 37th ANNUAL CONFERENCE OF THE
EUROPEAN ASSOCIATION FOR COMPUTER GRAPHICS

Generating a contact for one limb




Sampling limb
candidates




EUROGRAPHICS 2016

THE 37th ANNUAL CONFERENCE OF THE
EUROPEAN ASSOCIATION FOR COMPUTER GRAPHICS

Generating a contact for one limb



Sampling limb
candidates




Proximity query




EUROGRAPHICS 2016

THE 37th ANNUAL CONFERENCE OF THE
EUROPEAN ASSOCIATION FOR COMPUTER GRAPHICS


Generating a contact for one limb



Sampling limb
candidates




Proximity query




Keep best
candidate




Generating a contact for one limb




Sampling limb
candidates



Proximity query




Keep best
candidate




Projection


Generating a contact for one limb




Sampling limb
candidates



Proximity query



Keep best
candidate



Projection

What is the “best” candidate ?



EUROGRAPHICS 2016

THE 37th ANNUAL CONFERENCE OF THE
EUROPEAN ASSOCIATION FOR COMPUTER GRAPHICS

Characterize a contact with the force actuation profile

Purpose of contact: force exertion



EUROGRAPHICS 2016

THE 37th ANNUAL CONFERENCE OF THE
EUROPEAN ASSOCIATION FOR COMPUTER GRAPHICS

Characterize a contact with the force actuation profile

Purpose of contact: force exertion

- ⇒ Identify kinematically actuation capabilities?
- ✓ The limb jacobian gives us the force ellipsoid



Characterize a contact with the force actuation profile

Purpose of contact: force exertion

- ⇒ Identify kinematically actuation capabilities?
- ✓ The limb jacobian gives us the force ellipsoid



Characterize a contact with the force actuation profile

Purpose of contact: force exertion


- ⇒ Identify kinematically actuation capabilities?
- ✓ The limb jacobian gives us the force ellipsoid



Characterize a contact with the force actuation profile

Purpose of contact: force exertion

- ⇒ Identify kinematically actuation capabilities?
- ✓ The limb jacobian gives us the force ellipsoid



Characterize a contact with the force actuation profile

Purpose of contact: force exertion

- ⇒ Identify kinematically actuation capabilities?
- ✓ The limb jacobian gives us the force ellipsoid

We also consider "dynamic" equilibrium

- ✓ Can be verified with an efficient LP



Motion adaptation scheme

- Upon deformation: relationship descriptors




EUROGRAPHICS 2016

THE 37th ANNUAL CONFERENCE OF THE
EUROPEAN ASSOCIATION FOR COMPUTER GRAPHICS


Motion adaptation scheme

- Upon deformation: relationship descriptors




Motion adaptation scheme

- Upon deformation: relationship descriptors
- Detect contact failure (joint limits / collision)



Motion adaptation scheme


- Upon deformation: relationship descriptors
- Detect contact failure (joint limits / collision)
- Re-position contact (\Leftrightarrow Force Actuation Profile)




Preserving motion continuity by updating descriptors

Solve a non linear optimization problem:

- adjust \mathbf{d}_i such that weighted sum of vectors point to new joint position
- \mathbf{r}_{ij} invariant




Edited motion can in turn
be edited



Additional results: car ingress

Original Motion



Car ingress: removing the car top, continuity preserved





Table example



Still, failures can occur

Illustration Case

Desk Interaction Example

Special Case : Extreme Deformation, Violations
+ Contact Reposition Fail

Solution : Replan Root Trajectory + Reposition
Contacts



EUROGRAPHICS 2016

THE 37th ANNUAL CONFERENCE OF THE
EUROPEAN ASSOCIATION FOR COMPUTER GRAPHICS



Still, failures can occur

Local replanning of root trajectory:

Sampling based RRT biased to preserve valid contacts


Planning in low dimensional space considering:

- Reachable workspace (blue)
- Trunk bounding box (red)



Root trajectory adaptaion

Replan Root Trajectory + Reposition Contact



Conclusions on a contact re-positioning framework

Interactive motion editing handling large geometry deformation

Sequential adaptation for minimum deformation

Immediate application for 3D authoring tools

Video games: how to adapt to sudden changes?



Our code is partially open source

Library for:

- Motion planning
- Contact generation
- Equilibrium

part of the humanoid path planner project:

<https://github.com/humanoid-path-planner/hpp-rbprm>



EUROGRAPHICS 2016

THE 37th ANNUAL CONFERENCE OF THE
EUROPEAN ASSOCIATION FOR COMPUTER GRAPHICS

Acknowledgements

Thanks to the anonymous reviewers
who greatly helped improving the paper

FP7 projects:

- Euroc
- TOMSY


ANR project Entracte



EUROGRAPHICS 2016

THE 37th ANNUAL CONFERENCE OF THE
EUROPEAN ASSOCIATION FOR COMPUTER GRAPHICS

Thanks!



Open source code partially available on github:

Motion planning, contact generation, equilibrium library:

github.com/humanoid-path-planner/ (<http://cpc.cx/fxS>)

References on stevetonneau.fr



EUROGRAPHICS 2016

THE 37th ANNUAL CONFERENCE OF THE
EUROPEAN ASSOCIATION FOR COMPUTER GRAPHICS