## IDTOHome

- + List< IDTO > queryDTOs (IDTO dtoQuery)
- + Boolean saveDTO(IDTO dto)
- + boolean saveb to (ib to dio
- + Boolean saveDTOs(List < IDTO > dtos)
- + IDTO newDTOInstance()
- + IDbResultProcessor getLoadProcessor()



## BaseDTOHome

- + abstract IDTO newDTOInstance()
- (IDTO dtoQuery)

+ List< IDTO > gueryDTOs

- + Boolean saveDTO(IDTO dto)
- + Boolean saveDTOs(List < IDTO > dtos)
- + IDbResultProcessor
- getLoadProcessor()
  + String getLoadSql(IDTO dto)
- + IDbResultProcessor
- getSaveProcessor(IDTO dto)
- + String getSaveSql(IDTO dto)
- # Stilling getSaveSql(IDTO dto)
- # Boolean processLoadResult
- (ResultSet rs, List< IDTO > results)
- # Boolean processLoadResult
- (ResultSet rs, IDTO dto)
- # Object getValueFromResult
  Set(ResultSet rs, String
- fieldName, DTOTypes dtoTypes)
- # String formatValueForQuery
  (Object value, DTOTypes
- dtoTypes)
  # Boolean processSaveResult
- (ResultSet rs, IDTO dto,
- List< IDTO > saveResults)
  # void buildInsertSql
- (StringBuilder sb, IDTO dto)
- # void buildUpdateSql
  (StringBuilder sb, IDTO dto)



## CartItemDTOHome

- + IDTO newDTOInstance()
- + static IDTOHome Instance()
- CartItemDTOHome()

