

BATTLETECH™

MEDIUM SUPPORT VTOL RECORD SHEET

VEHICLE DATA

Type: Strike Falcon Attack VTOL
Movement Points: 7
Cruising: 7
Flanking: 11
Movement Type: VTOL
Engine Type: 70 ICE
Tonnage: 30
Tech Base: Inner Sphere
Rules Level: Standard
Role: Striker

Weapons & Equipment Inventory		(hexes)					
Qty	Type	Loc	Dmg	Min	Sht	Med	Lng
2	SRM 4	FR	2[M,C,S]	—	3	6	9
1	Machine Gun	FR	2[DB,AI]	—	1	2	3
1	Machine Gun	RS	2[DB,AI]	—	1	2	3
1	Machine Gun	LS	2[DB,AI]	—	1	2	3

Ammo: (Machine Gun) 100, (SRM 4) 25
Features Advanced Fire Control, Infantry Bay (6 tons)
Quirks: Easy to Pilot, Obsolete

BV: 341

CREW DATA

Crew: Lieutenant SG Daniela "Convict" Valdevies
Gunnery Skill: 4 Driving Skill: 3
Co-Pilot Hit +1 Pilot Hit +2
Modifier to all skill rolls Modifier to Driving skill rolls


CRITICAL DAMAGE

Flight Stabilizer* +3 Engine Hit
Sensor Hits +1 +2 +3 D
Stabilizers
Front Left Right
Rear
*Move at Cruising speed only



ARMOR DIAGRAM

BAR: 7



TO-HIT MODIFIERS

Attacker	
Stationary	+0
Cruised	+1
Flanked	+2
Skidding	+1
Terrain	
Light Woods	+1/hex
Heavy Woods	+2/hex
Partial Cover	+1
Target	
Prone (adjacent hex)	-2
Prone (other hex)	+1
Immobile	-4
Skidding	-2
Moved 0-2 hexes	+0
Moved 3-4 hexes	+1
Moved 5-6 hexes	+2
Moved 7-9 hexes	+3
Moved 10-17 hexes	+4
Moved 18-24 hexes	+5
Moved 25+ hexes	+6
Jumped	+1
BattleArmor unit	+1
Secondary target (front)	+1
Secondary target (side/rear)	+2
Large support vehicle or grounded DropShip	-1

VTOL COMBAT VEHICLE HIT LOCATION

	ATTACK DIRECTION		
	FRONT	REAR	SIDES
2*	Front (critical)	Rear (critical)	Side (critical)
3	Rotors†	Rotors†	Rotors†
4	Turret‡	Turret‡	Turret‡
5	Right Side†	Left Side†	Front†
6	Front	Rear	Side
7	Front	Rear	Side
8	Front	Rear	Side (critical)*
9	Left Side	Right Side	Rear
10	Rotors†	Rotors†	Rotors†
11	Rotors†	Rotors†	Rotors†
12*	Rotors (critical)*†	Rotors (critical)*†	Rotors (critical)*†

*A result of 2 or 12 (or an 8 if the attack strikes the side) may inflict a critical hit on the VTOL. For each such attack, apply damage normally to the armor in that section. The attacking player then immediately rolls once on the VTOL Combat Vehicle Critical Hits Table, below.

† Damage Value / 10 (round up); see Rotor Hits, p. 197, Total Warfare. Additionally, damage to rotors slows down the VTOL. Each hit reduces the VTOL's Cruising MP by 1, meaning that the controlling player must also recalculate Flank MP; multiply the new Cruising MP by 1.5 and round up. As with all damage, such movement penalties do not apply until the end of the phase in which the damage occurred.

‡ A result of 2 or 12 (or an 8 if the attack strikes the side) may inflict a critical hit on the VTOL. For each such attack, apply damage normally to the armor in that section. The attacking player then immediately rolls once on the VTOL Combat Vehicle Critical Hits Table, below.

VTOL ELEVATION TRACK

Turn	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
Elevation															
Turn	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30
Elevation															

PHYSICAL ATTACKS AGAINST VTOLS TABLE

DIFFERENCE IN LEVELS	TYPES OF PHYSICAL ATTACKS ALLOWED
-1 or lower	None
0	All except Punch
1-2	All except Kick
3	Club and Physical Weapons Only
4+	None

VTOL COMBAT VEHICLE CRITICAL HITS TABLE

	LOCATION HIT				
	FRONT	SIDE			
2-5	No Critical Hit	No Critical Hit	No Critical Hit	No Critical Hit	No Critical Hit
6	Copilot Hit	Weapon Malfunction	Cargo/Infantry Hit	Rotor Damage	No Critical Hit
7	Weapon Malfunction	Weapon/Infantry Hit	Weapon Malfunction	Rotor Damage	Stabilizer
8	Stabilizer	Stabilizer	Stabilizer	Rotor Damage	Turret Jam
9	Sensors	Weapon Destroyed	Weapon Destroyed	Flight Stabilizer Hit	Weapon Malfunction
10	Pilot Hit	Engine Hit	Sensors	Flight Stabilizer Hit	Turret Locks
11	Weapon Destroyed	RotorsDestroyed	Ammunition**	Engine Hit	Weapon Destroyed
12	Crew Killed	Fuel Tank*	Fuel Tank*	RotorsDestroyed	Ammunition**
					Turret Blown Off

*Only if the VTOL has an ICE engine. For VTOLs with fusion engines, treat this result as Engine Hit.

** If the VTOL carries no ammunition, treat this result as Weapon Destroyed.

MOVEMENT RECORD

Turn #	1	2	3	4	5	6	7	8	9	10
Hex/Facing										
Move Mode										

Turn #	11	12	13	14	15	16	17	18	19	20
Hex/Facing										
Move Mode										

CLUSTER HITS TABLE

Die Roll (2D6)	
2	1
3	2
4	2
5	2
6	2
7	3
8	3
9	3
10	3
11	4
12	4

MOVEMENT COSTS

Cost to Enter Hex (Airborne):	1
Woods	Prohibited
(except along road)	
Building	Prohibited
Level Change (Up or Down)	+1/level
Additional Movement Actions	
Facing change	1/hexside

DRIVING SKILL ROLL TABLE

Unit's Actions	
Flanking movement after facing change	Possible sideslip
Sideslip Movement	
Hexes moved in turn	
0-2	-1
3-4	0
5-7	+1
8-10	+2
11-17	+3
18-24	+4
25+	+5
Entering/leaving building hex	
Light building	0
Medium building	+1
Heavy building	+2
Hardened building	+3
Hexes moved in turn	
1-2	0
3-4	+1
5-6	+2
7-9	+3
10-17	+4
18-24	+5
25+	+6

BATTLETECH™

MEDIUM SUPPORT VTOL RECORD SHEET

VEHICLE DATA

Type: Strike Falcon Attack VTOL
Movement Points: 7
Cruising: 7
Flanking: 11
Movement Type: VTOL
Engine Type: 70 ICE

Tonnage: 30
Tech Base: Inner Sphere
Rules Level: Standard
Role: Striker

Weapons & Equipment Inventory (hexes)						
Qty	Type	Loc	Dmg	Min	Sht	Med Lng
2	SRM 4	FR	2[M,C,S]	—	3	6 9
1	Machine Gun	FR	2 [DB,AI]	—	1	2 3
1	Machine Gun	RS	2 [DB,AI]	—	1	2 3
1	Machine Gun	LS	2 [DB,AI]	—	1	2 3

Ammo: (Machine Gun) 100, (SRM 4) 25
Features Advanced Fire Control, Infantry Bay (6 tons)
Quirks: Easy to Pilot, Obsolete

BV: 372

CREW DATA

Crew: Private Nira "Hardcore" Cabecinho
Gunnery Skill: 3 Driving Skill: 4

Co-Pilot Hit +1 Pilot Hit +2
Modifier to all skill rolls Modifier to Driving skill rolls


CRITICAL DAMAGE

Flight Stabilizer* +3 Engine Hit ☐
Sensor Hits +1 +2 +3 D
Stabilizers
Front ☐ Left ☐ Right ☐
Rear ☐
*Move at Cruising speed only



ARMOR DIAGRAM

BAR: 7



TO-HIT MODIFIERS

Attacker	
Stationary	+0
Cruised	+1
Flanked	+2
Skidding	+1
Terrain	
Light Woods	+1/hex
Heavy Woods	+2/hex
Partial Cover	+1
Target	
Prone (adjacent hex)	-2
Prone (other hex)	+1
Immobilized	-4
Skidding	-2
Moved 0-2 hexes	+0
Moved 3-4 hexes	+1
Moved 5-6 hexes	+2
Moved 7-9 hexes	+3
Moved 10-17 hexes	+4
Moved 18-24 hexes	+5
Moved 25+ hexes	+6
Jumped	+1
BattleArmor unit	+1
Secondary target (front)	+1
Secondary target (side/rear)	+2
Large support vehicle or grounded DropShip	-1

VTOL COMBAT VEHICLE HIT LOCATION

	ATTACK DIRECTION		
	FRONT	REAR	SIDES
2*	Front (critical)	Rear (critical)	Side (critical)
3	Rotors†	Rotors†	Rotors†
4	Turret‡	Turret‡	Turret‡
5	Right Side†	Left Side†	Front†
6	Front	Rear	Side
7	Front	Rear	Side
8	Front	Rear	Side (critical)*
9	Left Side	Right Side	Rear
10	Rotors†	Rotors†	Rotors†
11	Rotors†	Rotors†	Rotors†
12*	Rotors (critical)*†	Rotors (critical)*†	Rotors (critical)*†

*A result of 2 or 12 (or an 8 if the attack strikes the side) may inflict a critical hit on the VTOL. For each such attack, apply damage normally to the armor in that section. The attacking player then immediately rolls once on the VTOL Combat Vehicle Critical Hits Table, below.

† Damage Value / 10 (round up); see Rotor Hits, p. 197, *Total Warfare*. Additionally, damage to rotors slows down the VTOL. Each hit reduces the VTOL's Cruising MP by 1, meaning that the controlling player must also recalculate Flank MP; multiply the new Cruising MP by 1.5 and round up. As with all damage, such movement penalties do not apply until the end of the phase in which the damage occurred.

‡ A result of 2 or 12 (or an 8 if the attack strikes the side) may inflict a critical hit on the VTOL. For each such attack, apply damage normally to the armor in that section. The attacking player then immediately rolls once on the VTOL Combat Vehicle Critical Hits Table, below.

VTOL ELEVATION TRACK

Turn	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
Elevation															

Turn	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30
Elevation															

PHYSICAL ATTACKS AGAINST VTOLS TABLE

DIFFERENCE IN LEVELS	TYPES OF PHYSICAL ATTACKS ALLOWED
-1 or lower	None
0	All except Punch
1-2	All except Kick
3	Club and Physical Weapons Only
4+	None

VTOL COMBAT VEHICLE CRITICAL HITS TABLE

	LOCATION HIT				
	FRONT	SIDE			
2-5	No Critical Hit	No Critical Hit	No Critical Hit	No Critical Hit	No Critical Hit
6	Copilot Hit	Weapon Malfunction	Cargo/Infantry Hit	Rotor Damage	Stabilizer
7	Weapon Malfunction	Cargo/Infantry Hit	Weapon Malfunction	Rotor Damage	Turret Jam
8	Stabilizer	Stabilizer	Stabilizer	Rotor Damage	Weapon Malfunction
9	Sensors	Weapon Destroyed	Weapon Destroyed	Flight Stabilizer Hit	Turret Locks
10	Pilot Hit	Engine Hit	Sensors	Flight Stabilizer Hit	Weapon Destroyed
11	Weapon Destroyed	RotorsDestroyed	Ammunition**	Engine Hit	Ammunition**
12	Crew Killed	Fuel Tank*	Fuel Tank*	RotorsDestroyed	Turret Blown Off

*Only if the VTOL has an ICE engine. For VTOLs with fusion engines, treat this result as Engine Hit.

** If the VTOL carries no ammunition, treat this result as Weapon Destroyed.

MOVEMENT RECORD

Turn #	1	2	3	4	5	6	7	8	9	10
Hex/Facing										
Move Mode										

Turn #	11	12	13	14	15	16	17	18	19	20
Hex/Facing										
Move Mode										

CLUSTER HITS TABLE

Die Roll (2D6)	
2	1
3	2
4	2
5	2
6	2
7	3
8	3
9	3
10	3
11	4
12	4

MOVEMENT COSTS

Cost to Enter Hex (Airborne):	1
Woods	Prohibited
(except along road)	
Building	Prohibited
Level Change (Up or Down)	+1/level
Additional Movement Actions	
Facing change	1/hexside

DRIVING SKILL ROLL TABLE

Unit's Actions	
Flanking movement after facing change	Possible sideslip
Sideslip Movement	
Hexes moved in turn	
0-2	-1
3-4	0
5-7	+1
8-10	+2
11-17	+3
18-24	+4
25+	+5
Entering/leaving building hex	
Light building	0
Medium building	+1
Heavy building	+2
Hardened building	+3
Hexes moved in turn	
1-2	0
3-4	+1
5-6	+2
7-9	+3
10-17	+4
18-24	+5
25+	+6

© 2023 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.



DROPSHIP DATA

Type: Leopard (Black Swan Mk III)

Name: _____ Tonnage: 1,900
Thrust: _____ Tech Base: Inner Sphere
Safe Thrust: 4 Rules Level: Standard
Maximum Thrust: 6

Weapons & Equipment Inventory

Standard Scale (1-6) (7-12) (13-20) (21-25)


Qty	Type	Loc	Ht	SRV	MRV	LRV	ERV
2	PPC	NOS	20	2 (20)	2 (20)	—	—
1	LRM 20 (12 rounds)	NOS	6	1 (12)	1 (12)	1 (12)	—
3	Medium Laser	NOS	9	2 (15)	—	—	—
1	LRM 20 (12 rounds)	LW/RW	6	1 (12)	1 (12)	1 (12)	—
1	Medium Laser	LW/RW	19	3 (21)	2 (16)	—	—
2	Large Laser						
2	Medium Laser	AFT	14	2 (18)	1 (8)	—	—
1	Large Laser						

Cargo:

Bay 1: Mech (4) (4 Doors)
Bay 5: Light Vehicle (2) (1 Door)
Bay 6: Cargo (234) (1 Door)

Fuel Points: 5,480

BV: 3,599



Advanced Movement Compass

PILOT DATA

Gunnery Skill: 4	Piloting Skill: 3
Hits Taken	1 2 3 4 5 6
Modifier	+1 +2 +3 +4 +5 Incp.
Crew: 27	Marines: 0
Passengers: 0	BattleArmor: 0
Other: 0	
Life Boats/Escapes Pods: 0/2	

CRITICAL DAMAGE

Avionics	+1 +2 +5	Landing Gear	+5
FCS	2 4 D	Life Support	+2
Sensors	+1 +2 +5	K-F Boom	D
Thrusters		Docking Collar	D
Left	+1 +2 +3 D		
Right	+1 +2 +3 D		
Engine	-1 -2 -3 -4 -5 D		

HEAT DATA

Heat Sinks: 80	Heat Generation Per Arc:
	Nose: 35
	Left/Right Wing: 25/25
	Left/Right Wing (Rear): 0/0
	Aft: 14

TO-HIT MODIFIERS

Range	
Short	+0
Medium	+2
Long	+4
Extreme	+6
Target/Intervening conditions	
Attack against aft	+0
Attack against side	+2
Attack against nose	+1
Attacker flying at altitude 1	+2
attacking air target	
Target is conducting	-3
air-to-ground attack	
Target is at zero velocity	-2
Firing through atmospheric	+2/hex
hex on high altitude map	
Firing into or out of screen hex+2	
Target is evading	variable
Attacker Conditions	
Exceeded safe thrust this turn	+2
Out of control	+2
Crew damage	+2
FCS damage	+2/hit
Sensor damage	+1/hit
Sensors destroyed	+5
Attacker evading	+2

CONTROL ROLL TABLE

Situation	
Movement	
Roll more than once in a turn	
Use thrust > current SI	
Velocity > 2x safe thrust	
in atmosphere	
Stalling	
Descending 3+ altitudes in a turn	
Damage	
Avionics critical	
Control critical	
Damaged in atmosphere	
Modifiers	
Crew damage	+1/hit
Avionics damage	+1/hit
Life support damage	+1/hit
Above safe thrust	+1
Atmospheric operations	+2
Per 20 points of damage	+1
Velocity above 2x safe thrust	+1/point

STRAIGHT MOVEMENT

Velocity	Map	Ground Map
1	1	8
2	1	16
3	1	24
4	2	32
5	2	40
6	2	48
7	3	56
8	3	64
9	3	72
10	4	80
11	4	88
12	4	96
13-15	5	-
16+	6	-

CHANGING FACING COST

Velocity	Thrust points	Velocity	Thrust points
0-2	1	10	5
3-5	2	11	6
6-7	3	12	+1/point
8-9	4		

VELOCITY RECORD

Turn #	1	2	3	4	5	6	7	8	9	10
Thrust										
Velocity										
Effective Velocity										
Altitude										

Turn #	11	12	13	14	15	16	17	18	19	20
Thrust										
Velocity										
Effective Velocity										
Altitude										

HIT LOCATION TABLE

Die Roll (2D6)	Nose	Aft	Side	Above/Below
2	Nose/Crew	Aft/Life Support	Nose/Weapon	Nose/Weapon
3	Nose/Avionics	Aft/Control	Nose/FCS	Nose/FCS
4	Right Side/Weapon	Right Side/Weapon	Nose/Sensor	Nose/Sensor
5	Right Side/Thruster	Right Side/Door	Side/Thruster	Side/Thruster
6	Nose/FCS	Aft/Engine	Side/Cargo	Side/Cargo
7	Nose/Weapon	Aft/Weapon	Side/Weapon	Side/Weapon
8	Nose/Control	Aft/Collar	Side/Door	Side/Door
9	Left Side/Thruster	Left Side/Door	Side/Thruster	Side/Thruster
10	Left Side/Weapon	Left Side/Weapon	Aft/Avionics	Aft/Avionics
11	Nose/Sensor	Aft/Gear	Aft/Engine	Aft/Engine
12	Nose/K-F Boom	Aft/Fuel	Aft/Weapon	Aft/Weapon

AIR-TO-GROUND ATTACKS

Attack Type	Modifier	Altitude
Strafing	+4	1-3
Striking	+2	2-5

RANDOM MOVEMENT TABLE

1D6 Result	Effect
1	Forward 1 hex, left 2 hexsides
2	Forward 1 hex, left 1 hexside
3-4	Forward 1 hex
5	Forward 1 hex, right 1 hexside
6	Forward 1 hex, right 2 hexsides



DROPSHIP DATA

Type: Union (2708)

Name: _____ Tonnage: 3,600
 Thrust: _____ Tech Base: Inner Sphere
 Safe Thrust: 3 Rules Level: Standard
 Maximum Thrust: 5

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	SRV	MRV	LRV	ERV
1	PPC	NOS	10	1 (10)	1 (10)	—	—
2	AC/5 (20 rounds)	NOS	2	1 (10)	1 (10)	—	—
2	LRM 20 (24 rounds)	NOS	12	2 (24)	2 (24)	2 (24)	—
2	Medium Laser	NOS	6	1 (10)	—	—	—
1	PPC	FLS/FRS	10	1 (10)	1 (10)	—	—
2	AC/5 (40 rounds)	FLS/FRS	2	1 (10)	1 (10)	—	—
2	LRM 20 (24 rounds)	FLS/FRS	12	2 (24)	2 (24)	2 (24)	—
2	Medium Laser	FLS/FRS	14	2 (18)	1 (8)	—	—
1	Large Laser						
2	Medium Laser	ALS/ARS	14	2 (18)	1 (8)	—	—
1	Large Laser						
2	Medium Laser	AFT	14	2 (18)	1 (8)	—	—
1	Large Laser						

Cargo:


Bay 1: Mech (4) (2 Doors)
 Bay 2: Mech (8) (2 Doors)
 Bay 3: Fighter (2) (2 Doors)
 Bay 4: Cargo (74.5) (2 Doors)

Fuel Points: 6,450

BV: 4,766



Left Side
Damage
Threshold
(Total Armor)
18 (180)



Right Side
Damage
Threshold
(Total Armor)
18 (180)

Structural Integrity: 11

Aft Damage
Threshold
(Total Armor)
11 (104)

Advanced
Movement
Compass



PILOT DATA

Gunnery Skill: 3 Piloting Skill: 5

Hits Taken	1	2	3	4	5	6
Modifier	+1	+2	+3	+4	+5	Incp.
Crew:	42					
Passengers:	0					
Other:	0					

Life Boats/Escapes Pods: 0/7

CRITICAL DAMAGE

Avionics	+1	+2	+5	Landing Gear	+5
FCS	2	4	D	Life Support	+2
Sensors	+1	+2	+5	K-F Boom	D
Thrusters				Docking Collar	D
Left	+1	+2	+3	D	
Right	+1	+2	+3	D	
Engine	-1	-2	-3	-4	-5 D

HEAT DATA

Heat Sinks:	Heat Generation Per Arc:
90	Nose: 30
	Left/Right Fore: 38/38
	Left/Right Aft: 14/14
	Aft: 14

TO-HIT MODIFIERS

Range	
Short	+0
Medium	+2
Long	+4
Extreme	+6
Target/Intervening conditions	
Attack against aft	+0
Attack against side	+2
Attack against nose	+1
Attacker flying at altitude 1	+2
attacking air target	
Target is conducting	-3
air-to-ground attack	
Target is at zero velocity	-2
Firing through atmospheric	+2/hex
hex on high altitude map	
Firing into or out of screen hex	+2
Target is evading	variable
Attacker Conditions	
Exceeded safe thrust this turn	+2
Out of control	+2
Crew damage	+2
FCS damage	+2/hit
Sensor damage	+1/hit
Sensors destroyed	+5
Attacker evading	+2

CONTROL ROLL TABLE

Situation	
Movement	
Roll more than once in a turn	
Use thrust > current SI	
Velocity > 2x safe thrust	
in atmosphere	
Stalling	
Descending 3+ altitudes in a turn	
Damage	
Avionics critical	
Control critical	
Damaged in atmosphere	
Modifiers	
Crew damage	+1/hit
Avionics damage	+1/hit
Life support damage	+1/hit
Above safe thrust	+1
Atmospheric operations	+3
Per 20 points of damage	+1
Velocity above 2x safe thrust	+1/point

VELOCITY RECORD

Turn #	1	2	3	4	5	6	7	8	9	10
Thrust										
Velocity										
Effective Velocity										
Altitude										

Turn #	11	12	13	14	15	16	17	18	19	20
Thrust										
Velocity										
Effective Velocity										
Altitude										

© 2023 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

HIT LOCATION TABLE

Die Roll (2D6)	Nose	Aft	Side	Above/Below
2	Nose/Crew	Aft/Life Support	Nose/Weapon	Nose/Weapon
3	Nose/Avionics	Aft/Control	Nose/FCS	Nose/FCS
4	Right Side/Weapon	Right Side/Weapon	Nose/Sensor	Nose/Sensor
5	Right Side/Thruster	Right Side/Door	Side/Thruster	Side/Thruster
6	Nose/FCS	Aft/Engine	Side/Cargo	Side/Cargo
7	Nose/Weapon	Aft/Weapon	Side/Weapon	Side/Weapon
8	Nose/Control	Aft/Collar	Side/Door	Side/Door
9	Left Side/Thruster	Left Side/Door	Side/Thruster	Side/Thruster
10	Left Side/Weapon	Left Side/Weapon	Aft/Avionics	Aft/Avionics
11	Nose/Sensor	Aft/Gear	Aft/Engine	Aft/Engine
12	Nose/K-F Boom	Aft/Fuel	Aft/Weapon	Aft/Weapon

AIR-TO-GROUND ATTACKS

Attack Type	Modifier	Altitude
Striking	+2	2-5

RANDOM MOVEMENT TABLE

1D6 Result	Effect
1	Forward 1 hex, left 2 hexsides
2	Forward 1 hex, left 1 hexside
3-4	Forward 1 hex
5	Forward 1 hex, right 1 hexside
6	Forward 1 hex, right 2 hexsides

CHANGING FACING COST

Velocity	Thrust points	Velocity	Thrust points
0-2	1	10	5
3-5	2	11	6
6-7	3	12	+1/point
8-9	4		

BATTLETECH™

FIXED WING SUPPORT VEHICLE RECORD SHEET

FIGHTER DATA

Type: Boomerang Spotter Plane

Thrust: 4 Tonnage: 4,999 kg
SafeThrust: 4 Tech Base: Inner Sphere
Maximum Thrust: 6 Rules Level: Standard
Engine Type: 1 ICE Role: Attack Fighter

Weapons & Equipment Inventory

Standard Scale (1-6) (7-12) (13-20) (21-25)
Qty Type Loc SRV MRV LRV ERV
1 Recon Camera [E] NOS — — — —

Fuel Points: 273

Features Propeller-Driven, Ultra-Light, STOL Chassis Mods,
1 Ejection Seat, Cargo (13 kg)

BV: 9



ARMOR DIAGRAM

BAR: 2

Nose Damage
Threshold (Total Armor)
1 (0)

Left Wing
Damage Threshold
(Total Armor)
1 (0)

Right Wing
Damage Threshold
(Total Armor)
1 (0)

Aft Damage
Threshold
(Total Armor)
1 (0)

Structural
Integrity:
4

○ ○ ○ ○



TO-HIT MODIFIERS

Range	
Short	+0
Medium	+2
Long	+4
Extreme	+6
Target/Intervening conditions	
Attack against aft	+0
Attack against side	+2
Attack against nose	+1
Attacker flying at altitude 1	+2
attacking air target	
Secondary target in fwd arc	+1
Secondary target in other arc	+2
Target is conducting	-3
air-to-ground attack	
Target is at zero velocity	-2
Target is evading	variable
Attacker Conditions	
Exceeded safe thrust this turn	+2
Out of control	+2
Crew damage	+2
FCS damage	+2/hit
Sensor damage	+1/hit
Sensors destroyed	+5
Attacker evading	Prohibited

CONTROL ROLL TABLE

Situation	
Movement	
Exceed normal operating ceiling	
Roll more than once in a turn	
Use thrust > current SI	
Velocity > 2x safe thrust	
in atmosphere	
Stalling	
Descending 3+ altitudes in a turn	
Damage	
Avionics critical	
Control critical	
Damaged in atmosphere	
Modifiers	
Crew damage	+1/hit
Avionics damage	+1/hit
Life support damage	+1/hit
Above safe thrust	+1
Atmospheric operations	+1
Per 20 points of damage	+1
Velocity above 2x	+1/point
safe thrust	

CRITICAL DAMAGE

Avionics	+1	+2	+5	Engine	2	4	D
FCS	+2	+4	D	Landing Gear	+5		
Sensors	+1	+2	+5	Life Support	+2		

PILOT DATA

Name: Petty Officer Sloan "Kaiser" MacCaw

Gunnery Skill: 4 Piloting Skill: 4

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead
Modifier	+1	+2	+3	+4	+5	

GROUND MAP STRAIGHT MOVEMENT

MINIMUM STRAIGHT MOVEMENT
(IN HEXES)

	FIGHTER	SMALL CRAFT AND FIXED WING SUPPORT VEHICLES
1	8	8
2	12	14
3	16	20
4	20	26
5	24	32
6	28	38
7	32	44
8	36	50
9	40	56
10	44	62
11	48	68
12	52	74

Velocity above 12 is not possible on ground maps.

FIGHTER RETURN TABLE

TURNS BEFORE RETURN

1-4	3
5-8	2
9-12	1
13+	0

VELOCITY RECORD

Turn #	1	2	3	4	5	6	7	8	9	10
Thrust										
Velocity										
Effective Velocity										
Altitude										

Turn #	11	12	13	14	15	16	17	18	19	20
Thrust										
Velocity										
Effective Velocity										
Altitude										

© 2023 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

HIT LOCATION TABLE

Die Roll (2D6)	Nose	Aft	Side	Above/Below
2	Nose/Weapon	Aft/Weapon	Nose/Weapon	Nose/Weapon
3	Nose/Sensor	Aft/Heat Sink	Wing/Gear	Wing/Gear
4	Right Wing/Heat Sink	Right Wing/Fuel	Nose/Sensor	Nose/Sensor
5	Right Wing/Weapon	Right Wing/Weapon	Nose/Crew	Nose/Crew
6	Nose/Avionics	Aft/Engine	Wing/Weapon	Wing/Weapon
7	Nose/Control	Aft/Control	Wing/Avionics	Nose/Avionics
8	Nose/FCS	Aft/Engine	Wing/Bomb	Wing/Weapon
9	Left Wing/Weapon	Left Wing/Weapon	Aft/Control	Aft/Control
10	Left Wing/Heat Sink	Left Wing/Fuel	Aft/Engine	Aft/Engine
11	Nose/Gear	Aft/Heat Sink	Wing/Gear	Wing/Gear
12	Nose/Weapon	Aft/Weapon	Aft/Weapon	Aft/Weapon

AIR-TO-GROUND ATTACKS

Attack Type	Modifier	Altitude
Striking	+2	2-5

RANDOM MOVEMENT TABLE

1D6 Result	Effect
1	Forward 1 hex, left 2 hexsides
2	Forward 1 hex, left 1 hexside
3-4	Forward 1 hex
5	Forward 1 hex, right 1 hexside
6	Forward 1 hex, right 2 hexsides

STRAIGHT MOVEMENT

Velocity	Low Altitude	
	Map	Ground Map
1	2	8
2	2	14
3	2	20
4	2	26
5	2	32
6	2	38
7	2	44
8	2	50
9	2	56
10	4	62
11	4	68
12	4	74
13-15	6	-
16+	8	-

BATTLETECH™

BATTLEMECH RECORD SHEET

MECH DATA

Type: Rifleman RFL-3N

Movement Points:

Walking: 4

Running: 6

Jumping: 0

Engine Type: 240 Fusion

Tonnage: 60

Tech Base: Inner Sphere

Rules Level: Introductory

Role: Sniper

WARRIOR DATA

Name: Sergeant Fadi "Thresher" Mu'tasim

Gunnery Skill: 4

Piloting Skill: 4

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead

Weapons & Equipment Inventory

(hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Ln
1	Large Laser	LA	8	8 [DE]	—	5	10	15
1	AC/5	LA	1	5 [DB,S]	3	6	12	18
1	Large Laser	RA	8	8 [DE]	—	5	10	15
1	AC/5	RA	1	5 [DB,S]	3	6	12	18
1	Medium Laser	LT	3	5 [DE]	—	3	6	9
1	Medium Laser	RT	3	5 [DE]	—	3	6	9

Total Heat (Dissipation): 24 (10)

Ammo: (AC/5) 20

Quirks: Anti-Aircraft Targeting, Improved Communications, Searchlight, Ubiquitous (Inner Sphere), Ubiquitous (Clans)

BV: 1,143



CRITICAL TABLE

Left Arm

- Shoulder
- Upper Arm Actuator
- Large Laser
- Large Laser
- AC/5
- AC/5

1-3

- AC/5
- AC/5

4-6

- Roll Again
- Roll Again
- Roll Again

Left Torso

- Medium Laser
- Roll Again
- Roll Again
- Roll Again
- Roll Again
- Roll Again

1-3

4-6

- Roll Again
- Roll Again
- Roll Again
- Roll Again
- Roll Again
- Roll Again

Left Leg

- Hip
- Upper Leg Actuator
- Lower Leg Actuator
- Foot Actuator
- Heat Sink
- Roll Again

Head

- Life Support
- Sensors
- Cockpit
- Roll Again
- Sensors
- Life Support

Center Torso

- Fusion Engine
- Fusion Engine
- Fusion Engine
- Gyro
- Gyro
- Gyro

1-3

4-6

Engine Hits ○○○○
Gyro Hits ○○○○
Sensor Hits ○○○○
Life Support ○



Damage Transfer Diagram

Right Arm

- Shoulder
- Upper Arm Actuator
- Large Laser
- Large Laser
- AC/5
- AC/5

1-3

- AC/5
- AC/5

4-6

- Roll Again
- Roll Again
- Roll Again

Right Torso

- Medium Laser
- Roll Again
- Roll Again
- Roll Again
- Roll Again
- Roll Again

1-3

4-6


- Roll Again
- Roll Again
- Roll Again
- Roll Again
- Roll Again
- Roll Again

Right Leg

- Hip
- Upper Leg Actuator
- Lower Leg Actuator
- Foot Actuator
- Roll Again
- Roll Again

ARMOR DIAGRAM

Standard Armor



HIT LOCATION TABLE

Die Roll (2D6)	LS	F/R	RS
2*	LT(C)	CT(C)	RT(C)
3	LL	RA	RL
4	LA	RA	RA
5	LA	RL	RA
6	LL	RT	RL
7	LT	CT	RT
8	CT	LT	CT
9	RT	LL	LT
10	RA	LA	LA
11	RL	LA	LL
12	HD	HD	HD


*A result of 2 may inflict a critical hit

TO-HIT MODIFIERS

Attacker	
Stationary	+0
Walked	+1
Ran	+2
Prone	+2
Skidding	+1
Terrain	
Light Woods	+1/hex
Heavy Woods	+2/hex
Partial Cover	+1
Target	
Prone (adjacent hex)	-2
Prone (other hex)	+1
Immobile	-4
Skidding	-2
Moved 0-2 hexes	+0
Moved 3-4 hexes	+1
Moved 5-6 hexes	+2
Moved 7-9 hexes	+3
Moved 10-17 hexes	+4
Moved 18-24 hexes	+5
Moved 25+ hexes	+6
Jumped	+1
BattleArmor unit	+1
Secondary target (front)	+1
Secondary target (side/rear)	+2
Large support vehicle	-1
or grounded DropShip	
Damage	
Sensor hit	+2
Shoulder hit	+4
Arm Actuator	+1

INTERNAL STRUCTURE DIAGRAM

Standard Structure



Heat Scale

Overflow

30*

29

28*

27

26*

25*

24*

23*

22*

21

20*

19*

18*

17*

16

15*

14*

13*

12

11

10*

9

8*

7

6

5*

4

3

2

1

0

HEAT DATA

Heat	Effects	Heat Sinks:
Level*		10
30	Shutdown	
28	Ammo Exp, avoid on 8+	
26	Shutdown, avoid on 10+	
25	-5 Movement Points	
24	+4 Modifier to Fire	
23	Ammo Exp, avoid on 6+	
22	Shutdown, avoid on 8+	
20	-4 Movement Points	
19	Ammo Exp, avoid on 4+	
18	Shutdown, avoid on 6+	
17	+3 Modifier to Fire	
15	-3 Movement Points	
14	Shutdown, avoid on 4+	
13	+2 Modifier to Fire	
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

© 2023 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

MOVEMENT RECORD

Turn #	1	2	3	4	5	6	7	8	9	10
Hex/Facing										
Move Mode										

Turn #	11	12	13	14	15	16	17	18	19	20
Hex/Facing										
Move Mode										

KICK LOCATION TABLE

Die Roll (1D6)	LS	F/R	RS
1-3	LL	RL	RL
4-6	LL	LL	RL

FACING AFTER FALL

Die Roll (1D6)	New Facing	Hit Location
1	Same Direction	Front
2	1 Hexside Right	Right Side
3	2 Hexsides Right	Right Side
4	Opposite Direction	Rear
5	2 Hexsides Left	Left Side
6	1 Hexside Left	Left Side

BATTLETECH™

BATTLEMECH RECORD SHEET

MECH DATA

Type: Black Knight BL-7-KNT-L
Movement Points: 75
Walking: 4
Running: 6
Jumping: 0
Engine Type: 300 Fusion
Tonnage: 75
Tech Base: Inner Sphere
Rules Level: Introductory
Role: Brawler

WARRIOR DATA

Name: Sergeant Shannon Fazliu
Gunnery Skill: 3 Piloting Skill: 4
Hits Taken
Consciousness #

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Ln
1	Medium Laser	LA	3	5 [DE]	—	3	6	9
1	Large Laser	RA	8	8 [DE]	—	5	10	15
1	Medium Laser	RA	3	5 [DE]	—	3	6	9
1	Large Laser	LT	8	8 [DE]	—	5	10	15
1	Medium Laser	LT	3	5 [DE]	—	3	6	9
1	Large Laser	RT	8	8 [DE]	—	5	10	15
1	Medium Laser	RT	3	5 [DE]	—	3	6	9
1	Small Laser	HD	1	3 [DE]	—	1	2	3
Total Heat (Dissipation): 37 (22)								

Quirks: Command Mek


BV: 1,860



CRITICAL TABLE

Left Arm		Head		Right Arm	
1-3	1. Shoulder	1-3	1. Life Support	1-3	1. Shoulder
	2. Upper Arm Actuator		2. Sensors		2. Upper Arm Actuator
	3. Lower Arm Actuator		3. Cockpit		3. Lower Arm Actuator
	4. Hand Actuator		4. Small Laser		4. Hand Actuator
	5. Medium Laser		5. Sensors		5. Heat Sink
	6. Roll Again		6. Life Support		6. Heat Sink
1. Roll Again		Center Torso		1. Large Laser	
4-6	2. Roll Again	1-3	1. Fusion Engine	4-6	2. Large Laser
	3. Roll Again		2. Fusion Engine		3. Medium Laser
	4. Roll Again		3. Fusion Engine		4. Roll Again
	5. Roll Again		4. Gyro		5. Roll Again
	6. Roll Again		5. Gyro		6. Roll Again
			6. Gyro		
1. Gyro		Left Torso		Right Torso	
1-3	2. Fusion Engine	4-6	1. Heat Sink	1-3	1. Heat Sink
	3. Fusion Engine		2. Heat Sink		2. Heat Sink
	4. Fusion Engine		3. Large Laser		3. Large Laser
	5. Roll Again		4. Large Laser		4. Large Laser
	6. Roll Again		5. Medium Laser		5. Medium Laser
			6. Roll Again		6. Roll Again
1. Roll Again		Engine Hits		Right Torso	
4-6	2. Roll Again	Engine Hits ○○○○ Gyro Hits ○○○ Sensor Hits ○○○ Life Support ○		4-6	1. Roll Again
	3. Roll Again				2. Roll Again
	4. Roll Again				3. Roll Again
	5. Roll Again				4. Roll Again
	6. Roll Again				5. Roll Again
	Roll Again				6. Roll Again


Engine Hits
Gyro Hits
Sensor Hits
Life Support



Damage Transfer Diagram

ARMOR DIAGRAM

Standard Armor



HIT LOCATION TABLE

Die Roll (2D6)	LS	F/R	RS
2*	LT(C)	CT(C)	RT(C)
3	LL	RA	RL
4	LA	RA	RA
5	LA	RL	RA
6	LL	RT	RL
7	LT	CT	RT
8	CT	LT	CT
9	RT	LL	LT
10	RA	LA	LA
11	RL	LA	LL
12	HD	HD	HD


*A result of 2 may inflict a critical hit

TO-HIT MODIFIERS

Attacker	
Stationary	+0
Walked	+1
Ran	+2
Prone	+2
Skidding	+1
Terrain	
Light Woods	+1/hex
Heavy Woods	+2/hex
Partial Cover	+1
Target	
Prone (adjacent hex)	-2
Prone (other hex)	+1
Immobile	-4
Skidding	-2
Moved 0-2 hexes	+0
Moved 3-4 hexes	+1
Moved 5-6 hexes	+2
Moved 7-9 hexes	+3
Moved 10-17 hexes	+4
Moved 18-24 hexes	+5
Moved 25+ hexes	+6
Jumped	+1
BattleArmor unit	+1
Secondary target (front)	+1
Secondary target (side/rear)	+2
Large support vehicle or grounded DropShip	-1
Damage	
Sensor hit	+2
Shoulder hit	+4
Arm Actuator	+1

INTERNAL STRUCTURE DIAGRAM

Standard Structure



Heat Scale

Overflow

30*

29

28*

27

26*

25*

24*

23*

22*

21

20*

19*

18*

17*

16

15*

14*

13*

12

11

10*

9

8*

7

6

5*

4

3

2

1

0

HEAT DATA

Heat Level*	Effects	Heat Sinks: 22
30	Shutdown	
28	Ammo Exp, avoid on 8+	
26	Shutdown, avoid on 10+	
25	-5 Movement Points	
24	+4 Modifier to Fire	
23	Ammo Exp, avoid on 6+	
22	Shutdown, avoid on 8+	
20	-4 Movement Points	
19	Ammo Exp, avoid on 4+	
18	Shutdown, avoid on 6+	
17	+3 Modifier to Fire	
15	-3 Movement Points	
14	Shutdown, avoid on 4+	
13	+2 Modifier to Fire	
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

© 2023 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

MOVEMENT RECORD

Turn #	1	2	3	4	5	6	7	8	9	10
Hex/Facing										
Move Mode										

Turn #	11	12	13	14	15	16	17	18	19	20
Hex/Facing										
Move Mode										

KICK LOCATION TABLE

Die Roll (1D6)	LS	F/R	RS
1-3	LL	RL	RL
4-6	LL	LL	RL

FACING AFTER FALL

Die Roll (1D6)	New Facing	Hit Location
1	Same Direction	Front
2	1 Hexside Right	Right Side
3	2 Hexsides Right	Right Side
4	Opposite Direction	Rear
5	2 Hexsides Left	Left Side
6	1 Hexside Left	Left Side

BATTLETECH™

BATTLEMECH RECORD SHEET

MECH DATA

Type: Hunchback HBK-4P

Movement Points:

Walking: 4

Running: 6

Jumping: 0

Engine Type: 200 Fusion

Tonnage: 50

Tech Base: Inner Sphere

Rules Level: Introductory

Role: Juggernaut

WARRIOR DATA

Name: Sergeant Libor "Menace" Strachota

Gunnery Skill: 4

Piloting Skill: 6

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Ln
1	Medium Laser	LA	3	5 [DE]	—	3	6	9
1	Medium Laser	RA	3	5 [DE]	—	3	6	9
6	Medium Laser	RT	3	5 [DE]	—	3	6	9
1	Small Laser	HD	1	3 [DE]	—	1	2	3

Total Heat (Dissipation): 25 (23)

Quirks: Battle Fists (LA), Battle Fists (RA)

BV: 1,081



CRITICAL TABLE

Left Arm

- Shoulder
- Upper Arm Actuator
- Lower Arm Actuator
- Hand Actuator
- Medium Laser
- Roll Again

1-3

- Roll Again
- Roll Again
- Roll Again
- Roll Again
- Roll Again
- Roll Again

4-6

Left Torso

- Heat Sink
- Heat Sink
- Heat Sink
- Heat Sink
- Heat Sink
- Heat Sink

1-3

- Heat Sink
- Roll Again
- Roll Again
- Roll Again
- Roll Again
- Roll Again

4-6

Left Leg

- Hip
- Upper Leg Actuator
- Lower Leg Actuator
- Foot Actuator
- Heat Sink
- Heat Sink

1-3

- Heat Sink
- Roll Again
- Roll Again
- Roll Again
- Roll Again
- Roll Again

4-6

Head

- Life Support
- Sensors
- Cockpit
- Small Laser
- Sensors
- Life Support

1-3

Center Torso

- Fusion Engine
- Fusion Engine
- Fusion Engine
- Gyro
- Gyro
- Gyro

1-3

- Gyro
- Fusion Engine
- Fusion Engine
- Fusion Engine
- Heat Sink
- Heat Sink

4-6

Engine Hits ○○○○
Gyro Hits ○○○○
Sensor Hits ○○○○
Life Support ○



Damage Transfer Diagram

Right Arm

- Shoulder
- Upper Arm Actuator
- Lower Arm Actuator
- Hand Actuator
- Medium Laser
- Roll Again

1-3

- Roll Again
- Roll Again
- Roll Again
- Roll Again
- Roll Again
- Roll Again

4-6

Right Torso

- Heat Sink
- Heat Sink
- Medium Laser
- Medium Laser
- Medium Laser
- Medium Laser

1-3

- Medium Laser
- Medium Laser
- Roll Again
- Roll Again
- Roll Again
- Roll Again

4-6

Right Leg

- Hip
- Upper Leg Actuator
- Lower Leg Actuator
- Foot Actuator
- Heat Sink
- Heat Sink


1-3

- Heat Sink
- Roll Again
- Roll Again
- Roll Again
- Roll Again
- Roll Again

4-6

ARMOR DIAGRAM

Standard Armor



HIT LOCATION TABLE

Die Roll (2D6)	LS	F/R	RS
2*	LT(C)	CT(C)	RT(C)
3	LL	RA	RL
4	LA	RA	RA
5	LA	RL	RA
6	LL	RT	RL
7	LT	CT	RT
8	CT	LT	CT
9	RT	LL	LT
10	RA	LA	LA
11	RL	LA	LL
12	HD	HD	HD


*A result of 2 may inflict a critical hit

TO-HIT MODIFIERS

Attacker	
Stationary	+0
Walked	+1
Ran	+2
Prone	+2
Skidding	+1
Terrain	
Light Woods	+1/hex
Heavy Woods	+2/hex
Partial Cover	+1
Target	
Prone (adjacent hex)	-2
Prone (other hex)	+1
Immobilized	-4
Skidding	-2
Moved 0-2 hexes	+0
Moved 3-4 hexes	+1
Moved 5-6 hexes	+2
Moved 7-9 hexes	+3
Moved 10-17 hexes	+4
Moved 18-24 hexes	+5
Moved 25+ hexes	+6
Jumped	+1
BattleArmor unit	+1
Secondary target (front)	+1
Secondary target (side/rear)	+2
Large support vehicle or grounded DropShip	-1
Damage	
Sensor hit	+2
Shoulder hit	+4
Arm Actuator	+1

INTERNAL STRUCTURE DIAGRAM

Standard Structure



Heat Scale

Overflow

30*

29

28*

27

26*

25*

24*

23*

22*

21

20*

19*

18*

17*

16

15*

14*

13*

12

11

10*

9

8*

7

6

5*

4

3

2

1

0

HEAT DATA

Heat Level*	Effects	Heat Sinks: 23
30	Shutdown	○○○○
28	Ammo Exp, avoid on 8+	○○○○
26	Shutdown, avoid on 10+	○○○○
25	-5 Movement Points	○○○○
24	+4 Modifier to Fire	○○○○
23	Ammo Exp, avoid on 6+	○○○○
22	Shutdown, avoid on 8+	○○○○
20	-4 Movement Points	○○○○
19	Ammo Exp, avoid on 4+	○○○○
18	Shutdown, avoid on 6+	○○○○
17	+3 Modifier to Fire	○○○○
15	-3 Movement Points	○○○○
14	Shutdown, avoid on 4+	○○○○
13	+2 Modifier to Fire	○○○○
10	-2 Movement Points	○○○○
8	+1 Modifier to Fire	○○○○
5	-1 Movement Points	○○○○

© 2023 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

MOVEMENT RECORD

Turn #	1	2	3	4	5	6	7	8	9	10
Hex/Facing										
Move Mode										

Turn #	11	12	13	14	15	16	17	18	19	20
Hex/Facing										
Move Mode										

KICK LOCATION TABLE

Die Roll (1D6)	LS	F/R	RS
1-3	LL	RL	RL
4-6	LL	LL	RL

FACING AFTER FALL

Die Roll (1D6)	New Facing	Hit Location
1	Same Direction	Front
2	1 Hexside Right	Right Side
3	2 Hexsides Right	Right Side
4	Opposite Direction	Rear
5	2 Hexsides Left	Left Side
6	1 Hexside Left	Left Side

BATTLEMECH RECORD SHEET

Die Roll (2D6)		
2	2	10
3	1	3
4	1	3
5	1	4
6	1	6
7	1	6
8	2	6
9	2	8
10	2	8
11	2	10
12	2	10

BATTLEMECH RECORD SHEET

Die Roll (2D6)	5
2	1
3	2
4	2
5	3
6	3
7	3
8	3
9	4
10	4
11	5
12	5

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Jump Jet

[illegible]

BATTLETECH™

BATTLEMECH RECORD SHEET

MECH DATA

Type: Javelin JVN-10F 'Fire Javelin'
Movement Points: 30
Walking: 6
Running: 9
Jumping: 6
Engine Type: 180 Fusion
Tonnage: 30
Tech Base: Inner Sphere
Rules Level: Introductory
Role: Striker

WARRIOR DATA

Name: Sergeant Gear "Big Texas" Sottrel
Gunnery Skill: 4 Piloting Skill: 4
Hits Taken
Consciousness #

1	2	3	4	5	6
3	5	7	10	11	Dead

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Ln
2	Medium Laser	LT	3	5 [DE]	—	3	6	9
2	Medium Laser	RT	3	5 [DE]	—	3	6	9

Total Heat (Dissipation): 12 (12)

Quirks: Unbalanced

BV: 919



CRITICAL TABLE

- Left Arm**
- Shoulder
 - Upper Arm Actuator
 - Lower Arm Actuator
 - Hand Actuator
 - Roll Again
 - Roll Again

- Center Torso**
- Fusion Engine
 - Fusion Engine
 - Fusion Engine
 - Gyro
 - Gyro
 - Gyro

- Left Torso**
- Heat Sink
 - Heat Sink
 - Medium Laser
 - Medium Laser
 - Roll Again
 - Roll Again

- Right Torso**
- Heat Sink
 - Heat Sink
 - Medium Laser
 - Medium Laser
 - Roll Again
 - Roll Again


- Left Leg**
- Hip
 - Upper Leg Actuator
 - Lower Leg Actuator
 - Foot Actuator
 - Jump Jet
 - Jump Jet

- Head**
- Life Support
 - Sensors
 - Cockpit
 - Heat Sink
 - Sensors
 - Life Support

- Right Arm**
- Shoulder
 - Upper Arm Actuator
 - Lower Arm Actuator
 - Hand Actuator
 - Roll Again
 - Roll Again

- Right Torso**
- Heat Sink
 - Heat Sink
 - Medium Laser
 - Medium Laser
 - Roll Again
 - Roll Again

Engine Hits
Gyro Hits
Sensor Hits
Life Support



Damage Transfer Diagram

- Right Arm**
- Shoulder
 - Upper Arm Actuator
 - Lower Arm Actuator
 - Hand Actuator
 - Roll Again
 - Roll Again

- Center Torso**
- Fusion Engine
 - Fusion Engine
 - Fusion Engine
 - Gyro
 - Gyro
 - Gyro


- Right Torso**
- Heat Sink
 - Heat Sink
 - Medium Laser
 - Medium Laser
 - Roll Again
 - Roll Again

- Right Leg**
- Hip
 - Upper Leg Actuator
 - Lower Leg Actuator
 - Foot Actuator
 - Jump Jet
 - Jump Jet

- Head**
- Life Support
 - Sensors
 - Cockpit
 - Heat Sink
 - Sensors
 - Life Support

ARMOR DIAGRAM

Standard Armor



HIT LOCATION TABLE

Die Roll (2D6)	LS	F/R	RS
2*	LT(C)	CT(C)	RT(C)
3	LL	RA	RL
4	LA	RA	RA
5	LA	RL	RA
6	LL	RT	RL
7	LT	CT	RT
8	CT	LT	CT
9	RT	LL	LT
10	RA	LA	LA
11	RL	LA	LL
12	HD	HD	HD

*A result of 2 may inflict a critical hit

TO-HIT MODIFIERS

Attacker	
Stationary	+0
Walked	+1
Ran	+2
Jumped	+3
Prone	+2
Skidding	+1
Terrain	
Light Woods	+1/hex
Heavy Woods	+2/hex
Partial Cover	+1
Target	
Prone (adjacent hex)	-2
Prone (other hex)	+1
Immobile	-4
Skidding	-2
Moved 0-2 hexes	+0
Moved 3-4 hexes	+1
Moved 5-6 hexes	+2
Moved 7-9 hexes	+3
Moved 10-17 hexes	+4
Moved 18-24 hexes	+5
Moved 25+ hexes	+6
Jumped	+1
BattleArmor unit	+1
Secondary target (front)	+1
Secondary target (side/rear)	+2
Large support vehicle or grounded DropShip	-1
Damage	
Sensor hit	+2
Shoulder hit	+4
Arm Actuator	+1

PHYSICAL ATTACKS

Attack	To-Hit	Damage
Punch	+0	3
Kick	-2	6
Push	-1	—
Club	-1	6
Charge	+0*	3/Hex
DFA	+0*	9

*Modified by target piloting skill

PUNCH LOCATION TABLE

Die Roll (1D6)	LS	F/R	RS
1	LT	LA	RT
2	LT	LT	RT
3	CT	CT	CT
4	LA	RT	RA
5	LA	RA	RA
6	HD	HD	HD

KICK LOCATION TABLE

Die Roll (1D6)	LS	F/R	RS
1-3	LL	RL	RL
4-6	LL	LL	RL

FACING AFTER FALL

Die Roll (1D6)	New Facing	Hit Location
1	Same Direction	Front
2	1 Hexside Right	Right Side
3	2 Hexsides Right	Right Side
4	Opposite Direction	Rear
5	2 Hexsides Left	Left Side
6	1 Hexside Left	Left Side

MOVEMENT RECORD

Turn #	1	2	3	4	5	6	7	8	9	10
Hex/Facing										
Move Mode										

Turn #	11	12	13	14	15	16	17	18	19	20
Hex/Facing										
Move Mode										

BATTLETECH™

BATTLEMECH RECORD SHEET

MECH DATA

Type: Locust LCT-1V

Movement Points:

Walking: 8

Running: 12

Jumping: 0

Engine Type: 160 Fusion

Tonnage: 20

Tech Base: Inner Sphere

Rules Level: Introductory

Role: Scout

WARRIOR DATA

Name: Sergeant Olivera Nghia

Gunnery Skill: 4

Piloting Skill: 5

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead

Weapons & Equipment Inventory

(hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Ln
1	Machine Gun	LA	—	2 [DB, AI]	—	1	2	3
1	Machine Gun	RA	—	2 [DB, AI]	—	1	2	3
1	Medium Laser	CT	3	5 [DE]	—	3	6	9
Total Heat (Dissipation): 3 (10)								

Ammo: (Machine Gun) 200

Quirks: Compact Mek, Narrow/Low Profile, Cramped Cockpit, No/Minimal Arms, Weak Legs

BV: 432

CRITICAL TABLE

Left Arm

- Shoulder
- Upper Arm Actuator
- Machine Gun
- Roll Again
- Roll Again
- Roll Again

1-3

- Roll Again
- Roll Again
- Roll Again
- Roll Again
- Roll Again
- Roll Again

4-6

Left Torso

- Roll Again
- Roll Again
- Roll Again
- Roll Again
- Roll Again
- Roll Again

1-3

- Roll Again
- Roll Again
- Roll Again
- Roll Again
- Roll Again
- Roll Again

4-6

Left Leg

- Hip
- Upper Leg Actuator
- Lower Leg Actuator
- Foot Actuator
- Heat Sink
- Heat Sink

Head

- Life Support
- Sensors
- Cockpit
- Roll Again
- Sensors
- Life Support

Center Torso

- Fusion Engine
- Fusion Engine
- Fusion Engine
- Gyro
- Gyro
- Gyro

1-3

4-6

Engine Hits ○○○○
Gyro Hits ○○○○
Sensor Hits ○○○○
Life Support ○



Damage Transfer Diagram

Right Arm

- Shoulder
- Upper Arm Actuator
- Machine Gun
- Roll Again
- Roll Again
- Roll Again

1-3

- Roll Again
- Roll Again
- Roll Again
- Roll Again
- Roll Again
- Roll Again

4-6

Right Torso

- Roll Again
- Roll Again
- Roll Again
- Roll Again
- Roll Again
- Roll Again

1-3

- Roll Again
- Roll Again
- Roll Again
- Roll Again
- Roll Again
- Roll Again


4-6

Right Leg

- Hip
- Upper Leg Actuator
- Lower Leg Actuator
- Foot Actuator
- Heat Sink
- Heat Sink

ARMOR DIAGRAM

Standard Armor



HIT LOCATION TABLE

Die Roll (2D6)	LS	F/R	RS
2*	LT(C)	CT(C)	RT(C)
3	LL	RA	RL
4	LA	RA	RA
5	LA	RL	RA
6	LL	RT	RL
7	LT	CT	RT
8	CT	LT	CT
9	RT	LL	LT
10	RA	LA	LA
11	RL	LA	LL
12	HD	HD	HD


*A result of 2 may inflict a critical hit

TO-HIT MODIFIERS

Attacker	
Stationary	+0
Walked	+1
Ran	+2
Prone	+2
Skidding	+1
Terrain	
Light Woods	+1/hex
Heavy Woods	+2/hex
Partial Cover	+1
Target	
Prone (adjacent hex)	-2
Prone (other hex)	+1
Immobile	-4
Skidding	-2
Moved 0-2 hexes	+0
Moved 3-4 hexes	+1
Moved 5-6 hexes	+2
Moved 7-9 hexes	+3
Moved 10-17 hexes	+4
Moved 18-24 hexes	+5
Moved 25+ hexes	+6
Jumped	+1
BattleArmor unit	+1
Secondary target (front)	+1
Secondary target (side/rear)	+2
Large support vehicle or grounded DropShip	-1
Damage	
Sensor hit	+2
Shoulder hit	+4
Arm Actuator	+1

INTERNAL STRUCTURE DIAGRAM

Standard Structure



Heat Scale

Overflow

30*

29

28*

27

26*

25*

24*

23*

22*

21

20*

19*

18*

17*

16

15*

14*

13*

12

11

10*

9

8*

7

6

5*

4

3

2

1

0

HEAT DATA

Heat Level*	Effects	Heat Sinks:
30	Shutdown	10
28	Ammo Exp, avoid on 8+	○
26	Shutdown, avoid on 10+	○
25	-5 Movement Points	○
24	+4 Modifier to Fire	○
23	Ammo Exp, avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	○
19	Ammo Exp, avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	○
8	+1 Modifier to Fire	○
5	-1 Movement Points	○

© 2023 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

MOVEMENT RECORD

Turn #	1	2	3	4	5	6	7	8	9	10
Hex/Facing										
Move Mode										

Turn #	11	12	13	14	15	16	17	18	19	20
Hex/Facing										
Move Mode										

KICK LOCATION TABLE

Die Roll (1D6)	LS	F/R	RS
1-3	LL	RL	RL
4-6	LL	LL	RL

FACING AFTER FALL

Die Roll (1D6)	New Facing	Hit Location
1	Same Direction	Front
2	1 Hexside Right	Right Side
3	2 Hexsides Right	Right Side
4	Opposite Direction	Rear
5	2 Hexsides Left	Left Side
6	1 Hexside Left	Left Side



Jump Platoon (Rifle)

Commander: Lieutenant JG Ashley

Gunnery Skill: 4

Anti-Mech Skill: 8

Role: Ambusher

Max Weapon Damage*

Notes:

None

30	29	28	27	26	25	24	23	22	21	20	19	18	17	16	15	14	13	12	11	10	9	8	7	6	5	4	3	2	1
—	—	—	—	—	—	—	—	—	11	10	10	9	9	8	8	7	7	6	6	5	5	4	4	3	3	2	2	1	1
*Damage is always applied in 2-point Damage Value groupings											RANGE IN HEXES (TO-HIT MODIFIER)																		
Range:											0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21																		
Range Modifier:											-2 0 +2 +4 — — — — — — — — — — — — — — — — — —																		

BV: 76

Transport Wt: 3.5 tons

Movement MP: 3

Type: Jump

Movement MP: 1

Type: Ground

Jump Platoon (Rifle)

Commander: Lieutenant JG Eva Bei

Gunnery Skill: 3

Anti-Mech Skill: 8

Role: Ambusher

Max Weapon Damage*

Notes:

None

30	29	28	27	26	25	24	23	22	21	20	19	18	17	16	15	14	13	12	11	10	9	8	7	6	5	4	3	2	1																		
—	—	—	—	—	—	—	—	—	11	10	10	9	9	8	8	7	7	6	6	5	5	4	4	3	3	2	2	1	1																		
*Damage is always applied in 2-point Damage Value groupings											RANGE IN HEXES (TO-HIT MODIFIER)																																				
Range:				0		1		2		3		4		5		6		7		8		9		10		11		12		13		14		15		16		17		18		19		20		21	
Range Modifier:				-2		0		+2		+4		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—					

BV: 93

Transport Wt: 3.5 tons

Movement MP: 3

Type: Jump

Movement MP: 1

Type: Ground

TO-HIT MODIFIERS

Terrain

Light Woods	+1/hex
Heavy Woods	+2/hex
Partial Cover	+1

Target

Prone (adjacent hex)	-2
Prone (other hex)	+1
Immobile	-4
Skidding	-2
Moved 0-2 hexes	+0
Moved 3-4 hexes	+1
Moved 5-6 hexes	+2
Moved 7-9 hexes	+3
Moved 10-17 hexes	+4
Moved 18-24 hexes	+5
Moved 25+ hexes	+6
Jumped	+1
Large support vehicle	-1
or grounded DropShip	

MOVEMENT COSTS

Move	Cost
Cost to Enter Any Hex:	1
Terrain Cost:	
Clear	+0
Paved/Bridge	+0
Road	+0
Rough	+1
Light woods	+0
Heavy woods	+1
Water	
Depth 1+	Prohibited
Rubble	+1
Building	
Nonmechanized	+0
Level Change (Up or Down)	
1 level	+2
2+ levels	Prohibited

BURST-FIRE WEAPON DAMAGE VS. CONVENTIONAL INFANTRY

*MECHS, PROTOMECHS AND VEHICLES

WEAPON	DAMAGE VS. CONVENTIONAL INFANTRY
AP Gauss Rifle	2D6
Light Machine Gun	1D6
Machine Gun	2D6
Heavy Machine Gun	3D6
Small/Micro Pulse Laser	2D6
Flamer	4D6

BATTLE ARMOR

WEAPON	DAMAGE VS. CONVENTIONAL INFANTRY
Light Machine Gun	1D6/2 (round up)
Machine Gun	1D6
Heavy Machine Gun	2D6
Flamer	3D6
Light Recoilless Rifle	1D6
Medium Recoilless Rifle	2D6
Heavy Recoilless Rifle	2D6
Light Mortar	1D6
Heavy Mortar	1D6
Automatic Grenade Launcher	1D6/2 (round up)
Heavy Grenade Launcher	1D6

NON-INFANTRY WEAPON AGAINST INFANTRY

WEAPON TYPE*	NUMBER OF CONVENTIONAL TROOPERS HIT†
Direct Fire (Energy or Ballistic)	Damage Value / 10
Cluster (Ballistic)	Damage Value / 10 + 1
Pulse**	Damage Value / 10 + 2
Cluster (Missile)	Damage Value / 5
Area Effect (AE)	Damage Value / 5
Burst-Fire	See Burst-Fire Weapons Table
Heat Effect Weapons	See Heat-Effect Weapons‡

*See Combat, p. 113 in *Total Warfare*, for weapon terminology.

**Except for Small and Micro Pulse Lasers, which are treated as Burst-Fire Weapons.

†This equals the number of conventional infantry troopers hit and eliminated, regardless of armor protection. Attacks by non-infantry weapons against mechanized infantry double the number of troopers eliminated; round fractions up.

‡Each Heat-Effect Weapon has specific damage against conventional infantry, as noted on either the appropriate Weapon and Equipment Tables or in *Other Combat Weapons and Equipment* (see p. 129 in *Total Warfare*).



© 2023 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

CLUSTER HITS TABLE

Die Roll (2D6)	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21
2	1	1	1	1	2	2	2	3	3	4	4	4	5	5	5	5	6	6	6	7
3	1	1	2	2	2	2	3	3	3	4	4	4	5	5	5	5	6	6	6	7
4	1	1	2	2	3	3	3	4	4	5	5	6	6	7	7	7	8	8	9	9
5	1	2	2	3	3	4	4	5	6	7	8	9	9	10	10	10	11	11	12	13
6	1	2	2	3	4	4	4	5	6	7	8	8	9	9	10	10	11	11	12	13
7	1	2	3	3	4	4	5	5	6	7	8	8	9	9	10	10	11	11	12	13
8	2	2	3	3	4	4	5	5	6	7	8	8	9	9	10	10	11	11	12	13
9	2	2	3	4	5	6	6	7	8	9	10	11	11	12	13	14	14	15	16	17
10	2	3	3	4	5	6	7	7	8	9	10	11	11	12	13	14	14	15	16	17
11	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21
12	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21

SWARM ATTACKS HIT LOCATION

2D6 Roll	Bipedal Location	Four-Legged Location
2	H	H
3	CT(R)	RT
4	RT(R)	CT(R)
5	RT	RT(R)
6	RA	RT
7	CT	CT
8	LA	LT
9	LT	LT(R)
10	LT(R)	CT(R)
11	CT(R)	LT
12	H	H