

BATTLETECH™

BATTLEMECH RECORD SHEET

MECH DATA

Type: Stinger STG-3G

Movement Points:

Walking: 6

Running: 9

Jumping: 6

Engine Type: 120 Fusion

Tonnage: 20

Tech Base: Inner Sphere

Rules Level: Introductory

Role: Scout

WARRIOR DATA

Name: 2-3 Bob McMorran

Gunnery Skill: 2

Piloting Skill: 3

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead

Weapons & Equipment Inventory

(hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Ln
1	Medium Laser	LA	3	5 [DE]	—	3	6	9
1	Medium Laser	RA	3	5 [DE]	—	3	6	9

Total Heat (Dissipation): 6 (10)

Quirks: Rugged (1 Point), Ubiquitous (Inner Sphere),
Ubiquitous (Clans), Cramped Cockpit

BV: 835



CRITICAL TABLE

Left Arm

- Shoulder
- Upper Arm Actuator
- Lower Arm Actuator
- Hand Actuator
- Medium Laser
- Roll Again

1-3

- Roll Again
- Roll Again
- Roll Again
- Roll Again
- Roll Again
- Roll Again

4-6

Left Torso

- Heat Sink
- Jump Jet
- Jump Jet
- Jump Jet
- Roll Again
- Roll Again

1-3

- Roll Again
- Roll Again
- Roll Again
- Roll Again
- Roll Again
- Roll Again

4-6

Left Leg

- Hip
- Upper Leg Actuator
- Lower Leg Actuator
- Foot Actuator
- Heat Sink
- Heat Sink

Head

- Life Support
- Sensors
- Cockpit
- Roll Again
- Sensors
- Life Support

Center Torso

- Fusion Engine
- Fusion Engine
- Fusion Engine
- Gyro
- Gyro
- Gyro

1-3

- Gyro
- Fusion Engine
- Fusion Engine
- Fusion Engine
- Roll Again
- Roll Again

4-6

Engine Hits ○○○○
Gyro Hits ○○○○
Sensor Hits ○○○○
Life Support ○



Damage Transfer Diagram

Right Arm

- Shoulder
- Upper Arm Actuator
- Lower Arm Actuator
- Hand Actuator
- Medium Laser
- Roll Again

1-3

- Roll Again
- Roll Again
- Roll Again
- Roll Again
- Roll Again
- Roll Again

4-6

Right Torso

- Heat Sink
- Jump Jet
- Jump Jet
- Jump Jet
- Roll Again
- Roll Again

1-3

- Roll Again
- Roll Again
- Roll Again
- Roll Again
- Roll Again
- Roll Again


4-6

Right Leg

- Hip
- Upper Leg Actuator
- Lower Leg Actuator
- Foot Actuator
- Heat Sink
- Heat Sink

ARMOR DIAGRAM

Standard Armor



HIT LOCATION TABLE

Die Roll

(2D6)

	LS	F/R	RS
2*	LT(C)	CT(C)	RT(C)
3	LL	RA	RL
4	LA	RA	RA
5	LA	RL	RA
6	LL	RT	RL
7	LT	CT	RT
8	CT	LT	CT
9	RT	LL	LT
10	RA	LA	LA
11	RL	LA	LL
12	HD	HD	HD

*A result of 2 may inflict a critical hit

TO-HIT MODIFIERS

Attacker


Stationary	+0
Walked	+1
Ran	+2
Jumped	+3
Prone	+2
Skidding	+1
Terrain	
Light Woods	+1/hex
Heavy Woods	+2/hex
Partial Cover	+1

Target

Prone (adjacent hex)	-2
Prone (other hex)	+1
Immobile	-4
Skidding	-2
Moved 0-2 hexes	+0
Moved 3-4 hexes	+1
Moved 5-6 hexes	+2
Moved 7-9 hexes	+3
Moved 10-17 hexes	+4
Moved 18-24 hexes	+5
Moved 25+ hexes	+6
Jumped	+1
BattleArmor unit	+1
Secondary target (front)	+1
Secondary target (side/rear)	+2
Large support vehicle or grounded DropShip	-1
Damage	
Sensor hit	+2
Shoulder hit	+4
Arm Actuator	+1

INTERNAL STRUCTURE DIAGRAM

Standard Structure



Heat Scale

Overflow

30*

29

28*

27

26*

25*

24*

23*

22*

21

20*

19*

18*

17*

16

15*

14*

13*

12

11

10*

9

8*

7

6

5*

4

3

2

1

0

HEAT DATA

Heat	Effects	Heat Sinks: 10
Level*		
30	Shutdown	○
28	Ammo Exp, avoid on 8+	○
26	Shutdown, avoid on 10+	○
25	-5 Movement Points	○
24	+4 Modifier to Fire	○
23	Ammo Exp, avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	○
19	Ammo Exp, avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	○
8	+1 Modifier to Fire	○
5	-1 Movement Points	○

© 2023 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

MOVEMENT RECORD

Turn #	1	2	3	4	5	6	7	8	9	10
Hex/Facing										
Move Mode										

Turn #	11	12	13	14	15	16	17	18	19	20
Hex/Facing										
Move Mode										

KICK LOCATION TABLE

Die Roll

(1D6)

	LS	F/R	RS
1-3	LL	RL	RL
4-6	LL	LL	RL

FACING AFTER FALL

Die Roll

(1D6)

	New Facing	Hit Location
1	Same Direction	Front
2	1 Hexside Right	Right Side
3	2 Hexsides Right	Right Side
4	Opposite Direction	Rear
5	2 Hexsides Left	Left Side
6	1 Hexside Left	Left Side

BATTLEMECH RECORD SHEET

BATTLEMECH RECORD SHEET

Die Roll (2D6)	4
2	1
3	2
4	2
5	2
6	2
7	3
8	3
9	3
10	3
11	4
12	4

Die Roll (2D6)	4
2	1
3	2
4	2
5	2
6	2
7	3
8	3
9	3
10	3
11	4
12	4

[illegible]

BATTLEMECH RECORD SHEET

BATTLEMECH RECORD SHEET

Die Roll (2D6)	4
2	1
3	2
4	2
5	2
6	2
7	3
8	3
9	3
10	3
11	4
12	4

[illegible]

BATTLEMECH RECORD SHEET

Die Roll (2D6)	6
2	2
3	2
4	3
5	3
6	4
7	4
8	4
9	5
10	5
11	6
12	6

BATTLETECH™

BATTLEMECH RECORD SHEET

MECH DATA

Type: Wasp WSP-1K

Movement Points:

Walking: 6

Running: 9

Jumping: 6

Engine Type: 120 Fusion

Tonnage: 20

Tech Base: Inner Sphere

Rules Level: Introductory

Role: Scout

WARRIOR DATA

Name: 2-3 Eleanor Pangalos

Gunnery Skill: 3

Piloting Skill: 5

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead

Weapons & Equipment Inventory

(hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Ln
1	Medium Laser	RA	3	5 [DE]	—	3	6	9
1	Machine Gun	LT	—	2 [DB, AI]	—	1	2	3

Total Heat (Dissipation): 3 (10)

Ammo: (Machine Gun) 200

Quirks: Easy to Maintain, Extended Torso Twist, Ubiquitous (Inner Sphere), Ubiquitous (Clans)

BV: 451



CRITICAL TABLE

Left Arm

- Shoulder
- Upper Arm Actuator
- Lower Arm Actuator
- Hand Actuator
- Roll Again
- Roll Again

1-3

- Roll Again
- Roll Again
- Roll Again
- Roll Again
- Roll Again
- Roll Again

4-6

Left Torso

- Heat Sink
- Heat Sink
- Jump Jet
- Machine Gun
- Ammo (Machine Gun) 200
- Roll Again

1-3

- Roll Again
- Roll Again
- Roll Again
- Roll Again
- Roll Again
- Roll Again

4-6

Left Leg

- Hip
- Upper Leg Actuator
- Lower Leg Actuator
- Foot Actuator
- Heat Sink
- Jump Jet

1-3

- Roll Again
- Roll Again
- Roll Again
- Roll Again
- Roll Again
- Roll Again

4-6

Head

- Life Support
- Sensors
- Cockpit
- Roll Again
- Sensors
- Life Support

1-3


Center Torso

- Fusion Engine
- Fusion Engine
- Fusion Engine
- Gyro
- Gyro
- Gyro

4-6

- Gyro
- Fusion Engine
- Fusion Engine
- Fusion Engine
- Jump Jet
- Jump Jet

Engine Hits ○○○○
Gyro Hits ○○○○
Sensor Hits ○○○○
Life Support ○



Damage Transfer Diagram

Right Arm

- Shoulder
- Upper Arm Actuator
- Lower Arm Actuator
- Hand Actuator
- Medium Laser
- Roll Again

1-3

- Roll Again
- Roll Again
- Roll Again
- Roll Again
- Roll Again
- Roll Again

4-6

Right Torso

- Heat Sink
- Heat Sink
- Jump Jet
- Machine Gun
- Roll Again
- Roll Again

1-3

- Roll Again
- Roll Again
- Roll Again
- Roll Again
- Roll Again
- Roll Again

4-6

Right Leg

- Hip
- Upper Leg Actuator
- Lower Leg Actuator
- Foot Actuator
- Heat Sink
- Jump Jet


1-3

- Roll Again
- Roll Again
- Roll Again
- Roll Again
- Roll Again
- Roll Again

4-6

ARMOR DIAGRAM

Standard Armor



HIT LOCATION TABLE

Die Roll (2D6)	LS	F/R	RS
2*	LT(C)	CT(C)	RT(C)
3	LL	RA	RL
4	LA	RA	RA
5	LA	RL	RA
6	LL	RT	RL
7	LT	CT	RT
8	CT	LT	CT
9	RT	LL	LT
10	RA	LA	LA
11	RL	LA	LL
12	HD	HD	HD


*A result of 2 may inflict a critical hit

TO-HIT MODIFIERS

Attacker	
Stationary	+0
Walked	+1
Ran	+2
Jumped	+3
Prone	+2
Skidding	+1
Terrain	
Light Woods	+1/hex
Heavy Woods	+2/hex
Partial Cover	+1
Target	
Prone (adjacent hex)	-2
Prone (other hex)	+1
Immobile	-4
Skidding	-2
Moved 0-2 hexes	+0
Moved 3-4 hexes	+1
Moved 5-6 hexes	+2
Moved 7-9 hexes	+3
Moved 10-17 hexes	+4
Moved 18-24 hexes	+5
Moved 25+ hexes	+6
Jumped	+1
BattleArmor unit	+1
Secondary target (front)	+1
Secondary target (side/rear)	+2
Large support vehicle or grounded DropShip	-1
Damage	
Sensor hit	+2
Shoulder hit	+4
Arm Actuator	+1

INTERNAL STRUCTURE DIAGRAM

Standard Structure



Heat Scale

Overflow

30*

29

28*

27

26*

25*

24*

23*

22*

21

20*

19*

18*

17*

16

15*

14*

13*

12

11

10*

9

8*

7

6

5*

4

3

2

1

0

HEAT DATA

Heat Level*	Effects	Heat Sinks: 10
30	Shutdown	○
28	Ammo Exp, avoid on 8+	○
26	Shutdown, avoid on 10+	○
25	-5 Movement Points	○
24	+4 Modifier to Fire	○
23	Ammo Exp, avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	○
19	Ammo Exp, avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	○
8	+1 Modifier to Fire	○
5	-1 Movement Points	○

© 2023 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

MOVEMENT RECORD

Turn #	1	2	3	4	5	6	7	8	9	10
Hex/Facing										
Move Mode										

Turn #	11	12	13	14	15	16	17	18	19	20
Hex/Facing										
Move Mode										

KICK LOCATION TABLE

Die Roll (1D6)	LS	F/R	RS
1-3	LL	RL	RL
4-6	LL	LL	RL

FACING AFTER FALL

Die Roll (1D6)	New Facing	Hit Location
1	Same Direction	Front
2	1 Hexside Right	Right Side
3	2 Hexsides Right	Right Side
4	Opposite Direction	Rear
5	2 Hexsides Left	Left Side
6	1 Hexside Left	Left Side

BATTLETECH™

BATTLEMECH RECORD SHEET

MECH DATA

Type: Panther PNT-9R

Movement Points:

Walking: 4

Running: 6

Jumping: 4

Engine Type: 140 Fusion

Tonnage: 35

Tech Base: Inner Sphere

Rules Level: Introductory

Role: Brawler

WARRIOR DATA

Name: 2-3 Callum Carr

Gunnery Skill: 4

Piloting Skill: 6

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead

Weapons & Equipment Inventory

(hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Ln
1	PPC	RA	10	10 [DE]	3	6	12	18
1	SRM 4	CT	3	2/Msl	—	3	6	9


[M,C,S]

Total Heat (Dissipation): 13 (13)

Ammo: (SRM 4) 25


Quirks: Improved Targeting (Short), Nimble Jumper

BV: 731



ARMOR DIAGRAM

Standard Armor



HIT LOCATION TABLE

Die Roll (2D6)	LS	F/R	RS
2*	LT(C)	CT(C)	RT(C)
3	LL	RA	RL
4	LA	RA	RA
5	LA	RL	RA
6	LL	RT	RL
7	LT	CT	RT
8	CT	LT	CT
9	RT	LL	LT
10	RA	LA	LA
11	RL	LA	LL
12	HD	HD	HD


*A result of 2 may inflict a critical hit.

TO-HIT MODIFIERS

Attacker	
Stationary	+0
Walked	+1
Ran	+2
Jumped	+3
Prone	+2
Skidding	+1
Terrain	
Light Woods	+1/hex
Heavy Woods	+2/hex
Partial Cover	+1
Target	
Prone (adjacent hex)	-2
Prone (other hex)	+1
Immobile	-4
Skidding	-2
Moved 0-2 hexes	+0
Moved 3-4 hexes	+1
Moved 5-6 hexes	+2
Moved 7-9 hexes	+3
Moved 10-17 hexes	+4
Moved 18-24 hexes	+5
Moved 25+ hexes	+6
Jumped	+1
BattleArmor unit	+1
Secondary target (front)	+1
Secondary target (side/rear)	+2
Large support vehicle or grounded DropShip	-1
Damage	
Sensor hit	+2
Shoulder hit	+4
Arm Actuator	+1

INTERNAL STRUCTURE DIAGRAM

Standard Structure



Heat Scale

Overflow

30*

29

28*

27

26*

25*

24*

23*

22*

21

20*

19*

18*

17*

16

15*

14*

13*

12

11

10*

9

8*

7

6

5*

4

3

2

1

0

CRITICAL TABLE

Left Arm

- Shoulder
- Upper Arm Actuator
- Lower Arm Actuator
- Hand Actuator
- Roll Again
- Roll Again

1-3

- Roll Again
- Roll Again
- Roll Again
- Roll Again
- Roll Again
- Roll Again

4-6

Left Torso

- Heat Sink
- Heat Sink
- Heat Sink
- Heat Sink
- Ammo (SRM 4) 25
- Roll Again

1-3

- Roll Again
- Roll Again
- Roll Again
- Roll Again
- Roll Again
- Roll Again

4-6

Left Leg

- Hip
- Upper Leg Actuator
- Lower Leg Actuator
- Foot Actuator
- Jump Jet
- Jump Jet

Head

- Life Support
- Sensors
- Cockpit
- Roll Again
- Sensors
- Life Support

Center Torso

- Fusion Engine
- Fusion Engine
- Fusion Engine
- Gyro
- Gyro
- Gyro

1-3

- Gyro
- Fusion Engine
- Fusion Engine
- Fusion Engine
- SRM 4
- Roll Again

4-6

Engine Hits ○○○○
Gyro Hits ○○○○
Sensor Hits ○○○○
Life Support ○



Damage Transfer Diagram

Right Arm

- Shoulder
- Upper Arm Actuator
- Lower Arm Actuator
- Hand Actuator
- PPC
- PPC

1-3

- PPC
- Roll Again
- Roll Again
- Roll Again
- Roll Again
- Roll Again

4-6

Right Torso

- Heat Sink
- Heat Sink
- Heat Sink
- Heat Sink
- Roll Again
- Roll Again

1-3

- Roll Again
- Roll Again
- Roll Again
- Roll Again
- Roll Again
- Roll Again

4-6

Right Leg

- Hip
- Upper Leg Actuator
- Lower Leg Actuator
- Foot Actuator
- Jump Jet
- Jump Jet

HEAT DATA

Heat	Effects	Heat Sinks: 13
Level*		
30	Shutdown	○○○○
28	Ammo Exp, avoid on 8+	○○○○
26	Shutdown, avoid on 10+	○○○○
25	-5 Movement Points	○○○○
24	+4 Modifier to Fire	○○○○
23	Ammo Exp, avoid on 6+	○○○○
22	Shutdown, avoid on 8+	○○○○
20	-4 Movement Points	○○○○
19	Ammo Exp, avoid on 4+	○○○○
18	Shutdown, avoid on 6+	○○○○
17	+3 Modifier to Fire	○○○○
15	-3 Movement Points	○○○○
14	Shutdown, avoid on 4+	○○○○
13	+2 Modifier to Fire	○○○○
10	-2 Movement Points	○○○○
8	+1 Modifier to Fire	○○○○
5	-1 Movement Points	○○○○

© 2023 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

MOVEMENT RECORD

Turn #	1	2	3	4	5	6	7	8	9	10
Hex/Facing										
Move Mode										

Turn #	11	12	13	14	15	16	17	18	19	20
Hex/Facing										
Move Mode										

PHYSICAL ATTACKS

Attack	To-Hit	Damage
Punch	+0	4
Kick	-2	7
Push	-1	—
Club	-1	7
Charge	+0*	3/Hex
DFA	+0*	11

*Modified by target piloting skill

PUNCH LOCATION TABLE

Die Roll (1D6)	LS	F/R	RS
1	LT	LA	RT
2	LT	LT	RT
3	CT	CT	CT
4	LA	RT	RA
5	LA	RA	RA
6	HD	HD	HD

KICK LOCATION TABLE

Die Roll (1D6)	LS	F/R	RS
1-3	LL	RL	RL
4-6	LL	LL	RL

FACING AFTER FALL

Die Roll (1D6)	New Facing	Hit Location
1	Same Direction	Front
2	1 Hexside Right	Right Side
3	2 Hexsides Right	Right Side
4	Opposite Direction	Rear
5	2 Hexsides Left	Left Side
6	1 Hexside Left	Left Side

CLUSTER HITS TABLE

Die Roll (2D6)	
4	4
2	1
3	2
4	2
5	2
6	2
7	3
8	3
9	3
10	3
11	4
12	4

BATTLETECH™

BATTLEMECH RECORD SHEET

MECH DATA

Type: Locust LCT-1V

Movement Points:

Walking: 8

Running: 12

Jumping: 0

Engine Type: 160 Fusion

Tonnage: 20

Tech Base: Inner Sphere

Rules Level: Advanced

Role: Scout

WARRIOR DATA

Name: 2-3 Sandy Collins

Gunnery Skill: 4

Piloting Skill: 5

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead

Weapons & Equipment Inventory

(hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Ln
1	Machine Gun	LA	—	2 [DB, AI]	—	1	2	3
1	Machine Gun	RA	—	2 [DB, AI]	—	1	2	3
1	Medium Laser	CT	3	5 [DE]	—	3	6	9
Total Heat (Dissipation): 3 (10)								

Ammo: (Machine Gun) 200

Quirks: Compact Mek, Narrow/Low Profile, Cramped Cockpit, No/Minimal Arms, Weak Legs

BV: 432

CRITICAL TABLE

Left Arm

- Shoulder
- Upper Arm Actuator
- Machine Gun
- Roll Again
- Roll Again
- Roll Again

1-3

- Roll Again
- Roll Again
- Roll Again
- Roll Again
- Roll Again
- Roll Again

4-6

Left Torso

- Roll Again
- Roll Again
- Roll Again
- Roll Again
- Roll Again
- Roll Again

1-3

- Roll Again
- Roll Again
- Roll Again
- Roll Again
- Roll Again
- Roll Again

4-6

Left Leg

- Hip
- Upper Leg Actuator
- Lower Leg Actuator
- Foot Actuator
- Heat Sink
- Heat Sink

Head

- Life Support
- Sensors
- Cockpit
- Roll Again
- Sensors
- Life Support

Center Torso

- Fusion Engine
- Fusion Engine
- Fusion Engine
- Gyro
- Gyro
- Gyro

1-3

4-6

Engine Hits ○○○○
Gyro Hits ○○○○
Sensor Hits ○○○○
Life Support ○



Damage Transfer Diagram

Right Arm

- Shoulder
- Upper Arm Actuator
- Machine Gun
- Roll Again
- Roll Again
- Roll Again

1-3

- Roll Again
- Roll Again
- Roll Again
- Roll Again
- Roll Again
- Roll Again

4-6

Right Torso

- Roll Again
- Roll Again
- Roll Again
- Roll Again
- Roll Again
- Roll Again

1-3

- Roll Again
- Roll Again
- Roll Again
- Roll Again
- Roll Again
- Roll Again


4-6

Right Leg

- Hip
- Upper Leg Actuator
- Lower Leg Actuator
- Foot Actuator
- Heat Sink
- Heat Sink

ARMOR DIAGRAM

Standard Armor



HIT LOCATION TABLE

Die Roll (2D6)	LS	F/R	RS
2*	LT(C)	CT(C)	RT(C)
3	LL	RA	RL
4	LA	RA	RA
5	LA	RL	RA
6	LL	RT	RL
7	LT	CT	RT
8	CT	LT	CT
9	RT	LL	LT
10	RA	LA	LA
11	RL	LA	LL
12	HD	HD	HD


*A result of 2 may inflict a critical hit

TO-HIT MODIFIERS

Attacker	
Stationary	+0
Walked	+1
Ran	+2
Prone	+2
Skidding	+1
Terrain	
Light Woods	+1/hex
Heavy Woods	+2/hex
Partial Cover	+1
Target	
Prone (adjacent hex)	-2
Prone (other hex)	+1
Immobile	-4
Skidding	-2
Moved 0-2 hexes	+0
Moved 3-4 hexes	+1
Moved 5-6 hexes	+2
Moved 7-9 hexes	+3
Moved 10-17 hexes	+4
Moved 18-24 hexes	+5
Moved 25+ hexes	+6
Jumped	+1
BattleArmor unit	+1
Secondary target (front)	+1
Secondary target (side/rear)	+2
Large support vehicle	-1
or grounded DropShip	
Damage	
Sensor hit	+2
Shoulder hit	+4
Arm Actuator	+1

INTERNAL STRUCTURE DIAGRAM

Standard Structure



Heat Scale

Overflow

30*

29

28*

27

26*

25*

24*

23*

22*

21

20*

19*

18*

17*

16

15*

14*

13*

12

11

10*

9

8*

7

6

5*

4

3

2

1

0

HEAT DATA

Heat Level*	Effects	Heat Sinks:
30	Shutdown	○
28	Ammo Exp, avoid on 8+	○
26	Shutdown, avoid on 10+	○
25	-5 Movement Points	○
24	+4 Modifier to Fire	○
23	Ammo Exp, avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	○
19	Ammo Exp, avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	○
8	+1 Modifier to Fire	○
5	-1 Movement Points	○

© 2023 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

MOVEMENT RECORD

Turn #	1	2	3	4	5	6	7	8	9	10
Hex/Facing										
Move Mode										

Turn #	11	12	13	14	15	16	17	18	19	20
Hex/Facing										
Move Mode										

KICK LOCATION TABLE

Die Roll (1D6)	LS	F/R	RS
1-3	LL	RL	RL
4-6	LL	LL	RL

FACING AFTER FALL

Die Roll (1D6)	New Facing	Hit Location
1	Same Direction	Front
2	1 Hexside Right	Right Side
3	2 Hexsides Right	Right Side
4	Opposite Direction	Rear
5	2 Hexsides Left	Left Side
6	1 Hexside Left	Left Side

BATTLETECH™

LAND-AIR 'MECH RECORD SHEET

'MECH DATA

Type: Stinger LAM STG-A5

Tonnage: 30 Tech Base: Inner Sphere
Movement Points: Rules Level: Advanced
BattleMech Role: Scout
Walking: 6 AirMech Fighter
Running: 9 Walking: 2 Cruising: 18 Safe Thrust: 6
Jumping: 6 Running: 3 Flanking: 27 Max Thrust: 9
Engine Type: 180 Fusion

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	Medium Laser	LA	3	5 [DE]	—	3	6	9
1	Medium Laser	RA	3	5 [DE]	—	3	6	9
1	Medium Laser	RT	3	5 [DE]	—	3	6	9

Total Heat (Dissipation): 9 (11)

BV: 1,073

WARRIOR DATA


Name: 2-3 Chu-i Plinio Baslio

BattleMech
Gunnery Skill: 4 Piloting Skill: 5
Aerospace
Gunnery Skill: 4 Piloting Skill: 5

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead




Advanced
Movement
Compass



ARMOR DIAGRAM

Standard Armor



HIT LOCATION TABLE

Die Roll (2D6)	LS	F/R	RS
2*	LT(C)	CT(C)	RT(C)
3	LL	RA	RL
4	LA	RA	RA
5	LA	RL	RA
6	LL	RT	RL
7	LT	CT	RT
8	CT	LT	CT
9	RT	LL	LT
10	RA	LA	LA
11	RL	LA	LL
12	HD	HD	HD

*A result of 2 may inflict a critical hit

TO-HIT MODIFIERS

Attacker	
Stationary	+0
Walked	+1
Ran	+2
Jumped	+3
Prone	+2
Skidding	+1
Terrain	
Light Woods	+1/hex
Heavy Woods	+2/hex
Partial Cover	+1
Target	
Prone (adjacent hex)	-2
Prone (other hex)	+1
Immobile	-4
Skidding	-2
Moved 0-2 hexes	+0
Moved 3-4 hexes	+1
Moved 5-6 hexes	+2
Moved 7-9 hexes	+3
Moved 10-17 hexes	+4
Moved 18-24 hexes	+5
Moved 25+ hexes	+6
Jumped	+1
BattleArmor unit	+1
Secondary target (front)	+1
Secondary target (side/rear)	+2
Large support vehicle or grounded DropShip	-1
Damage	
Sensor hit	+2
Shoulder hit	+4
Arm Actuator	+1

CRITICAL TABLE

Left Arm	
1-3	1. Shoulder
	2. Upper Arm Actuator
	3. Lower Arm Actuator
	4. Hand Actuator
	5. Medium Laser
	6. Roll Again
4-6	1. Roll Again
	2. Roll Again
	3. Roll Again
	4. Roll Again
	5. Roll Again
	6. Roll Again
Left Torso	
1-3	1. Landing Gear
	2. Avionics
	3. Heat Sink
	4. Heat Sink
	5. Heat Sink
	6. Jump Jet
4-6	1. Jump Jet
	2. Jump Jet
	3. Roll Again
	4. Roll Again
	5. Roll Again
	6. Roll Again

- Head
- Life Support
 - Sensors
 - Cockpit
 - Avionics
 - Sensors
 - Life Support

Right Arm	
1-3	1. Shoulder
	2. Upper Arm Actuator
	3. Lower Arm Actuator
	4. Hand Actuator
	5. Medium Laser
	6. Roll Again
4-6	1. Roll Again
	2. Roll Again
	3. Roll Again
	4. Roll Again
	5. Roll Again
	6. Roll Again
Right Torso	
1-3	1. Landing Gear
	2. Avionics
	3. Heat Sink
	4. Jump Jet
	5. Jump Jet
	6. Jump Jet
4-6	1. Medium Laser
	2. Roll Again
	3. Roll Again
	4. Roll Again
	5. Roll Again
	6. Roll Again

Avionics Hits
Engine Hits
Gyro Hits
Sensor Hits
Landing Gear
Life Support
Structural Integrity




Damage Transfer
Diagram



INTERNAL STRUCTURE DIAGRAM

Standard Structure



Heat Scale

Heat Scale
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

HEAT DATA

Heat Level*	Effects
30	Shutdown
28	Ammo Exp, avoid on 8+
26	Shutdown, avoid on 10+
25	-5 Movement Points /Rand. Movement 10+
24	+4 Modifier to Fire
23	Ammo Exp, avoid on 6+
22	Shutdown, avoid on 8+
20	-4 Movement Points /Rand. Movement 8+
19	Ammo Exp, avoid on 4+
18	Shutdown, avoid on 6+
17	+3 Modifier to Fire
15	-3 Movement Points /Rand. Movement 7+
14	Shutdown, avoid on 4+
13	+2 Modifier to Fire
10	-2 Movement Points /Rand. Movement 6+
8	+1 Modifier to Fire
5	-1 Movement Points /Rand. Movement 5+

Heat Sinks: 11 (AirMech +3)

© 2023 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

MOVEMENT RECORD

Turn #	1	2	3	4	5	6	7	8	9	10
Hex/Facing										
Move Mode										

Turn #	11	12	13	14	15	16	17	18	19	20
Hex/Facing										
Move Mode										

KICK LOCATION TABLE

Die Roll (1D6)	LS	F/R	RS
1-3	LL	RL	RL
4-6	LL	LL	RL

FACING AFTER FALL

Die Roll (1D6)	New Facing	Hit Location
1	Same Direction	Front
2	1 Hexside Right	Right Side
3	2 Hexsides Right	Right Side
4	Opposite Direction	Rear
5	2 Hexsides Left	Left Side
6	1 Hexside Left	Left Side

BATTLEMECH RECORD SHEET

Role: Scout

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dea

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Roll Again



Heat Level*	Effects	Heat Sinks: 10
30	Shutdown	○
28	Ammo Exp, avoid on 8+	○
26	Shutdown, avoid on 10+	○
25	-5 Movement Points	○
24	+4 Modifier to Fire	○
23	Ammo Exp, avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	○
19	Ammo Exp, avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	
14	Shutdown, avoid on 4+	
13	+2 Modifier to Fire	
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

Die Roll (2D6)	
2	1
3	1
4	1
5	1
6	1
7	1
8	2
9	2
10	2
11	2
12	2

[illegible]

BATTLETECH™

BATTLEMECH RECORD SHEET

MECH DATA

Type: Panther PNT-9R

Movement Points:

Walking: 4

Running: 6

Jumping: 4

Engine Type: 140 Fusion

Tonnage: 35

Tech Base: Inner Sphere

Rules Level: Introductory

Role: Brawler

WARRIOR DATA

Name: 2-3 Eytan Wolflin

Gunnery Skill: 4

Piloting Skill: 6

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead

Weapons & Equipment Inventory

(hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Ln
1	PPC	RA	10	10 [DE]	3	6	12	18
1	SRM 4	CT	3	2/Msl	—	3	6	9


[M,C,S]

Total Heat (Dissipation): 13 (13)

Ammo: (SRM 4) 25


Quirks: Improved Targeting (Short), Nimble Jumper

BV: 731



ARMOR DIAGRAM

Standard Armor



HIT LOCATION TABLE

Die Roll (2D6)	LS	F/R	RS
2*	LT(C)	CT(C)	RT(C)
3	LL	RA	RL
4	LA	RA	RA
5	LA	RL	RA
6	LL	RT	RL
7	LT	CT	RT
8	CT	LT	CT
9	RT	LL	LT
10	RA	LA	LA
11	RL	LA	LL
12	HD	HD	HD


*A result of 2 may inflict a critical hit.

TO-HIT MODIFIERS

Attacker	
Stationary	+0
Walked	+1
Ran	+2
Jumped	+3
Prone	+2
Skidding	+1
Terrain	
Light Woods	+1/hex
Heavy Woods	+2/hex
Partial Cover	+1
Target	
Prone (adjacent hex)	-2
Prone (other hex)	+1
Immobile	-4
Skidding	-2
Moved 0-2 hexes	+0
Moved 3-4 hexes	+1
Moved 5-6 hexes	+2
Moved 7-9 hexes	+3
Moved 10-17 hexes	+4
Moved 18-24 hexes	+5
Moved 25+ hexes	+6
Jumped	+1
BattleArmor unit	+1
Secondary target (front)	+1
Secondary target (side/rear)	+2
Large support vehicle or grounded DropShip	-1
Damage	
Sensor hit	+2
Shoulder hit	+4
Arm Actuator	+1

INTERNAL STRUCTURE DIAGRAM

Standard Structure



Heat Scale

Overflow

30*

29

28*

27

26*

25*

24*

23*

22*

21

20*

19*

18*

17*

16

15*

14*

13*

12

11

10*

9

8*

7

6

5*

4

3

2

1

0

HEAT DATA

Heat	Effects	Heat Sinks: 13
Level*		
30	Shutdown	
28	Ammo Exp, avoid on 8+	
26	Shutdown, avoid on 10+	
25	-5 Movement Points	
24	+4 Modifier to Fire	
23	Ammo Exp, avoid on 6+	
22	Shutdown, avoid on 8+	
20	-4 Movement Points	
19	Ammo Exp, avoid on 4+	
18	Shutdown, avoid on 6+	
17	+3 Modifier to Fire	
15	-3 Movement Points	
14	Shutdown, avoid on 4+	
13	+2 Modifier to Fire	
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

CRITICAL TABLE

Left Arm

- Shoulder
- Upper Arm Actuator
- Lower Arm Actuator
- Hand Actuator
- Roll Again
- Roll Again

1-3

- Roll Again
- Roll Again
- Roll Again
- Roll Again
- Roll Again
- Roll Again

4-6

Left Torso

- Heat Sink
- Heat Sink
- Heat Sink
- Heat Sink
- Ammo (SRM 4) 25
- Roll Again

1-3

- Roll Again
- Roll Again
- Roll Again
- Roll Again
- Roll Again
- Roll Again

4-6

Left Leg

- Hip
- Upper Leg Actuator
- Lower Leg Actuator
- Foot Actuator
- Jump Jet
- Jump Jet

Head

- Life Support
- Sensors
- Cockpit
- Roll Again
- Sensors
- Life Support

Center Torso

- Fusion Engine
- Fusion Engine
- Fusion Engine
- Gyro
- Gyro
- Gyro

1-3

- Gyro
- Fusion Engine
- Fusion Engine
- Fusion Engine
- SRM 4
- Roll Again

4-6

Engine Hits ○○○○
Gyro Hits ○○○○
Sensor Hits ○○○○
Life Support ○



Damage Transfer Diagram

Right Arm

- Shoulder
- Upper Arm Actuator
- Lower Arm Actuator
- Hand Actuator
- PPC
- PPC

1-3

- PPC
- Roll Again
- Roll Again
- Roll Again
- Roll Again
- Roll Again

4-6

Right Torso

- Heat Sink
- Heat Sink
- Heat Sink
- Heat Sink
- Roll Again
- Roll Again

1-3

- Roll Again
- Roll Again
- Roll Again
- Roll Again
- Roll Again
- Roll Again

4-6

Right Leg

- Hip
- Upper Leg Actuator
- Lower Leg Actuator
- Foot Actuator
- Jump Jet
- Jump Jet

© 2023 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

MOVEMENT RECORD

Turn #	1	2	3	4	5	6	7	8	9	10
Hex/Facing										
Move Mode										

Turn #	11	12	13	14	15	16	17	18	19	20
Hex/Facing										
Move Mode										

PHYSICAL ATTACKS

Attack	To-Hit	Damage
Punch	+0	4
Kick	-2	7
Push	-1	—
Club	-1	7
Charge	+0*	3/Hex
DFA	+0*	11

*Modified by target piloting skill

PUNCH LOCATION TABLE

Die Roll (1D6)	LS	F/R	RS
1	LT	LA	RT
2	LT	LT	RT
3	CT	CT	CT
4	LA	RT	RA
5	LA	RA	RA
6	HD	HD	HD

KICK LOCATION TABLE

Die Roll (1D6)	LS	F/R	RS
1-3	LL	RL	RL
4-6	LL	LL	RL

FACING AFTER FALL

Die Roll (1D6)	New Facing	Hit Location
1	Same Direction	Front
2	1 Hexside Right	Right Side
3	2 Hexsides Right	Right Side
4	Opposite Direction	Rear
5	2 Hexsides Left	Left Side
6	1 Hexside Left	Left Side

CLUSTER HITS TABLE

Die Roll (2D6)	
4	4
2	1
3	2
4	2
5	2
6	2
7	3
8	3
9	3
10	3
11	4
12	4