

BATTLEMECH RECORD SHEET

BV: 2,170

A full-body figure of a Space Marine in a green and yellow camouflage pattern, holding a battle-axe. The figure is standing on a small patch of grass, and the background is a dark, textured surface.

Head (9)

Left Torso (20)

Right Torso (20)

Left Arm (20)

Right Arm (20)

Left Leg (20)

Right Leg (20)

Center Torso (25)

Center Torso (8)

Left Torso Rear (7)

Right Torso Rear (7)

*A result of 2 may inflict a critical hit

*Modified by target piloting skill

Die Roll (1D6)	LS	F/R	RS
1	LT	LA	RT
2	LT	LT	RT
3	CT	CT	CT
4	LA	RT	RA
5	LA	RA	RA
6	HD	HD	HD

Die Roll (1D6)	LS	F/R	RS
1-3	LL	RL	RL
4-6	LL	LL	RL

Die Roll		
(1D6)	New Facing	Hit Location
1	Same Direction	Front
2	1 Hex Side Right	Right Side
3	2 Hex Sides Right	Right Side
4	Opposite Direction	Rear
5	2 Hex Sides Left	Left Side
6	1 Hex Side Left	Left Side

A diagram of a person in a standing posture. Arrows indicate the direction of movement for the head (up), shoulders (outward), hips (outward), and feet (outward).

Damage Transfer Diagram

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Heat Sink

Diagram of a stylized robot figure with labeled parts and a scale.

Head

Left Torso (16)

Right Torso (16)

Left Arm (12)

Right Arm (12)

Center Torso (23)

Left Leg (16)

Right Leg (16)

Scale

Overflow

30"
29
28"
27
26"
25"
24"
23"
22"
21
20"
19"
18"

Heat Level*	Effects	Heat Sinks: 22
30	Shutdown	○○○○
28	Ammo Exp, avoid on 8+	○○○○○
26	Shutdown, avoid on 10+	○○○○○
25	-5 Movement Points	○○○○
24	+4 Modifier to Fire	○○○○
23	Ammo Exp, avoid on 6+	○○○○
22	Shutdown, avoid on 8+	○○○○
20	-4 Movement Points	○○○○
19	Ammo Exp, avoid on 4+	○○○○
18	Shutdown, avoid on 6+	○○○○
17	+3 Modifier to Fire	○○○○
15	-3 Movement Points	○○○○
14	Shutdown, avoid on 4+	○○○○
13	+2 Modifier to Fire	○○○○
10	-2 Movement Points	○○○○
8	+1 Modifier to Fire	○○○○
5	-1 Movement Points	○○○○

© 2026 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

[illegible][illegible]

© 2026 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Thunderbolt TDR-5SS

Movement Points: 4
Walking: 4
Running: 6
Jumping: 0
Engine Type: 260 Fusion

Tonnage: 65
Tech Base: Inner Sphere
Rules Level: Introductory
Role: Brawler

Weapons & Equipment Inventory

#	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	PPC	RA	10	10 [DE]	3	6	12	18
1	SRM 6	LT	4	2[Msl [M,C,S]	—	3	6	9
3	Medium Laser	LT	3	5 [DE]	—	3	6	9
1	Flamer	RT	3	2 [DE,H,AI]	—	1	2	3

Ammo: (SRM 6) 15

Quirks: Multi-Trac, Rugged (2 Point), Ubiquitous (Inner Sphere)


BV: 1,765

WARRIOR DATA

Name: Sergeant Nasser "Commando" Hasan (Commando)


Gunnery Skill: 3 Piloting Skill: 4

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM

Standard Armor



HIT LOCATION TABLE

Die Roll (2D6)	LS	F/R	RS
2*	LT(C)	CT(C)	RT(C)
3	LL	RA	RL
4	LA	RA	RA
5	LA	RL	RA
6	LL	RT	RL
7	LT	CT	RT
8	CT	LT	CT
9	RT	LL	LT
10	RA	LA	LA
11	RL	LA	LL
12	HD	HD	HD

*A result of 2 may inflict a critical hit.

TO-HIT MODIFIERS

Attacker	
Stationary	+0
Walked	+1
Ran	+2
Prone	+2
Skidding	+1
Terrain	
Light Woods	+1/hex
Heavy Woods	+2/hex
Partial Cover	+1
Target	
Prone (adjacent hex)	-2
Prone (other hex)	+1
Immobile	-4
Skidding	-2
Moved 0-2 hexes	+0
Moved 3-4 hexes	+1
Moved 5-6 hexes	+2
Moved 7-9 hexes	+3
Moved 10-17 hexes	+4
Moved 18-24 hexes	+5
Moved 25+ hexes	+6
Jumped	+1
BattleArmor unit	+1
Secondary target (front)	+1
Secondary target (side/rear)	+2
Large support vehicle or grounded DropShip	-1
Damage	
Sensor hit	+2
Shoulder hit	+4
Arm Actuator	+1

CRITICAL TABLE

Left Arm	Head	Right Arm
1. Shoulder	1. Life Support	1. Shoulder
2. Upper Arm Actuator	2. Sensors	2. Upper Arm Actuator
3. Lower Arm Actuator	3. Cockpit	3. Lower Arm Actuator
4. Hand Actuator	4. Roll Again	4. Hand Actuator
5. Roll Again	5. Sensors	5. PPC
6. Roll Again	6. Life Support	6. PPC
Center Torso	Left Torso	Right Torso
1. Fusion Engine	1. Heat Sink	1. PPC
2. Fusion Engine	2. SRM 6	2. Roll Again
3. Fusion Engine	3. SRM 6	3. Roll Again
4. Gyro	4. Medium Laser	4. Roll Again
5. Gyro	5. Medium Laser	5. Roll Again
6. Gyro	6. Medium Laser	6. Roll Again
Engine Hits	Left Leg	Right Leg
Gyro Hits	1. Hip	1. Hip
Sensor Hits	2. Upper Leg Actuator	2. Upper Leg Actuator
Life Support	3. Lower Leg Actuator	3. Lower Leg Actuator
	4. Foot Actuator	4. Foot Actuator
	5. Heat Sink	5. Heat Sink
	6. Heat Sink	6. Heat Sink


Engine Hits ○○○○
Gyro Hits ○○○○
Sensor Hits ○○○○
Life Support ○



Damage Transfer Diagram

INTERNAL STRUCTURE DIAGRAM

Standard Structure



HEAT DATA

Heat	Effects	Heat Sinks: 21
Level*		
30	Shutdown	○○○
28	Ammo Exp, avoid on 8+	○○○
26	Shutdown, avoid on 10+	○○○
25	-5 Movement Points	○○○
24	+4 Modifier to Fire	○○○
23	Ammo Exp, avoid on 6+	○○○
22	Shutdown, avoid on 8+	○○○
20	-4 Movement Points	○○○
19	Ammo Exp, avoid on 4+	○○○
18	Shutdown, avoid on 6+	○○○
17	+3 Modifier to Fire	○○○
15	-3 Movement Points	○○○
14	Shutdown, avoid on 4+	○○○
13	+2 Modifier to Fire	○○○
10	-2 Movement Points	○○○
8	+1 Modifier to Fire	○○○
5	-1 Movement Points	○○○

Heat Scale

30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2026 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

MOVEMENT RECORD

Turn #	1	2	3	4	5	6	7	8	9	10
Hex/Facing										
Move Mode										
Hexes Moved										
Final Heat										

Turn #	11	12	13	14	15	16	17	18	19	20
Hex/Facing										
Move Mode										
Hexes Moved										
Final Heat										

PHYSICAL ATTACKS

Attack	To-Hit	Damage
Punch	+0	7
Kick	-2	13
Push	-1	—
Club	-1	13
Charge	+0*	6/Hex

*Modified by target piloting skill

PUNCH LOCATION TABLE

Die Roll (1D6)	LS	F/R	RS
1	LT	LA	RT
2	LT	LT	RT
3	CT	CT	CT
4	LA	RT	RA
5	LA	RA	RA
6	HD	HD	HD

KICK LOCATION TABLE

Die Roll (1D6)	LS	F/R	RS
1-3	LL	RL	RL
4-6	LL	LL	RL

FACING AFTER FALL

Die Roll (1D6)	New Facing	Hit Location
1	Same Direction	Front
2	1 Hex Side Right	Right Side
3	2 Hex Sides Right	Right Side
4	Opposite Direction	Rear
5	2 Hex Sides Left	Left Side
6	1 Hex Side Left	Left Side

CLUSTER HITS TABLE

Die Roll (2D6)	
2	2
3	2
4	3
5	3
6	4
7	4
8	4
9	5
10	5
11	6
12	6

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Hunchback HBK-4P

Movement Points: 4
Walking: 4
Running: 6
Jumping: 0
Engine Type: 200 Fusion

Tonnage: 50
Tech Base: Inner Sphere
Rules Level: Introductory
Role: Juggernaut

Weapons & Equipment Inventory

#	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	Medium Laser	LA	3	5 [DE]	—	3	6	9
1	Medium Laser	RA	3	5 [DE]	—	3	6	9
6	Medium Laser	RT	3	5 [DE]	—	3	6	9
1	Small Laser	HD	1	3 [DE]	—	1	2	3

Quirks: Battle Fists (LA), Battle Fists (RA)

BV: 1,753


WARRIOR DATA

Name: Sergeant Yaeko "Fox" Miyake (Fox)

Gunnery Skill: 2 Piloting Skill: 4


Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead

Abilities: Terrain Master [Nightwalker]



ARMOR DIAGRAM

Standard Armor



HIT LOCATION TABLE

Die Roll (2D6)	LS	F/R	RS
2*	LT(C)	CT(C)	RT(C)
3	LL	RA	RL
4	LA	RA	RA
5	LA	RL	RA
6	LL	RT	RL
7	LT	CT	RT
8	CT	LT	CT
9	RT	LL	LT
10	RA	LA	LA
11	RL	LA	LL
12	HD	HD	HD

*A result of 2 may inflict a critical hit


TO-HIT MODIFIERS

Attacker	
Stationary	+0
Walked	+1
Ran	+2
Prone	+2
Skidding	+1
Terrain	
Light Woods	+1/hex
Heavy Woods	+2/hex
Partial Cover	+1
Target	
Prone (adjacent hex)	-2
Prone (other hex)	+1
Immobile	-4
Skidding	-2
Moved 0-2 hexes	+0
Moved 3-4 hexes	+1
Moved 5-6 hexes	+2
Moved 7-9 hexes	+3
Moved 10-17 hexes	+4
Moved 18-24 hexes	+5
Moved 25+ hexes	+6
Jumped	+1
BattleArmor unit	+1
Secondary target (front)	+1
Secondary target (side/rear)	+2
Large support vehicle or grounded DropShip	-1
Damage	
Sensor hit	+2
Shoulder hit	+4
Arm Actuator	+1

CRITICAL TABLE

Left Arm	Head	Right Arm
1. Shoulder	1. Life Support	1. Shoulder
2. Upper Arm Actuator	2. Sensors	2. Upper Arm Actuator
3. Lower Arm Actuator	3. Cockpit	3. Lower Arm Actuator
4. Hand Actuator	4. Small Laser	4. Hand Actuator
5. Medium Laser	5. Sensors	5. Medium Laser
6. Roll Again	6. Life Support	6. Roll Again
1. Roll Again		1. Roll Again
2. Roll Again		2. Roll Again
3. Roll Again		3. Roll Again
4. Roll Again		4. Roll Again
5. Roll Again		5. Roll Again
6. Roll Again		6. Roll Again
Center Torso	Right Torso	
1. Fusion Engine	1. Heat Sink	
2. Fusion Engine	2. Heat Sink	
3. Fusion Engine	3. Medium Laser	
4. Gyro	4. Medium Laser	
5. Gyro	5. Medium Laser	
6. Gyro	6. Medium Laser	
1. Gyro		
2. Fusion Engine		
3. Fusion Engine		
4. Fusion Engine		
5. Heat Sink		
6. Heat Sink		
1. Heat Sink		
2. Roll Again		
3. Roll Again		
4. Roll Again		
5. Roll Again		
6. Roll Again		
Left Torso	Right Torso	
1. Heat Sink	1. Heat Sink	
2. Heat Sink	2. Heat Sink	
3. Heat Sink	3. Medium Laser	
4. Heat Sink	4. Medium Laser	
5. Heat Sink	5. Medium Laser	
6. Heat Sink	6. Medium Laser	
1. Heat Sink		
2. Roll Again		
3. Roll Again		
4. Roll Again		
5. Roll Again		
6. Roll Again		
Left Leg	Right Leg	
1. Hip	1. Hip	
2. Upper Leg Actuator	2. Upper Leg Actuator	
3. Lower Leg Actuator	3. Lower Leg Actuator	
4. Foot Actuator	4. Foot Actuator	
5. Heat Sink	5. Heat Sink	
6. Heat Sink	6. Heat Sink	


Engine Hits ○○○○
Gyro Hits ○○○○
Sensor Hits ○○○○
Life Support ○



Damage Transfer Diagram

INTERNAL STRUCTURE DIAGRAM

Standard Structure



HEAT DATA

Heat Level*	Effects	Heat Sinks: 23
30	Shutdown	○○○○
28	Ammo Exp, avoid on 8+	○○○○
26	Shutdown, avoid on 10+	○○○○
25	-5 Movement Points	○○○○
24	+4 Modifier to Fire	○○○○
23	Ammo Exp, avoid on 6+	○○○○
22	Shutdown, avoid on 8+	○○○○
20	-4 Movement Points	○○○○
19	Ammo Exp, avoid on 4+	○○○○
18	Shutdown, avoid on 6+	○○○○
17	+3 Modifier to Fire	○○○○
15	-3 Movement Points	○○○○
14	Shutdown, avoid on 4+	○○○○
13	+2 Modifier to Fire	○○○○
10	-2 Movement Points	○○○○
8	+1 Modifier to Fire	○○○○
5	-1 Movement Points	○○○○

Heat Scale
Overflow
30 *
29
28 *
27
26 *
25 *
24 *
23 *
22 *
21
20 *
19 *
18 *
17 *
16
15 *
14 *
13 *
12
11
10 *
9
8 *
7
6
5 *
4
3
2
1
0

© 2026 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

MOVEMENT RECORD

Turn #	1	2	3	4	5	6	7	8	9	10
Hex/Facing										
Move Mode										
Hexes Moved										
Final Heat										

Turn #	11	12	13	14	15	16	17	18	19	20
Hex/Facing										
Move Mode										
Hexes Moved										
Final Heat										

KICK LOCATION TABLE

Die Roll (1D6)	LS	F/R	RS
1-3	LL	RL	RL
4-6	LL	LL	RL

FACING AFTER FALL

Die Roll (1D6)	New Facing	Hit Location
1	Same Direction	Front
2	1 Hex Side Right	Right Side
3	2 Hex Sides Right	Right Side
4	Opposite Direction	Rear
5	2 Hex Sides Left	Left Side
6	1 Hex Side Left	Left Side

BATTLEMECH RECORD SHEET

(ID6)	New Facing	Hit Location
1	Same Direction	Front
2	1 Hex Side Right	Right Side
3	2 Hex Sides Right	Right Side
4	Opposite Direction	Rear
5	2 Hex Sides Left	Left Side
6	1 Hex Side Left	Left Side

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Thunderbolt TDR-5SS

Movement Points: 4
Walking: 4
Running: 6
Jumping: 0
Engine Type: 260 Fusion

Tonnage: 65
Tech Base: Inner Sphere
Rules Level: Introductory
Role: Brawler

Weapons & Equipment Inventory

#	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	PPC	RA	10	10 [DE]	3	6	12	18
1	SRM 6	LT	4	2/Msl [M,C,S]	—	3	6	9
3	Medium Laser	LT	3	5 [DE]	—	3	6	9
1	Flamer	RT	3	2 [DE,H,AI]	—	1	2	3

Ammo: (SRM 6) 15

Quirks: Multi-Trac, Rugged (2 Point), Ubiquitous (Inner Sphere)


BV: 2,059

WARRIOR DATA

Name: Lieutenant JG Misa "Reset" Arnold (Reset)


Gunnery Skill: 2 Piloting Skill: 4

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM

Standard Armor



HIT LOCATION TABLE

Die Roll (2D6)	LS	F/R	RS
2*	LT(C)	CT(C)	RT(C)
3	LL	RA	RL
4	LA	RA	RA
5	LA	RL	RA
6	LL	RT	RL
7	LT	CT	RT
8	CT	LT	CT
9	RT	LL	LT
10	RA	LA	LA
11	RL	LA	LL
12	HD	HD	HD

*A result of 2 may inflict a critical hit.

TO-HIT MODIFIERS

Attacker	
Stationary	+0
Walked	+1
Ran	+2
Prone	+2
Skidding	+1
Terrain	
Light Woods	+1/hex
Heavy Woods	+2/hex
Partial Cover	+1
Target	
Prone (adjacent hex)	-2
Prone (other hex)	+1
Immobile	-4
Skidding	-2
Moved 0-2 hexes	+0
Moved 3-4 hexes	+1
Moved 5-6 hexes	+2
Moved 7-9 hexes	+3
Moved 10-17 hexes	+4
Moved 18-24 hexes	+5
Moved 25+ hexes	+6
Jumped	+1
BattleArmor unit	+1
Secondary target (front)	+1
Secondary target (side/rear)	+2
Large support vehicle or grounded DropShip	-1
Damage	
Sensor hit	+2
Shoulder hit	+4
Arm Actuator	+1

CRITICAL TABLE

- Left Arm**
- Shoulder
 - Upper Arm Actuator
 - Lower Arm Actuator
- 1-3
- Hand Actuator
 - Roll Again
 - Roll Again

- 4-6
- Roll Again
 - Roll Again
 - Roll Again
 - Roll Again
 - Roll Again
 - Roll Again

- Left Torso**
- Heat Sink
 - SRM 6
 - SRM 6
- 1-3
- Medium Laser
 - Medium Laser
 - Medium Laser

- 4-6
- Roll Again
 - Roll Again
 - Roll Again
 - Roll Again
 - Roll Again
 - Roll Again

- Left Leg**
- Hip
 - Upper Leg Actuator
 - Lower Leg Actuator
 - Foot Actuator
 - Heat Sink
 - Heat Sink

- Head**
- Life Support
 - Sensors
 - Cockpit
 - Roll Again
 - Sensors
 - Life Support

- Center Torso**
- Fusion Engine
 - Fusion Engine
 - Fusion Engine
- 1-3
- Gyro
 - Gyro
 - Gyro

- 4-6
- Roll Again
 - Roll Again
 - Roll Again

Engine Hits ○○○○
Gyro Hits ○○○○
Sensor Hits ○○○○
Life Support ○



Damage Transfer Diagram

- Right Arm**
- Shoulder
 - Upper Arm Actuator
 - Lower Arm Actuator
- 1-3
- Hand Actuator
 - Roll Again
 - Roll Again

- 4-6
- Roll Again
 - Roll Again
 - Roll Again
 - Roll Again
 - Roll Again
 - Roll Again


- Right Torso**
- Heat Sink
 - Heat Sink
 - Heat Sink
- 1-3
- Heat Sink
 - Heat Sink
 - Heat Sink

- 4-6
- Roll Again
 - Roll Again
 - Roll Again
 - Roll Again
 - Roll Again
 - Roll Again

- Right Leg**
- Hip
 - Upper Leg Actuator
 - Lower Leg Actuator
 - Foot Actuator
 - Heat Sink
 - Heat Sink

INTERNAL STRUCTURE DIAGRAM

Standard Structure



HEAT DATA

Heat	Effects	Heat Sinks: 21
Level*		
30	Shutdown	○ ○ ○
28	Ammo Exp, avoid on 8+	○ ○ ○
26	Shutdown, avoid on 10+	○ ○ ○
25	-5 Movement Points	○ ○ ○
24	+4 Modifier to Fire	○ ○ ○
23	Ammo Exp, avoid on 6+	○ ○ ○
22	Shutdown, avoid on 8+	○ ○ ○
20	-4 Movement Points	○ ○ ○
19	Ammo Exp, avoid on 4+	○ ○ ○
18	Shutdown, avoid on 6+	○ ○ ○
17	+3 Modifier to Fire	○ ○ ○
15	-3 Movement Points	○ ○ ○
14	Shutdown, avoid on 4+	○ ○ ○
13	+2 Modifier to Fire	○ ○ ○
10	-2 Movement Points	○ ○ ○
8	+1 Modifier to Fire	○ ○ ○
5	-1 Movement Points	○ ○ ○

Heat Scale

30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2026 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

MOVEMENT RECORD

Turn #	1	2	3	4	5	6	7	8	9	10
Hex/Facing										
Move Mode										
Hexes Moved										
Final Heat										

Turn #	11	12	13	14	15	16	17	18	19	20
Hex/Facing										
Move Mode										
Hexes Moved										
Final Heat										

PHYSICAL ATTACKS

Attack	To-Hit	Damage
Punch	+0	7
Kick	-2	13
Push	-1	—
Club	-1	13
Charge	+0*	6/Hex

*Modified by target piloting skill

PUNCH LOCATION TABLE

Die Roll (1D6)	LS	F/R	RS
1	LT	LA	RT
2	LT	LT	RT
3	CT	CT	CT
4	LA	RT	RA
5	LA	RA	RA
6	HD	HD	HD

KICK LOCATION TABLE

Die Roll (1D6)	LS	F/R	RS
1-3	LL	RL	RL
4-6	LL	LL	RL

FACING AFTER FALL

Die Roll (1D6)	New Facing	Hit Location
1	Same Direction	Front
2	1 Hex Side Right	Right Side
3	2 Hex Sides Right	Right Side
4	Opposite Direction	Rear
5	2 Hex Sides Left	Left Side
6	1 Hex Side Left	Left Side

CLUSTER HITS TABLE

Die Roll (2D6)	
2	2
3	2
4	3
5	3
6	4
7	4
8	4
9	5
10	5
11	6
12	6

BATTLEMECH RECORD SHEET

BATTLEMECH RECORD SHEET

(1D6)	New Facing	Hit Location
1	Same Direction	Front
2	1 Hex Side Right	Right Side
3	2 Hex Sides Right	Right Side
4	Opposite Direction	Rear
5	2 Hex Sides Left	Left Side
6	1 Hex Side Left	Left Side



DROPSHIP DATA

Type: **Union (2708)**

Name: _____

Thrust: _____

Safe Thrust: 3

Maximum Thrust: 5

Tonnage: 3,600

Tech Base: Inner Sphere

Rules Level: Standard

Weapons & Equipment Inventory

Standard Scale

#	Type	Loc	Ht	SRV	MRV	LRV	ERV
1	PPC	NOS	10	1	(10)	1	(10)
2	AC/5 (20 rounds)	NOS	2	1	(10)	1	(10)
2	LRM 20 (24 rounds)	NOS	12	2	(24)	2	(24)
2	Medium Laser	NOS	6	1	(10)	—	—
1	PPC	FLS/FRS	10	1	(10)	1	(10)
2	AC/5 (40 rounds)	FLS/FRS	2	1	(10)	1	(10)
2	LRM 20 (24 rounds)	FLS/FRS	12	2	(24)	2	(24)
2	Medium Laser	FLS/FRS	14	2	(18)	1	(8)
1	Large Laser	—	—	—	—	—	—
2	Medium Laser	ALS/ARS	14	2	(18)	1	(8)
1	Large Laser	—	—	—	—	—	—
2	Medium Laser	AFT	14	2	(18)	1	(8)
1	Large Laser	—	—	—	—	—	—

Cargo:

Bay 1: Mech (4) (2 Doors)


Bay 2: Mech (8) (2 Doors)

Bay 3: Fighter (2) (2 Doors)

Bay 4: Cargo (74.5) (2 Doors)

Fuel Points: 6,450

BV: 4,766



NOTES

VELOCITY RECORD

Turn #	1	2	3	4	5	6	7	8	9	10
Thrust										
Velocity										
Effective Velocity										
Altitude										

Turn #	11	12	13	14	15	16	17	18	19	20
Thrust										
Velocity										
Effective Velocity										
Altitude										

PILOT DATA

Gunnery Skill: 3

Piloting Skill: 5

Hits Taken

Modifier

Crew: 42

Marines: 0

Passengers: 0

BattleArmor: 0

Other: 0

Life Boats/Escapes Pods: 0/7

CRITICAL DAMAGE

Avionics

FCS

Sensors

Thrusters

Left

Right

Engine

Landing Gear

Life Support

K-F Boom

Docking Collar

HEAT DATA

Heat Sinks: 90

Heat Generation Per Arc:

Nose: 30

Left/Right Fore: 38/38

Left/Right Aft: 14/14

Aft: 14

TO-HIT MODIFIERS

Range	
Short	+0
Medium	+2
Long	+4
Extreme	+6
Target/Intervening conditions	
Attack against aft	+0
Attack against side	+2
Attack against nose	+1
Attacker flying at altitude 1	+2
attacking air target	
Target is conducting air-to-ground attack	-3
Target is at zero velocity	-2
Firing through atmospheric hex on high altitude map	+2/hex
Firing into or out of screen hex	+2
Target is evading	variable
Attacker Conditions	
Exceeded safe thrust this turn	+2
Out of control	+2
Crew damage	+1/hit
FCS damage	+2/hit
Sensor damage	+1/hit
Sensors destroyed	+5
Attacker evading	+2

CONTROL ROLL TABLE

Situation	
Movement	
Roll more than once in a turn	
Use thrust > current SI	
Velocity > 2x safe thrust in atmosphere	
Stalling	
Descending 3+ altitudes in a turn	
Damage	
Avionics critical	
Control critical	
Damaged in atmosphere	
Modifiers	
Crew damage	+1/hit
Avionics damage	+1/hit
Avionics destroyed	+5
Life support damage	+2
Above safe thrust	+1
Atmospheric operations	+3
Per 20 points of damage	+1
Velocity above 2x safe thrust	+1/point

CHANGING FACING COST

Velocity	Thrust points	Velocity	Thrust points
0-2	1	10	5
3-5	2	11	6
6-7	3	12	+1/point
8-9	4		

HIT LOCATION TABLE

Die Roll (2D6)	Nose	Aft	Side	Above/Below
2	Nose/Crew	Aft/Life Support	Nose/Weapon	Nose/Weapon
3	Nose/Avionics	Aft/Control	Nose/FCS	Nose/FCS
4	Right Side/Weapon	Right Side/Weapon	Nose/Sensor	Nose/Sensor
5	Right Side/Thruster	Right Side/Door	Side/Thruster	Side/Thruster
6	Nose/FCS	Aft/Engine	Side/Cargo	Side/Cargo
7	Nose/Weapon	Aft/Weapon	Side/Weapon	Side/Weapon
8	Nose/Control	Aft/Collar	Side/Door	Side/Door
9	Left Side/Thruster	Left Side/Door	Side/Thruster	Side/Thruster
10	Left Side/Weapon	Left Side/Weapon	Aft/Avionics	Aft/Avionics
11	Nose/Sensor	Aft/Gear	Aft/Engine	Aft/Engine
12	Nose/K-F Boom	Aft/Fuel	Aft/Weapon	Aft/Weapon

AIR-TO-GROUND ATTACKS

Attack Type	Modifier	Altitude
Striking	+2	2-5

RANDOM MOVEMENT TABLE

1D6 Result	Effect
1	Forward 1 hex, left 2 hex sides
2	Forward 1 hex, left 1 hex side
3-4	Forward 1 hex
5	Forward 1 hex, right 1 hex side
6	Forward 1 hex, right 2 hex sides

BATTLETECH™

FIXED WING SUPPORT VEHICLE RECORD SHEET

FIGHTER DATA

Type: Boomerang Spotter Plane

Thrust: Tonnage: 4,999 kg
 Safe Thrust: 4 Tech Base: Inner Sphere
 Maximum Thrust: 6 Rules Level: Standard
 Engine Type: ICE Role: Attack Fighter

Weapons & Equipment Inventory

Standard Scale (1-6) (7-12) (13-20) (21-25)
 # Type Loc SRV MRV LRV ERV
 1 Recon Camera [E] NOS — — — —

Fuel Points: 273

Features Propeller-Driven, Ultra-Light, STOL Chassis Mods,
 1 Ejection Seat, Cargo (13 kg)

BV: 10



ARMOR DIAGRAM

BAR: 2

Nose Damage
 Threshold (Total Armor)
 1 (0)

Left Wing
 Damage Threshold
 (Total Armor)
 1 (0)

Right Wing
 Damage Threshold
 (Total Armor)
 1 (0)

Aft Damage
 Threshold
 (Total Armor)
 1 (0)

Structural
 Integrity:
 4

○○○○



TO-HIT MODIFIERS

Range

Short	+0
Medium	+2
Long	+4
Extreme	+6

Target/Intervening conditions

Attack against aft	+0
Attack against side	+2
Attack against nose	+1
Attacker flying at altitude 1 attacking air target	+2
Secondary target in fwd arc	+1
Secondary target in other arc	+2
Target is conducting air-to-ground attack	-3
Target is at zero velocity	-2
Target is evading	variable

Attacker Conditions

Exceeded safe thrust this turn	+2
Out of control	+2
Crew damage	+1/hit
FCS damage	+2/hit
Sensor damage	+1/hit
Sensors destroyed	+5
Attacker evading	Prohibited

CONTROL ROLL TABLE

Situation

Movement
Exceed normal operating ceiling
Roll more than once in a turn
Use thrust > current SI
Velocity > 2x safe thrust in atmosphere
Stalling
Descending 3+ altitudes in a turn
Damage
Avionics critical
Control critical
Damaged in atmosphere

Modifiers

Crew damage	+1/hit
Avionics damage	+1/hit
Avionics destroyed	+5
Life support damage	+2
Above safe thrust	+1
Atmospheric operations	+1
Per 20 points of damage	+1
Velocity above 2x safe thrust	+1/point safe thrust

CRITICAL DAMAGE

Avionics	+1	+2	+5	Engine	2	4	D
FCS	+2	+4	D	Landing Gear	+5		
Sensors	+1	+2	+5	Life Support	+2		

PILOT DATA

Name: Petty Officer Sloan "Kaiser" MacCaw (Kaiser)

Gunnery Skill: 4 Piloting Skill: 3

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead
Modifier	+1	+2	+3	+4	+5	

GROUND MAP STRAIGHT MOVEMENT

MINIMUM STRAIGHT MOVEMENT
 (IN HEXES)

	FIGHTER	SMALL CRAFT AND FIXED WING SUPPORT VEHICLES
1	8	8
2	12	14
3	16	20
4	20	26
5	24	32
6	28	38
7	32	44
8	36	50
9	40	56
10	44	62
11	48	68
12	52	74

Velocity above 12 is not possible on ground maps.

FIGHTER RETURN TABLE

SAFE THRUST	TURNS BEFORE RETURN
1-4	3
5-8	2
9-12	1
13+	0

VELOCITY RECORD

Turn #	1	2	3	4	5	6	7	8	9	10
Thrust										
Velocity										
Effective Velocity										
Altitude										

Turn #	11	12	13	14	15	16	17	18	19	20
Thrust										
Velocity										
Effective Velocity										
Altitude										

© 2026 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
 Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

HIT LOCATION TABLE

Die Roll (2D6)	Nose	Aft	Side	Above/Below
2	Nose/Weapon	Aft/Weapon	Nose/Weapon	Nose/Weapon
3	Nose/Sensor	Aft/Heat Sink	Wing/Gear	Wing/Gear
4	Right Wing/Heat Sink	Right Wing/Fuel	Nose/Sensor	Nose/Sensor
5	Right Wing/Weapon	Right Wing/Weapon	Nose/Crew	Nose/Crew
6	Nose/Avionics	Aft/Engine	Wing/Weapon	Wing/Weapon
7	Nose/Control	Aft/Control	Wing/Avionics	Nose/Avionics
8	Nose/FCS	Aft/Engine	Wing/Bomb	Wing/Weapon
9	Left Wing/Weapon	Left Wing/Weapon	Aft/Control	Aft/Control
10	Left Wing/Heat Sink	Left Wing/Fuel	Aft/Engine	Aft/Engine
11	Nose/Gear	Aft/Heat Sink	Wing/Gear	Wing/Gear
12	Nose/Weapon	Aft/Weapon	Aft/Weapon	Aft/Weapon

AIR-TO-GROUND ATTACKS

Attack Type	Modifier	Altitude
Striking	+2	2-5

RANDOM MOVEMENT TABLE

1D6 Result	Effect
1	Forward 1 hex, left 2 hex sides
2	Forward 1 hex, left 1 hex side
3-4	Forward 1 hex
5	Forward 1 hex, right 1 hex side
6	Forward 1 hex, right 2 hex sides

STRAIGHT MOVEMENT

Low Altitude

Velocity	Map	Ground Map
1	2	8
2	2	14
3	2	20
4	2	26
5	2	32
6	2	38
7	2	44
8	2	50
9	2	56
10	4	62
11	4	68
12	4	74
13-15	6	-
16+	8	-