

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Cyclops CP-10-Q

Movement Points:

Walking: 4

Running: 6

Jumping: 0

Tonnage: 90

Tech Base: Inner Sphere

Role: Missile Boat

Engine Type: 360 Fusion

Weapons & Equipment Inventory

(hexes)

#	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	Medium Laser	LA	3	5 [DE]	—	3	6	9
1	Medium Laser	RA	3	5 [DE]	—	3	6	9
1	LRM 10	LT	4	1/Msl [M,C,S]	6	7	14	21
1	LRM 10	RT	4	1/Msl [M,C,S]	6	7	14	21
1	Medium Laser	RT	3	5 [DE]	—	3	6	9
1	SRM 4	CT	3	2/Msl [M,C,S]	—	3	6	9

Maximum Heat (Dissipation): 20 (14)

Ammo: (LRM 10) 48, (SRM 4) 25

Quirks: Battle Computer, Cowl, Difficult Ejection, Weak Head Armor (2)

BV: 3,200



WARRIOR DATA


Name: Captain Wayne "Root Beer" Kartodirdjo

Gunnery Skill: 1

Piloting Skill: 2


Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead

Abilities: Sniper



ARMOR DIAGRAM

Standard Armor



HIT LOCATION TABLE

Die Roll (2D6)	LS	F/R	RS
2*	LT(C)	CT(C)	RT(C)
3	LL	RA	RL
4	LA	RA	RA
5	LA	RL	RA
6	LL	RT	RL
7	LT	CT	RT
8	CT	LT	CT
9	RT	LL	LT
10	RA	LA	LA
11	RL	LA	LL
12	HD	HD	HD


*A result of 2 may inflict a critical hit.

TO-HIT MODIFIERS

Attacker	
Stationary	+0
Walked	+1
Ran	+2
Prone	+2
Skidding	+1
Terrain	
Light Woods	+1/hex
Heavy Woods	+2/hex
Partial Cover	+1
Target	
Prone (adjacent hex)	-2
Prone (other hex)	+1
Immobile	-4
Skidding	-2
Moved 0-2 hexes	+0
Moved 3-4 hexes	+1
Moved 5-6 hexes	+2
Moved 7-9 hexes	+3
Moved 10-17 hexes	+4
Moved 18-24 hexes	+5
Moved 25+ hexes	+6
Jumped	+1
BattleArmor unit	+1
Secondary target (front)	+1
Secondary target (side/rear)	+2
Large support vehicle or grounded DropShip	-1
Damage	
Sensor hit	+2
Shoulder hit	+4
Arm Actuator	+1

INTERNAL STRUCTURE DIAGRAM

Standard Structure



Heat Scale

Overflow

30*

29

28*

27

26*

25*

24*

23*

22*

21

20*

19*

18*

17*

16

15*

14*

13*

12

11

10*

9

8*

7

6

5*

4

3

2

1

0

HEAT DATA

Heat	Effects	Heat Sinks: 14
Level*		
30	Shutdown	
28	Ammo Exp, avoid on 8+	
26	Shutdown, avoid on 10+	
25	-5 Movement Points	
24	+4 Modifier to Fire	
23	Ammo Exp, avoid on 6+	
22	Shutdown, avoid on 8+	
20	-4 Movement Points	
19	Ammo Exp, avoid on 4+	
18	Shutdown, avoid on 6+	
17	+3 Modifier to Fire	
15	-3 Movement Points	
14	Shutdown, avoid on 4+	
13	+2 Modifier to Fire	
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

CRITICAL TABLE

Left Arm

- Shoulder
- Upper Arm Actuator
- Lower Arm Actuator
- Hand Actuator
- Medium Laser
- Roll Again

1-3

- Roll Again
- Roll Again
- Roll Again
- Roll Again
- Roll Again
- Roll Again

4-6

Left Torso

- LRM 10
- LRM 10
- Ammo (LRM 10) 12
- Ammo (LRM 10) 12
- Roll Again
- Roll Again

1-3

- Roll Again
- Roll Again
- Roll Again
- Roll Again
- Roll Again
- Roll Again

4-6

Left Leg

- Hip
- Upper Leg Actuator
- Lower Leg Actuator
- Foot Actuator
- Roll Again
- Roll Again

Head

- Life Support
- Sensors
- Cockpit
- Roll Again
- Sensors
- Life Support

Center Torso

- Fusion Engine
- Fusion Engine
- Fusion Engine
- Gyro
- Gyro
- Gyro

1-3

4-6

Engine Hits ○○○○
Gyro Hits ○○○○
Sensor Hits ○○○○
Life Support ○



Damage Transfer Diagram

Right Arm

- Shoulder
- Upper Arm Actuator
- Lower Arm Actuator
- Hand Actuator
- Medium Laser
- Roll Again

1-3

- Roll Again
- Roll Again
- Roll Again
- Roll Again
- Roll Again
- Roll Again

4-6

Right Torso

- LRM 10
- LRM 10
- Medium Laser
- Ammo (LRM 10) 12
- Ammo (LRM 10) 12
- Roll Again

1-3

- Roll Again
- Roll Again
- Roll Again
- Roll Again
- Roll Again
- Roll Again

4-6

Right Leg

- Hip
- Upper Leg Actuator
- Lower Leg Actuator
- Foot Actuator
- Roll Again
- Roll Again

© 2026 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

MOVEMENT RECORD

Turn #	1	2	3	4	5	6	7	8	9	10
Hex/Facing										
Move Mode										
Hexes Moved										
Final Heat										

Turn #	11	12	13	14	15	16	17	18	19	20
Hex/Facing										
Move Mode										
Hexes Moved										
Final Heat										

PUNCH LOCATION TABLE

Die Roll (1D6)	LS	F/R	RS
1	LT	LA	RT
2	LT	LT	RT
3	CT	CT	CT
4	LA	RT	RA
5	LA	RA	RA
6	HD	HD	HD

*Modified by target piloting skill

KICK LOCATION TABLE

Die Roll (1D6)	LS	F/R	RS
1-3	LL	RL	RL
4-6	LL	LL	RL

FACING AFTER FALL

Die Roll (1D6)	New Facing	Hit Location
1	Same Direction	Front
2	1 Hex Side Right	Right Side
3	2 Hex Sides Right	Right Side
4	Opposite Direction	Rear
5	2 Hex Sides Left	Left Side
6	1 Hex Side Left	Left Side

CLUSTER HITS TABLE

Die Roll (2D6)	4	10
2	1	3
3	2	3
4	2	4
5	2	6
6	2	6
7	3	6
8	3	6
9	3	8
10	3	8
11	4	10
12	4	10

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Crusader CRD-3R

Movement Points:

Walking: 4

Running: 6

Jumping: 0

Tonnage: 65

Tech Base: Inner Sphere

Role: Missile Boat

Engine Type: 260 Fusion

Weapons & Equipment Inventory

#	Type	Loc	Ht	Dmg	Min Sht	Med	Lng
1	SRM 6	LL	4	2/Msl [M,C,S]	—	3	6 9
Stabilized Weapon							
1	SRM 6	RL	4	2/Msl [M,C,S]	—	3	6 9
Stabilized Weapon							
1	LRM 15	LA	5	1/Msl [M,C,S]	6	7 14	21
1	Medium Laser	LA	3	5 [DE]	—	3	6 9
1	Machine Gun	LA	—	2 [DB,AI]	—	1	2 3
1	LRM 15	RA	5	1/Msl [M,C,S]	6	7 14	21
1	Medium Laser	RA	3	5 [DE]	—	3	6 9
1	Machine Gun	RA	—	2 [DB,AI]	—	1	2 3

Maximum Heat (Dissipation): 24 (10)

Ammo: (LRM 15) 16, (MG) 200, (SRM 6) 15

Quirks: Easy to Maintain, Rugged (1 Point), Ubiquitous (Inner Sphere), Ubiquitous (Clans)

BV: 1,528


WARRIOR DATA

Name: Sergeant Balbina "Virtue" Wolflin (Virtue)

Gunnery Skill: 3


Piloting Skill: 6

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM

Standard Armor



HIT LOCATION TABLE

Die Roll (2D6)	LS	F/R	RS
2*	LT(C)	CT(C)	RT(C)
3	LL	RA	RL
4	LA	RA	RA
5	LA	RL	RA
6	LL	RT	RL
7	LT	CT	RT
8	CT	LT	CT
9	RT	LL	LT
10	RA	LA	LA
11	RL	LA	LL
12	HD	HD	HD

*A result of 2 may inflict a critical hit.

TO-HIT MODIFIERS

Attacker	
Stationary	+0
Walked	+1
Ran	+2
Prone	+2
Skidding	+1
Terrain	
Light Woods	+1/hex
Heavy Woods	+2/hex
Partial Cover	+1
Target	
Prone (adjacent hex)	-2
Prone (other hex)	+1
Immobile	-4
Skidding	-2
Moved 0-2 hexes	+0
Moved 3-4 hexes	+1
Moved 5-6 hexes	+2
Moved 7-9 hexes	+3
Moved 10-17 hexes	+4
Moved 18-24 hexes	+5
Moved 25+ hexes	+6
Jumped	+1
BattleArmor unit	+1
Secondary target (front)	+1
Secondary target (side/rear)	+2
Large support vehicle or grounded DropShip	-1
Damage	
Sensor hit	+2
Shoulder hit	+4
Arm Actuator	+1

CRITICAL TABLE

Left Arm

1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. LRM 15
6. LRM 15

1-3

1. LRM 15
2. Medium Laser
3. Machine Gun
4. Roll Again
5. Roll Again
6. Roll Again

4-6

Left Torso

1. Ammo (LRM 15) 8
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

1-3

1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. SRM 6
6. SRM 6

1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support

Center Torso

1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

1-3

1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Ammo (SRM 6) 15
6. Ammo (MG) 200

4-6


Engine Hits ○○○○
Gyro Hits ○○○
Sensor Hits ○○○
Life Support ○

The logo for Catalyst game labs, featuring the word "CATALYST" in a stylized, bold, yellow font with a green outline, and "game labs" in a smaller, green font below it. The logo is set against a black background with a green, jagged, mountain-like shape behind the text.

A line drawing of a mecha suit, showing the head, torso, arms, and legs. The suit is white with black joints and has a green, jagged shape on the head. The arms are extended outwards, and the legs are spread apart.


Damage Transf
Diagram

Engine Hits ○○○○
Gyro Hits ○○○○
Sensor Hits ○○○○
Life Support ○



INTERNAL STRUCTURE DIAGRAM

Standard Structure



HEAT DATA

Heat	Effects	Heat Sinks:
Level*		10
30	Shutdown	○
28	Ammo Exp, avoid on 8+	○
26	Shutdown, avoid on 10+	○
25	-5 Movement Points	○
24	+4 Modifier to Fire	○
23	Ammo Exp, avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	○
19	Ammo Exp, avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	○
8	+1 Modifier to Fire	○
5	-1 Movement Points	○

Heat Scale

30*	29	28*	27	26*	25*	24*	23*	22*	21	20*	19*	18*	17*	16	15*	14*	13*	12	11	10*	9	8*	7	6	5*	4	3	2	1	0
-----	----	-----	----	-----	-----	-----	-----	-----	----	-----	-----	-----	-----	----	-----	-----	-----	----	----	-----	---	----	---	---	----	---	---	---	---	---

© 2026 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

MOVEMENT RECORD

Turn #	1	2	3	4	5	6	7	8	9	10
Hex/Facing										
Move Mode										
Hexes Moved										
Final Heat										

Turn #	11	12	13	14	15	16	17	18	19	20
Hex/Facing										
Move Mode										
Hexes Moved										
Final Heat										

PHYSICAL ATTACKS

Attack	To-Hit	Damage
Punch	+0	7
Kick	-2	13
Push	-1	—
Club	-1	13
Charge	+0*	6/Hex

*Modified by target piloting skill

PUNCH LOCATION TABLE

Die Roll (1D6)	LS	F/R	RS
1	LT	LA	RT
2	LT	LT	RT
3	CT	CT	CT
4	LA	RT	RA
5	LA	RA	RA
6	HD	HD	HD

KICK LOCATION TABLE

Die Roll (1D6)	LS	F/R	RS
1-3	LL	RL	RL
4-6	LL	LL	RL

FACING AFTER FALL

Die Roll (1D6)	New Facing	Hit Location
1	Same Direction	Front
2	1 Hex Side Right	Right Side
3	2 Hex Sides Right	Right Side
4	Opposite Direction	Rear
5	2 Hex Sides Left	Left Side
6	1 Hex Side Left	Left Side

CLUSTER HITS TABLE

Die Roll (2D6)	6	15
2	2	5
3	2	5
4	3	6
5	3	9
6	4	9
7	4	9
8	4	9
9	5	12
10	5	12
11	6	15
12	6	15

BATTLEMECH RECORD SHEET

Type: Black Knight BL-7-KNT	
Movement Points:	Tonnage: 75
Walking: 4	Tech Base: Inner Sphere
Running: 6	Role: Brawler
Jumping: 0	Engine Type: 300 Fusion

#	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	Medium Laser	LA	3	5[DE]	—	3	6	9
1	PPC	RA	10	10[DE]	3	6	12	18
1	Medium Laser	RA	3	5[DE]	—	3	6	9
1	Large Laser	LT	8	8[DE]	—	5	10	15
1	Medium Laser	LT	3	5[DE]	—	3	6	9
1	Large Laser	RT	8	8[DE]	—	5	10	15
1	Medium Laser	RT	3	5[DE]	—	3	6	9
1	Small Laser	HD	1	3[DE]	—	1	2	3

Maximum Heat (Dissipation): 39 (20)

Quirks: Command Mech

Left Arm

- 1. Shoulder
- 2. Upper Arm Actuator
- 3. Lower Arm Actuator
- 4. Hand Actuator
- 5. Medium Laser
- 6. Roll Again

Right Arm

- 1. Shoulder
- 2. Upper Arm Actuator
- 3. Lower Arm Actuator
- 4. Hand Actuator
- 5. PPC
- 6. PPC

Left Torso

- 1. Roll Again
- 2. Roll Again
- 3. Roll Again
- 4. Roll Again
- 5. Roll Again
- 6. Roll Again

Right Torso

- 1. PPC
- 2. Medium Laser
- 3. Roll Again
- 4. Roll Again
- 5. Roll Again
- 6. Roll Again

Central Hits Summary:

- Engine Hits: 3
- Gyro Hits: 3
- Sensor Hits: 3
- Life Support: 1

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Heat Sink

1. Life Support
2. Sensors
3. Cockpit
4. Small Laser
5. Sensors
6. Life Support

1-3

1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○



Damage Transfer Diagram


Name: Sergeant Andjela "Wheel" bin Qadir (Wheel)

Gunnery Skill: 5 **Piloting Skill:** 4


Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



Standard Armor



Standard Structure



Heat Level*	Effects	Heat Sinks: 20
30	Shutdown	○○
28	Ammo Exp, avoid on 8+	○○
26	Shutdown, avoid on 10+	○○
25	-5 Movement Points	○○
24	+4 Modifier to Fire	○○
23	Ammo Exp, avoid on 6+	○○
22	Shutdown, avoid on 8+	○○
20	-4 Movement Points	○○
19	Ammo Exp, avoid on 4+	○○
18	Shutdown, avoid on 6+	○○
17	+3 Modifier to Fire	○○
15	-3 Movement Points	
14	Shutdown, avoid on 4+	
13	+2 Modifier to Fire	
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

Heat Scale
30 *
29
28 *
27
26 *
25 *
24 *
23 *
22 *
21
20 *
19 *
18 *
17 *
16
15 *
14 *
13 *
12
11
10 *
9
8 *
7
6
5 *
4
3
2
1
0

Die Roll (2D6)	LS	F/R	RS
2*	LT(C)	CT(C)	RT(C)
3	LL	RA	RL
4	LA	RA	RA
5	LA	RL	RA
6	LL	RT	RL
7	LT	CT	RT
8	CT	LT	CT
9	RT	LL	LT
10	RA	LA	LA
11	RL	LA	LL
12	HD	HD	HD

*A result of 2 may inflict a critical hit

Attacker	
Stationary	+0
Walked	+1
Ran	+2
Prone	+2
Skidding	+1
Terrain	
Light Woods	+1/hex
Heavy Woods	+2/hex
Partial Cover	+1

Prone (adjacent hex)	-2
Prone (other hex)	+1
Immobile	-4
Skidding	-2
Moved 0-2 hexes	+0
Moved 3-4 hexes	+1
Moved 5-6 hexes	+2
Moved 7-9 hexes	+3
Moved 10-17 hexes	+4
Moved 18-24 hexes	+5
Moved 25+ hexes	+6
Jumped	+1
BattleArmor unit	+1
Secondary target (front)	+1
Secondary target (side/rear)	+2
Large support vehicle or grounded DropShip	-1

Sensor hit	+2
Shoulder hit	+4
Arm Actuator	+1

Attack	To-Hit	Damage
Punch	+0	8
Kick	-2	15
Push	-1	—
Club	-1	15
Charge	+0*	7/Hex

*Modified by target piloting skill

Die Roll (1D6)	LS	F/R	RS
1	LT	LA	RT
2	LT	LT	RT
3	CT	CT	CT
4	LA	RT	RA
5	LA	RA	RA
6	HD	HD	HD

Die Roll (1D6)	LS	F/R	RS
1-3	LL	RL	RL
4-6	LL	LL	RL

Die Roll		
(1D6)	New Facing	Hit Location
1	Same Direction	Front
2	1 Hex Side Right	Right Side
3	2 Hex Sides Right	Right Side
4	Opposite Direction	Rear
5	2 Hex Sides Left	Left Side
6	1 Hex Side Left	Left Side

[illegible][illegible]

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Ostsol OTL-4D

Movement Points:

Walking: 5

Running: 8

Jumping: 0

Tonnage: 60

Tech Base: Inner Sphere

Role: Skirmisher

Engine Type: 300 Fusion

Weapons & Equipment Inventory

#	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	Large Laser	LT	8	8 [DE]	—	5	10	15
1	Medium Laser	LT	3	5 [DE]	—	3	6	9
1	Large Laser	RT	8	8 [DE]	—	5	10	15
1	Medium Laser	RT	3	5 [DE]	—	3	6	9
2	Medium Laser (R)	CT	3	5 [DE]	—	3	6	9

Maximum Heat (Dissipation): 28 (16)

Quirks: Improved Sensors, Narrow/Low Profile

BV: 1,405


WARRIOR DATA

Name: Sergeant Hatui "Stratosphere" Yamaguchi (Str)

Gunnery Skill: 4


Piloting Skill: 4

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM

Standard Armor



HIT LOCATION TABLE

Die Roll (2D6)	LS	F/R	RS
2*	LT(C)	CT(C)	RT(C)
3	LL	RA	RL
4	LA	RA	RA
5	LA	RL	RA
6	LL	RT	RL
7	LT	CT	RT
8	CT	LT	CT
9	RT	LL	LT
10	RA	LA	LA
11	RL	LA	LL
12	HD	HD	HD

*A result of 2 may inflict a critical hit


TO-HIT MODIFIERS

Attacker	
Stationary	+0
Walked	+1
Ran	+2
Prone	+2
Skidding	+1
Terrain	
Light Woods	+1/hex
Heavy Woods	+2/hex
Partial Cover	+1
Target	
Prone (adjacent hex)	-2
Prone (other hex)	+1
Immobile	-4
Skidding	-2
Moved 0-2 hexes	+0
Moved 3-4 hexes	+1
Moved 5-6 hexes	+2
Moved 7-9 hexes	+3
Moved 10-17 hexes	+4
Moved 18-24 hexes	+5
Moved 25+ hexes	+6
Jumped	+1
BattleArmor unit	+1
Secondary target (front)	+1
Secondary target (side/rear)	+2
Large support vehicle or grounded DropShip	-1
Damage	
Sensor hit	+2
Shoulder hit	+4
Arm Actuator	+1

CRITICAL TABLE

Left Arm	Head	Right Arm
1. Shoulder	1. Life Support	1. Shoulder
2. Upper Arm Actuator	2. Sensors	2. Upper Arm Actuator
3. Lower Arm Actuator	3. Cockpit	3. Lower Arm Actuator
4. Hand Actuator	4. Roll Again	4. Hand Actuator
5. Roll Again	5. Sensors	5. Roll Again
6. Roll Again	6. Life Support	6. Roll Again
1. Roll Again		1. Roll Again
2. Roll Again		2. Roll Again
3. Roll Again		3. Roll Again
4. Roll Again		4. Roll Again
5. Roll Again		5. Roll Again
6. Roll Again		6. Roll Again
Center Torso		
1. Fusion Engine		
2. Fusion Engine		
3. Fusion Engine		
4. Gyro		
5. Gyro		
6. Gyro		
1. Gyro		
2. Fusion Engine		
3. Fusion Engine		
4. Fusion Engine		
5. Medium Laser (R)		
6. Medium Laser (R)		
1. Roll Again		
2. Roll Again		
3. Roll Again		
4. Roll Again		
5. Roll Again		
6. Roll Again		
Left Torso		Right Torso
1. Large Laser		1. Large Laser
2. Large Laser		2. Large Laser
3. Medium Laser		3. Medium Laser
4. Roll Again		4. Roll Again
5. Roll Again		5. Roll Again
6. Roll Again		6. Roll Again
1. Roll Again		1. Roll Again
2. Roll Again		2. Roll Again
3. Roll Again		3. Roll Again
4. Roll Again		4. Roll Again
5. Roll Again		5. Roll Again
6. Roll Again		6. Roll Again
Left Leg		Right Leg
1. Hip		1. Hip
2. Upper Leg Actuator		2. Upper Leg Actuator
3. Lower Leg Actuator		3. Lower Leg Actuator
4. Foot Actuator		4. Foot Actuator
5. Heat Sink		5. Heat Sink
6. Heat Sink		6. Heat Sink


Engine Hits ○○○○
Gyro Hits ○○○○
Sensor Hits ○○○○
Life Support ○



Damage Transfer Diagram

INTERNAL STRUCTURE DIAGRAM

Standard Structure



Heat Scale

30*	29	28*	27	26*	25*	24*	23*	22*	21	20*	19*	18*	17*	16	15*	14*	13*	12	11	10*	9	8*	7	6	5*	4	3	2	1	0
-----	----	-----	----	-----	-----	-----	-----	-----	----	-----	-----	-----	-----	----	-----	-----	-----	----	----	-----	---	----	---	---	----	---	---	---	---	---

HEAT DATA

Heat Level*	Effects	Heat Sinks: 16
30	Shutdown	○○○○○○○○○○○○○○○○○○○○
28	Ammo Exp, avoid on 8+	○○○○○○○○○○○○○○○○○○○○
26	Shutdown, avoid on 10+	○○○○○○○○○○○○○○○○○○○○
25	-5 Movement Points	○○○○○○○○○○○○○○○○○○○○
24	+4 Modifier to Fire	○○○○○○○○○○○○○○○○○○○○
23	Ammo Exp, avoid on 6+	○○○○○○○○○○○○○○○○○○○○
22	Shutdown, avoid on 8+	○○○○○○○○○○○○○○○○○○○○
20	-4 Movement Points	○○○○○○○○○○○○○○○○○○○○
19	Ammo Exp, avoid on 4+	○○○○○○○○○○○○○○○○○○○○
18	Shutdown, avoid on 6+	○○○○○○○○○○○○○○○○○○○○
17	+3 Modifier to Fire	○○○○○○○○○○○○○○○○○○○○
15	-3 Movement Points	○○○○○○○○○○○○○○○○○○○○
14	Shutdown, avoid on 4+	○○○○○○○○○○○○○○○○○○○○
13	+2 Modifier to Fire	○○○○○○○○○○○○○○○○○○○○
10	-2 Movement Points	○○○○○○○○○○○○○○○○○○○○
8	+1 Modifier to Fire	○○○○○○○○○○○○○○○○○○○○
5	-1 Movement Points	○○○○○○○○○○○○○○○○○○○○

© 2026 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

MOVEMENT RECORD

Turn #	1	2	3	4	5	6	7	8	9	10
Hex/Facing										
Move Mode										
Hexes Moved										
Final Heat										

Turn #	11	12	13	14	15	16	17	18	19	20
Hex/Facing										
Move Mode										
Hexes Moved										
Final Heat										

KICK LOCATION TABLE

Die Roll (1D6)	LS	F/R	RS
1-3	LL	RL	RL
4-6	LL	LL	RL



FACING AFTER FALL

Die Roll (1D6)	New Facing	Hit Location
1	Same Direction	Front
2	1 Hex Side Right	Right Side
3	2 Hex Sides Right	Right Side
4	Opposite Direction	Rear
5	2 Hex Sides Left	Left Side
6	1 Hex Side Left	Left Side

BATTLEMECH RECORD SHEET

© 2026 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLEMECH RECORD SHEET



*A result of 2 may inflict a critical hit.

Attacker	
Stationary	+0
Walked	+1
Ran	+2
Jumped	+3
Prone	+2
Skidding	+1
Terrain	
Light Woods	+1/hex
Heavy Woods	+2/hex
Partial Cover	+1
Target	
Prone (adjacent hex)	-2
Prone (other hex)	+1
Immobile	-4
Skidding	-2
Moved 0-2 hexes	+0
Moved 3-4 hexes	+1
Moved 5-6 hexes	+2
Moved 7-9 hexes	+3
Moved 10-17 hexes	+4
Moved 18-24 hexes	+5
Moved 25+ hexes	+6
Jumped	+1
Battle/Armor unit	+1
Secondary target (front)	+1
Secondary target (side/rear)	+2
Large support vehicle or grounded DropShip	-1
Damage	
Sensor hit	+2
Shoulder hit	+4
Arm Actuator	+1

Attack	To-Hit	Damage
Punch	+0	6
Kick	-2	11
Push	-1	—
Club	-1	11
Charge	+0*	5/Hex
DFA	+0*	17

*Modified by target piloting skill

Die Roll (1D6)	LS	F/R	RS
1	LT	LA	RT
2	LT	LT	RT
3	CT	CT	CT
4	LA	RT	RA
5	LA	RA	RA
6	HD	HD	HD

Die Roll (1D6)	LS	F/R	RS
1-3	LL	RL	RL
4-6	LL	LL	RL

Die Roll (1D6)	New Facing	Hit Location
1	Same Direction	Front
2	1 Hex Side Right	Right Side
3	2 Hex Sides Right	Right Side
4	Opposite Direction	Rear
5	2 Hex Sides Left	Left Side
6	1 Hex Side Left	Left Side

Die Roll (2D6)	6
2	2
3	2
4	3
5	3
6	4
7	4
8	4
9	5
10	5
11	6
12	6

Left Arm

1-3

1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Roll Again
6. Roll Again

4-6

1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

1-3

1. Jump Jet
2. Jump Jet
3. [SRM 6
4. [SRM 6
5. Roll Again
6. Roll Again

4-6

1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Roll Again

1. Life Support
2. Sensors
3. Cockpit
4. Medium Laser
5. Sensors
6. Life Support

1-3

1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○



Damage Transfer Diagram

1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Large Laser
6. Large Laser

4-6

1. **Medium Laser**
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

1-3

1. Heat Sink
2. Jump Jet
3. Jump Jet
4. Ammo (SRM 6) 15
5. Roll Again
6. Roll Again

4-6

1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Roll Again

Diagram illustrating the body parts and their counts for a stylized human figure:

- Head (1)
- Left Torso (13)
- Right Torso (13)
- Left Arm (9)
- Right Arm (9)
- Center Torso (18)
- Left Leg (13)
- Right Leg (13)

Heat Level*	Effects	Heat Sinks*
30	Shutdown	○○
28	Ammo Exp, avoid on 8+	○○○
26	Shutdown, avoid on 10+	○○○
25	-5 Movement Points	○○○
24	+4 Modifier to Fire	○○○
23	Ammo Exp, avoid on 6+	○○○
22	Shutdown, avoid on 8+	○○○
20	-4 Movement Points	○○○
19	Ammo Exp, avoid on 4+	○○○
18	Shutdown, avoid on 6+	○○○
17	+3 Modifier to Fire	○○○
15	-3 Movement Points	○○○
14	Shutdown, avoid on 4+	○○○
13	+2 Modifier to Fire	○○○
10	-2 Movement Points	○○○
8	+1 Modifier to Fire	○○○
5	-1 Movement Points	○○○

14

© 2026 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

[illegible][illegible]

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: **Gladiator GLD-4R**

Movement Points:

Walking: 5

Running: 8

Jumping: 5

Tonnage: 55

Tech Base: Inner Sphere

Role: Skirmisher

Engine Type: 275 Fusion

Weapons & Equipment Inventory

(hexes)

#	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
2	Medium Laser	LA	3	5 [DE]	—	3	6	9
1	PPC	RA	10	10 [DE]	3	6	12	18
1	SRM 6	RA	4	2/Msl [M,C,S]	—	3	6	9

Maximum Heat (Dissipation): 20 (13)

Ammo: (SRM 6) 15

Quirks: Cowl, Bad Reputation (Inner Sphere)

BV: 1,420


WARRIOR DATA

Name: Sergeant Maisie "Skidmark" McMartin (Skidmark)

Gunnery Skill: 4


Piloting Skill: 4

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM

Standard Armor



HIT LOCATION TABLE

Die Roll (2D6)	LS	F/R	RS
2*	LT(C)	CT(C)	RT(C)
3	LL	RA	RL
4	LA	RA	RL
5	LA	RL	RA
6	LL	RT	RL
7	LT	CT	RT
8	CT	LT	CT
9	RT	LL	LT
10	RA	LA	LA
11	RL	LA	LL
12	HD	HD	HD

*A result of 2 may inflict a critical hit.

TO-HIT MODIFIERS

Attacker	
Stationary	+0
Walked	+1
Ran	+2
Jumped	+3
Prone	+2
Skidding	+1
Terrain	
Light Woods	+1/hex
Heavy Woods	+2/hex
Partial Cover	+1
Target	
Prone (adjacent hex)	-2
Prone (other hex)	+1
Immobile	-4
Skidding	-2
Moved 0-2 hexes	+0
Moved 3-4 hexes	+1
Moved 5-6 hexes	+2
Moved 7-9 hexes	+3
Moved 10-17 hexes	+4
Moved 18-24 hexes	+5
Moved 25+ hexes	+6
Jumped	+1
BattleArmor unit	+1
Secondary target (front)	+1
Secondary target (side/rear)	+2
Large support vehicle or grounded DropShip	-1
Damage	
Sensor hit	+2
Shoulder hit	+4
Arm Actuator	+1

CRITICAL TABLE

- Left Arm**
- Shoulder
 - Upper Arm Actuator
 - Lower Arm Actuator
- 1-3
- Hand Actuator
 - Medium Laser
 - Medium Laser

1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

- Left Torso**
- Jump Jet
 - Jump Jet
 - Ammo (SRM 6) 15
- 1-3
- Roll Again
 - Roll Again
 - Roll Again

1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

- Left Leg**
- Hip
 - Upper Leg Actuator
 - Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

- Head**
- Life Support
 - Sensors
 - Cockpit
 - Roll Again
 - Sensors
 - Life Support

- Center Torso**
- Fusion Engine
 - Fusion Engine
 - Fusion Engine
- 1-3
- Gyro
 - Gyro
 - Gyro

Engine Hits ○○○○
Gyro Hits ○○○○
Sensor Hits ○○○○
Life Support ○



Damage Transfer Diagram

- Right Arm**
- Shoulder
 - Upper Arm Actuator
 - Lower Arm Actuator
- 1-3
- Hand Actuator
 - PPC
 - PPC

1. PPC

2. SRM 6

3. SRM 6

4. Roll Again

5. Roll Again

6. Roll Again


- Right Torso**
- Heat Sink
 - Heat Sink
 - Jump Jet
- 1-3
- Jump Jet
 - Roll Again
 - Roll Again

1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

- Right Leg**
- Hip
 - Upper Leg Actuator
 - Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

INTERNAL STRUCTURE DIAGRAM

Standard Structure



HEAT DATA

Heat	Effects	Heat Sinks: 13
Level*		
30	Shutdown	○
28	Ammo Exp, avoid on 8+	○
26	Shutdown, avoid on 10+	○
25	-5 Movement Points	○
24	+4 Modifier to Fire	○
23	Ammo Exp, avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	○
19	Ammo Exp, avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	○
8	+1 Modifier to Fire	○
5	-1 Movement Points	○

Heat Scale

30*	Overflow
29	
28*	
27	
26*	
25*	
24*	
23*	
22*	
21	
20*	
19*	
18*	
17*	
16	
15*	
14*	
13*	
12	
11	
10*	
9	
8*	
7	
6*	
5*	
4	
3	
2	
1	
0	

© 2026 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

MOVEMENT RECORD

Turn #	1	2	3	4	5	6	7	8	9	10
Hex/Facing										
Move Mode										
Hexes Moved										
Final Heat										

Turn #	11	12	13	14	15	16	17	18	19	20
Hex/Facing										
Move Mode										
Hexes Moved										
Final Heat										

PHYSICAL ATTACKS

Attack	To-Hit	Damage
Punch	+0	6
Kick	-2	11
Push	-1	—
Club	-1	11
Charge	+0*	5/Hex
DFA	+0*	17

*Modified by target piloting skill

PUNCH LOCATION TABLE

Die Roll (1D6)	LS	F/R	RS
1	LT	LA	RT
2	LT	LT	RT
3	CT	CT	CT
4	LA	RT	RA
5	LA	RA	RA
6	HD	HD	HD

KICK LOCATION TABLE

Die Roll (1D6)	LS	F/R	RS
1-3	LL	RL	RL
4-6	LL	LL	RL

FACING AFTER FALL

Die Roll (1D6)	New Facing	Hit Location
1	Same Direction	Front
2	1 Hex Side Right	Right Side
3	2 Hex Sides Right	Right Side
4	Opposite Direction	Rear
5	2 Hex Sides Left	Left Side
6	1 Hex Side Left	Left Side

CLUSTER HITS TABLE


Die Roll (2D6)	
2	6
3	2
4	3
5	3
6	4
7	4
8	4
9	5
10	5
11	6
12	6

BATTLEMECH RECORD SHEET

LAND-AIR 'MECH RECORD SHEET

BV: 1,073

Advanced Movement Compass



Head (9)

Left Torso (9)

Right Torso (9)

Left Arm (6)

Right Arm (6)

Center Torso (12)

Left Leg (10)

Right Leg (10)

Center Torso (3)

Left Torso Rear (3)

Right Torso Rear (3)

*A result of 2 may inflict a critical hit

Damage	
Sensor hit	+2
Shoulder hit	+4
Arm Actuator	+1

Attack	To-Hit	Damage
Punch	+0	3
Kick	-2	6
Push	-1	—
Club	-1	6
Charge	+0*	3/Hex
DFA	+0*	9

*Modified by target piloting skill

Die Roll (1D6)	LS	F/R	RS
1	LT	LA	RT
2	LT	LT	RT
3	CT	CT	CT
4	LA	RT	RA
5	LA	RA	RA
6	HD	HD	HD

Die Roll (1D6)	LS	F/R	RS
1-3	LL	RL	RL
4-6	LL	LL	RL

Die Roll (1D6)	New Facing	Hit Location
1	Same Direction	Front
2	1 Hex Side Right	Right Side
3	2 Hex Sides Right	Right Side
4	Opposite Direction	Rear
5	2 Hex Sides Left	Left Side
6	1 Hex Side Left	Left Side

Head

- 1. Life Support
- 2. Sensors
- 3. Cockpit
- 4. Avionics
- 5. Sensors
- 6. Life Support

Left Arm

- 1. Shoulder
- 2. Upper Arm Actuator
- 3. Lower Arm Actuator
- 4. Hand Actuator
- 5. Medium Laser
- 6. Roll Again

Right Arm

- 1. Shoulder
- 2. Upper Arm Actuator
- 3. Lower Arm Actuator
- 4. Hand Actuator
- 5. Medium Laser
- 6. Roll Again

Center Torso

- 1. Fusion Engine
- 2. Fusion Engine
- 3. Fusion Engine
- 4. Gyro
- 5. Gyro
- 6. Gyro

Left Torso

- 1. Landing Gear
- 2. Avionics
- 3. Heat Sink
- 4. Heat Sink
- 5. Heat Sink
- 6. Jump Jet

Right Torso

- 1. Landing Gear
- 2. Avionics
- 3. Heat Sink
- 4. Jump Jet
- 5. Jump Jet
- 6. Jump Jet

Left Leg

- 1. Hip
- 2. Upper Leg Actuator
- 3. Lower Leg Actuator
- 4. Foot Actuator
- 5. Roll Again
- 6. Roll Again

Right Leg

- 1. Hip
- 2. Upper Leg Actuator
- 3. Lower Leg Actuator
- 4. Foot Actuator
- 5. Roll Again
- 6. Roll Again

Damage Transfer Diagram

Catalyst Game Hits

Avionics Hits ○○○○

Engine Hits ○○○○

Gyro Hits ○○○○

Sensor Hits ○○○○

Landing Gear ○○○○

Life Support ○○○○

Structural Integrity ○○○○○○

The diagram shows a stylized robot figure with the following labeled parts and counts:

- Head: 1
- Left Torso (7): 7
- Right Torso (7): 7
- Left Arm (5): 5
- Right Arm (5): 5
- Center Torso (10): 10
- Left Leg (7): 7
- Right Leg (7): 7

The table on the right lists the following values:

Frequency	Score
30	Over 100
29	100
28	95
27	90
26	85
25	80
24	75
23	70
22	65
21	60
20	55
19	50
18	45

Heat Level*	Effects	Heat Sinks:
30	Shutdown	11
28	Ammo Exp, avoid on 8+	(AirMech +3)
26	Shutdown, avoid on 10+	○
25	-5 Movement Points	○
	/Rand, Movement 10+	○
24	+4 Modifier to Fire	○
23	Ammo Exp, avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	○
	/Rand, Movement 8+	○
19	Ammo Exp, avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
	/Rand, Movement 7+	
14	Shutdown, avoid on 4+	
13	+2 Modifier to Fire	
10	-2 Movement Points	
	/Rand, Movement 6+	
8	+1 Modifier to Fire	
5	-1 Movement Points	
	/Rand, Movement 5+	

[illegible][illegible]

WHEELED VEHICLE RECORD SHEET

Hexes moved in turn	
1-2	0
3-4	+1
5-6	+2
7-9	+3
10-17	+4
18-24	+5
25+	+6

VTOL RECORD SHEET

VEHICLE DATA

Type: Warrior Attack Helicopter H-7
Movement Points: 9
Cruising: 9
Flanking: 14
Movement Type: VTOL
Tonnage: 21
Tech Base: Inner Sphere
Role: Scout
Engine Type: 50 ICE

Weapons & Equipment Inventory		(hexes)				
#	Type	Loc	Dmg	Min	Sht	Med Lng
1	SRM 4	FR	2[M,C,S]	—	3	6 9
1	AC/2	FR	2[DB,S]	4	8	16 24

Ammo: (AC/2) 45, (SRM 4) 25

Quirks: VTOL Rotor Arrangement (Co-Axial)

BV: 325




CREW DATA

Crew: Sergeant Ieyoshi "Crash" Matsuura (Crash)
Gunnery Skill: 4 Driving Skill: 4
Co-Pilot Hit ☐+1 Pilot Hit ☐+2
Modifier to all skill rolls Modifier to Driving skill rolls


CRITICAL DAMAGE

Flight Stabilizer* ☐+3 Engine Hit ☐
Sensor Hits ☐+1 ☐+2 ☐+3 ☐D
Stabilizers
Front ☐ Left ☐ Right ☐
Rear ☐
*Move at Cruising speed only



ARMOR DIAGRAM

Standard Armor



TO-HIT MODIFIERS

Attacker	
Stationary	+0
Cruised	+1
Flanked	+2
Skidding	+1
Terrain	
Light Woods	+1/hex
Heavy Woods	+2/hex
Partial Cover	+1
Target	
Prone (adjacent hex)	-2
Prone (other hex)	+1
Immobile	-4
Skidding	-2
Moved 0-2 hexes	+0
Moved 3-4 hexes	+1
Moved 5-6 hexes	+2
Moved 7-9 hexes	+3
Moved 10-17 hexes	+4
Moved 18-24 hexes	+5
Moved 25+ hexes	+6
Jumped	+1
BattleArmor unit	+1
Secondary target (front)	+1
Secondary target (side/rear)	+2
Large support vehicle or grounded DropShip	-1

VTOL COMBAT VEHICLE HIT LOCATION

ATTACK DIRECTION		FRONT		REAR		SIDES	
2*	Front (critical)	Rotors†		Rotors†		Rotors†	
3	Turret†	Turret†		Turret†		Turret†	
4	Right Side	Left Side		Left Side		Front	
5	Front	Rear		Rear		Side	
6	Front	Rear		Rear		Side	
7	Front	Rear		Rear		Side (critical)*	
8	Front	Rear		Rear		Rear	
9	Left Side	Right Side		Right Side		Rotors†	
10	Rotors†	Rotors†		Rotors†		Rotors†	
11	Rotors†	Rotors†		Rotors†		Rotors†	
12*	Rotors (critical)*†	Rotors (critical)*†		Rotors (critical)*†		Rotors (critical)*†	

* A result of 2 or 12 (or an 8 if the attack strikes the side) may inflict a critical hit on the VTOL. For each such attack, apply damage normally to the armor in that section. The attacking player then immediately rolls once on the VTOL Combat Vehicle Critical Hits Table, below.

† Damage Value / 10 (round up); see Rotor Hits, p. 197, *Total Warfare*. Additionally, damage to rotors slows down the VTOL. Each hit reduces the VTOL's Cruising MP by 1, meaning that the controlling player must also recalculate Flank MP; multiply the new Cruising MP by 1.5 and round up. As with all damage, such movement penalties do not apply until the end of the phase in which the damage occurred.

‡ If the VTOL has no turret, a turret strike hits Rotors†

VTOL ELEVATION TRACK

Turn	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
Elevation															

Turn	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30
Elevation															

PHYSICAL ATTACKS AGAINST VTOLS TABLE

DIFFERENCE IN LEVELS	TYPES OF PHYSICAL ATTACKS ALLOWED
-1 or lower	None
0	All except Punch
1-2	All except Kick
3	Club and Physical Weapons Only
4+	None

VTOL COMBAT VEHICLE CRITICAL HITS TABLE

LOCATION HIT		FRONT		SIDE		REAR		ROTORS		TURRET	
2-5	No Critical Hit	No Critical Hit		No Critical Hit		No Critical Hit		No Critical Hit		No Critical Hit	
6	Copilot Hit	Weapon Malfunction		Cargo/Infantry Hit		Rotor Damage		Stabilizer		Turret Jam	
7	Weapon Malfunction	Stabilizer		Weapon Destroyed		Rotor Damage		Weapon Malfunction		Turret Locks	
8	Stabilizer	Sensors		Sensors		Flight Stabilizer Hit		Weapon Destroyed		Ammunition**	
9	Sensors	Engine Hit		Ammunition**		Engine Hit		Rotor Destroyed		Turret Blown Off	
10	Pilot Hit	Fuel Tank*		Fuel Tank*		Fuel Tank*		Fuel Tank*		Fuel Tank*	
11	Weapon Destroyed	Fuel Tank*		Fuel Tank*		Fuel Tank*		Fuel Tank*		Fuel Tank*	
12	Crew Killed	Fuel Tank*		Fuel Tank*		Fuel Tank*		Fuel Tank*		Fuel Tank*	

*Only if the VTOL has an ICE engine. For VTOLs with fusion engines, treat this result as Engine Hit.

** If the VTOL carries no ammunition, treat this result as Weapon Destroyed.

MOVEMENT COSTS

Cost to Enter Hex (Airborne): 1	
Woods	Prohibited
(except along road)	
Building	Prohibited
Level Change (Up or Down) +1/level	
Additional Movement Actions	
Facing change	1/hex side

DRIVING SKILL ROLL TABLE

Unit's Actions	
Flanking movement	Possible sideslip after facing change
Sideslip Movement	
Hexes moved in turn	
0-2	-1
3-4	0
5-7	+1
8-10	+2
11-17	+3
18-24	+4
25+	+5

Entering/leaving building hex

Light building	0
Medium building	+1
Heavy building	+2
Hardened building	+3

Hexes moved in turn

1-2	0
3-4	+1
5-6	+2
7-9	+3
10-17	+4
18-24	+5
25+	+6

MOVEMENT RECORD

Turn #	1	2	3	4	5	6	7	8	9	10
Hex/Facing										
Move Mode										
Hexes Moved										

Turn #	11	12	13	14	15	16	17	18	19	20
Hex/Facing										
Move Mode										
Hexes Moved										

CLUSTER HITS TABLE

Die Roll (2D6)	
2	1
3	2
4	2
5	2
6	2
7	3
8	3
9	3
10	3
11	4
12	4