

BATTLEMECH RECORD SHEET

[illegible]

BATTLEMECH RECORD SHEET

Die Roll (2D6)	10
2	3
3	3
4	4
5	6
6	6
7	6
8	6
9	8
10	8
11	10
12	10

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Jump Jet

[illegible]

BATTLETECH™

BATTLEMECH RECORD SHEET

MECH DATA

Type: Marauder MAD-7R

Movement Points:

Walking: 4

Running: 6

Jumping: 0

Engine Type: 300 XL

Tonnage: 75

Tech Base: Inner Sphere

Rules Level: Standard

Role: Sniper

WARRIOR DATA

Name: Elaine David

Gunnery Skill: 4

Piloting Skill: 5

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead

Weapons & Equipment Inventory

(hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Ln
1	ER PPC	LA	15	10 [DE]	—	7	14	23
1	Medium X-Pulse Laser	LA	6	6 [P]	—	3	6	9
1	ER PPC	RA	15	10 [DE]	—	7	14	23
1	Medium X-Pulse Laser	RA	6	6 [P]	—	3	6	9
1	Light Gauss Rifle	RT	1	8 [DB,X]	3	8	17	25
1	ECM Suite (Guardian)	RT	—	[E]	—	—	—	6

Total Heat (Dissipation): 43 (30)

Ammo: (Light Gauss) 32

Quirks: Command Mek, Hyper-Extending Actuators, Narrow/Low Profile

BV: 1,832



CRITICAL TABLE

Left Arm

- Shoulder
- Upper Arm Actuator
- Lower Arm Actuator
- Double Heat Sink
- Double Heat Sink
- Double Heat Sink

1-3

- ER PPC
- ER PPC
- ER PPC
- Medium X-Pulse Laser
- Ferro-Fibrous
- Ferro-Fibrous

4-6

Left Torso

- XL Fusion Engine
- XL Fusion Engine
- XL Fusion Engine
- Double Heat Sink
- Double Heat Sink
- Double Heat Sink

1-3

- Ferro-Fibrous
- Ferro-Fibrous
- Ferro-Fibrous
- Ferro-Fibrous
- Ferro-Fibrous
- Roll Again

4-6

Left Leg

- Hip
- Upper Leg Actuator
- Lower Leg Actuator
- Foot Actuator
- Ferro-Fibrous
- Ferro-Fibrous

Head

- Life Support
- Sensors
- Cockpit
- Ferro-Fibrous
- Sensors
- Life Support

Center Torso

- XL Fusion Engine
- XL Fusion Engine
- XL Fusion Engine
- Gyro
- Gyro
- Gyro

1-3

- Gyro
- XL Fusion Engine
- XL Fusion Engine
- XL Fusion Engine
- Ammo (Light Gauss) 16
- Ammo (Light Gauss) 16

4-6

Engine Hits ○○○○
Gyro Hits ○○○○
Sensor Hits ○○○○
Life Support ○



Damage Transfer Diagram

Right Arm

- Shoulder
- Upper Arm Actuator
- Lower Arm Actuator
- Double Heat Sink
- Double Heat Sink
- Double Heat Sink

1-3

- ER PPC
- ER PPC
- ER PPC
- Medium X-Pulse Laser
- Ferro-Fibrous
- Ferro-Fibrous

4-6

Right Torso (CASE II)

- XL Fusion Engine
- XL Fusion Engine
- XL Fusion Engine
- Light Gauss Rifle
- Light Gauss Rifle
- Light Gauss Rifle

1-3

- Light Gauss Rifle
- Light Gauss Rifle
- ECM Suite (Guardian)
- ECM Suite (Guardian)
- CASE II
- Roll Again


4-6

Right Leg

- Hip
- Upper Leg Actuator
- Lower Leg Actuator
- Foot Actuator
- Ferro-Fibrous
- Ferro-Fibrous

ARMOR DIAGRAM

Ferro-Fibrous



HIT LOCATION TABLE

Die Roll (2D6)	LS	F/R	RS
2*	LT(C)	CT(C)	RT(C)
3	LL	RA	RL
4	LA	RA	RA
5	LA	RL	RA
6	LL	RT	RL
7	LT	CT	RT
8	CT	LT	CT
9	RT	LL	LT
10	RA	LA	LA
11	RL	LA	LL
12	HD	HD	HD


*A result of 2 may inflict a critical hit

TO-HIT MODIFIERS

Attacker	
Stationary	+0
Walked	+1
Ran	+2
Prone	+2
Skidding	+1
Terrain	
Light Woods	+1/hex
Heavy Woods	+2/hex
Partial Cover	+1
Target	
Prone (adjacent hex)	-2
Prone (other hex)	+1
Immobile	-4
Skidding	-2
Moved 0-2 hexes	+0
Moved 3-4 hexes	+1
Moved 5-6 hexes	+2
Moved 7-9 hexes	+3
Moved 10-17 hexes	+4
Moved 18-24 hexes	+5
Moved 25+ hexes	+6
Jumped	+1
BattleArmor unit	+1
Secondary target (front)	+1
Secondary target (side/rear)	+2
Large support vehicle or grounded DropShip	-1
Damage	
Sensor hit	+2
Shoulder hit	+4
Arm Actuator	+1

INTERNAL STRUCTURE DIAGRAM

Standard Structure



Heat Scale

Overflow

30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

HEAT DATA

Heat	Effects
Level*	
30	Shutdown
28	Ammo Exp, avoid on 8+
26	Shutdown, avoid on 10+
25	-5 Movement Points
24	+4 Modifier to Fire
23	Ammo Exp, avoid on 6+
22	Shutdown, avoid on 8+
20	-4 Movement Points
19	Ammo Exp, avoid on 4+
18	Shutdown, avoid on 6+
17	+3 Modifier to Fire
15	-3 Movement Points
14	Shutdown, avoid on 4+
13	+2 Modifier to Fire
10	-2 Movement Points
8	+1 Modifier to Fire
5	-1 Movement Points

Double Heat Sinks: 15 (30)



© 2024 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

MOVEMENT RECORD

Turn #	1	2	3	4	5	6	7	8	9	10
Hex/Facing										
Move Mode										

Turn #	11	12	13	14	15	16	17	18	19	20
Hex/Facing										
Move Mode										

KICK LOCATION TABLE

Die Roll (1D6)	LS	F/R	RS
1-3	LL	RL	RL
4-6	LL	LL	RL

FACING AFTER FALL

Die Roll (1D6)	New Facing	Hit Location
1	Same Direction	Front
2	1 Hexside Right	Right Side
3	2 Hexsides Right	Right Side
4	Opposite Direction	Rear
5	2 Hexsides Left	Left Side
6	1 Hexside Left	Left Side

BATTLEMECH RECORD SHEET

Die Roll (1D6)	New Facing	Hit Location
1	Same Direction	Front
2	1 Hexside Right	Right Side
3	2 Hexsides Right	Right Side
4	Opposite Direction	Rear
5	2 Hexsides Left	Left Side
6	1 Hexside Left	Left Side

Die Roll (1D6)	New Facing	Hit Location
1	Same Direction	Front
2	1 Hexside Right	Right Side
3	2 Hexsides Right	Right Side
4	Opposite Direction	Rear
5	2 Hexsides Left	Left Side
6	1 Hexside Left	Left Side

BATTLETECH™

BATTLEMECH RECORD SHEET

MECH DATA

Type: Phoenix Hawk PXH-3PL
Movement Points: 45
Walking: 6
Running: 9
Jumping: 6
Engine Type: 270 XL
Tonnage: 45
Tech Base: Inner Sphere
Rules Level: Standard
Role: Striker

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Ln
2	Medium Pulse Laser	LA	4	6 [P]	—	2	4	6
1	Large Pulse Laser	RA	10	9 [P]	—	3	7	10
1	Targeting Computer	LT	—	[E]	—	—	—	—
2	ER Small Laser	RT	2	3 [DE]	—	2	4	5

Total Heat (Dissipation): 22 (24)

Quirks: Command Mek, Improved Communications, Ubiquitous (Inner Sphere), Ubiquitous (Clans)

BV: 1,244


WARRIOR DATA

Name:	Dave Cestini					
Gunnery Skill:	4	Piloting Skill:	5			
Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM

Standard Armor



HIT LOCATION TABLE

Die Roll (2D6)	LS	F/R	RS
2*	LT(C)	CT(C)	RT(C)
3	LL	RA	RL
4	LA	RA	RA
5	LA	RL	RA
6	LL	RT	RL
7	LT	CT	RT
8	CT	LT	CT
9	RT	LL	LT
10	RA	LA	LA
11	RL	LA	LL
12	HD	HD	HD

*A result of 2 may inflict a critical hit


TO-HIT MODIFIERS

Attacker	
Stationary	+0
Walked	+1
Ran	+2
Jumped	+3
Prone	+2
Skidding	+1
Terrain	
Light Woods	+1/hex
Heavy Woods	+2/hex
Partial Cover	+1
Target	
Prone (adjacent hex)	-2
Prone (other hex)	+1
Immobile	-4
Skidding	-2
Moved 0-2 hexes	+0
Moved 3-4 hexes	+1
Moved 5-6 hexes	+2
Moved 7-9 hexes	+3
Moved 10-17 hexes	+4
Moved 18-24 hexes	+5
Moved 25+ hexes	+6
Jumped	+1
BattleArmor unit	+1
Secondary target (front)	+1
Secondary target (side/rear)	+2
Large support vehicle or grounded DropShip	-1
Damage	
Sensor hit	+2
Shoulder hit	+4
Arm Actuator	+1

CRITICAL TABLE

Left Arm	Head	Right Arm
1. Shoulder	1. Life Support	1. Shoulder
2. Upper Arm Actuator	2. Sensors	2. Upper Arm Actuator
3. Lower Arm Actuator	3. Cockpit	3. Lower Arm Actuator
4. Hand Actuator	4. Endo Steel	4. Hand Actuator
5. Double Heat Sink	5. Sensors	5. Double Heat Sink
6. Double Heat Sink	6. Life Support	6. Double Heat Sink
Center Torso	Left Torso	Right Torso
1. XL Fusion Engine	1. Double Heat Sink	1. Double Heat Sink
2. XL Fusion Engine	2. Medium Pulse Laser	2. Large Pulse Laser
3. XL Fusion Engine	3. Medium Pulse Laser	3. Large Pulse Laser
4. Endo Steel	4. Endo Steel	4. Endo Steel
5. Endo Steel	5. Endo Steel	5. Endo Steel
6. Endo Steel	6. Endo Steel	6. Endo Steel
Left Leg	Right Leg	
1. XL Fusion Engine	1. XL Fusion Engine	
2. XL Fusion Engine	2. XL Fusion Engine	
3. XL Fusion Engine	3. XL Fusion Engine	
4. Jump Jet	4. Jump Jet	
5. Jump Jet	5. Jump Jet	
6. Jump Jet	6. Jump Jet	


Engine Hits ○○○○
Gyro Hits ○○○○
Sensor Hits ○○○○
Life Support ○



Damage Transfer Diagram

INTERNAL STRUCTURE DIAGRAM

Endo Steel



Heat Scale

Heat Scale
Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

HEAT DATA

Heat	Effects
Level*	
30	Shutdown
28	Ammo Exp, avoid on 8+
26	Shutdown, avoid on 10+
25	-5 Movement Points
24	+4 Modifier to Fire
23	Ammo Exp, avoid on 6+
22	Shutdown, avoid on 8+
20	-4 Movement Points
19	Ammo Exp, avoid on 4+
18	Shutdown, avoid on 6+
17	+3 Modifier to Fire
15	-3 Movement Points
14	Shutdown, avoid on 4+
13	+2 Modifier to Fire
10	-2 Movement Points
8	+1 Modifier to Fire
5	-1 Movement Points

Double Heat Sinks:

12 (24)

PHYSICAL ATTACKS

Attack	To-Hit	Damage
Punch	+0	5
Kick	-2	9
Push	-1	—
Club	-1	9
Charge	+0*	4/Hex
DFA	+0*	14

*Modified by target piloting skill

PUNCH LOCATION TABLE

Die Roll (1D6)	LS	F/R	RS
1	LT	LA	RT
2	LT	LT	RT
3	CT	CT	CT
4	LA	RT	RA
5	LA	RA	RA
6	HD	HD	HD

KICK LOCATION TABLE

Die Roll (1D6)	LS	F/R	RS
1-3	LL	RL	RL
4-6	LL	LL	RL

FACING AFTER FALL

Die Roll (1D6)	New Facing	Hit Location
1	Same Direction	Front
2	1 Hexside Right	Right Side
3	2 Hexsides Right	Right Side
4	Opposite Direction	Rear
5	2 Hexsides Left	Left Side
6	1 Hexside Left	Left Side

MOVEMENT RECORD

Turn #	1	2	3	4	5	6	7	8	9	10
Hex/Facing										
Move Mode										

Turn #	11	12	13	14	15	16	17	18	19	20
Hex/Facing										
Move Mode										