

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Tian-Zong TNZ-N3

Movement Points:

Walking: 4

Running: 6

Jumping: 0

Engine Type: 300 XL

Tonnage: 75

Tech Base: Inner Sphere

Rules Level: Standard

Role: Sniper

WARRIOR DATA

Name: Sao-shao Quentin Burkitt

Gunnery Skill: 2

Piloting Skill: 4

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead

Weapons & Equipment Inventory


(hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	Light PPC	LA	5	5 [DE]	3	6	12	18
1	Light PPC	RA	5	5 [DE]	3	6	12	18
1	Gauss Rifle	LT	1	15 [DB,X]	2	7	15	22
1	Gauss Rifle	RT	1	15 [DB,X]	2	7	15	22
1	Angel ECM Suite	CT	—	[E]	—	—	—	6

Ammo: (Gauss) 24


Quirks: Command Mek

BV: 3,191




ARMOR DIAGRAM

Stealth



INTERNAL STRUCTURE DIAGRAM

Endo-Composite



Heat Scale

Overflow

30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

CRITICAL TABLE

Left Arm

- Shoulder
- Upper Arm Actuator
- Lower Arm Actuator
- Hand Actuator
- Light PPC
- Light PPC

1-3

- Ammo (Gauss) 8
- Endo-Composite
- Endo-Composite
- Endo-Composite
- Stealth
- Stealth

4-6

Left Torso

- XL Fusion Engine
- XL Fusion Engine
- XL Fusion Engine
- Gauss Rifle
- Gauss Rifle
- Gauss Rifle

1-3

- Gauss Rifle
- Gauss Rifle
- Gauss Rifle
- Gauss Rifle
- Stealth
- Stealth

4-6

Left Leg

- Hip
- Upper Leg Actuator
- Lower Leg Actuator
- Foot Actuator
- Stealth
- Stealth

Head

- Life Support
- Sensors
- Small Cockpit
- Sensors
- Ammo (Gauss) 8
- Endo-Composite

1-3


Center Torso

- XL Fusion Engine
- XL Fusion Engine
- XL Fusion Engine
- Gyro
- Gyro
- Gyro

4-6

- Gyro
- XL Fusion Engine
- XL Fusion Engine
- XL Fusion Engine
- Angel ECM Suite
- Angel ECM Suite

Engine Hits ○○○○
Gyro Hits ○○○○
Sensor Hits ○○○○
Life Support ○



Damage Transfer Diagram

Right Arm

- Shoulder
- Upper Arm Actuator
- Lower Arm Actuator
- Hand Actuator
- Light PPC
- Light PPC

1-3

- Ammo (Gauss) 8
- Endo-Composite
- Endo-Composite
- Endo-Composite
- Stealth
- Stealth

4-6

Right Torso

- XL Fusion Engine
- XL Fusion Engine
- XL Fusion Engine
- Gauss Rifle
- Gauss Rifle
- Gauss Rifle

1-3

- Gauss Rifle
- Gauss Rifle
- Gauss Rifle
- Gauss Rifle
- Stealth
- Stealth

4-6

Right Leg

- Hip
- Upper Leg Actuator
- Lower Leg Actuator
- Foot Actuator
- Stealth
- Stealth

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Jackalope JLP-BD

Movement Points:

Walking: 8

Running: 12

Jumping: 8

Engine Type: 240 XL

Tonnage: 30

Tech Base: Clan

Rules Level: Standard

Role: Striker

Weapons & Equipment Inventory

(hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	ER Medium Laser	LA	5	7 [DE]	—	5	10	15
1	ER Medium Laser	RA	5	7 [DE]	—	5	10	15
1	ATM 6	RT	4	[M,C,S]				
	Standard			2/Msl	4	5	10	15
	Extended Range			1/Msl	4	9	18	27
	High Explosive			3/Msl	—	3	6	9
1	Light Active Probe	RT	—	[E]	—	—	—	3
1	Laser AMS	HD	5	[PB]	—	1	—	—

Ammo: (ATM 6) 10

Quirks: Compact Mek, Narrow/Low Profile

BV: 1,395

WARRIOR DATA

Name: Si-ben-bing Lotty Gillich

Gunnery Skill: 4


Piloting Skill: 5

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead




ARMOR DIAGRAM

Ferro-Fibrous



INTERNAL STRUCTURE DIAGRAM

Endo Steel



Heat Scale

Overflow

30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

CRITICAL TABLE

Left Arm

- Shoulder
- Upper Arm Actuator
- ER Medium Laser
- Endo Steel
- Endo Steel
- Endo Steel

1-3

- Endo Steel
- Endo Steel
- Endo Steel
- Endo Steel
- Roll Again
- Roll Again

4-6

Left Torso (CASE)

- XL Fusion Engine
- XL Fusion Engine
- Jump Jet
- Jump Jet
- Jump Jet
- Jump Jet

1-3

- Ammo (ATM 6) 10
- Roll Again
- Roll Again
- Roll Again
- Roll Again
- Roll Again

4-6

Left Leg

- Hip
- Upper Leg Actuator
- Lower Leg Actuator
- Foot Actuator
- Roll Again
- Roll Again

Head

- Life Support
- Sensors
- Cockpit
- Laser AMS
- Sensors
- Life Support

Center Torso

- XL Fusion Engine
- XL Fusion Engine
- XL Fusion Engine
- Gyro
- Gyro
- Gyro

1-3

4-6

- Gyro
- XL Fusion Engine
- XL Fusion Engine
- XL Fusion Engine
- Double Heat Sink
- Double Heat Sink

Engine Hits ○○○○
Gyro Hits ○○○○
Sensor Hits ○○○○
Life Support ○

Right Arm

- Shoulder
- Upper Arm Actuator
- ER Medium Laser
- Ferro-Fibrous
- Ferro-Fibrous
- Ferro-Fibrous

1-3

- Ferro-Fibrous
- Ferro-Fibrous
- Ferro-Fibrous
- Ferro-Fibrous
- Roll Again
- Roll Again

4-6

Right Torso

- XL Fusion Engine
- XL Fusion Engine
- Jump Jet
- Jump Jet
- Jump Jet
- Jump Jet


1-3

- ATM 6
- ATM 6
- ATM 6
- Light Active Probe
- Roll Again
- Roll Again

4-6

Right Leg

- Hip
- Upper Leg Actuator
- Lower Leg Actuator
- Foot Actuator
- Roll Again
- Roll Again



Damage Transfer Diagram



BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Sha Yu SYU-2B

Movement Points:

Walking: 7

Running: 11

Jumping: 0

Engine Type: 280 XL

Tonnage: 40

Tech Base: Inner Sphere

Rules Level: Standard

Role: Sniper

WARRIOR DATA

Name: Si-ben-bing Florence Fei

Gunnery Skill: 4

Piloting Skill: 5

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead


Weapons & Equipment Inventory

(hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	ER Large Laser	LA	12	8 [DE]	—	7	14	19
1	ER Large Laser	RA	12	8 [DE]	—	7	14	19
1	ER Medium Laser	LT	5	5 [DE]	—	4	8	12
1	ER Medium Laser	RT	5	5 [DE]	—	4	8	12
1	ECM Suite (Guardian)	CT	—	[E]	—	—	—	6
1	TAG	HD	—	[E]	—	5	9	15


Quirks: Improved Communications

BV: 1,439




ARMOR DIAGRAM

Stealth



INTERNAL STRUCTURE DIAGRAM

Endo Steel



Heat Scale

Overflow

30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

CRITICAL TABLE

Left Arm

- Shoulder
- Upper Arm Actuator
- ER Large Laser
- ER Large Laser
- Endo Steel
- Endo Steel

1-3

- Endo Steel
- Endo Steel
- Stealth
- Stealth
- Roll Again
- Roll Again

4-6

Left Torso

- XL Fusion Engine
- XL Fusion Engine
- XL Fusion Engine
- Double Heat Sink
- Double Heat Sink
- Double Heat Sink

1-3

- ER Medium Laser
- Endo Steel
- Endo Steel
- Endo Steel
- Stealth
- Stealth

4-6

Left Leg

- Hip
- Upper Leg Actuator
- Lower Leg Actuator
- Foot Actuator
- Stealth
- Stealth

Head

- Life Support
- Sensors
- Cockpit
- TAG
- Sensors
- Life Support

1-3


Center Torso

- XL Fusion Engine
- XL Fusion Engine
- XL Fusion Engine
- Gyro
- Gyro
- Gyro

4-6

- Gyro
- XL Fusion Engine
- XL Fusion Engine
- XL Fusion Engine
- ECM Suite (Guardian)
- ECM Suite (Guardian)

Engine Hits ○○○○
Gyro Hits ○○○○
Sensor Hits ○○○○
Life Support ○



Damage Transfer Diagram

Right Arm

- Shoulder
- Upper Arm Actuator
- ER Large Laser
- ER Large Laser
- Endo Steel
- Endo Steel

1-3

- Endo Steel
- Endo Steel
- Stealth
- Stealth
- Roll Again
- Roll Again

4-6

Right Torso

- XL Fusion Engine
- XL Fusion Engine
- XL Fusion Engine
- Double Heat Sink
- Double Heat Sink
- Double Heat Sink

1-3

- ER Medium Laser
- Endo Steel
- Endo Steel
- Endo Steel
- Stealth
- Stealth

4-6

Right Leg

- Hip
- Upper Leg Actuator
- Lower Leg Actuator
- Foot Actuator
- Stealth
- Stealth

HEAT DATA

Heat Level*	Effects	Double Heat Sinks: 13 (26)
30	Shutdown	○○○
28	Ammo Exp, avoid on 8+	○○○
26	Shutdown, avoid on 10+	○○○
25	-5 Movement Points	○○○
24	+4 Modifier to Fire	○○○
23	Ammo Exp, avoid on 6+	○○○
22	Shutdown, avoid on 8+	○○○
20	-4 Movement Points	○○○
19	Ammo Exp, avoid on 4+	○○○
18	Shutdown, avoid on 6+	○○○
17	+3 Modifier to Fire	○○○
15	-3 Movement Points	○○○
14	Shutdown, avoid on 4+	○○○
13	+2 Modifier to Fire	○○○
10	-2 Movement Points	○○○
8	+1 Modifier to Fire	○○○
5	-1 Movement Points	○○○

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Flea FLE-17
Movement Points: 6
Walking: 6
Running: 9 [12]
Jumping: 0
Engine Type: 120 Fusion
Tonnage: 20
Tech Base: Inner Sphere
Rules Level: Standard
Role: Striker


Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	Medium Pulse Laser	LA	4	6 [P]	—	2	4	6
1	Medium Pulse Laser	RA	4	6 [P]	—	2	4	6
1	Small Laser (R)	LT	1	3 [DE]	—	1	2	3
1	Small Laser (R)	RT	1	3 [DE]	—	1	2	3
1	Flamer	CT	3	2 [DE,H,AI]	—	1	2	3

WARRIOR DATA

Name: Si-ben-bing Primo Ingrao
Gunnery Skill: 4 Piloting Skill: 4
Hits Taken
Consciousness #

1	2	3	4	5	6
3	5	7	10	11	Dead



Quirks: Easy to Maintain, Improved Life Support, No/Minimal Arms


BV: 561



CRITICAL TABLE


Left Arm	Life Support	Right Arm
1. Shoulder	2. Sensors	1. Shoulder
2. Upper Arm Actuator	3. Cockpit	2. Upper Arm Actuator
3. Medium Pulse Laser	4. Roll Again	3. Medium Pulse Laser
4. Roll Again	5. Sensors	4. Roll Again
5. Roll Again	6. Life Support	5. Roll Again
6. Roll Again		6. Roll Again
	Center Torso	
1. Roll Again	1. Fusion Engine	1. Roll Again
2. Roll Again	2. Fusion Engine	2. Roll Again
3. Roll Again	3. Fusion Engine	3. Roll Again
4. Roll Again	4. Gyro	4. Roll Again
5. Roll Again	5. Gyro	5. Roll Again
6. Roll Again	6. Gyro	6. Roll Again
Left Torso		Right Torso
1. Heat Sink	1. Gyro	1. Heat Sink
2. Small Laser (R)	2. Fusion Engine	2. Small Laser (R)
3. Endo Steel	3. Fusion Engine	3. Endo Steel
4. Endo Steel	4. Fusion Engine	4. Endo Steel
5. Endo Steel	5. MASC	5. Endo Steel
6. Endo Steel	6. Flamer	6. Endo Steel
1. Endo Steel	Engine Hits ○○○○	1. Endo Steel
2. Endo Steel	Gyro Hits ○○	2. Endo Steel
3. Endo Steel	Sensor Hits ○○	3. Endo Steel
4. Roll Again	Life Support ○	4. Roll Again
5. Roll Again		5. Roll Again
6. Roll Again		6. Roll Again
Left Leg		Right Leg
1. Hip		1. Hip
2. Upper Leg Actuator		2. Upper Leg Actuator
3. Lower Leg Actuator		3. Lower Leg Actuator
4. Foot Actuator		4. Foot Actuator
5. Heat Sink		5. Heat Sink
6. Heat Sink		6. Heat Sink





Damage Transfer
Diagram


Engine Hits ○○○○
Gyro Hits ○○○○
Sensor Hits ○○○○
Life Support ○



Damage Transfer Diagram


ARMOR DIAGRAM

Standard Armor



INTERNAL STRUCTURE DIAGRAM

Endo Steel



Heat Scale

Overflow

30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

HEAT DATA

Heat Level*	Effects
30	Shutdown
28	Ammo Exp, avoid on 8+
26	Shutdown, avoid on 10+
25	-5 Movement Points
24	+4 Modifier to Fire
23	Ammo Exp, avoid on 6+
22	Shutdown, avoid on 8+
20	-4 Movement Points
19	Ammo Exp, avoid on 4+
18	Shutdown, avoid on 6+
17	+3 Modifier to Fire
15	-3 Movement Points
14	Shutdown, avoid on 4+
13	+2 Modifier to Fire
10	-2 Movement Points
8	+1 Modifier to Fire
5	-1 Movement Points

Heat Sinks: 10



Mechanized Wheeled Platoon (Rifle, Arrow IV)

Armor Type: Generic Infantry Kit

Damage Divisor: 1.0

Commander: Sao-wei Feliks Neuman

Gunnery Skill: 4

Anti-Mech Skill: N/A

Role: Ambusher

Max Weapon Damage*

Notes:
None

30	29	28	27	26	25	24	23	22	21	20	19	18	17	16	15	14	13	12	11	10	9	8	7	6	5	4	3	2	1
—	—	—	—	—	—	12	12	11	11	10	10	9	9	8	8	7	7	6	6	5	5	4	4	3	3	2	2	1	1
*Damage is always applied in 2-point Damage Value groupings																													
RANGE IN HEXES (TO-HIT MODIFIER)																													
Range: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21																													
Range Modifier: -2 0 +2 +4 —																													
Qty	Field Gun Type	Dmg	Min	S	M	L	Ammo	Crew																					
1	Arrow IV	20 [AE,S,F]	—	1	2	8	5	15																					

BV: 202

Transport Wt: 40.0 tons

Movement MP: 1

Type: Mechanized Wheeled

Mechanized Wheeled Platoon (Rifle, Arrow IV)

Armor Type: Generic Infantry Kit

Damage Divisor: 1.0

Commander: Sao-wei Feostirikt Droz

Gunnery Skill: 4

Anti-Mech Skill: N/A

Role: Ambusher

Max Weapon Damage*

Notes:
None

30	29	28	27	26	25	24	23	22	21	20	19	18	17	16	15	14	13	12	11	10	9	8	7	6	5	4	3	2	1
—	—	—	—	—	—	12	12	11	11	10	10	9	9	8	8	7	7	6	6	5	5	4	4	3	3	2	2	1	1
*Damage is always applied in 2-point Damage Value groupings																													
RANGE IN HEXES (TO-HIT MODIFIER)																													
Range: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21																													
Range Modifier: -2 0 +2 +4 —																													
Qty	Field Gun Type	Dmg	Min	S	M	L	Ammo	Crew																					
1	Arrow IV	20 [AE,S,F]	—	1	2	8	5	15																					

BV: 202

Transport Wt: 40.0 tons

Movement MP: 1

Type: Mechanized Wheeled

BURST-FIRE WEAPON DAMAGE VS. CONVENTIONAL INFANTRY	
'MECHS, PROTOMECHS AND VEHICLES	
WEAPON	DAMAGE VS. CONVENTIONAL INFANTRY
AP Gauss Rifle	2D6
Light Machine Gun	1D6
Machine Gun	2D6
Heavy Machine Gun	3D6
Small/Micro Pulse Laser	2D6
Flamer	4D6
BATTLE ARMOR	
WEAPON	DAMAGE VS. CONVENTIONAL INFANTRY
Light Machine Gun	1D6/2 (round up)
Machine Gun	1D6
Heavy Machine Gun	2D6
Flamer	3D6
Light Recoilless Rifle	1D6
Medium Recoilless Rifle	2D6
Heavy Recoilless Rifle	2D6
Light Mortar	1D6
Heavy Mortar	1D6
Automatic Grenade Launcher	1D6/2 (round up)
Heavy Grenade Launcher	1D6

NON-INFANTRY WEAPON AGAINST INFANTRY	
WEAPON TYPE*	NUMBER OF CONVENTIONAL TROOPERS HIT†
Direct Fire (Energy or Ballistic)	Damage Value / 10
Cluster (Ballistic)	Damage Value / 10 + 1
Pulse**	Damage Value / 10 + 2
Cluster (Missile)	Damage Value / 5
Area Effect (AE)	Damage Value / 5
Burst-Fire	See Burst-Fire Weapons Table
Heat Effect Weapons	See Heat-Effect Weapons‡
*See Combat, p. 113 in <i>Total Warfare</i> , for weapon terminology.	
**Except for Small and Micro Pulse Lasers, which are treated as Burst-Fire Weapons.	
†This equals the number of conventional infantry troopers hit and eliminated, regardless of armor protection. Attacks by non-infantry weapons against mechanized infantry double the number of troopers eliminated; round fractions up.	
‡Each Heat-Effect Weapon has specific damage against conventional infantry, as noted on either the appropriate Weapon and Equipment Tables or in <i>Other Combat Weapons and Equipment</i> (see p. 129 in <i>Total Warfare</i>).	

