BATTLETECH™

OMNIMECH RECORD SHEET

'MECH DATA

Type: Dire Wolf Prime

Movement Points:		**Tonnage:**	100
Walking:	3	**Tech Base:**	Clan
Running:	5	**Rules Level:**	Standard
Jumping:	0	**Role:**	Juggernaut
Engine Type:	300 XL		

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
2	ER Large Laser	LA	12	10 [DE]	—	8	15	25
1	Ultra AC/5	LA	1	5/Sht [DB,R/C]	—	7	14	21
2	Medium Pulse Laser	LA	4	7 [P]	—	4	8	12
2	ER Large Laser	RA	12	10 [DE]	—	8	15	25
1	Ultra AC/5	RA	1	5/Sht [DB,R/C]	—	7	14	21
2	Medium Pulse Laser	RA	4	7 [P]	—	4	8	12
1	LRM 10	LT	4	1/Msl [M,C,S]	—	7	14	21

Total Heat (Dissipation): 70 (44)

Ammo: (LRM 10) 12, (Ultra AC/5) 40

Quirks: Improved Targeting (Long), Difficult Ejection

BV: 4,556

WARRIOR DATA

Name: Star Captain Benjamin Wilmer

Gunnery Skill: 2 **Piloting Skill:** 3

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM

Standard Armor



INTERNAL STRUCTURE DIAGRAM

Standard Structure



Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

CRITICAL TABLE

Left Arm (CASE)
1. Shoulder
2. Upper Arm Actuator
3. ER Large Laser
4. ER Large Laser
5. Ultra AC/5
6. Ultra AC/5

1-3

1. Ultra AC/5
2. Medium Pulse Laser
3. Medium Pulse Laser
4. Ammo (Ultra AC/5) 20
5. Roll Again
6. Roll Again

4-6

Left Torso (CASE)
1. XL Fusion Engine
2. XL Fusion Engine
3. Double Heat Sink
4. Double Heat Sink
5. Double Heat Sink
6. Double Heat Sink

1-3

1. Double Heat Sink
2. Double Heat Sink
3. Double Heat Sink
4. Double Heat Sink
5. LRM 10
6. Ammo (LRM 10) 12

4-6

Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Double Heat Sink
6. Double Heat Sink

Head
1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support

Center Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Gyro
5. Gyro
6. Gyro

1-3

1. Gyro
2. XL Fusion Engine
3. XL Fusion Engine
4. XL Fusion Engine
5. Double Heat Sink
6. Double Heat Sink

4-6

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○



Damage Transfer Diagram

Right Arm (CASE)
1. Shoulder
2. Upper Arm Actuator
3. ER Large Laser
4. ER Large Laser
5. Ultra AC/5
6. Ultra AC/5

1-3

1. Ultra AC/5
2. Medium Pulse Laser
3. Medium Pulse Laser
4. Ammo (Ultra AC/5) 20
5. Roll Again
6. Roll Again

4-6

Right Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. Double Heat Sink
4. Double Heat Sink
5. Double Heat Sink
6. Double Heat Sink

1-3

1. Double Heat Sink
2. Double Heat Sink
3. Double Heat Sink
4. Double Heat Sink
5. Roll Again
6. Roll Again

4-6

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

HEAT DATA

Double Heat Sinks: 22 (44)

Heat Level*	Effects
30	Shutdown
28	Ammo Exp, avoid on 8+
26	Shutdown, avoid on 10+
25	-5 Movement Points
24	+4 Modifier to Fire
23	Ammo Exp, avoid on 6+
22	Shutdown, avoid on 8+
20	-4 Movement Points
19	Ammo Exp, avoid on 4+
18	Shutdown, avoid on 6+
17	+3 Modifier to Fire
15	-3 Movement Points
14	Shutdown, avoid on 4+
13	+2 Modifier to Fire
10	-2 Movement Points
8	+1 Modifier to Fire
5	-1 Movement Points

HIT LOCATION TABLE

Die Roll (2D6)	LS	F/R	RS
2*	LT(C)	CT(C)	RT(C)
3	LL	RA	RL
4	LA	RA	RA
5	LA	RL	RA
6	LL	RT	RL
7	LT	CT	RT
8	CT	LT	CT
9	RT	LL	LT
10	RA	LA	LA
11	RL	LA	LL
12	HD	HD	HD

*A result of 2 may inflict a critical hit.

TO-HIT MODIFIERS

Attacker	
Stationary	+0
Walked	+1
Ran	+2
Prone	+2
Skidding	+1
Terrain	
Light Woods	+1/hex
Heavy Woods	+2/hex
Partial Cover	+1
Target	
Prone (adjacent hex)	-2
Prone (other hex)	+1
Immobile	-4
Skidding	-2
Moved 0-2 hexes	+0
Moved 3-4 hexes	+1
Moved 5-6 hexes	+2
Moved 7-9 hexes	+3
Moved 10-17 hexes	+4
Moved 18-24 hexes	+5
Moved 25+ hexes	+6
Jumped	+1
BattleArmor unit	+1
Secondary target (front)	+1
Secondary target (side/rear)	+2
Large support vehicle or grounded DropShip	-1
Damage	
Sensor hit	+2
Shoulder hit	+4
Arm Actuator	+1

PHYSICAL ATTACKS

Attack	To-Hit	Damage
Punch	+3	5
Kick	-2	20
Push	-1	—
Charge	+0*	10/Hex

*Modified by target piloting skill

PUNCH LOCATION TABLE

Die Roll (1D6)	LS	F/R	RS
1	LT	LA	RT
2	LT	LT	RT
3	CT	CT	CT
4	LA	RT	RA
5	LA	RA	RA
6	HD	HD	HD

KICK LOCATION TABLE

Die Roll (1D6)	LS	F/R	RS
1-3	LL	RL	RL
4-6	LL	LL	RL

FACING AFTER FALL

Die Roll (1D6)	New Facing	Hit Location
1	Same Direction	Front
2	1 Hexside Right	Right Side
3	2 Hexsides Right	Right Side
4	Opposite Direction	Rear
5	2 Hexsides Left	Left Side
6	1 Hexside Left	Left Side

CLUSTER HITS TABLE

Die Roll (2D6)	2	10
2	1	3
3	1	3
4	1	4
5	1	6
6	1	6
7	1	6
8	2	6
9	2	8
10	2	8
11	2	10
12	2	10

© 2025 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

MOVEMENT RECORD

Turn #	1	2	3	4	5	6	7	8	9	10
Hex/Facing										
Move Mode										

Turn #	11	12	13	14	15	16	17	18	19	20
Hex/Facing										
Move Mode										

BATTLETECH™

OMNIMECH RECORD SHEET

'MECH DATA

Type: Ebon Jaguar Prime

Movement Points:		**Tonnage:**	65
Walking:	5	**Tech Base:**	Clan
Running:	8	**Rules Level:**	Standard
Jumping:	0	**Role:**	Skirmisher
Engine Type:	325 XL		

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	LB 5-X AC	LA	1	5 [DB,C/F/S]	3	8	15	24
1	Gauss Rifle	RA	1	15 [DB,X]	2	7	15	22
1	LRM 10	LT	4	1/Msl [M,C,S]	—	7	14	21
1	ER Medium Laser	LT	5	7 [DE]	—	5	10	15
1	SRM 2	RT	2	2/Msl [M,C,S]	—	3	6	9

Total Heat (Dissipation): 13 (26)

Ammo: (Gauss) 16, (LB-5X) 20, (LB-5X Cluster) 20, (LRM 10) 24, (SRM 2) 50

Quirks: Narrow/Low Profile

BV: 2,577

WARRIOR DATA

Name: Nighean

Gunnery Skill: 3 **Piloting Skill:** 4

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM

Ferro-Fibrous



INTERNAL STRUCTURE DIAGRAM

Endo Steel



Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

HEAT DATA

Double Heat Sinks: 13 (26)

Heat Level*	Effects
30	Shutdown
28	Ammo Exp, avoid on 8+
26	Shutdown, avoid on 10+
25	-5 Movement Points
24	+4 Modifier to Fire
23	Ammo Exp, avoid on 6+
22	Shutdown, avoid on 8+
20	-4 Movement Points
19	Ammo Exp, avoid on 4+
18	Shutdown, avoid on 6+
17	+3 Modifier to Fire
15	-3 Movement Points
14	Shutdown, avoid on 4+
13	+2 Modifier to Fire
10	-2 Movement Points
8	+1 Modifier to Fire
5	-1 Movement Points

CRITICAL TABLE

Left Arm (CASE)
1. Shoulder
2. Upper Arm Actuator
3–6 (1-3): LB 5-X AC, LB 5-X AC, LB 5-X AC, LB 5-X AC
1. Ammo (LB-5X) 20
2. Ammo (LB-5X Cluster) 20
3. Ferro-Fibrous
4. Ferro-Fibrous
5. Roll Again
6. Roll Again

Left Torso (CASE)
1. XL Fusion Engine
2. XL Fusion Engine
3. LRM 10
4. ER Medium Laser
5. Ammo (LRM 10) 12
6. Ammo (LRM 10) 12
1. Endo Steel
2. Ferro-Fibrous
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Endo Steel
6. Endo Steel

Head
1. Life Support
2. Sensors
3. Cockpit
4. Ferro-Fibrous
5. Sensors
6. Life Support

Center Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Gyro
5. Gyro
6. Gyro
1. Gyro
2. XL Fusion Engine
3. XL Fusion Engine
4. XL Fusion Engine
5. Endo Steel
6. Ferro-Fibrous

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○



Damage Transfer Diagram

Right Arm (CASE)
1. Shoulder
2. Upper Arm Actuator
3–6 (1-3): Gauss Rifle, Gauss Rifle, Gauss Rifle, Gauss Rifle
1. Gauss Rifle
2. Gauss Rifle
3. Ferro-Fibrous
4. Ferro-Fibrous
5. Roll Again
6. Roll Again

Right Torso (CASE)
1. XL Fusion Engine
2. XL Fusion Engine
3. SRM 2
4. Ammo (SRM 2) 50
5. Ammo (Gauss) 8
6. Ammo (Gauss) 8
1. Endo Steel
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Endo Steel
6. Endo Steel

HIT LOCATION TABLE

Die Roll (2D6)	LS	F/R	RS
2*	LT(C)	CT(C)	RT(C)
3	LL	RA	RL
4	LA	RA	RA
5	LA	RL	RA
6	LL	RT	RL
7	LT	CT	RT
8	CT	LT	CT
9	RT	LL	LT
10	RA	LA	LA
11	RL	LA	LL
12	HD	HD	HD

*A result of 2 may inflict a critical hit.

TO-HIT MODIFIERS

Attacker	
Stationary	+0
Walked	+1
Ran	+2
Prone	+2
Skidding	+1
Terrain	
Light Woods	+1/hex
Heavy Woods	+2/hex
Partial Cover	+1
Target	
Prone (adjacent hex)	-2
Prone (other hex)	+1
Immobile	-4
Skidding	-2
Moved 0-2 hexes	+0
Moved 3-4 hexes	+1
Moved 5-6 hexes	+2
Moved 7-9 hexes	+3
Moved 10-17 hexes	+4
Moved 18-24 hexes	+5
Moved 25+ hexes	+6
Jumped	+1
BattleArmor unit	+1
Secondary target (front)	+1
Secondary target (side/rear)	+2
Large support vehicle or grounded DropShip	-1
Damage	
Sensor hit	+2
Shoulder hit	+4
Arm Actuator	+1

PHYSICAL ATTACKS

Attack	To-Hit	Damage
Punch	+3	3
Kick	-2	13
Push	-1	—
Charge	+0*	6/Hex

*Modified by target piloting skill

PUNCH LOCATION TABLE

Die Roll (1D6)	LS	F/R	RS
1	LT	LA	RT
2	LT	LT	RT
3	CT	CT	CT
4	LA	RT	RA
5	LA	RA	RA
6	HD	HD	HD

KICK LOCATION TABLE

Die Roll (1D6)	LS	F/R	RS
1-3	LL	RL	RL
4-6	LL	LL	RL

FACING AFTER FALL

Die Roll (1D6)	New Facing	Hit Location
1	Same Direction	Front
2	1 Hexside Right	Right Side
3	2 Hexsides Right	Right Side
4	Opposite Direction	Rear
5	2 Hexsides Left	Left Side
6	1 Hexside Left	Left Side

CLUSTER HITS TABLE

Die Roll (2D6)	2	5	10
2	1	1	3
3	1	2	3
4	1	2	4
5	1	3	6
6	1	3	6
7	1	3	6
8	2	3	6
9	2	4	8
10	2	4	8
11	2	5	10
12	2	5	10

© 2025 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

MOVEMENT RECORD

Turn #	1	2	3	4	5	6	7	8	9	10
Hex/Facing										
Move Mode										

Turn #	11	12	13	14	15	16	17	18	19	20
Hex/Facing										
Move Mode										

BATTLETECH™

OMNIMECH RECORD SHEET

'MECH DATA

Type: Huntsman A

Movement Points:		**Tonnage:**	50
Walking:	5	**Tech Base:**	Clan
Running:	8	**Rules Level:**	Standard
Jumping:	5	**Role:**	Sniper
Engine Type:	250 XL		

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	Large Pulse Laser	LA	10	10 [P]	—	6	14	20
1	LRM 10	LA	4	1/Msl [M,C,S]	—	7	14	21
1	Large Pulse Laser	RA	10	10 [P]	—	6	14	20
1	LB 2-X AC	RA	1	2 [DB,C/F/S]	4	10	20	30

Total Heat (Dissipation): 25 (24)

Ammo: (LB-2X) 45, (LRM 10) 12

Quirks: Stable

BV: 2,685

WARRIOR DATA

Name: Juan

Gunnery Skill: 3 **Piloting Skill:** 4

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM

Ferro-Fibrous



INTERNAL STRUCTURE DIAGRAM

Endo Steel



Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

HEAT DATA

Double Heat Sinks: 12 (24)

Heat Level*	Effects
30	Shutdown
28	Ammo Exp, avoid on 8+
26	Shutdown, avoid on 10+
25	-5 Movement Points
24	+4 Modifier to Fire
23	Ammo Exp, avoid on 6+
22	Shutdown, avoid on 8+
20	-4 Movement Points
19	Ammo Exp, avoid on 4+
18	Shutdown, avoid on 6+
17	+3 Modifier to Fire
15	-3 Movement Points
14	Shutdown, avoid on 4+
13	+2 Modifier to Fire
10	-2 Movement Points
8	+1 Modifier to Fire
5	-1 Movement Points

CRITICAL TABLE

Left Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Large Pulse Laser
5. Large Pulse Laser
6. LRM 10

4-6
1. Endo Steel
2. Endo Steel
3. Ferro-Fibrous
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso (CASE)

1-3
1. XL Fusion Engine
2. XL Fusion Engine
3. Double Heat Sink
4. Double Heat Sink
5. Jump Jet
6. Ammo (LRM 10) 12

4-6
1. Endo Steel
2. Ferro-Fibrous
3. Ferro-Fibrous
4. Ferro-Fibrous
5. Roll Again
6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Roll Again

Head

1. Life Support
2. Sensors
3. Cockpit
4. Ferro-Fibrous
5. Sensors
6. Life Support

Center Torso

1-3
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. XL Fusion Engine
3. XL Fusion Engine
4. XL Fusion Engine
5. Jump Jet
6. Endo Steel

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Large Pulse Laser
4. Large Pulse Laser
5. LB 2-X AC
6. LB 2-X AC

4-6
1. LB 2-X AC
2. Endo Steel
3. Endo Steel
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso (CASE)

1-3
1. XL Fusion Engine
2. XL Fusion Engine
3. Double Heat Sink
4. Double Heat Sink
5. Jump Jet
6. Ammo (LB-2X) 45

4-6
1. Endo Steel
2. Ferro-Fibrous
3. Ferro-Fibrous
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Roll Again

HIT LOCATION TABLE

Die Roll (2D6)	LS	F/R	RS
2*	LT(C)	CT(C)	RT(C)
3	LL	RA	RL
4	LA	RA	RA
5	LA	RL	RA
6	LL	RT	RL
7	LT	CT	RT
8	CT	LT	CT
9	RT	LL	LT
10	RA	LA	LA
11	RL	LA	LL
12	HD	HD	HD

*A result of 2 may inflict a critical hit.

TO-HIT MODIFIERS

Attacker	
Stationary	+0
Walked	+1
Ran	+2
Jumped	+3
Prone	+2
Skidding	+1
Terrain	
Light Woods	+1/hex
Heavy Woods	+2/hex
Partial Cover	+1
Target	
Prone (adjacent hex)	-2
Prone (other hex)	+1
Immobile	-4
Skidding	-2
Moved 0-2 hexes	+0
Moved 3-4 hexes	+1
Moved 5-6 hexes	+2
Moved 7-9 hexes	+3
Moved 10-17 hexes	+4
Moved 18-24 hexes	+5
Moved 25+ hexes	+6
Jumped	+1
BattleArmor unit	+1
Secondary target (front)	+1
Secondary target (side/rear)	+2
Large support vehicle or grounded DropShip	-1
Damage	
Sensor hit	+2
Shoulder hit	+4
Arm Actuator	+1

PHYSICAL ATTACKS

Attack	To-Hit	Damage
Punch (LA)	+1	5
Punch (RA)	+3	2
Kick	-2	10
Push	-1	—
Charge	+0*	5/Hex
DFA	+0*	15

*Modified by target piloting skill

PUNCH LOCATION TABLE

Die Roll (1D6)	LS	F/R	RS
1	LT	LA	RT
2	LT	LT	RT
3	CT	CT	CT
4	LA	RT	RA
5	LA	RA	RA
6	HD	HD	HD

KICK LOCATION TABLE

Die Roll (1D6)	LS	F/R	RS
1-3	LL	RL	RL
4-6	LL	LL	RL

FACING AFTER FALL

Die Roll (1D6)	New Facing	Hit Location
1	Same Direction	Front
2	1 Hexside Right	Right Side
3	2 Hexsides Right	Right Side
4	Opposite Direction	Rear
5	2 Hexsides Left	Left Side
6	1 Hexside Left	Left Side

CLUSTER HITS TABLE

Die Roll (2D6)	2	10
2	1	3
3	1	3
4	1	4
5	1	6
6	1	6
7	1	6
8	2	6
9	2	8
10	2	8
11	2	10
12	2	10

© 2025 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

MOVEMENT RECORD

Turn #	1	2	3	4	5	6	7	8	9	10
Hex/Facing										
Move Mode										

Turn #	11	12	13	14	15	16	17	18	19	20
Hex/Facing										
Move Mode										

BATTLETECH™

OMNIMECH RECORD SHEET

'MECH DATA

Type: Timber Wolf Prime

Movement Points:		**Tonnage:**	75
Walking:	5	**Tech Base:**	Clan
Running:	8	**Rules Level:**	Standard
Jumping:	0	**Role:**	Brawler
Engine Type:	375 XL		

Weapons & Equipment Inventory

(hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	ER Large Laser	LA	12	10 [DE]	—	8	15	25
1	ER Medium Laser	LA	5	7 [DE]	—	5	10	15
1	ER Large Laser	RA	12	10 [DE]	—	8	15	25
1	ER Medium Laser	RA	5	7 [DE]	—	5	10	15
1	LRM 20	LT	6	1/Msl [M,C,S]	—	7	14	21
1	Medium Pulse Laser	LT	4	7 [P]	—	4	8	12
1	LRM 20	RT	6	1/Msl [M,C,S]	—	7	14	21
1	Machine Gun	RT	—	2 [DB,AI]	—	1	2	3
1	Machine Gun	CT	—	2 [DB,AI]	—	1	2	3

Total Heat (Dissipation): 50 (34)

Ammo: (LRM 20) 12, (MG) 200

Quirks: Improved Targeting (Medium), Weak Head Armor (1)

BV: 3,613

WARRIOR DATA

Name: Sun-Mi

Gunnery Skill: 3 **Piloting Skill:** 4

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM

Ferro-Fibrous



INTERNAL STRUCTURE DIAGRAM

Endo Steel



Heat Scale

Overflow, 30*, 29, 28*, 27, 26*, 25*, 24*, 23*, 22*, 21, 20*, 19*, 18*, 17*, 16, 15*, 14*, 13*, 12, 11, 10*, 9, 8*, 7, 6, 5*, 4, 3, 2, 1, 0

CRITICAL TABLE

Left Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Double Heat Sink
5. Double Heat Sink
6. ER Large Laser

4-6
1. ER Medium Laser
2. Ferro-Fibrous
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Head

1. Life Support
2. Sensors
3. Cockpit
4. Ferro-Fibrous
5. Sensors
6. Life Support

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Double Heat Sink
5. Double Heat Sink
6. ER Large Laser

4-6
1. ER Medium Laser
2. Ferro-Fibrous
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso (CASE)

1-3
1. XL Fusion Engine
2. XL Fusion Engine
3. LRM 20
4. LRM 20
5. LRM 20
6. LRM 20

4-6
1. Medium Pulse Laser
2. Ammo (LRM 20) 6
3. Endo Steel
4. Ferro-Fibrous
5. Ferro-Fibrous
6. Roll Again

Center Torso

1-3
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. XL Fusion Engine
3. XL Fusion Engine
4. XL Fusion Engine
5. Machine Gun
6. Endo Steel

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

Right Torso (CASE)

1-3
1. XL Fusion Engine
2. XL Fusion Engine
3. LRM 20
4. LRM 20
5. LRM 20
6. LRM 20

4-6
1. Machine Gun
2. Ammo (LRM 20) 6
3. Ammo (MG) 200
4. Endo Steel
5. Ferro-Fibrous
6. Ferro-Fibrous

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Endo Steel
6. Endo Steel



Damage Transfer Diagram

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Endo Steel
6. Endo Steel

HEAT DATA

Double Heat Sinks: 17 (34)

Heat Level*	Effects
30	Shutdown
28	Ammo Exp, avoid on 8+
26	Shutdown, avoid on 10+
25	-5 Movement Points
24	+4 Modifier to Fire
23	Ammo Exp, avoid on 6+
22	Shutdown, avoid on 8+
20	-4 Movement Points
19	Ammo Exp, avoid on 4+
18	Shutdown, avoid on 6+
17	+3 Modifier to Fire
15	-3 Movement Points
14	Shutdown, avoid on 4+
13	+2 Modifier to Fire
10	-2 Movement Points
8	+1 Modifier to Fire
5	-1 Movement Points

HIT LOCATION TABLE

Die Roll (2D6)	LS	F/R	RS
2*	LT(C)	CT(C)	RT(C)
3	LL	RA	RL
4	LA	RA	RA
5	LA	RL	RA
6	LL	RT	RL
7	LT	CT	RT
8	CT	LT	CT
9	RT	LL	LT
10	RA	LA	LA
11	RL	LA	LL
12	HD	HD	HD

*A result of 2 may inflict a critical hit.

TO-HIT MODIFIERS

Attacker	
Stationary	+0
Walked	+1
Ran	+2
Prone	+2
Skidding	+1
Terrain	
Light Woods	+1/hex
Heavy Woods	+2/hex
Partial Cover	+1
Target	
Prone (adjacent hex)	-2
Prone (other hex)	+1
Immobile	-4
Skidding	-2
Moved 0-2 hexes	+0
Moved 3-4 hexes	+1
Moved 5-6 hexes	+2
Moved 7-9 hexes	+3
Moved 10-17 hexes	+4
Moved 18-24 hexes	+5
Moved 25+ hexes	+6
Jumped	+1
BattleArmor unit	+1
Secondary target (front)	+1
Secondary target (side/rear)	+2
Large support vehicle or grounded DropShip	-1
Damage	
Sensor hit	+2
Shoulder hit	+4
Arm Actuator	+1

PHYSICAL ATTACKS

Attack	To-Hit	Damage
Punch	+1	8
Kick	-2	15
Push	-1	—
Charge	+0*	7/Hex

*Modified by target piloting skill

PUNCH LOCATION TABLE

Die Roll (1D6)	LS	F/R	RS
1	LT	LA	RT
2	LT	LT	RT
3	CT	CT	CT
4	LA	RT	RA
5	LA	RA	RA
6	HD	HD	HD

KICK LOCATION TABLE

Die Roll (1D6)	LS	F/R	RS
1-3	LL	RL	RL
4-6	LL	LL	RL

FACING AFTER FALL

Die Roll (1D6)	New Facing	Hit Location
1	Same Direction	Front
2	1 Hexside Right	Right Side
3	2 Hexsides Right	Right Side
4	Opposite Direction	Rear
5	2 Hexsides Left	Left Side
6	1 Hexside Left	Left Side

CLUSTER HITS TABLE

Die Roll (2D6)	20
2	6
3	6
4	9
5	12
6	12
7	12
8	12
9	16
10	16
11	20
12	20

© 2025 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

MOVEMENT RECORD

Turn #	1	2	3	4	5	6	7	8	9	10
Hex/Facing										
Move Mode										

Turn #	11	12	13	14	15	16	17	18	19	20
Hex/Facing										
Move Mode										

BATTLETECH™

OMNIMECH RECORD SHEET

'MECH DATA

Type: Fire Moth H

Movement Points:		**Tonnage:**	20
Walking:	10	**Tech Base:**	Clan
Running:	15 [20]	**Rules Level:**	Standard
Jumping:	0	**Role:**	Striker
Engine Type:	200 XL		

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
4	Heavy Small Laser	LA	3	6 [DE]	—	1	2	3
5	Heavy Small Laser	RA	3	6 [DE]	—	1	2	3
1	Targeting Computer	RT	—	[E]	—	—	—	—

Total Heat (Dissipation): 27 (22)

Quirks: Narrow/Low Profile, Overhead Arms

BV: 1,200

WARRIOR DATA

Name: Aurora

Gunnery Skill: 2 **Piloting Skill:** 4

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM

Ferro-Fibrous



INTERNAL STRUCTURE DIAGRAM

Endo Steel



Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

HIT LOCATION TABLE

Die Roll (2D6)	LS	F/R	RS
2*	LT(C)	CT(C)	RT(C)
3	LL	RA	RL
4	LA	RA	RA
5	LA	RL	RA
6	LL	RT	RL
7	LT	CT	RT
8	CT	LT	CT
9	RT	LL	LT
10	RA	LA	LA
11	RL	LA	LL
12	HD	HD	HD

*A result of 2 may inflict a critical hit

TO-HIT MODIFIERS

Attacker	
Stationary	+0
Walked	+1
Ran	+2
Prone	+2
Skidding	+1
Terrain	
Light Woods	+1/hex
Heavy Woods	+2/hex
Partial Cover	+1
Target	
Prone (adjacent hex)	-2
Prone (other hex)	+1
Immobile	-4
Skidding	-2
Moved 0-2 hexes	+0
Moved 3-4 hexes	+1
Moved 5-6 hexes	+2
Moved 7-9 hexes	+3
Moved 10-17 hexes	+4
Moved 18-24 hexes	+5
Moved 25+ hexes	+6
Jumped	+1
BattleArmor unit	+1
Secondary target (front)	+1
Secondary target (side/rear)	+2
Large support vehicle or grounded DropShip	-1
Damage	
Sensor hit	+2
Shoulder hit	+4
Arm Actuator	+1

CRITICAL TABLE

Left Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Heavy Small Laser
6. Heavy Small Laser

4-6
1. Heavy Small Laser
2. Heavy Small Laser
3. Endo Steel
4. Ferro-Fibrous
5. Roll Again
6. Roll Again

Left Torso

1-3
1. XL Fusion Engine
2. XL Fusion Engine
3. Double Heat Sink
4. Double Heat Sink
5. Endo Steel
6. Ferro-Fibrous

4-6
1. Ferro-Fibrous
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Endo Steel
6. Roll Again

Head

1. Life Support
2. Sensors
3. Cockpit
4. Ferro-Fibrous
5. Sensors
6. Life Support

Center Torso

1-3
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. XL Fusion Engine
3. XL Fusion Engine
4. XL Fusion Engine
5. MASC
6. Endo Steel

Engine Hits ○ ○ ○
Gyro Hits ○ ○
Sensor Hits ○ ○
Life Support ○



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Heavy Small Laser
6. Heavy Small Laser

4-6
1. Heavy Small Laser
2. Heavy Small Laser
3. Heavy Small Laser
4. Endo Steel
5. Ferro-Fibrous
6. Roll Again

Right Torso

1-3
1. XL Fusion Engine
2. XL Fusion Engine
3. Double Heat Sink
4. Double Heat Sink
5. Targeting Computer
6. Double Heat Sink

4-6
1. Double Heat Sink
2. Endo Steel
3. Ferro-Fibrous
4. Ferro-Fibrous
5. Roll Again
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Endo Steel
6. Roll Again

HEAT DATA

Double Heat Sinks: 11 (22)

Heat Level*	Effects
30	Shutdown
28	Ammo Exp, avoid on 8+
26	Shutdown, avoid on 10+
25	-5 Movement Points
24	+4 Modifier to Fire
23	Ammo Exp, avoid on 6+
22	Shutdown, avoid on 8+
20	-4 Movement Points
19	Ammo Exp, avoid on 4+
18	Shutdown, avoid on 6+
17	+3 Modifier to Fire
15	-3 Movement Points
14	Shutdown, avoid on 4+
13	+2 Modifier to Fire
10	-2 Movement Points
8	+1 Modifier to Fire
5	-1 Movement Points

PHYSICAL ATTACKS

Attack	To-Hit	Damage
Punch	+0	2
Kick	-2	4
Push	-1	—
Club	-1	4
Charge	+0*	2/Hex

*Modified by target piloting skill

PUNCH LOCATION TABLE

Die Roll (1D6)	LS	F/R	RS
1	LT	LA	RT
2	LT	LT	RT
3	CT	CT	CT
4	LA	RT	RA
5	LA	RA	RA
6	HD	HD	HD

© 2025 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

KICK LOCATION TABLE

Die Roll (1D6)	LS	F/R	RS
1-3	LL	RL	RL
4-6	LL	LL	RL

MOVEMENT RECORD

Turn #	1	2	3	4	5	6	7	8	9	10
Hex/Facing										
Move Mode										

Turn #	11	12	13	14	15	16	17	18	19	20
Hex/Facing										
Move Mode										

FACING AFTER FALL

Die Roll (1D6)	New Facing	Hit Location
1	Same Direction	Front
2	1 Hexside Right	Right Side
3	2 Hexsides Right	Right Side
4	Opposite Direction	Rear
5	2 Hexsides Left	Left Side
6	1 Hexside Left	Left Side

BATTLETECH™

BATTLE ARMOR RECORD SHEET

BATTLE ARMOR: POINT 1

Type: Elemental Battle Armor [MicroPL](Sqd5)
Gunnery Skill: 2 **Anti-'Mech Skill:** 3
Ground MP: 1 **Jump MP:** 3

Qty	Type	Dmg	Min	Sht	Med	Lng
1	Micro Pulse Laser	3 [P,AI]	—	1	2	3
1	SRM 2	2/Msl [M,C,S]	—	3	6	9
1	Battle Claw		—	—	—	—

Ammo: (SRM 2) 2

1 ○○○○○○○○○○○
2 ○○○○○○○○○○○
3 ○○○○○○○○○○○
4 ○○○○○○○○○○○
5 ○○○○○○○○○○○

Mechanized: ☑ **Swarm:** ☑ **Leg:** ☑ **AP:** ☑

Armor: Standard (Basic) **Role:** Ambusher **BV:** 806/68

BATTLE ARMOR: POINT 2

Type: Elemental Battle Armor [MicroPL](Sqd5)
Gunnery Skill: 3 **Anti-'Mech Skill:** 4
Ground MP: 1 **Jump MP:** 3

Qty	Type	Dmg	Min	Sht	Med	Lng
1	Micro Pulse Laser	3 [P,AI]	—	1	2	3
1	SRM 2	2/Msl [M,C,S]	—	3	6	9
1	Battle Claw		—	—	—	—

Ammo: (SRM 2) 2

1 ○○○○○○○○○○○
2 ○○○○○○○○○○○
3 ○○○○○○○○○○○
4 ○○○○○○○○○○○
5 ○○○○○○○○○○○

Mechanized: ☑ **Swarm:** ☑ **Leg:** ☑ **AP:** ☑

Armor: Standard (Basic) **Role:** Ambusher **BV:** 634/68

BATTLE ARMOR: POINT 3

Type: Elemental Battle Armor [MicroPL](Sqd5)
Gunnery Skill: 3 **Anti-'Mech Skill:** 4
Ground MP: 1 **Jump MP:** 3

Qty	Type	Dmg	Min	Sht	Med	Lng
1	Micro Pulse Laser	3 [P,AI]	—	1	2	3
1	SRM 2	2/Msl [M,C,S]	—	3	6	9
1	Battle Claw		—	—	—	—

Ammo: (SRM 2) 2

1 ○○○○○○○○○○○
2 ○○○○○○○○○○○
3 ○○○○○○○○○○○
4 ○○○○○○○○○○○
5 ○○○○○○○○○○○

Mechanized: ☑ **Swarm:** ☑ **Leg:** ☑ **AP:** ☑

Armor: Standard (Basic) **Role:** Ambusher **BV:** 634/68

BATTLE ARMOR: POINT 4

Type: Elemental Battle Armor [MicroPL](Sqd5)
Gunnery Skill: 3 **Anti-'Mech Skill:** 4
Ground MP: 1 **Jump MP:** 3

Qty	Type	Dmg	Min	Sht	Med	Lng
1	Micro Pulse Laser	3 [P,AI]	—	1	2	3
1	SRM 2	2/Msl [M,C,S]	—	3	6	9
1	Battle Claw		—	—	—	—

Ammo: (SRM 2) 2

1 ○○○○○○○○○○○
2 ○○○○○○○○○○○
3 ○○○○○○○○○○○
4 ○○○○○○○○○○○
5 ○○○○○○○○○○○

Mechanized: ☑ **Swarm:** ☑ **Leg:** ☑ **AP:** ☑

Armor: Standard (Basic) **Role:** Ambusher **BV:** 634/68

BATTLE ARMOR: POINT 5

Type: Elemental Battle Armor [MicroPL](Sqd5)
Gunnery Skill: 3 **Anti-'Mech Skill:** 4
Ground MP: 1 **Jump MP:** 3

Qty	Type	Dmg	Min	Sht	Med	Lng
1	Micro Pulse Laser	3 [P,AI]	—	1	2	3
1	SRM 2	2/Msl [M,C,S]	—	3	6	9
1	Battle Claw		—	—	—	—

Ammo: (SRM 2) 2

1 ○○○○○○○○○○○
2 ○○○○○○○○○○○
3 ○○○○○○○○○○○
4 ○○○○○○○○○○○
5 ○○○○○○○○○○○

Mechanized: ☑ **Swarm:** ☑ **Leg:** ☑ **AP:** ☑

Armor: Standard (Basic) **Role:** Ambusher **BV:** 634/68

LEG ATTACKS TABLE

BATTLE ARMOR TROOPERS ACTIVE	BASE TO-HIT MODIFIER
4-6	0
3	+2
2	+5
1	+7

SWARM ATTACKS TABLE

BATTLE ARMOR TROOPERS ACTIVE	BASE TO-HIT MODIFIER
4-6	+2
1-3	+5

SWARM ATTACK MODIFIERS TABLE

ATTACKING ENEMY BATTLE ARMOR TROOPERS ACTIVE	FRIENDLY MECHANIZED BATTLE ARMOR TROOPERS ACTIVE 1	2	3	4	5	6
6	+0	+0	+0	+0	+1	+2
5	+0	+0	+0	+1	+2	+3
4	+0	+0	+1	+2	+3	+4
3	+0	+1	+2	+3	+4	+5
2	+1	+2	+3	+4	+5	+6
1	+2	+3	+4	+5	+6	+7

BATTLE ARMOR EQUIPMENT

Claws with magnets	-1

SITUATION*

'Mech prone	-2
'Mech or vehicle immobile	-4
Vehicle	-2

*Modifiers are cumulative

SWARM ATTACKS HIT LOCATION TABLE

2D6 ROLL	BIPEDAL/TRIPOD LOCATION	QUAD LOCATION
2	Head	Head
3	Rear Center Torso	Front Right Torso
4	Rear Right Torso	Rear Center Torso
5	Front Right Torso	Rear Right Torso
6	Right Arm	Front Right Torso
7	Front Center Torso	Front Center Torso
8	Left Arm	Front Left Torso
9	Front Left Torso	Rear Left Torso
10	Rear Left Torso	Rear Center Torso
11	Rear Center Torso	Front Left Torso
12	Head	Head

TRANSPORT POSITIONS TABLE

TROOPER NUMBER	'MECH LOCATION	VEHICLE LOCATION
1	Right Torso	Right Side
2	Left Torso	Right Side
3	Right Torso (rear)	Left Side
4	Left Torso (rear)	Left Side
5	Center Torso (rear)	Rear
6	Center Torso	Rear

TROOPER NUMBER	LARGE SUPPORT VEHICLE LOCATION*
1	Right Side (Unit 1/Unit 2)
2	Right Side (Unit 1/Unit 2)
3	Left Side (Unit 1/Unit 2)
4	Left Side (Unit 1/Unit 2)
5	Rear (Unit 1/Unit 2)
6	Rear (Unit 1/Unit 2)

*Unit 1 and Unit 2 represent two battle armor units.

TO-HIT MODIFIERS

Terrain	
Light Woods	+1/hex
Heavy Woods	+2/hex
Partial Cover	+1
Target	
Prone (adjacent hex)	-2
Prone (other hex)	+1
Immobile	-4
Skidding	-2
Moved 0-2 hexes	+0
Moved 3-4 hexes	+1
Moved 5-6 hexes	+2
Moved 7-9 hexes	+3
Moved 10-17 hexes	+4
Moved 18-24 hexes	+5
Moved 25+ hexes	+6
Jumped	+1
Secondary Target	+1
Large support vehicle or grounded DropShip	-1

MOVEMENT COSTS

Move	Cost
Cost to Enter Any Hex:	**1**
Terrain Cost:	
Clear	+0
Paved/Bridge	+0
Road	+0
Rough	+1
Light woods	+0
Heavy woods	+1
Water	
Depth 1+	Prohibited
Rubble	+1
Building	+0
Level Change (Up or Down)	
1 level	+2
2+ levels	Prohibited

CLUSTER HITS TABLE

Die Roll (2D6)	2	3	4	5	6	8	10
2	1	1	1	1	2	2	3
3	1	1	2	2	2	3	3
4	1	1	2	2	3	3	4
5	1	2	2	3	3	4	6
6	1	2	2	3	4	4	6
7	1	2	3	3	4	5	6
8	2	2	3	3	4	5	6
9	2	2	3	4	5	6	8
10	2	3	3	4	5	7	8
11	2	3	4	5	6	8	10
12	2	3	4	5	6	8	10

© 2025 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

MOVEMENT RECORD

Turn #	1	2	3	4	5	6	7	8	9	10
Hex										
Move Mode										

Turn #	11	12	13	14	15	16	17	18	19	20
Hex										
Move Mode										