

OMNIMECH RECORD SHEET

Die Roll (1D6)	New Facing	Hit Location
1	Same Direction	Front
2	1 Hexside Right	Right Side
3	2 Hexsides Right	Right Side
4	Opposite Direction	Rear
5	2 Hexsides Left	Left Side
6	1 Hexside Left	Left Side

© 2025 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

[illegible]

OMNIMECH RECORD SHEET

Die Roll (2D6)	20
2	6
3	6
4	9
5	12
6	12
7	12
8	12
9	16
10	16
11	20
12	20

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Endo Steel
6. Endo Steel

[illegible]

Type: Black Hawk (Nova) Prime	
Movement Points:	Tonnage: 50
Walking: 5	Tech Base: Clan
Running: 8	Rules Level: Standard
Jumping: 5	Role: Skirmisher
Engine Type: 250 XL	


Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
6	ER Medium Laser	LA	5	7[DE]	—	5	10	15
6	ER Medium Laser	RA	5	7[DE]	—	5	10	15
Total Heat (Dissipation): 60 (36)								

BV: 3,515

Name: Cecilia

Gunnery Skill: 3 **Piloting Skill:** 4

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



Head (9)

Left Torso (16)

Right Torso (16)

Left Arm (16)

Right Arm (16)

Center Torso (23)

Left Leg (20)

Right Leg (20)

Center Torso (8)

Left Torso Rear (8)

Right Torso Rear (8)

Die Roll (2D6)	LS	F/R	RS
2*	LT(C)	CT(C)	RT(C)
3	LL	RA	RL
4	LA	RA	RA
5	LA	RL	RA
6	LL	RT	RL
7	LT	CT	RT
8	CT	LT	CT
9	RT	LL	LT
10	RA	LA	LA
11	RL	LA	LL
12	HD	HD	HD

*A result of 2 may inflict a critical hit

*A result of 2 may inflict a critical hit.

Attacker	
Stationary	+0
Walked	+1
Ran	+2
Jumped	+3
Prone	+2
Skidding	+1
Terrain	
Light Woods	+1/hex
Heavy Woods	+2/hex
Partial Cover	+1
Target	
Prone (adjacent hex)	-2
Prone (other hex)	+1
Immobile	-4
Skidding	-2
Moved 0-2 hexes	+0
Moved 3-4 hexes	+1
Moved 5-6 hexes	+2
Moved 7-9 hexes	+3
Moved 10-17 hexes	+4
Moved 18-24 hexes	+5
Moved 25+ hexes	+6
Jumped	+1
BattleArmor unit	+1
Secondary target (front)	+1
Secondary target (side/rear)	+2
Large support vehicle or grounded DropShip	-1
Damage	
Sensor hit	+2
Shoulder hit	+4
Arm Actuator	+1

Left Arm

1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Double Heat Sink
6. Double Heat Sink

- 4-6
1. ER Medium Laser
 2. ER Medium Laser
 3. ER Medium Laser
 4. ER Medium Laser
 5. ER Medium Laser
 6. ER Medium Laser

1-3

1. XL Fusion Engine
2. XL Fusion Engine
3. [Double Heat Sink
4. [Double Heat Sink
5. [Double Heat Sink
6. [Double Heat Sink

- 4-6**
1. [Double Heat Sink
 2. [Double Heat Sink
 3. Roll Again
 4. Roll Again
 5. Roll Again
 6. Roll Again

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Jump Jet

1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support

1-3 3. XL Fusion Engine
4. Gyro
5. Gyro
6. Gyro

1-3

1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. [Double Heat Sink
6. [Double Heat Sink

- 4-6
1. ER Medium Laser
 2. ER Medium Laser
 3. ER Medium Laser
 4. ER Medium Laser
 5. ER Medium Laser
 6. ER Medium Laser

1-3

1. XL Fusion Engine
2. XL Fusion Engine
3. [Double Heat Sink
4. [Double Heat Sink
5. [Double Heat Sink
6. [Double Heat Sink

- 4-6**
1. [Double Heat Sink]
 2. [Double Heat Sink]
 3. Roll Again
 4. Roll Again
 5. Roll Again
 6. Roll Again

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Jump Jet

Diagram illustrating the distribution of points (represented by small circles) across the body parts of a human figure. The points are distributed as follows:

- Head: 10 points
- Left Torso: 12 points
- Right Torso: 12 points
- Left Arm: 8 points
- Right Arm: 8 points
- Center Torso: 16 points
- Left Leg: 12 points
- Right Leg: 12 points

A scale on the right indicates the number of points per unit area, ranging from 18 to 30. The scale is color-coded: 30 (red), 29 (red), 28 (red), 27 (red), 26 (red), 25 (red), 24 (yellow), 23 (yellow), 22 (yellow), 21 (yellow), 20 (yellow), 19 (yellow), and 18 (yellow).

Heat	Effects	Double Heat Sinks:
Level*		18 [36]
30	Shutdown	○○
28	Ammo Exp, avoid on 8+	○○
26	Shutdown, avoid on 10+	○○
25	-5 Movement Points	○○
24	+4 Modifier to Fire	○○
23	Ammo Exp, avoid on 6+	○○
22	Shutdown, avoid on 8+	○○
20	-4 Movement Points	○○
19	Ammo Exp, avoid on 4+	○○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	
14	Shutdown, avoid on 4+	
13	+2 Modifier to Fire	
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

Attack	To-Hit	Damage
Punch	+0	5
Kick	-2	10
Push	-1	—
Club	-1	10
Charge	+0*	5/Hex
DFA	+0*	15

*Modified by target piloting skill

Die Roll (1D6)	LS	F/R	RS
1	LT	LA	RT
2	LT	LT	RT
3	CT	CT	CT
4	LA	RT	RA
5	LA	RA	RA
6	HD	HD	HD

Die Roll (1D6)	LS	F/R	RS
1-3	LL	RL	RL
4-6	LL	LL	RL

Die Roll (1D6)	New Facing	Hit Location
1	Same Direction	Front
2	1 Hexside Right	Right Side
3	2 Hexsides Right	Right Side
4	Opposite Direction	Rear
5	2 Hexsides Left	Left Side
6	1 Hexside Left	Left Side

[illegible][illegible]

BATTLETECH™

OMNIMECH RECORD SHEET

'MECH DATA

Type: Puma (Adder) Prime

Movement Points:

Walking: 6

Running: 9

Jumping: 0

Engine Type: 210 XL

Tonnage: 35

Tech Base: Clan

Rules Level: Standard

Role: Sniper

WARRIOR DATA

Name: Elizabeth

Gunnery Skill: 3

Piloting Skill: 4

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead

Weapons & Equipment Inventory

(hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	ER PPC	LA	15	15 [DE]	—	7	14	23
1	ER PPC	RA	15	15 [DE]	—	7	14	23
1	Targeting Computer	RT	—	[E]	—	—	—	—
1	Flamer	CT	3	2 [DE,H,AI]	—	1	2	3
Total Heat (Dissipation): 33 (22)								

Quirks: Narrow/Low Profile

BV: 2,750



CRITICAL TABLE

Left Arm

- Shoulder
- Upper Arm Actuator
- ER PPC
- ER PPC
- Ferro-Fibrous
- Roll Again

- Roll Again
- Roll Again
- Roll Again
- Roll Again
- Roll Again
- Roll Again

Left Torso

- XL Fusion Engine
- XL Fusion Engine
- Double Heat Sink
- Double Heat Sink
- Double Heat Sink
- Double Heat Sink

- Endo Steel
- Ferro-Fibrous
- Ferro-Fibrous
- Roll Again
- Roll Again
- Roll Again

Left Leg

- Hip
- Upper Leg Actuator
- Lower Leg Actuator
- Foot Actuator
- Endo Steel
- Endo Steel

Head

- Life Support
- Sensors
- Cockpit
- Ferro-Fibrous
- Sensors
- Life Support

Center Torso

- XL Fusion Engine
- XL Fusion Engine
- XL Fusion Engine
- Gyro
- Gyro
- Gyro

- Gyro
- XL Fusion Engine
- XL Fusion Engine
- XL Fusion Engine
- Flamer
- Endo Steel

Engine Hits
Gyro Hits
Sensor Hits
Life Support



Damage Transfer Diagram

Right Arm

- Shoulder
- Upper Arm Actuator
- ER PPC
- ER PPC
- Ferro-Fibrous
- Roll Again

- Roll Again
- Roll Again
- Roll Again
- Roll Again
- Roll Again
- Roll Again

Right Torso

- XL Fusion Engine
- XL Fusion Engine
- Double Heat Sink
- Double Heat Sink
- Targeting Computer
- Targeting Computer


- Targeting Computer
- Endo Steel
- Ferro-Fibrous
- Ferro-Fibrous
- Roll Again
- Roll Again

Right Leg

- Hip
- Upper Leg Actuator
- Lower Leg Actuator
- Foot Actuator
- Endo Steel
- Endo Steel

ARMOR DIAGRAM

Ferro-Fibrous



HIT LOCATION TABLE

Die Roll (2D6)	LS	F/R	RS
2*	LT(C)	CT(C)	RT(C)
3	LL	RA	RL
4	LA	RA	RA
5	LA	RL	RA
6	LL	RT	RL
7	LT	CT	RT
8	CT	LT	CT
9	RT	LL	LT
10	RA	LA	LA
11	RL	LA	LL
12	HD	HD	HD


*A result of 2 may inflict a critical hit

TO-HIT MODIFIERS

Attacker	
Stationary	+0
Walked	+1
Ran	+2
Prone	+2
Skidding	+1
Terrain	
Light Woods	+1/hex
Heavy Woods	+2/hex
Partial Cover	+1
Target	
Prone (adjacent hex)	-2
Prone (other hex)	+1
Immobile	-4
Skidding	-2
Moved 0-2 hexes	+0
Moved 3-4 hexes	+1
Moved 5-6 hexes	+2
Moved 7-9 hexes	+3
Moved 10-17 hexes	+4
Moved 18-24 hexes	+5
Moved 25+ hexes	+6
Jumped	+1
BattleArmor unit	+1
Secondary target (front)	+1
Secondary target (side/rear)	+2
Large support vehicle	-1
or grounded DropShip	
Damage	
Sensor hit	+2
Shoulder hit	+4
Arm Actuator	+1

INTERNAL STRUCTURE DIAGRAM

Endo Steel



Heat Scale

Overflow

30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

HEAT DATA

Heat Level*	Effects
30	Shutdown
28	Ammo Exp, avoid on 8+
26	Shutdown, avoid on 10+
25	-5 Movement Points
24	+4 Modifier to Fire
23	Ammo Exp, avoid on 6+
22	Shutdown, avoid on 8+
20	-4 Movement Points
19	Ammo Exp, avoid on 4+
18	Shutdown, avoid on 6+
17	+3 Modifier to Fire
15	-3 Movement Points
14	Shutdown, avoid on 4+
13	+2 Modifier to Fire
10	-2 Movement Points
8	+1 Modifier to Fire
5	-1 Movement Points

Double Heat Sinks: 11 (22)



© 2025 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

MOVEMENT RECORD

Turn #	1	2	3	4	5	6	7	8	9	10
Hex/Facing										
Move Mode										

Turn #	11	12	13	14	15	16	17	18	19	20
Hex/Facing										
Move Mode										

KICK LOCATION TABLE

Die Roll (1D6)	LS	F/R	RS
1-3	LL	RL	RL
4-6	LL	LL	RL

FACING AFTER FALL

Die Roll (1D6)	New Facing	Hit Location
1	Same Direction	Front
2	1 Hexside Right	Right Side
3	2 Hexsides Right	Right Side
4	Opposite Direction	Rear
5	2 Hexsides Left	Left Side
6	1 Hexside Left	Left Side



BATTLE ARMOR: POINT 1

Type: Elemental Battle Armor [Laser][Sqd5]
Gunnery Skill: 3 Anti-Mech Skill: 4
Ground MP: 1 Jump MP: 3

Qty	Type	Dmg	Min	Sht	Med	Lng
1	Small Laser	3 [DE]	—	1	2	3
1	SRM 2	2/Msl	—	3	6	9

[M,C,S]

1	Battle Claw	—	—	—	—	—
---	-------------	---	---	---	---	---

Ammo: (SRM 2) 2

Mechanized: ☒ Swarm: ☒ Leg: ☒ AP: ☒

Armor: Standard (Basic) Role: Ambusher BV: 590/64

BATTLE ARMOR: POINT 2

Type: Elemental Battle Armor [Laser][Sqd5]
Gunnery Skill: 3 Anti-Mech Skill: 4
Ground MP: 1 Jump MP: 3

Qty	Type	Dmg	Min	Sht	Med	Lng
1	Small Laser	3 [DE]	—	1	2	3
1	SRM 2	2/Msl	—	3	6	9

[M,C,S]

1	Battle Claw	—	—	—	—	—
---	-------------	---	---	---	---	---

Ammo: (SRM 2) 2

Mechanized: ☒ Swarm: ☒ Leg: ☒ AP: ☒

Armor: Standard (Basic) Role: Ambusher BV: 590/64

BATTLE ARMOR: POINT 3

Type: Elemental Battle Armor [Laser][Sqd5]
Gunnery Skill: 3 Anti-Mech Skill: 4
Ground MP: 1 Jump MP: 3

Qty	Type	Dmg	Min	Sht	Med	Lng
1	Small Laser	3 [DE]	—	1	2	3
1	SRM 2	2/Msl	—	3	6	9

[M,C,S]

1	Battle Claw	—	—	—	—	—
---	-------------	---	---	---	---	---

Ammo: (SRM 2) 2

Mechanized: ☒ Swarm: ☒ Leg: ☒ AP: ☒

Armor: Standard (Basic) Role: Ambusher BV: 590/64

BATTLE ARMOR: POINT 4

Type: Elemental Battle Armor [Laser][Sqd5]
Gunnery Skill: 3 Anti-Mech Skill: 4
Ground MP: 1 Jump MP: 3

Qty	Type	Dmg	Min	Sht	Med	Lng
1	Small Laser	3 [DE]	—	1	2	3
1	SRM 2	2/Msl	—	3	6	9

[M,C,S]

1	Battle Claw	—	—	—	—	—
---	-------------	---	---	---	---	---

Ammo: (SRM 2) 2

Mechanized: ☒ Swarm: ☒ Leg: ☒ AP: ☒

Armor: Standard (Basic) Role: Ambusher BV: 590/64

BATTLE ARMOR: POINT 5

Type: Elemental Battle Armor [Laser][Sqd5]
Gunnery Skill: 3 Anti-Mech Skill: 4
Ground MP: 1 Jump MP: 3

Qty	Type	Dmg	Min	Sht	Med	Lng
1	Small Laser	3 [DE]	—	1	2	3
1	SRM 2	2/Msl	—	3	6	9

[M,C,S]

1	Battle Claw	—	—	—	—	—
---	-------------	---	---	---	---	---

Ammo: (SRM 2) 2

Mechanized: ☒ Swarm: ☒ Leg: ☒ AP: ☒

Armor: Standard (Basic) Role: Ambusher BV: 590/64

LEG ATTACKS TABLE

BATTLE ARMOR TROOPERS ACTIVE	BASE TO-HIT MODIFIER
4-6	0
3	+2
2	+5
1	+7

SWARM ATTACKS TABLE

BATTLE ARMOR TROOPERS ACTIVE	BASE TO-HIT MODIFIER
4-6	+2
1-3	+5

SWARM ATTACK MODIFIERS TABLE

ATTACKING ENEMY BATTLE ARMOR TROOPERS ACTIVE	FRIENDLY MECHANIZED BATTLE ARMOR TROOPERS ACTIVE					
6	1	2	3	4	5	6
5	+0	+0	+0	+0	+1	+2
4	+0	+0	+1	+2	+3	+4
3	+0	+1	+2	+3	+4	+5
2	+1	+2	+3	+4	+5	+6
1	+2	+3	+4	+5	+6	+7

BATTLE ARMOR EQUIPMENT

Claws with magnets -1

SITUATION*

*Mech prone -2
*Mech or vehicle immobile -4
Vehicle -2

*Modifiers are cumulative

SWARM ATTACKS HIT LOCATION TABLE

2D6 ROLL	BIPEDAL/TRIPOD LOCATION	QUAD LOCATION
2	Head	Head
3	Rear Center Torso	Front Right Torso
4	Rear Right Torso	Rear Center Torso
5	Front Right Torso	Rear Right Torso
6	Right Arm	Front Right Torso
7	Front Center Torso	Front Center Torso
8	Left Arm	Front Left Torso
9	Front Left Torso	Rear Left Torso
10	Rear Left Torso	Rear Center Torso
11	Rear Center Torso	Front Left Torso
12	Head	Head

TRANSPORT POSITIONS TABLE

TROOPER NUMBER	*MECH LOCATION	VEHICLE LOCATION
1	Right Torso	Right Side
2	Left Torso	Right Side
3	Right Torso (rear)	Left Side
4	Left Torso (rear)	Left Side
5	Center Torso (rear)	Rear
6	Center Torso	Rear

TROOPER NUMBER	LARGE SUPPORT VEHICLE LOCATION*
1	Right Side (Unit 1/Unit 2)
2	Right Side (Unit 1/Unit 2)
3	Left Side (Unit 1/Unit 2)
4	Left Side (Unit 1/Unit 2)
5	Rear (Unit 1/Unit 2)
6	Rear (Unit 1/Unit 2)

*Unit 1 and Unit 2 represent two battle armor units.



TO-HIT MODIFIERS

Terrain

Light Woods	+1/hex
Heavy Woods	+2/hex
Partial Cover	+1

Target

Prone (adjacent hex)	-2
Prone (other hex)	+1
Immobile	-4
Skidding	-2
Moved 0-2 hexes	+0
Moved 3-4 hexes	+1
Moved 5-6 hexes	+2
Moved 7-9 hexes	+3
Moved 10-17 hexes	+4
Moved 18-24 hexes	+5
Moved 25+ hexes	+6
Jumped	+1
Secondary Target	+1
Large support vehicle	-1
or grounded DropShip	

MOVEMENT COSTS

Move	Cost
Cost to Enter Any Hex:	1

Terrain Cost:

Clear	+0
Paved/Bridge	+0
Road	+0
Rough	+1
Light woods	+0
Heavy woods	+1
Water	
Depth 1+	Prohibited
Rubble	+1
Building	+0
Level Change (Up or Down)	
1 level	+2
2+ levels	Prohibited

CLUSTER HITS TABLE

Die Roll (2D6)	2	3	4	5	6	8	10
2	1	1	1	1	2	2	3
3	1	1	2	2	2	3	3
4	1	1	2	2	3	3	4
5	1	2	2	3	3	4	6
6	1	2	2	3	4	4	6
7	1	2	3	3	4	5	6
8	2	2	3	3	4	5	6
9	2	2	3	4	5	6	8
10	2	3	3	4	5	7	8
11	2	3	4	5	6	8	10
12	2	3	4	5	6	8	10

MOVEMENT RECORD

Turn #	1	2	3	4	5	6	7	8	9	10
Hex										
Move Mode										

Turn #	11	12	13	14	15	16	17	18	19	20
Hex										
Move Mode										