BATTLETECH™

OMNIMECH RECORD SHEET

'MECH DATA

Type: Thor (Summoner) Prime

Movement Points:		**Tonnage:**	70
Walking:	5	**Tech Base:**	Clan
Running:	8	**Rules Level:**	Standard
Jumping:	5	**Role:**	Sniper
Engine Type:	350 XL		

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
					(hexes)			
1	LB 10-X AC	LA	2	10 [DB,C/F/S]	—	6	12	18
1	ER PPC	RA	15	15 [DE]	—	7	14	23
1	LRM 15	LT	5	1/Msl [M,C,S]	—	7	14	21

Total Heat (Dissipation): 22 (28)

Ammo: (LB-10X) 10, (LRM 15) 16

Quirks: Improved Communications, Ubiquitous (Clans)

BV: 3,861

WARRIOR DATA

Name: Star Captain Lara Hazen

Gunnery Skill: 2 **Piloting Skill:** 3

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM

Ferro-Fibrous



CRITICAL TABLE

Left Arm (CASE)

1. Shoulder
2. Upper Arm Actuator
3. LB 10-X AC
4. LB 10-X AC
5. LB 10-X AC
6. LB 10-X AC

1-3

1. LB 10-X AC
2. Ammo (LB-10X) 10
3. Ferro-Fibrous
4. Roll Again
5. Roll Again
6. Roll Again

4-6

Left Torso (CASE)

1. XL Fusion Engine
2. XL Fusion Engine
3. LRM 15
4. LRM 15
5. Ammo (LRM 15) 8
6. Ammo (LRM 15) 8

1-3

1. Ferro-Fibrous
2. Ferro-Fibrous
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Jump Jet

Head

1. Life Support
2. Sensors
3. Cockpit
4. Ferro-Fibrous
5. Sensors
6. Life Support

Center Torso

1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Gyro
5. Gyro
6. Gyro

1-3

1. Gyro
2. XL Fusion Engine
3. XL Fusion Engine
4. XL Fusion Engine
5. Jump Jet
6. Roll Again

4-6

Engine Hits	○ ○ ○
Gyro Hits	○ ○
Sensor Hits	○ ○
Life Support	○



Damage Transfer Diagram

Right Arm

1. Shoulder
2. Upper Arm Actuator
3. ER PPC
4. ER PPC
5. Ferro-Fibrous
6. Roll Again

1-3

1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6

Right Torso

1. XL Fusion Engine
2. XL Fusion Engine
3. Ferro-Fibrous
4. Ferro-Fibrous
5. Roll Again
6. Roll Again

1-3

1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Jump Jet

INTERNAL STRUCTURE DIAGRAM

Standard Structure



Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

HEAT DATA

Double Heat Sinks: 14 (28)

Heat Level*	Effects	
30	Shutdown	○ ○
28	Ammo Exp, avoid on 8+	○ ○
26	Shutdown, avoid on 10+	○ ○
25	-5 Movement Points	○ ○
24	+4 Modifier to Fire	○
23	Ammo Exp, avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	○
19	Ammo Exp, avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	
14	Shutdown, avoid on 4+	
13	+2 Modifier to Fire	
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

© 2025 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

OMNIMECH RECORD SHEET

'MECH DATA

Type: Mad Cat (Timber Wolf) D

Movement Points:			
Walking:	5	**Tonnage:**	75
Running:	8	**Tech Base:**	Clan
Jumping:	0	**Rules Level:**	Standard
Engine Type:	375 XL	**Role:**	Skirmisher

Weapons & Equipment Inventory

(hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	ER PPC	LA	15	15 [DE]	—	7	14	23
1	ER PPC	RA	15	15 [DE]	—	7	14	23
1	Streak SRM 6	LT	4	2/Msl [M,C]	—	4	8	12
1	Streak SRM 6 (R)	LT	4	2/Msl [M,C]	—	4	8	12
1	Streak SRM 6	RT	4	2/Msl [M,C]	—	4	8	12
1	Streak SRM 6 (R)	RT	4	2/Msl [M,C]	—	4	8	12
1	ER Small Laser	CT	2	5 [DE]	—	2	4	6

Total Heat (Dissipation): 48 (30)

Ammo: (Streak SRM 6) 45

Quirks: Improved Targeting (Medium), Weak Head Armor (1)

BV: 3,540

WARRIOR DATA

Name: MechWarrior Selam

Gunnery Skill: 3 **Piloting Skill:** 4

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM

Ferro-Fibrous



CRITICAL TABLE

Left Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. ER PPC
4. ER PPC
5. Ferro-Fibrous
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso (CASE)

1-3
1. XL Fusion Engine
2. XL Fusion Engine
3. Streak SRM 6
4. Streak SRM 6
5. Streak SRM 6 (R)
6. Streak SRM 6 (R)

4-6
1. Ammo (Streak SRM 6) 15
2. Endo Steel
3. Ferro-Fibrous
4. Ferro-Fibrous
5. Roll Again
6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Endo Steel
6. Endo Steel

Head

1. Life Support
2. Sensors
3. Cockpit
4. Ferro-Fibrous
5. Sensors
6. Life Support

Center Torso

1-3
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. XL Fusion Engine
3. XL Fusion Engine
4. XL Fusion Engine
5. ER Small Laser
6. Endo Steel

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. ER PPC
4. ER PPC
5. Ferro-Fibrous
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso (CASE)

1-3
1. XL Fusion Engine
2. XL Fusion Engine
3. Streak SRM 6
4. Streak SRM 6
5. Streak SRM 6 (R)
6. Streak SRM 6 (R)

4-6
1. Ammo (Streak SRM 6) 15
2. Ammo (Streak SRM 6) 15
3. Endo Steel
4. Ferro-Fibrous
5. Ferro-Fibrous
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Endo Steel
6. Endo Steel

INTERNAL STRUCTURE DIAGRAM

Endo Steel



Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

HEAT DATA

Double Heat Sinks: 15 (30)

Heat Level*	Effects	
30	Shutdown	○○
28	Ammo Exp, avoid on 8+	○○
26	Shutdown, avoid on 10+	○○
25	-5 Movement Points	○○
24	+4 Modifier to Fire	○○
23	Ammo Exp, avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	○
19	Ammo Exp, avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	
14	Shutdown, avoid on 4+	
13	+2 Modifier to Fire	
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

© 2025 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

OMNIMECH RECORD SHEET

'MECH DATA

Type: Vulture (Mad Dog) C

Movement Points:		**Tonnage:**	60
Walking:	5	**Tech Base:**	Clan
Running:	8	**Rules Level:**	Standard
Jumping:	0	**Role:**	Sniper
Engine Type:	300 XL		

Weapons & Equipment Inventory

(hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	Gauss Rifle	LA	1	15 [DB,X]	2	7	15	22
1	Gauss Rifle	RA	1	15 [DB,X]	2	7	15	22

Total Heat (Dissipation): 2 (24)

Ammo: (Gauss) 32

Quirks: Improved Targeting (Medium)

BV: 2,497

WARRIOR DATA

Name: MechWarrior Sarai

Gunnery Skill: 3 **Piloting Skill:** 4

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM

Ferro-Fibrous



INTERNAL STRUCTURE DIAGRAM

Standard Structure



Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

CRITICAL TABLE

Left Arm (CASE)

1. Shoulder
2. Upper Arm Actuator
3. Gauss Rifle
4. Gauss Rifle
5. Gauss Rifle
6. Gauss Rifle

1-3

1. Gauss Rifle
2. Gauss Rifle
3. Ammo (Gauss) 8
4. Ammo (Gauss) 8
5. Ferro-Fibrous
6. Roll Again

4-6

Left Torso

1. XL Fusion Engine
2. XL Fusion Engine
3. Ferro-Fibrous
4. Ferro-Fibrous
5. Roll Again
6. Roll Again

1-3

1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

Head

1. Life Support
2. Sensors
3. Cockpit
4. Ferro-Fibrous
5. Sensors
6. Life Support

Center Torso

1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Gyro
5. Gyro
6. Gyro

1-3

1. Gyro
2. XL Fusion Engine
3. XL Fusion Engine
4. XL Fusion Engine
5. Roll Again
6. Roll Again

4-6

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○



Damage Transfer Diagram

Right Arm (CASE)

1. Shoulder
2. Upper Arm Actuator
3. Gauss Rifle
4. Gauss Rifle
5. Gauss Rifle
6. Gauss Rifle

1-3

1. Gauss Rifle
2. Gauss Rifle
3. Ammo (Gauss) 8
4. Ammo (Gauss) 8
5. Ferro-Fibrous
6. Roll Again

4-6

Right Torso

1. XL Fusion Engine
2. XL Fusion Engine
3. Ferro-Fibrous
4. Ferro-Fibrous
5. Roll Again
6. Roll Again

1-3

1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

HEAT DATA

Double Heat Sinks: 12 (24)

Heat Level*	Effects	
30	Shutdown	○○
28	Ammo Exp, avoid on 8+	○○
26	Shutdown, avoid on 10+	○
25	-5 Movement Points	○
24	+4 Modifier to Fire	○
23	Ammo Exp, avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	○
19	Ammo Exp, avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	
14	Shutdown, avoid on 4+	
13	+2 Modifier to Fire	
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

© 2025 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

OMNIMECH RECORD SHEET

'MECH DATA

Type: Grendel (Mongrel) Prime

Movement Points:
Walking: 7
Running: 11
Jumping: 7
Engine Type: 315 XL

Tonnage: 45
Tech Base: Clan
Rules Level: Standard
Role: Striker

Weapons & Equipment Inventory

(hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
2	ER Medium Laser	LA	5	7 [DE]	—	5	10	15
1	ER Large Laser	RA	12	10 [DE]	—	8	15	25
1	ER Small Laser	RA	2	5 [DE]	—	2	4	6
1	Streak SRM 6	RT	4	2/Msl [M,C]	—	4	8	12
1	ER Medium Laser	HD	5	7 [DE]	—	5	10	15

Total Heat (Dissipation): 33 (24)

Ammo: (Streak SRM 6) 15

Quirks: Rugged (1 Point)

BV: 3,023

WARRIOR DATA

Name: MechWarrior Lai-hsiang

Gunnery Skill: 3 **Piloting Skill:** 4

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM

Ferro-Fibrous



INTERNAL STRUCTURE DIAGRAM

Endo Steel



Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

CRITICAL TABLE

Left Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. ER Medium Laser
6. ER Medium Laser

4-6
1. Ferro-Fibrous
2. Ferro-Fibrous
3. Ferro-Fibrous
4. Ferro-Fibrous
5. Roll Again
6. Roll Again

Left Torso

1-3
1. XL Fusion Engine
2. XL Fusion Engine
3. Double Heat Sink
4. Double Heat Sink
5. Jump Jet
6. Endo Steel

4-6
1. Endo Steel
2. Endo Steel
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Jump Jet

Head

1. Life Support
2. Sensors
3. Cockpit
4. ER Medium Laser
5. Sensors
6. Life Support

Center Torso

1-3
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. XL Fusion Engine
3. XL Fusion Engine
4. XL Fusion Engine
5. Jump Jet
6. Roll Again

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. ER Large Laser
4. ER Small Laser
5. Endo Steel
6. Ferro-Fibrous

4-6
1. Ferro-Fibrous
2. Ferro-Fibrous
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso (CASE)

1-3
1. XL Fusion Engine
2. XL Fusion Engine
3. Double Heat Sink
4. Double Heat Sink
5. Jump Jet
6. Streak SRM 6

4-6
1. Streak SRM 6
2. Ammo (Streak SRM 6) 15
3. Endo Steel
4. Endo Steel
5. Endo Steel
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Jump Jet

HEAT DATA

Double Heat Sinks: 12 (24)

Heat Level*	Effects	
30	Shutdown	○○
28	Ammo Exp, avoid on 8+	○○
26	Shutdown, avoid on 10+	○
25	-5 Movement Points	○
24	+4 Modifier to Fire	○
23	Ammo Exp, avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	○
19	Ammo Exp, avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	
14	Shutdown, avoid on 4+	
13	+2 Modifier to Fire	
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

© 2025 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

OMNIMECH RECORD SHEET

'MECH DATA

Type: Puma (Adder) B

Movement Points:
Walking: 6
Running: 9
Jumping: 0
Engine Type: 210 XL

Tonnage: 35
Tech Base: Clan
Rules Level: Standard
Role: Sniper

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
					(hexes)			
1	LB 5-X AC	LA	1	5 [DB,C/F/S]	3	8	15	24
1	Large Pulse Laser	RA	10	10 [P]	—	6	14	20
1	ER Medium Laser	LT	5	7 [DE]	—	5	10	15
1	ER Medium Laser	RT	5	7 [DE]	—	5	10	15
1	Flamer	CT	3	2 [DE,H,AI]	—	1	2	3

Total Heat (Dissipation): 24 (20)

Ammo: (LB-5X) 20

Quirks: Narrow/Low Profile

BV: 1,877

WARRIOR DATA

Name: MechWarrior Rob

Gunnery Skill: 3 **Piloting Skill:** 4

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM

Ferro-Fibrous



INTERNAL STRUCTURE DIAGRAM

Endo Steel



Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

CRITICAL TABLE

Left Arm (CASE)

1. Shoulder
2. Upper Arm Actuator
3. LB 5-X AC
4. LB 5-X AC
5. LB 5-X AC
6. LB 5-X AC

1-3

1. Ammo (LB-5X) 20
2. Ferro-Fibrous
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6

Left Torso

1. XL Fusion Engine
2. XL Fusion Engine
3. Double Heat Sink
4. Double Heat Sink
5. ER Medium Laser
6. Endo Steel

1-3

1. Ferro-Fibrous
2. Ferro-Fibrous
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Endo Steel
6. Endo Steel

Head

1. Life Support
2. Sensors
3. Cockpit
4. Ferro-Fibrous
5. Sensors
6. Life Support

Center Torso

1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Gyro
5. Gyro
6. Gyro

1-3

1. Gyro
2. XL Fusion Engine
3. XL Fusion Engine
4. XL Fusion Engine
5. Flamer
6. Endo Steel

4-6

Engine Hits ○ ○ ○
Gyro Hits ○ ○
Sensor Hits ○ ○
Life Support ○



Damage Transfer Diagram

Right Arm

1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Large Pulse Laser
6. Large Pulse Laser

1-3

1. Ferro-Fibrous
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6

Right Torso

1. XL Fusion Engine
2. XL Fusion Engine
3. Double Heat Sink
4. Double Heat Sink
5. ER Medium Laser
6. Endo Steel

1-3

1. Ferro-Fibrous
2. Ferro-Fibrous
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Endo Steel
6. Endo Steel

HEAT DATA

Double Heat Sinks: 10 (20)

Heat Level*	Effects	
30	Shutdown	○
28	Ammo Exp, avoid on 8+	○
26	Shutdown, avoid on 10+	○
25	-5 Movement Points	○
24	+4 Modifier to Fire	○
23	Ammo Exp, avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	○
19	Ammo Exp, avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	
14	Shutdown, avoid on 4+	
13	+2 Modifier to Fire	
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

© 2025 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLE ARMOR RECORD SHEET

BATTLE ARMOR: POINT 1

Type: Elemental Battle Armor [Laser](Sqd5)
Gunnery Skill: 2 **Anti-'Mech Skill:** 3
Ground MP: 1 **Jump MP:** 3

Qty	Type	Dmg	Min	Sht	Med	Lng
1	Small Laser	3 [DE]	—	1	2	3
1	SRM 2	2/Msl [M,C,S]	—	3	6	9
1	Battle Claw		—	—	—	—

Ammo: (SRM 2) 2

1 ○○○○○○○○○○○○
2 ○○○○○○○○○○○○
3 ○○○○○○○○○○○○
4 ○○○○○○○○○○○○
5 ○○○○○○○○○○○○

Mechanized: ☑ **Swarm:** ☑ **Leg:** ☑ **AP:** ☑

Armor: Standard (Basic) **Role:** Ambusher **BV:** 751/64

BATTLE ARMOR: POINT 2

Type: Elemental Battle Armor [Laser](Sqd5)
Gunnery Skill: 3 **Anti-'Mech Skill:** 4
Ground MP: 1 **Jump MP:** 3

Qty	Type	Dmg	Min	Sht	Med	Lng
1	Small Laser	3 [DE]	—	1	2	3
1	SRM 2	2/Msl [M,C,S]	—	3	6	9
1	Battle Claw		—	—	—	—

Ammo: (SRM 2) 2

1 ○○○○○○○○○○○○
2 ○○○○○○○○○○○○
3 ○○○○○○○○○○○○
4 ○○○○○○○○○○○○
5 ○○○○○○○○○○○○

Mechanized: ☑ **Swarm:** ☑ **Leg:** ☑ **AP:** ☑

Armor: Standard (Basic) **Role:** Ambusher **BV:** 590/64

BATTLE ARMOR: POINT 3

Type: Elemental Battle Armor [Laser](Sqd5)
Gunnery Skill: 3 **Anti-'Mech Skill:** 4
Ground MP: 1 **Jump MP:** 3

Qty	Type	Dmg	Min	Sht	Med	Lng
1	Small Laser	3 [DE]	—	1	2	3
1	SRM 2	2/Msl [M,C,S]	—	3	6	9
1	Battle Claw		—	—	—	—

Ammo: (SRM 2) 2

1 ○○○○○○○○○○○○
2 ○○○○○○○○○○○○
3 ○○○○○○○○○○○○
4 ○○○○○○○○○○○○
5 ○○○○○○○○○○○○

Mechanized: ☑ **Swarm:** ☑ **Leg:** ☑ **AP:** ☑

Armor: Standard (Basic) **Role:** Ambusher **BV:** 590/64

BATTLE ARMOR: POINT 4

Type: Elemental Battle Armor [Laser](Sqd5)
Gunnery Skill: 3 **Anti-'Mech Skill:** 4
Ground MP: 1 **Jump MP:** 3

Qty	Type	Dmg	Min	Sht	Med	Lng
1	Small Laser	3 [DE]	—	1	2	3
1	SRM 2	2/Msl [M,C,S]	—	3	6	9
1	Battle Claw		—	—	—	—

Ammo: (SRM 2) 2

1 ○○○○○○○○○○○○
2 ○○○○○○○○○○○○
3 ○○○○○○○○○○○○
4 ○○○○○○○○○○○○
5 ○○○○○○○○○○○○

Mechanized: ☑ **Swarm:** ☑ **Leg:** ☑ **AP:** ☑

Armor: Standard (Basic) **Role:** Ambusher **BV:** 590/64

BATTLE ARMOR: POINT 5

Type: Elemental Battle Armor [Laser](Sqd5)
Gunnery Skill: 3 **Anti-'Mech Skill:** 4
Ground MP: 1 **Jump MP:** 3

Qty	Type	Dmg	Min	Sht	Med	Lng
1	Small Laser	3 [DE]	—	1	2	3
1	SRM 2	2/Msl [M,C,S]	—	3	6	9
1	Battle Claw		—	—	—	—

Ammo: (SRM 2) 2

1 ○○○○○○○○○○○○
2 ○○○○○○○○○○○○
3 ○○○○○○○○○○○○
4 ○○○○○○○○○○○○
5 ○○○○○○○○○○○○

Mechanized: ☑ **Swarm:** ☑ **Leg:** ☑ **AP:** ☑

Armor: Standard (Basic) **Role:** Ambusher **BV:** 590/64

LEG ATTACKS TABLE

BATTLE ARMOR TROOPERS ACTIVE	BASE TO-HIT MODIFIER
4-6	0
3	+2
2	+5
1	+7

SWARM ATTACKS TABLE

BATTLE ARMOR TROOPERS ACTIVE	BASE TO-HIT MODIFIER
4-6	+2
1-3	+5

SWARM ATTACK MODIFIERS TABLE

ATTACKING ENEMY BATTLE ARMOR TROOPERS ACTIVE	FRIENDLY MECHANIZED BATTLE ARMOR TROOPERS ACTIVE 1	2	3	4	5	6
6	+0	+0	+0	+0	+1	+2
5	+0	+0	+0	+1	+2	+3
4	+0	+0	+1	+2	+3	+4
3	+0	+1	+2	+3	+4	+5
2	+1	+2	+3	+4	+5	+6
1	+2	+3	+4	+5	+6	+7

BATTLE ARMOR EQUIPMENT

Claws with magnets	-1

SITUATION*

'Mech prone	-2
'Mech or vehicle immobile	-4
Vehicle	-2

*Modifiers are cumulative

SWARM ATTACKS HIT LOCATION TABLE

2D6 ROLL	BIPEDAL/TRIPOD LOCATION	QUAD LOCATION
2	Head	Head
3	Rear Center Torso	Front Right Torso
4	Rear Right Torso	Rear Center Torso
5	Front Right Torso	Rear Right Torso
6	Right Arm	Front Right Torso
7	Front Center Torso	Front Center Torso
8	Left Arm	Front Left Torso
9	Front Left Torso	Rear Left Torso
10	Rear Left Torso	Rear Center Torso
11	Rear Center Torso	Front Left Torso
12	Head	Head

TRANSPORT POSITIONS TABLE

TROOPER NUMBER	'MECH LOCATION	VEHICLE LOCATION
1	Right Torso	Right Side
2	Left Torso	Right Side
3	Right Torso (rear)	Left Side
4	Left Torso (rear)	Left Side
5	Center Torso (rear)	Rear
6	Center Torso	Rear

TROOPER NUMBER	LARGE SUPPORT VEHICLE LOCATION*
1	Right Side (Unit 1/Unit 2)
2	Right Side (Unit 1/Unit 2)
3	Left Side (Unit 1/Unit 2)
4	Left Side (Unit 1/Unit 2)
5	Rear (Unit 1/Unit 2)
6	Rear (Unit 1/Unit 2)

*Unit 1 and Unit 2 represent two battle armor units.

© 2025 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.