

BATTLETECH™

BATTLEMECH RECORD SHEET

MECH DATA

Type: Emperor EMP-6L

Movement Points:

Walking: 3 [4]

Running: 5 [6]

Jumping: 3

Engine Type: 270 Fusion

Tonnage: 90

Tech Base: Inner Sphere

Rules Level: Standard

Role: Juggernaut

WARRIOR DATA

Name: Rebecca "Raven" Zhao

Gunnery Skill: 3

Piloting Skill: 4

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Ln
1	ER PPC	LA	15	10 [DE]	—	7	14	23
1	ECM Suite (Guardian)	LA	—	[E]	—	—	—	6
1	Gauss Rifle	RA	1	15 [DB,X]	2	7	15	22
2	Medium Pulse Laser	LT	4	6 [P]	—	2	4	6
2	Medium Pulse Laser	RT	4	6 [P]	—	2	4	6

Ammo: (Gauss) 24

Quirks: Command Mek

BV: 3,539




CRITICAL TABLE

- Left Arm**
- Shoulder
 - Upper Arm Actuator
 - Lower Arm Actuator
- 1-3
- ER PPC
 - ER PPC
 - ER PPC
- 4-6
- ECM Suite (Guardian)
 - ECM Suite (Guardian)
 - Stealth
 - Stealth
 - Triple Strength Myomer
 - Triple Strength Myomer
- Center Torso**
- Fusion Engine
 - Fusion Engine
 - Fusion Engine
- 1-3
- Gyro
 - Gyro
 - Gyro
- 4-6
- Gyro
 - Fusion Engine
 - Fusion Engine
 - Fusion Engine
 - Jump Jet
 - Roll Again
- Left Torso**
- Double Heat Sink
 - Double Heat Sink
 - Double Heat Sink
- 1-3
- Jump Jet
 - Medium Pulse Laser
 - Medium Pulse Laser
- 4-6
- Stealth
 - Stealth
 - Triple Strength Myomer
 - Triple Strength Myomer
 - Triple Strength Myomer
 - Triple Strength Myomer

- Head**
- Life Support
 - Sensors
 - Cockpit
 - Roll Again
 - Sensors
 - Life Support

- Right Arm**
- Shoulder
 - Upper Arm Actuator
 - Lower Arm Actuator
- 1-3
- Gauss Rifle
 - Gauss Rifle
 - Gauss Rifle
- 4-6
- Gauss Rifle
 - Gauss Rifle
 - Gauss Rifle
 - Gauss Rifle
 - Stealth
 - Stealth
- Right Torso (CASE)**
- Double Heat Sink
 - Double Heat Sink
 - Double Heat Sink
- 1-3
- Jump Jet
 - Medium Pulse Laser
 - Medium Pulse Laser
- 4-6
- Ammo (Gauss) 8
 - Ammo (Gauss) 8
 - Ammo (Gauss) 8
 - CASE
 - Stealth
 - Stealth


Engine Hits ○○○○
Gyro Hits ○○○○
Sensor Hits ○○○○
Life Support ○



Damage Transfer Diagram

ARMOR DIAGRAM

Stealth



HIT LOCATION TABLE

Die Roll (2D6)	LS	F/R	RS
2*	LT(C)	CT(C)	RT(C)
3	LL	RA	RL
4	LA	RA	RA
5	LA	RL	RA
6	LL	RT	RL
7	LT	CT	RT
8	CT	LT	CT
9	RT	LL	LT
10	RA	LA	LA
11	RL	LA	LL
12	HD	HD	HD


*A result of 2 may inflict a critical hit

TO-HIT MODIFIERS

Attacker	
Stationary	+0
Walked	+1
Ran	+2
Jumped	+3
Prone	+2
Skidding	+1
Terrain	
Light Woods	+1/hex
Heavy Woods	+2/hex
Partial Cover	+1
Target	
Prone (adjacent hex)	-2
Prone (other hex)	+1
Immobile	-4
Skidding	-2
Moved 0-2 hexes	+0
Moved 3-4 hexes	+1
Moved 5-6 hexes	+2
Moved 7-9 hexes	+3
Moved 10-17 hexes	+4
Moved 18-24 hexes	+5
Moved 25+ hexes	+6
Jumped	+1
BattleArmor unit	+1
Secondary target (front)	+1
Secondary target (side/rear)	+2
Large support vehicle or grounded DropShip	-1
Damage	
Sensor hit	+2
Shoulder hit	+4
Arm Actuator	+1

INTERNAL STRUCTURE DIAGRAM

Standard Structure



Heat Scale

Heat Scale
Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

HEAT DATA

Heat	Effects
Level*	
30	Shutdown
28	Ammo Exp, avoid on 8+
26	Shutdown, avoid on 10+
25	-5 Movement Points
24	+4 Modifier to Fire
23	Ammo Exp, avoid on 6+
22	Shutdown, avoid on 8+
20	-4 Movement Points
19	Ammo Exp, avoid on 4+
18	Shutdown, avoid on 6+
17	+3 Modifier to Fire
15	-3 Movement Points
14	Shutdown, avoid on 4+
13	+2 Modifier to Fire
10	-2 Movement Points
8	+1 Modifier to Fire
5	-1 Movement Points

Double Heat Sinks: 12 (24)



© 2023 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

MOVEMENT RECORD

Turn #	1	2	3	4	5	6	7	8	9	10
Hex/Facing										
Move Mode										

Turn #	11	12	13	14	15	16	17	18	19	20
Hex/Facing										
Move Mode										

KICK LOCATION TABLE

Die Roll (1D6)	LS	F/R	RS
1-3	LL	RL	RL
4-6	LL	LL	RL

FACING AFTER FALL

Die Roll (1D6)	New Facing	Hit Location
1	Same Direction	Front
2	1 Hexside Right	Right Side
3	2 Hexsides Right	Right Side
4	Opposite Direction	Rear
5	2 Hexsides Left	Left Side
6	1 Hexside Left	Left Side

BATTLEMECH RECORD SHEET

Die Roll (2D6)	5
2	1
3	2
4	2
5	3
6	3
7	3
8	3
9	4
10	4
11	5
12	5

BATTLETECH™

BATTLEMECH RECORD SHEET

MECH DATA

Type: Trebuchet TBT-9N

Movement Points:

Walking: 6

Running: 9

Jumping: 0

Engine Type: 300 XL

Tonnage: 50

Tech Base: Mixed

Rules Level: Standard

Role: Missile Boat


WARRIOR DATA

Name: Shayna Guardio

Gunnery Skill: 4

Piloting Skill: 5

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



Ammo: (LRM 15) 24

Quirks: Easy to Maintain

BV: 1,550



CRITICAL TABLE

Left Arm

- Shoulder
- Upper Arm Actuator
- Lower Arm Actuator
- Hand Actuator
- LRM 15 [Clan]
- LRM 15 [Clan]

1-3

- Medium VSP Laser
- Medium VSP Laser
- Endo Steel
- Endo Steel
- Endo Steel
- Endo Steel

4-6

Left Torso (CASE II)

- XL Fusion Engine
- XL Fusion Engine
- XL Fusion Engine
- Ammo (LRM 15) 8
- Ammo (LRM 15) 8
- Ammo (LRM 15) 8

1-3

- CASE II
- Light Ferro-Fibrous
- Light Ferro-Fibrous
- Roll Again
- Roll Again
- Roll Again

4-6

Left Leg

- Hip
- Upper Leg Actuator
- Lower Leg Actuator
- Foot Actuator
- Endo Steel
- Endo Steel

Head

- Life Support
- Sensors
- Cockpit
- Endo Steel
- Sensors
- Life Support

Center Torso

- XL Fusion Engine
- XL Fusion Engine
- XL Fusion Engine
- XL Gyro
- XL Gyro
- XL Gyro

1-3

- XL Gyro
- XL Gyro
- XL Gyro
- XL Fusion Engine
- XL Fusion Engine
- XL Fusion Engine

4-6

Engine Hits ○○○○
Gyro Hits ○○○○
Sensor Hits ○○○○
Life Support ○



Damage Transfer Diagram

Right Arm

- Shoulder
- Upper Arm Actuator
- Lower Arm Actuator
- Medium VSP Laser
- Medium VSP Laser
- Medium VSP Laser

1-3

- Medium VSP Laser
- Light Ferro-Fibrous
- Light Ferro-Fibrous
- Light Ferro-Fibrous
- Light Ferro-Fibrous
- Light Ferro-Fibrous

4-6

Right Torso

- XL Fusion Engine
- XL Fusion Engine
- XL Fusion Engine
- LRM 15 [Clan]
- LRM 15 [Clan]
- Endo Steel

1-3

- Endo Steel
- Endo Steel
- Endo Steel
- Endo Steel
- Roll Again
- Roll Again


4-6

Right Leg

- Hip
- Upper Leg Actuator
- Lower Leg Actuator
- Foot Actuator
- Endo Steel
- Endo Steel

ARMOR DIAGRAM

Light Ferro-Fibrous



HIT LOCATION TABLE

Die Roll (2D6)	LS	F/R	RS
2*	LT(C)	CT(C)	RT(C)
3	LL	RA	RL
4	LA	RA	RA
5	LA	RL	RA
6	LL	RT	RL
7	LT	CT	RT
8	CT	LT	CT
9	RT	LL	LT
10	RA	LA	LA
11	RL	LA	LL
12	HD	HD	HD

*A result of 2 may inflict a critical hit.

TO-HIT MODIFIERS

Attacker	
Stationary	+0
Walked	+1
Ran	+2
Prone	+2
Skidding	+1
Terrain	
Light Woods	+1/hex
Heavy Woods	+2/hex
Partial Cover	+1
Target	
Prone (adjacent hex)	-2
Prone (other hex)	+1
Immobile	-4
Skidding	-2
Moved 0-2 hexes	+0
Moved 3-4 hexes	+1
Moved 5-6 hexes	+2
Moved 7-9 hexes	+3
Moved 10-17 hexes	+4
Moved 18-24 hexes	+5
Moved 25+ hexes	+6
Jumped	+1
BattleArmor unit	+1
Secondary target (front)	+1
Secondary target (side/rear)	+2
Large support vehicle or grounded DropShip	-1
Damage	
Sensor hit	+2
Shoulder hit	+4
Arm Actuator	+1

PHYSICAL ATTACKS

Attack	To-Hit	Damage
Punch (LA)	+0	5
Punch (RA)	+1	5
Kick	-2	10
Push	-1	—
Charge	+0*	5/Hex

*Modified by target piloting skill

PUNCH LOCATION TABLE

Die Roll (1D6)	LS	F/R	RS
1	LT	LA	RT
2	LT	LT	RT
3	CT	CT	CT
4	LA	RT	RA
5	LA	RA	RA
6	HD	HD	HD

KICK LOCATION TABLE

Die Roll (1D6)	LS	F/R	RS
1-3	LL	RL	RL
4-6	LL	LL	RL

FACING AFTER FALL

Die Roll (1D6)	New Facing	Hit Location
1	Same Direction	Front
2	1 Hexside Right	Right Side
3	2 Hexsides Right	Right Side
4	Opposite Direction	Rear
5	2 Hexsides Left	Left Side
6	1 Hexside Left	Left Side

CLUSTER HITS TABLE

Die Roll (2D6)	
2	5
3	5
4	6
5	9
6	9
7	9
8	9
9	12
10	12
11	15
12	15

MOVEMENT RECORD

Turn #	1	2	3	4	5	6	7	8	9	10
Hex/Facing										
Move Mode										

Turn #	11	12	13	14	15	16	17	18	19	20
Hex/Facing										
Move Mode										

BATTLETECH™

BATTLEMECH RECORD SHEET

MECH DATA

Type: Spider SDR-8X

Movement Points:

Walking: 8

Running: 12

Jumping: 10

Engine Type: 240 XL

Tonnage: 30

Tech Base: Inner Sphere

Rules Level: Advanced

Role: Striker

WARRIOR DATA

Name: Rose Mateo

Gunnery Skill: 4

Piloting Skill: 5

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead

Weapons & Equipment Inventory

(hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Ln
1	Partial Wing	RT/LT	—	[E]	—	—	—	—
2	Medium Pulse Laser	CT	4	6 [P]	—	2	4	6

Quirks: Easy to Maintain, Nimble Jumper, No Ejection System

BV: 765



CRITICAL TABLE

Left Arm

- Shoulder
- Upper Arm Actuator
- Lower Arm Actuator
- Hand Actuator
- Endo Steel
- Endo Steel

1-3

Center Torso

- Life Support
- Sensors
- Cockpit
- Endo Steel
- Sensors
- Life Support

1-3

- XL Fusion Engine
- XL Fusion Engine
- XL Fusion Engine
- Gyro
- Gyro
- Gyro

4-6

Left Torso

- XL Fusion Engine
- XL Fusion Engine
- XL Fusion Engine
- Partial Wing
- Partial Wing
- Partial Wing

1-3

- Partial Wing
- Jump Jet
- Jump Jet
- Jump Jet
- Jump Jet
- Endo Steel


4-6

Left Leg

- Hip
- Upper Leg Actuator
- Lower Leg Actuator
- Foot Actuator
- Endo Steel
- Endo Steel

4-6

Engine Hits ○○○○
Gyro Hits ○○○○
Sensor Hits ○○○○
Life Support ○



Damage Transfer Diagram

Right Arm

- Shoulder
- Upper Arm Actuator
- Lower Arm Actuator
- Hand Actuator
- Double Heat Sink
- Double Heat Sink

1-3

Center Torso

- Double Heat Sink
- Endo Steel
- Endo Steel
- Roll Again
- Roll Again
- Roll Again

4-6

Right Torso

- XL Fusion Engine
- XL Fusion Engine
- XL Fusion Engine
- Partial Wing
- Partial Wing
- Partial Wing

1-3

- Partial Wing
- Jump Jet
- Jump Jet
- Jump Jet
- Jump Jet
- Endo Steel

4-6


Right Leg

- Hip
- Upper Leg Actuator
- Lower Leg Actuator
- Foot Actuator
- Endo Steel
- Endo Steel

4-6

ARMOR DIAGRAM

Standard Armor



HIT LOCATION TABLE

Die Roll

(2D6)

	LS	F/R	RS
2*	LT(C)	CT(C)	RT(C)
3	LL	RA	RL
4	LA	RA	RA
5	LA	RL	RA
6	LL	RT	RL
7	LT	CT	RT
8	CT	LT	CT
9	RT	LL	LT
10	RA	LA	LA
11	RL	LA	LL
12	HD	HD	HD

*A result of 2 may inflict a critical hit

TO-HIT MODIFIERS

Attacker


Stationary	+0
Walked	+1
Ran	+2
Jumped	+3
Prone	+2
Skidding	+1
Terrain	
Light Woods	+1/hex
Heavy Woods	+2/hex
Partial Cover	+1

Target

Prone (adjacent hex)	-2
Prone (other hex)	+1
Immobile	-4
Skidding	-2
Moved 0-2 hexes	+0
Moved 3-4 hexes	+1
Moved 5-6 hexes	+2
Moved 7-9 hexes	+3
Moved 10-17 hexes	+4
Moved 18-24 hexes	+5
Moved 25+ hexes	+6
Jumped	+1
BattleArmor unit	+1
Secondary target (front)	+1
Secondary target (side/rear)	+2
Large support vehicle or grounded DropShip	-1
Damage	
Sensor hit	+2
Shoulder hit	+4
Arm Actuator	+1

INTERNAL STRUCTURE DIAGRAM

Endo Steel



Heat Scale

Overflow

30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

HEAT DATA

Heat	Effects
Level*	
30	Shutdown
28	Ammo Exp, avoid on 8+
26	Shutdown, avoid on 10+
25	-5 Movement Points
24	+4 Modifier to Fire
23	Ammo Exp, avoid on 6+
22	Shutdown, avoid on 8+
20	-4 Movement Points
19	Ammo Exp, avoid on 4+
18	Shutdown, avoid on 6+
17	+3 Modifier to Fire
15	-3 Movement Points
14	Shutdown, avoid on 4+
13	+2 Modifier to Fire
10	-2 Movement Points
8	+1 Modifier to Fire
5	-1 Movement Points

Double Heat Sinks:
10 (23)
(Partial Wing +3)

© 2023 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

MOVEMENT RECORD

Turn #	1	2	3	4	5	6	7	8	9	10
Hex/Facing										
Move Mode										

Turn #	11	12	13	14	15	16	17	18	19	20
Hex/Facing										
Move Mode										

KICK LOCATION TABLE

Die Roll

(1D6)

	LS	F/R	RS
1-3	LL	RL	RL
4-6	LL	LL	RL

FACING AFTER FALL

Die Roll

(1D6)

	New Facing	Hit Location
1	Same Direction	Front
2	1 Hexside Right	Right Side
3	2 Hexsides Right	Right Side
4	Opposite Direction	Rear
5	2 Hexsides Left	Left Side
6	1 Hexside Left	Left Side