

BATTLETECH™

SUPERHEAVY THREE-LEGGED OMNIMECH RECORD SHEET

MECH DATA

Type: Ares ARS-V1D Hephaestus
Movement Points: 135
Walking: 2
Running: 3
Jumping: 0
Engine Type: 270 Fusion

Tonnage: 135
Tech Base: Mixed
Rules Level: Advanced
Role: Juggernaut

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lg
2	A-Pod	CL	—	[PB,OS,AI]	—	—	—	—
2	A-Pod	LL	—	[PB,OS,AI]	—	—	—	—
2	A-Pod	RL	—	[PB,OS,AI]	—	—	—	—
2	ER Large Laser (C)	LA	12	10 [DE]	—	8	15	25
1	C3 Computer (Slave)	LA	—	[E]	—	—	—	—
2	Large Pulse Laser (C)	RA	10	10 [P]	—	6	14	20
1	Light PPC	RA	5	5 [DE]	3	6	12	18
1	ER Medium Laser (C)	LT	5	7 [DE]	—	5	10	15
1	ER Small Laser (C)	LT	2	5 [DE]	—	2	4	6
1	LRM 5	LT	2	1/Msl [M,C,S]	6	7	14	21
1	SRM 2	LT	2	2/Msl [M,C,S]	—	3	6	9
1	ER Medium Laser (C)	RT	5	7 [DE]	—	5	10	15
1	ER Small Laser (C)	RT	2	5 [DE]	—	2	4	6
1	LRM 5	RT	2	1/Msl [M,C,S]	6	7	14	21
1	SRM 2	RT	2	2/Msl [M,C,S]	—	3	6	9
1	ER Small Laser (C)	CT	2	5 [DE]	—	2	4	6
1	SRM 2	CT	2	2/Msl [M,C,S]	—	3	6	9
1	Radical Heat Sink System	CT	—	[E]	—	—	—	—

Ammos: (LRM 5 Semi-guided) 24, (SRM 2) 50
Quirks: Command Mek, Distracting, Searchlight

BV: 2,960

WARRIOR DATA

Pilot: Billie Feaunati
Gunnery Skill: 4 Piloting Skill: 5

Hits Taken
Consciousness #

1	2	3	4	5	6
3	5	7	10	11	Dead

Gunner: Suravinda Thangavadivelu
Gunnery Skill: 4 Piloting Skill: 5


Hits Taken
Consciousness #

1	2	3	4	5	6
3	5	7	10	11	Dead

Tech Officer: Quinn Reagh
Gunnery Skill: 4 Piloting Skill: 5


Hits Taken
Consciousness #

1	2	3	4	5	6
3	5	7	10	11	Dead



ARMOR DIAGRAM

Standard Armor



HIT LOCATION TABLE

Die Roll (2D6)	LS	F/R	RS
2*	LT(C)	CT(C)	RT(C)
3	Leg (+1)†	RA	Leg (-1)†
4	LA	RA	RA
5	LA	Leg†	RA
6	Leg (+1)†	RT	Leg (-1)†
7	LT	CT	RT
8	CT	LT	CT
9	RT	Leg†	LT
10	RA	LA	LA
11	Leg (+1)†	LA	Leg (-1)†
12	HD	HD	HD

*A result of 2 may inflict a critical hit.
†Roll 1d6 and apply modifier:
0-2: RL, 3-4: CL, 5-7: LL

TO-HIT MODIFIERS

Attacker	
Stationary	+0
Walked	+1
Ran	+2
Prone	+2
Skidding	+1
Terrain	
Light Woods	+1/hex
Heavy Woods	+2/hex
Partial Cover	+1
Target	
Prone (adjacent hex)	-2
Prone (other hex)	+1
Immobile	-4
Skidding	-2
Moved 0-2 hexes	+0
Moved 3-4 hexes	+1
Moved 5-6 hexes	+2
Moved 7-9 hexes	+3
Moved 10-17 hexes	+4
Moved 18-24 hexes	+5
Moved 25+ hexes	+6
Jumped	+1
BattleArmor unit	+1
Secondary target (front)	+1
Secondary target (side/rear)	+2
Large support vehicle or grounded DropShip	-1
Damage	
Sensor hit	+2
Shoulder hit	+4
Arm Actuator	+1

CRITICAL TABLE

Left Arm	Head	Right Arm
1. Shoulder	1. Life Support	1. Shoulder
2. Upper Arm Actuator	2. Sensors	2. Upper Arm Actuator
3. Double Heat Sink	3. Superheavy Tripod Cockpit	3. Double Heat Sink
4. Double Heat Sink	4. Endo-Composite	4. Double Heat Sink
5. Double Heat Sink	5. Sensors	5. Double Heat Sink
6. Double Heat Sink	6. Life Support	6. Double Heat Sink
Center Torso	Left Torso (CASE II)	Right Torso (CASE II)
1. Fusion Engine	1. Double Heat Sink	1. Double Heat Sink
2. Fusion Engine	2. Double Heat Sink	2. Double Heat Sink
3. Fusion Engine	3. ER Large Laser [Clan]	3. Double Heat Sink
4. Superheavy Gyro	4. ER Large Laser [Clan]	4. Double Heat Sink
5. Superheavy Gyro	5. C3 Slave	5. Double Heat Sink
6. Double Heat Sink	6. Endo-Composite	6. Double Heat Sink
Left Leg	Center Leg	Right Leg
1. Hip	1. Hip	1. Hip
2. Upper Leg Actuator	2. Upper Leg Actuator	2. Upper Leg Actuator
3. Lower Leg Actuator	3. Lower Leg Actuator	3. Lower Leg Actuator
4. Foot Actuator	4. Foot Actuator	4. Foot Actuator
5. A-Pod	5. A-Pod	5. A-Pod
6. A-Pod	6. A-Pod	6. A-Pod

Engine Hits
Gyro Hits
Sensor Hits
Life Support


CATALYST
game labs

Damage
Transfer
Diagram



INTERNAL STRUCTURE DIAGRAM

Endo-Composite



HEAT DATA

Heat	Effects	Double Heat Sinks:
Level*		23 (46)
30	Shutdown	
28	Ammo Exp, avoid on 8+	
26	Shutdown, avoid on 10+	
25	-5 Movement Points	
24	+4 Modifier to Fire	
23	Ammo Exp, avoid on 6+	
22	Shutdown, avoid on 8+	
20	-4 Movement Points	
19	Ammo Exp, avoid on 4+	
18	Shutdown, avoid on 6+	
17	+3 Modifier to Fire	
15	-3 Movement Points	
14	Shutdown, avoid on 4+	
13	+2 Modifier to Fire	
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

Heat Scale

Overflow
30*
29
28*
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6*
4
3
2
1
0

© 2024 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

MOVEMENT RECORD

Turn #	1	2	3	4	5	6	7	8	9	10
Hex/Facing										
Move Mode										

Turn #	11	12	13	14	15	16	17	18	19	20
Hex/Facing										
Move Mode										

PUNCH LOCATION TABLE

Die Roll (1D6)	LS	F/R	RS
1	LT	LA	RT
2	LT	LT	RT
3	CT	CT	CT
4	LA	RT	RA
5	LA	RA	RA
6	HD	HD	HD

KICK LOCATION TABLE

Die Roll (1D6)	LS	F/R	RS
1	LL	LL	LL
2	LL	LL	CL
3	LL	CL	CL
4	CL	CL	RL
5	CL	RL	RL
6	RL	RL	RL

FACING AFTER FALL



Die Roll (1D6)	New Facing	Hit Location
1	Same Direction	Front
2	1 Hexside Right	Right Side
3	2 Hexsides Right	Right Side
4	Opposite Direction	Rear
5	2 Hexsides Left	Left Side
6	1 Hexside Left	Left Side

CLUSTER HITS TABLE

Die Roll (2D6)	2	5
2	1	1
3	1	2
4	1	2
5	1	3
6	1	3
7	1	3
8	2	3
9	2	4
10	2	4
11	2	5
12	2	5

BATTLEMECH RECORD SHEET

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



Die Roll (2D6)	LS	F/R	RS
2*	LT(C)	CT(C)	RT(C)
3	LL	RA	RL
4	LA	RA	RA
5	LA	RL	RA
6	LL	RT	RL
7	LT	CT	RT
8	CT	LT	CT
9	RT	LL	LT
10	RA	LA	LA
11	RL	LA	LL
12	HD	HD	HD

*A result of 2 may inflict a critical hit

Attacker	
Stationary	+0
Walked	+1
Ran	+2
Prone	+2
Skidding	+1
Terrain	
Light Woods	+1/hex
Heavy Woods	+2/hex
Partial Cover	+1
Target	
Prone (adjacent hex)	-2
Prone (other hex)	+1
Immobile	-4
Skidding	-2
Moved 0-2 hexes	+0
Moved 3-4 hexes	+1
Moved 5-6 hexes	+2
Moved 7-9 hexes	+3
Moved 10-17 hexes	+4
Moved 18-24 hexes	+5
Moved 25+ hexes	+6
Jumped	+1
BattleArmor unit	+1
Secondary target (front)	+1
Secondary target (side/rear)	+2
Large support vehicle or grounded DropShip	-1
Damage	
Sensor hit	+2
Shoulder hit	+4
Arm Actuator	+1

- Left Arm**
- 1-3
1. Shoulder
 2. Upper Arm Actuator
 3. Lower Arm Actuator
 4. Snub-Nose PPC
 5. Snub-Nose PPC
 6. ER Medium Laser

- 4-6**
1. Endo Steel
 2. Endo Steel
 3. Endo Steel
 4. Endo Steel
 5. Light Ferro-Fibrous
 6. Light Ferro-Fibrous

- Left Torso**
1. Light Fusion Engine
 2. Light Fusion Engine
 - 1-3 3. Double Heat Sink
 4. Double Heat Sink
 5. Double Heat Sink
 6. Medium Pulse Laser

- 4-6
- | | |
|----|--------------------|
| 1. | Targeting Computer |
| 2. | Targeting Computer |
| 3. | Targeting Computer |
| 4. | Targeting Computer |
| 5. | Targeting Computer |
| 6. | Endo Steel |

- Left Leg**
1. Hip
 2. Upper Leg Actuator
 3. Lower Leg Actuator
 4. Foot Actuator
 5. Endo Steel
 6. Light Ferro-Fibrous

1. Life Support
2. Sensors
3. Cockpit
4. C3 Slave
5. Sensors
6. Life Support

- 1-3

1. Light Fusion Engine
2. Light Fusion Engine
3. Light Fusion Engine
4. Heavy Duty Gyro
5. Heavy Duty Gyro
6. Heavy Duty Gyro

Engine Hits ○○○
Gyro Hits ○○○
Sensor Hits ○○
Life Support ○



Damage Transfer Diagram


- 1-3 3. Lower Arm Actuator
4. [Snub-Nose PPC
5. [Snub-Nose PPC
6. ER Medium Laser

- 4-6
1. Endo Steel
 2. Endo Steel
 3. Endo Steel
 4. Endo Steel
 5. Light Ferro-Fibrous
 6. Light Ferro-Fibrous

- Right Torso (CASE)**
- | | | |
|------------|----------|------------------------|
| 1-3 | [| 1. Light Fusion Engine |
| | | 2. Light Fusion Engine |
| | | 3. Double Heat Sink |
| | | 4. Double Heat Sink |
| | | 5. Double Heat Sink |
| | | 6. Streak SRM 6 |

- 4-6
1. Streak SRM 6
 2. Medium Pulse Laser
 3. Ammo (Streak SRM 6) 15
 4. CASE
 5. Endo Steel
 6. Light Ferro-Fibrous

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Endo Steel
6. Light Ferro-Fibrous



Heat Level*	Effects	Double Heat Sinks: 13 (26)
30	Shutdown	○ ○
28	Ammo Exp, avoid on 8+	○ ○
26	Shutdown, avoid on 10+	○ ○
25	-5 Movement Points	○ ○
24	+4 Modifier to Fire	○
23	Ammo Exp, avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	○
19	Ammo Exp, avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	
14	Shutdown, avoid on 4+	
13	+2 Modifier to Fire	
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

Attack	To-Hit	Damage
Punch	+1	7
Kick	-2	14
Push	-1	—
Charge	+0*	7/Hex

*Modified by target piloting skill

*Modified by target piloting skill

Die Roll (1D6)	LS	F/R	RS
1	LT	LA	RT
2	LT	LT	RT
3	CT	CT	CT
4	LA	RT	RA
5	LA	RA	RA
6	HD	HD	HD

Die Roll (1D6)	LS	F/R	RS
1-3	LL	RL	RL
4-6	LL	LL	RL

Die Roll		
(1D6)	New Facing	Hit Location
1	Same Direction	Front
2	1 Hexside Right	Right Side
3	2 Hexsides Right	Right Side
4	Opposite Direction	Rear
5	2 Hexsides Left	Left Side
6	1 Hexside Left	Left Side

[illegible][illegible]

FOUR-LEGGED OMNIMECH RECORD SHEET

WHEELED VEHICLE RECORD SHEET

Turret Locked ☐ Engine Hit ☐


Sensor Hits ☐ +1 ☐ +2 ☐ +3 ☐ D ☐

Motive System Hits ☐ +1 ☐ +2 ☐ +3 ☐


Stabilizers

Front ☐ Left ☐ Right ☐

Rear ☐ Turret ☐



(38)



(23)

Attacker	
Stationary	+0
Cruised	+1
Flanked	+2
Skidding	+1
Terrain	
Light Woods	+1/hex
Heavy Woods	+2/hex
Partial Cover	+1
Target	
Prone (adjacent hex)	-2
Prone (other hex)	+1
Immobile	-4
Skidding	-2
Moved 0-2 hexes	+0
Moved 3-4 hexes	+1
Moved 5-6 hexes	+2
Moved 7-9 hexes	+3
Moved 10-17 hexes	+4
Moved 18-24 hexes	+5
Moved 25+ hexes	+6
Jumped	+1
BattleArmor unit	+1
Secondary target (front)	+1
Secondary target (side/rear)	+2
Large support vehicle or grounded DropShip	-1

	FRONT	REAR	SIDES
2*	Front (critical)	Rear (critical)	Side (critical)
3	Front†	Rear†	Side†
4	Front†	Rear†	Side†
5	Right Side†	Left Side†	Front†
6	Front	Rear	Side
7	Front	Rear	Side
8	Front	Rear	Side (critical)*
9	Left Side†	Right Side†	Rear†
10	Turret	Turret	Turret
11	Turret	Turret	Turret
12*	Turret (critical)	Turret (critical)	Turret (critical)

2D6 ROLL	EFFECT*
2-5	No Effect
6-7	Minor damage; +1 modifier to all Driving Skill Rolls
8-9	Moderate damage; -1 Cruising MP, +2 modifier to all Driving Skill Rolls
10-11	Heavy damage; only half Cruising MP (round fractions up), +3 modifier to all Driving Skill Rolls
12	Major damage; no movement for the rest of the game Vehicle is immobile.

Hit from rear	+1	Tracked, Naval	+0
Hit from the sides	+2	Wheeled	+2
		Hovercraft, Hydrofoil	+3
		WiGE	+4

	FRONT	SIDE	REAR	TURRET
2-5	No Critical Hit	No Critical Hit	No Critical Hit	No Critical Hit
6	Driver Hit	Cargo/Infantry Hit	Weapon Malfunction	Stabilizer
7	Weapon Malfunction	Weapon Malfunction	Cargo/Infantry Hit	Turret Jam
8	Stabilizer	Crew Stunned	Stabilizer	Weapon Malfunction
9	Sensors	Stabilizer	Weapon Destroyed	Turret Locks
10	Commander Hit	Weapon Destroyed	Engine Hit	Weapon Destroyed
11	Weapon Destroyed	Engine Hit	Ammunition**	Ammunition**
12	Crew Killed	Fuel Tank*	Fuel Tank*	Turret Blown Off

Flanking movement after facing change on pavement	Possible skid
Skidding Movement	
Hexes moved in turn	
0-2	-1
3-4	0
5-7	+1
8-10	+2
11-17	+3
18-24	+4
25+	+5

Light building	0
Medium building	+1
Heavy building	+2
Hardened building	+3
Hexes moved in turn	
1-2	0
3-4	+1
5-6	+2
7-9	+3
10-17	+4
18-24	+5
25+	+6

[illegible][illegible]

BATTLETECH™

FOUR-LEGGED BATTLEMECH RECORD SHEET

MECH DATA

Type: Celerity CLR-05-X

Movement Points:

Walking: 16

Running: 24 [40]

Jumping: 0

Engine Type: 240 XXL

Tonnage: 15

Tech Base: Inner Sphere

Rules Level: Advanced

Role: Scout

WARRIOR DATA

Name: Alice Meghwar

Gunnery Skill: 4

Piloting Skill: 5

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead

Weapons & Equipment Inventory

(hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Ln
1	Spikes	LT	—	[E]	—	—	—	—
1	Drone (Remote)	RT	—	[E]	—	—	—	—
	Operating System							
1	Spikes	RT	—	[E]	—	—	—	—

Quirks: Exposed Actuators

BV: 225



CRITICAL TABLE

Head

- Life Support
- Sensors
- Small Cockpit
- Sensors
- Roll Again
- Roll Again

Center Torso

- XXL Fusion Engine
- XXL Fusion Engine
- XXL Fusion Engine
- XL Gyro
- XL Gyro
- XL Gyro

1-3

Left Torso

- XXL Fusion Engine
- XXL Fusion Engine
- XXL Fusion Engine
- XXL Fusion Engine
- XXL Fusion Engine
- XXL Fusion Engine

1-3


- Double Heat Sink
- Double Heat Sink
- Double Heat Sink
- MASC
- Spikes
- Roll Again

4-6

Rear Left Leg

- Hip
- Upper Leg Actuator
- Lower Leg Actuator
- Foot Actuator
- Impact-Resistant
- Impact-Resistant

Engine Hits ○○○○
Gyro Hits ○○○○
Sensor Hits ○○○○
Life Support ○



Damage Transfer Diagram

Front Right Leg

- Hip
- Upper Leg Actuator
- Lower Leg Actuator
- Foot Actuator
- Impact-Resistant
- Impact-Resistant

1-3

Right Torso

- XXL Fusion Engine
- XXL Fusion Engine
- XXL Fusion Engine
- XXL Fusion Engine
- XXL Fusion Engine
- XXL Fusion Engine


4-6

Rear Right Leg

- Hip
- Upper Leg Actuator
- Lower Leg Actuator
- Foot Actuator
- Impact-Resistant
- Impact-Resistant

ARMOR DIAGRAM

Impact-Resistant



HIT LOCATION TABLE

Die Roll (2D6)	LS	F/R	RS
2*	LT(C)	CT(C)	RT(C)
3	LRL	RFL	RRL
4	LFL	RFL	RFL
5	LFL	RRL	RFL
6	LRL	RT	RRL
7	LT	CT	RT
8	CT	LT	CT
9	RT	LRL	LT
10	RFL	LFL	LFL
11	RRL	LFL	LRL
12	HD	HD	HD


*A result of 2 may inflict a critical hit

TO-HIT MODIFIERS

Attacker	
Stationary	+0
Walked	+1
Ran	+2
Skidding	+1
Terrain	
Light Woods	+1/hex
Heavy Woods	+2/hex
Partial Cover	+1
Target	
Prone (adjacent hex)	-2
Prone (other hex)	+1
Immobile	-4
Skidding	-2
Moved 0-2 hexes	+0
Moved 3-4 hexes	+1
Moved 5-6 hexes	+2
Moved 7-9 hexes	+3
Moved 10-17 hexes	+4
Moved 18-24 hexes	+5
Moved 25+ hexes	+6
Jumped	+1
BattleArmor unit	+1
Secondary target (front)	+1
Secondary target (side/rear)	+2
Large support vehicle or grounded DropShip	-1
Damage	
Sensor hit	+2
Shoulder hit	+4
Arm Actuator	+1

INTERNAL STRUCTURE DIAGRAM

Composite



Heat Scale

Overflow

30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

HEAT DATA

Heat	Effects	Double Heat Sinks: 10 (20)
Level*		
30	Shutdown	○
28	Ammo Exp, avoid on 8+	
26	Shutdown, avoid on 10+	
25	-5 Movement Points	
24	+4 Modifier to Fire	
23	Ammo Exp, avoid on 6+	
22	Shutdown, avoid on 8+	
20	-4 Movement Points	
19	Ammo Exp, avoid on 4+	
18	Shutdown, avoid on 6+	
17	+3 Modifier to Fire	
15	-3 Movement Points	
14	Shutdown, avoid on 4+	
13	+2 Modifier to Fire	
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

© 2024 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

MOVEMENT RECORD

Turn #	1	2	3	4	5	6	7	8	9	10
Hex/Facing										
Move Mode										

Turn #	11	12	13	14	15	16	17	18	19	20
Hex/Facing										
Move Mode										

KICK LOCATION TABLE

Die Roll (1D6)	LS	F/R	RS
1-3	LFL	RFL/RRL	RFL
4-6	LRL	LFL/LRL	RRL

FACING AFTER FALL

Die Roll (1D6)	New Facing	Hit Location
1	Same Direction	Front
2	1 Hexside Right	Right Side
3	2 Hexsides Right	Right Side
4	Opposite Direction	Rear
5	2 Hexsides Left	Left Side
6	1 Hexside Left	Left Side

BATTLETECH™

FOUR-LEGGED BATTLEMECH RECORD SHEET

MECH DATA

Type: Celerity CLR-05-X

Movement Points:

Walking: 16

Running: 24 [40]

Jumping: 0

Engine Type: 240 XXL

Tonnage: 15

Tech Base: Inner Sphere

Rules Level: Advanced

Role: Scout

WARRIOR DATA

Name: Mutsu Hirose

Gunnery Skill: 4 Piloting Skill: 5

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead

Weapons & Equipment Inventory

(hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Ln
1	Spikes	LT	—	[E]	—	—	—	—
1	Drone (Remote)	RT	—	[E]	—	—	—	—
	Operating System							
1	Spikes	RT	—	[E]	—	—	—	—

Quirks: Exposed Actuators

BV: 225



CRITICAL TABLE

Head

- Life Support
- Sensors
- Small Cockpit
- Sensors
- Roll Again
- Roll Again

Center Torso

- XXL Fusion Engine
- XXL Fusion Engine
- XXL Fusion Engine
- XL Gyro
- XL Gyro
- XL Gyro

1-3

Left Torso

- XXL Fusion Engine
- XXL Fusion Engine
- XXL Fusion Engine
- XXL Fusion Engine
- XXL Fusion Engine
- XXL Fusion Engine

1-3


- Double Heat Sink
- Double Heat Sink
- Double Heat Sink
- MASC
- Spikes
- Roll Again

4-6

Rear Left Leg

- Hip
- Upper Leg Actuator
- Lower Leg Actuator
- Foot Actuator
- Impact-Resistant
- Impact-Resistant

Engine Hits ○○○○
Gyro Hits ○○○○
Sensor Hits ○○○○
Life Support ○



Damage Transfer Diagram

Front Right Leg

- Hip
- Upper Leg Actuator
- Lower Leg Actuator
- Foot Actuator
- Impact-Resistant
- Impact-Resistant

1-3

Right Torso

- XXL Fusion Engine
- XXL Fusion Engine
- XXL Fusion Engine
- XXL Fusion Engine
- XXL Fusion Engine
- XXL Fusion Engine

1-3

- Drone (Remote) Operating System
- Supercharger
- Spikes
- Impact-Resistant
- Impact-Resistant
- Roll Again


4-6

Rear Right Leg

- Hip
- Upper Leg Actuator
- Lower Leg Actuator
- Foot Actuator
- Impact-Resistant
- Impact-Resistant

ARMOR DIAGRAM

Impact-Resistant



HIT LOCATION TABLE


Die Roll (2D6)	LS	F/R	RS
2*	LT(C)	CT(C)	RT(C)
3	LRL	RFL	RRL
4	LFL	RFL	RFL
5	LFL	RRL	RFL
6	LRL	RT	RRL
7	LT	CT	RT
8	CT	LT	CT
9	RT	LRL	LT
10	RFL	LFL	LFL
11	RRL	LFL	LRL
12	HD	HD	HD

*A result of 2 may inflict a critical hit

TO-HIT MODIFIERS

Attacker	
Stationary	+0
Walked	+1
Ran	+2
Skidding	+1
Terrain	
Light Woods	+1/hex
Heavy Woods	+2/hex
Partial Cover	+1
Target	
Prone (adjacent hex)	-2
Prone (other hex)	+1
Immobile	-4
Skidding	-2
Moved 0-2 hexes	+0
Moved 3-4 hexes	+1
Moved 5-6 hexes	+2
Moved 7-9 hexes	+3
Moved 10-17 hexes	+4
Moved 18-24 hexes	+5
Moved 25+ hexes	+6
Jumped	+1
BattleArmor unit	+1
Secondary target (front)	+1
Secondary target (side/rear)	+2
Large support vehicle or grounded DropShip	-1
Damage	
Sensor hit	+2
Shoulder hit	+4
Arm Actuator	+1

INTERNAL STRUCTURE DIAGRAM



Heat Scale

Overflow

30*

29

28*

27

26*

25*

24*

23*

22*

21

20*

19*

18*

17*

16

15*

14*

13*

12

11

10*

9

8*

7

6

5*

4

3

2

1

0

HEAT DATA

Heat	Effects
Level*	
30	Shutdown
28	Ammo Exp, avoid on 8+
26	Shutdown, avoid on 10+
25	-5 Movement Points
24	+4 Modifier to Fire
23	Ammo Exp, avoid on 6+
22	Shutdown, avoid on 8+
20	-4 Movement Points
19	Ammo Exp, avoid on 4+
18	Shutdown, avoid on 6+
17	+3 Modifier to Fire
15	-3 Movement Points
14	Shutdown, avoid on 4+
13	+2 Modifier to Fire
10	-2 Movement Points
8	+1 Modifier to Fire
5	-1 Movement Points

Double Heat Sinks:

10 (20)

© 2024 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

MOVEMENT RECORD

Turn #	1	2	3	4	5	6	7	8	9	10
Hex/Facing										
Move Mode										

Turn #	11	12	13	14	15	16	17	18	19	20
Hex/Facing										
Move Mode										

KICK LOCATION TABLE

Die Roll (1D6)	LS	F/R	RS
1-3	LFL	RFL/RRL	RFL
4-6	LRL	LFL/LRL	RRL

FACING AFTER FALL

Die Roll (1D6)	New Facing	Hit Location
1	Same Direction	Front
2	1 Hexside Right	Right Side
3	2 Hexsides Right	Right Side
4	Opposite Direction	Rear
5	2 Hexsides Left	Left Side
6	1 Hexside Left	Left Side

BATTLETECH™

FOUR-LEGGED OMNIMECH RECORD SHEET

MECH DATA

Type: Celerity CLR-03-OB

Movement Points:

Walking: 16

Running: 24 [32]

Jumping: 0

Engine Type: 240 XXL

Tonnage: 15

Tech Base: Inner Sphere

Rules Level: Advanced

Role: Scout

WARRIOR DATA

Name: Danny Barbieri

Gunnery Skill: 4

Piloting Skill: 5

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead


Weapons & Equipment Inventory

(hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Ln
1	Drone (Remote)	RT	—	[E]	—	—	—	—
	Operating System							
1	Angel ECM Suite	HD	—	[E]	—	—	—	6


Quirks: Improved Communications, Exposed Actuators

BV: 339



ARMOR DIAGRAM

Standard Armor



HIT LOCATION TABLE

Die Roll (2D6)	LS	F/R	RS
2*	LT(C)	CT(C)	RT(C)
3	LRL	RFL	RRL
4	LFL	RFL	RFL
5	LFL	RRL	RFL
6	LRL	RT	RRL
7	LT	CT	RT
8	CT	LT	CT
9	RT	LRL	LT
10	RFL	LFL	LFL
11	RRL	LFL	LRL
12	HD	HD	HD

*A result of 2 may inflict a critical hit

TO-HIT MODIFIERS

Attacker	
Stationary	+0
Walked	+1
Ran	+2
Skidding	+1
Terrain	
Light Woods	+1/hex
Heavy Woods	+2/hex
Partial Cover	+1
Target	
Prone (adjacent hex)	-2
Prone (other hex)	+1
Immobile	-4
Skidding	-2
Moved 0-2 hexes	+0
Moved 3-4 hexes	+1
Moved 5-6 hexes	+2
Moved 7-9 hexes	+3
Moved 10-17 hexes	+4
Moved 18-24 hexes	+5
Moved 25+ hexes	+6
Jumped	+1
BattleArmor unit	+1
Secondary target (front)	+1
Secondary target (side/rear)	+2
Large support vehicle or grounded DropShip	-1
Damage	
Sensor hit	+2
Shoulder hit	+4
Arm Actuator	+1

CRITICAL TABLE

Head

- Life Support
- Sensors
- Small Cockpit
- Sensors
- Angel ECM Suite
- Angel ECM Suite

Center Torso

- XXL Fusion Engine
- XXL Fusion Engine
- XXL Fusion Engine
- XL Gyro
- XL Gyro
- XL Gyro

Front Left Leg

- Hip
- Upper Leg Actuator
- Lower Leg Actuator
- Foot Actuator
- Endo Steel
- Endo Steel

Front Right Leg

- Hip
- Upper Leg Actuator
- Lower Leg Actuator
- Foot Actuator
- Endo Steel
- Endo Steel


Left Torso

- XXL Fusion Engine
- XXL Fusion Engine
- XXL Fusion Engine
- XXL Fusion Engine
- XXL Fusion Engine
- XXL Fusion Engine

Right Torso

- XXL Fusion Engine
- XXL Fusion Engine
- XXL Fusion Engine
- XXL Fusion Engine
- XXL Fusion Engine
- XXL Fusion Engine

Engine Hits ○○○○
Gyro Hits ○○○○
Sensor Hits ○○○○
Life Support ○



Damage Transfer Diagram

Rear Left Leg


- Hip
- Upper Leg Actuator
- Lower Leg Actuator
- Foot Actuator
- Endo Steel
- Endo Steel

Rear Right Leg

- Hip
- Upper Leg Actuator
- Lower Leg Actuator
- Foot Actuator
- Endo Steel
- Endo Steel

INTERNAL STRUCTURE DIAGRAM

Endo Steel



Heat Scale

Heat Scale
Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

HEAT DATA

Heat Level*	Effects
30	Shutdown
28	Ammo Exp, avoid on 8+
26	Shutdown, avoid on 10+
25	-5 Movement Points
24	+4 Modifier to Fire
23	Ammo Exp, avoid on 6+
22	Shutdown, avoid on 8+
20	-4 Movement Points
19	Ammo Exp, avoid on 4+
18	Shutdown, avoid on 6+
17	+3 Modifier to Fire
15	-3 Movement Points
14	Shutdown, avoid on 4+
13	+2 Modifier to Fire
10	-2 Movement Points
8	+1 Modifier to Fire
5	-1 Movement Points

Double Heat Sinks:

10 (20)



© 2024 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

MOVEMENT RECORD

Turn #	1	2	3	4	5	6	7	8	9	10
Hex/Facing										
Move Mode										

Turn #	11	12	13	14	15	16	17	18	19	20
Hex/Facing										
Move Mode										

KICK LOCATION TABLE

Die Roll (1D6)	LS	F/R	RS
1-3	LFL	RFL/RRL	RFL
4-6	LRL	LFL/LRL	RRL

FACING AFTER FALL

Die Roll (1D6)	New Facing	Hit Location
1	Same Direction	Front
2	1 Hexside Right	Right Side
3	2 Hexsides Right	Right Side
4	Opposite Direction	Rear
5	2 Hexsides Left	Left Side
6	1 Hexside Left	Left Side

BATTLETECH™

BATTLEMECH RECORD SHEET

MECH DATA

Type: Mad Cat Mk II Enhanced

Movement Points: 360 XL
Walking: 4
Running: 5
Jumping: 4
Engine Type: 360 XL

Tonnage: 90
Tech Base: Clan
Rules Level: Advanced
Role: Sniper

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Ln
1	ER Large Pulse Laser	LA	13	10 [P]	—	7	15	23
	Laser							
1	ER Medium Laser	LA	5	7 [DE]	—	5	10	15
1	ER Large Pulse Laser	RA	13	10 [P]	—	7	15	23
	Laser							
1	ER Medium Laser	RA	5	7 [DE]	—	5	10	15
1	LRM 10	LT	4	1/Msl	—	7	14	21
				[M,C,S]				
1	LRM 10	RT	4	1/Msl	—	7	14	21
				[M,C,S]				

Ammo: (LRM 10) 24

Quirks: Improved Targeting (Medium), Protected Actuators


BV: 2,732

WARRIOR DATA

Name: Marea Gavallo


Gunnery Skill: 4 Piloting Skill: 5

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM

Hardened



HIT LOCATION TABLE

Die Roll (2D6)	LS	F/R	RS
2*	LT(C)	CT(C)	RT(C)
3	LL	RA	RL
4	LA	RA	RA
5	LA	RL	RA
6	LL	RT	RL
7	LT	CT	RT
8	CT	LT	CT
9	RT	LL	LT
10	RA	LA	LA
11	RL	LA	LL
12	HD	HD	HD

*A result of 2 may inflict a critical hit.

TO-HIT MODIFIERS

Attacker	
Stationary	+0
Walked	+1
Ran	+2
Jumped	+3
Prone	+2
Skidding	+1
Terrain	
Light Woods	+1/hex
Heavy Woods	+2/hex
Partial Cover	+1
Target	
Prone (adjacent hex)	-2
Prone (other hex)	+1
Immobile	-4
Skidding	-2
Moved 0-2 hexes	+0
Moved 3-4 hexes	+1
Moved 5-6 hexes	+2
Moved 7-9 hexes	+3
Moved 10-17 hexes	+4
Moved 18-24 hexes	+5
Moved 25+ hexes	+6
Jumped	+1
BattleArmor unit	+1
Secondary target (front)	+1
Secondary target (side/rear)	+2
Large support vehicle or grounded DropShip	-1
Damage	
Sensor hit	+2
Shoulder hit	+4
Arm Actuator	+1

CRITICAL TABLE

- Left Arm**
- Shoulder
 - Upper Arm Actuator
 - ER Large Pulse Laser
 - ER Large Pulse Laser
 - ER Large Pulse Laser
 - ER Medium Laser

- 1-3**
- Roll Again
 - Roll Again
 - Roll Again
 - Roll Again
 - Roll Again
 - Roll Again

- Left Torso (CASE)**
- XL Fusion Engine
 - XL Fusion Engine
 - Double Heat Sink
 - Double Heat Sink
 - Double Heat Sink
 - Double Heat Sink

- 4-6**
- Jump Jet
 - Jump Jet
 - LRM 10
 - Ammo (LRM 10) 12
 - Endo Steel
 - Roll Again

- Left Leg**
- Hip
 - Upper Leg Actuator
 - Lower Leg Actuator
 - Foot Actuator
 - Endo Steel
 - Endo Steel

- Head**
- Life Support
 - Sensors
 - Cockpit
 - Endo Steel
 - Sensors
 - Life Support

- Center Torso**
- XL Fusion Engine
 - XL Fusion Engine
 - XL Fusion Engine
 - Gyro
 - Gyro
 - Gyro

1-3

- 4-6**
- Gyro
 - XL Fusion Engine
 - XL Fusion Engine
 - XL Fusion Engine
 - Roll Again
 - Roll Again

Engine Hits ○○○○
Gyro Hits ○○○○
Sensor Hits ○○○○
Life Support ○



Damage Transfer Diagram

- Right Arm**
- Shoulder
 - Upper Arm Actuator
 - ER Large Pulse Laser
 - ER Large Pulse Laser
 - ER Large Pulse Laser
 - ER Medium Laser

- 1-3**
- Roll Again
 - Roll Again
 - Roll Again
 - Roll Again
 - Roll Again
 - Roll Again


- Right Torso (CASE)**
- XL Fusion Engine
 - XL Fusion Engine
 - Double Heat Sink
 - Double Heat Sink
 - Double Heat Sink
 - Double Heat Sink

- 4-6**
- Jump Jet
 - Jump Jet
 - LRM 10
 - Ammo (LRM 10) 12
 - Endo Steel
 - Roll Again

- Right Leg**
- Hip
 - Upper Leg Actuator
 - Lower Leg Actuator
 - Foot Actuator
 - Endo Steel
 - Endo Steel

INTERNAL STRUCTURE DIAGRAM

Endo Steel



Heat Scale

Heat Scale
Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

HEAT DATA

Heat	Effects
Level*	
30	Shutdown
28	Ammo Exp, avoid on 8+
26	Shutdown, avoid on 10+
25	-5 Movement Points
24	+4 Modifier to Fire
23	Ammo Exp, avoid on 6+
22	Shutdown, avoid on 8+
20	-4 Movement Points
19	Ammo Exp, avoid on 4+
18	Shutdown, avoid on 6+
17	+3 Modifier to Fire
15	-3 Movement Points
14	Shutdown, avoid on 4+
13	+2 Modifier to Fire
10	-2 Movement Points
8	+1 Modifier to Fire
5	-1 Movement Points

Double Heat Sinks:

18 (36)



© 2024 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

MOVEMENT RECORD

Turn #	1	2	3	4	5	6	7	8	9	10
Hex/Facing										
Move Mode										

Turn #	11	12	13	14	15	16	17	18	19	20
Hex/Facing										
Move Mode										

PHYSICAL ATTACKS

Attack	To-Hit	Damage
Punch	+3	4
Kick	-2	18
Push	-1	—
Charge	+0*	9/Hex
DFA	+0*	27

*Modified by target piloting skill

PUNCH LOCATION TABLE

Die Roll (1D6)	LS	F/R	RS
1	LT	LA	RT
2	LT	LT	RT
3	CT	CT	CT
4	LA	RT	RA
5	LA	RA	RA
6	HD	HD	HD

KICK LOCATION TABLE

Die Roll (1D6)	LS	F/R	RS
1-3	LL	RL	RL
4-6	LL	LL	RL

FACING AFTER FALL

Die Roll (1D6)	New Facing	Hit Location
1	Same Direction	Front
2	1 Hexside Right	Right Side
3	2 Hexsides Right	Right Side
4	Opposite Direction	Rear
5	2 Hexsides Left	Left Side
6	1 Hexside Left	Left Side

CLUSTER HITS TABLE

Die Roll (2D6)	10
2	3
3	3
4	4
5	6
6	6
7	6
8	6
9	8
10	8
11	10
12	10

BATTLETECH™

OMNIMECH RECORD SHEET

MECH DATA

Type: Doloire DLR-OC

Movement Points:

Walking: 4

Running: 6

Jumping: 0

Engine Type: 320 XL

Tonnage: 80

Tech Base: Mixed

Rules Level: Advanced

Role: Juggernaut

WARRIOR DATA

Name: Knight Errant Holly Kandathil

Gunnery Skill: 2

Piloting Skill: 4

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead

Weapons & Equipment Inventory

(hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lg
1	Streak SRM 6 (C)	LL	4	2/Msl [M,C]	—	4	8	12
1	Streak SRM 6 (C)	RL	4	2/Msl [M,C]	—	4	8	12
1	Lance	LA	—	16	—	—	—	—
1	AES	LA	—	[E]	—	—	—	—
1	LRM 20 (C)	RA	6	1/Msl [M,C,S]	—	7	14	21
w/Artemis V								
1	AES	RA	—	[E]	—	—	—	—
1	ER Small Pulse	LT	3	5 [P,AI]	—	2	4	6
Laser								
1	C3 Computer	LT	—	[E]	—	5	9	15
(Master)								
1	Streak SRM 6 (C)	LL	4	2/Msl [M,C]	—	4	8	12
1	ER Small Pulse	LT	3	5 [P,AI]	—	2	4	6
1	Streak SRM 6 (C)	RL	4	2/Msl [M,C]	—	4	8	12
1	ER Medium Laser	CT	5	7 [DE]	—	5	10	15
Quick: Command Mek, Multi-Trac								

BV: 3,453



CRITICAL TABLE

Left Arm

- Shoulder
- Upper Arm Actuator
- Lower Arm Actuator
- Hand Actuator
- Lance
- Lance

1-3

Center Torso

Head

- Life Support
- Sensors
- Cockpit
- Endo-Composite
- Sensors
- Life Support

4-6

Left Torso

- XL Fusion Engine
- XL Fusion Engine
- ER Small Pulse Laser [Clan]
- C3 Master
- C3 Master
- C3 Master

1-3

Right Torso

Right Arm

- Shoulder
- Upper Arm Actuator
- LRM 20 [Clan]
- LRM 20 [Clan]
- LRM 20 [Clan]
- LRM 20 [Clan]

1-3

- Artemis V FCS [Clan]
- Artemis V FCS [Clan]
- AES
- AES
- AES
- AES

4-6

Right Torso (CASE II)

- XL Fusion Engine
- XL Fusion Engine
- Streak SRM 6 [Clan]
- Streak SRM 6 [Clan]
- Ammo (Streak SRM 6) 15
- Ammo (Streak SRM 6) 15

1-3

- Ammo (LRM 20 Artemis V) 6
- Ammo (LRM 20 Semi-guided) 6
- Ammo (LRM 20 Artemis V) 6
- CASE II
- Endo-Composite
- Endo-Composite

4-6

Right Leg

- Hip
- Upper Leg Actuator
- Lower Leg Actuator
- Foot Actuator
- Streak SRM 6 [Clan]
- Streak SRM 6 [Clan]

1-3

Left Leg

- Hip
- Upper Leg Actuator
- Lower Leg Actuator
- Foot Actuator
- Streak SRM 6 [Clan]
- Streak SRM 6 [Clan]

4-6


Engine Hits ○○○○
Gyro Hits ○○○○
Sensor Hits ○○○○
Life Support ○



Damage Transfer Diagram

ARMOR DIAGRAM

Standard Armor



HIT LOCATION TABLE

Die Roll (2D6)	LS	F/R	RS
2*	LT(C)	CT(C)	RT(C)
3	LL	RA	RL
4	LA	RA	RA
5	LA	RL	RA
6	LL	RT	RL
7	LT	CT	RT
8	CT	LT	CT
9	RT	LL	LT
10	RA	LA	LA
11	RL	LA	LL
12	HD	HD	HD


*A result of 2 may inflict a critical hit.

TO-HIT MODIFIERS

Attacker	
Stationary	+0
Walked	+1
Ran	+2
Prone	+2
Skidding	+1
Terrain	
Light Woods	+1/hex
Heavy Woods	+2/hex
Partial Cover	+1
Target	
Prone (adjacent hex)	-2
Prone (other hex)	+1
Immobilized	-4
Skidding	-2
Moved 0-2 hexes	+0
Moved 3-4 hexes	+1
Moved 5-6 hexes	+2
Moved 7-9 hexes	+3
Moved 10-17 hexes	+4
Moved 18-24 hexes	+5
Moved 25+ hexes	+6
Jumped	+1
BattleArmor unit	+1
Secondary target (front)	+1
Secondary target (side/rear)	+2
Large support vehicle or grounded DropShip	-1
Damage	
Sensor hit	+2
Shoulder hit	+4
Arm Actuator	+1

INTERNAL STRUCTURE DIAGRAM

Endo-Composite



Heat Scale

Overflow

30*

29

28*

27

26*

25*

24*

23*

22*

21

20*

19*

18*

17*

16

15*

14*

13*

12

11

10*

9

8*

7

6

5*

4

3

2

1

0

HEAT DATA

Heat	Effects
Level*	Double Heat Sinks: 12 (24)
30	Shutdown
28	Ammo Exp, avoid on 8+
26	Shutdown, avoid on 10+
25	-5 Movement Points
24	+4 Modifier to Fire
23	Ammo Exp, avoid on 6+
22	Shutdown, avoid on 8+
20	-4 Movement Points
19	Ammo Exp, avoid on 4+
18	Shutdown, avoid on 6+
17	+3 Modifier to Fire
15	-3 Movement Points
14	Shutdown, avoid on 4+
13	+2 Modifier to Fire
10	-2 Movement Points
8	+1 Modifier to Fire
5	-1 Movement Points

© 2024 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

MOVEMENT RECORD

Turn #	1	2	3	4	5	6	7	8	9	10
Hex/Facing										
Move Mode										

Turn #	11	12	13	14	15	16	17	18	19	20
Hex/Facing										
Move Mode										

PHYSICAL ATTACKS

Attack	To-Hit	Damage
Punch (LA)	+0	8
Punch (RA)	+3	4
Kick	-2	16
Push	-1	—
Charge	+0*	8/Hex
Lance	+1	16

*Modified by target piloting skill

PUNCH LOCATION TABLE

Die Roll (1D6)	LS	F/R	RS
1	LT	LA	RT
2	LT	LT	RT
3	CT	CT	CT
4	LA	RT	RA
5	LA	RA	RA
6	HD	HD	HD

KICK LOCATION TABLE

Die Roll (1D6)	LS	F/R	RS
1-3	LL	RL	RL
4-6	LL	LL	RL

FACING AFTER FALL

Die Roll (1D6)	New Facing	Hit Location
1	Same Direction	Front
2	1 Hexside Right	Right Side
3	2 Hexsides Right	Right Side
4	Opposite Direction	Rear
5	2 Hexsides Left	Left Side
6	1 Hexside Left	Left Side

CLUSTER HITS TABLE

Die Roll (2D6)	
2	6
3	6
4	9
5	12
6	12
7	12
8	12
9	16
10	16
11	20
12	20

Artemis V FCS: +3

BATTLETECH™

BATTLEMECH RECORD SHEET

MECH DATA

Type: Lament LMT-2D

Movement Points:

Walking: 5

Running: 8

Jumping: 0

Engine Type: 325 XL

Tonnage: 65

Tech Base: Inner Sphere

Rules Level: Advanced

Role: Brawler

WARRIOR DATA

Name: Louisa Blondeau

Gunnery Skill: 4

Piloting Skill: 5

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead

Weapons & Equipment Inventory

(hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Ln
1	Heavy PPC	LA	15	15 [DE]	3	6	12	18
1	Heavy PPC	RA	15	15 [DE]	3	6	12	18
1	ER Medium Laser	LT	5	5 [DE]	—	4	8	12
1	Angel ECM Suite	LT	—	[E]	—	—	—	6
1	ER Medium Laser	RT	5	5 [DE]	—	4	8	12
1	Radical Heat Sink System	RT	—	[E]	—	—	—	—
1	Remote Drone	HD	—	[E]	—	—	—	—
	Command Console							

Quirks: Multi-Trac, Protected Actuators, Difficult to Maintain, Non-Standard Parts

BV: 2,044



CRITICAL TABLE

Left Arm

- Shoulder
- Upper Arm Actuator
- Lower Arm Actuator
- Heavy PPC
- Heavy PPC
- Heavy PPC

1-3

- Heavy PPC
- Endo Steel
- Endo Steel
- Endo Steel
- Endo Steel
- Endo Steel

4-6

Left Torso

- XL Fusion Engine
- XL Fusion Engine
- XL Fusion Engine
- ER Medium Laser
- Angel ECM Suite
- Angel ECM Suite

1-3

- Light Ferro-Fibrous
- Light Ferro-Fibrous
- Light Ferro-Fibrous
- Light Ferro-Fibrous
- Roll Again
- Roll Again

4-6

Left Leg

- Hip
- Upper Leg Actuator
- Lower Leg Actuator
- Foot Actuator
- Endo Steel
- Endo Steel

Head

- Life Support
- Sensors
- Cockpit
- Remote Drone Command Console
- Sensors
- Life Support

Center Torso

- XL Fusion Engine
- XL Fusion Engine
- XL Fusion Engine
- XL Gyro
- XL Gyro
- XL Gyro

1-3

- XL Gyro
- XL Gyro
- XL Gyro
- XL Fusion Engine
- XL Fusion Engine
- XL Fusion Engine

4-6

Engine Hits ○○○○
Gyro Hits ○○○○
Sensor Hits ○○○○
Life Support ○



Damage Transfer Diagram

Right Arm

- Shoulder
- Upper Arm Actuator
- Lower Arm Actuator
- Heavy PPC
- Heavy PPC
- Heavy PPC

1-3

- Heavy PPC
- Endo Steel
- Endo Steel
- Endo Steel
- Endo Steel
- Endo Steel

4-6

Right Torso

- XL Fusion Engine
- XL Fusion Engine
- XL Fusion Engine
- ER Medium Laser
- Radical Heat Sink System
- Radical Heat Sink System

1-3

- Radical Heat Sink System
- Light Ferro-Fibrous
- Light Ferro-Fibrous
- Light Ferro-Fibrous
- Roll Again
- Roll Again


4-6

Right Leg

- Hip
- Upper Leg Actuator
- Lower Leg Actuator
- Foot Actuator
- Endo Steel
- Endo Steel

ARMOR DIAGRAM

Light Ferro-Fibrous



HIT LOCATION TABLE

Die Roll (2D6)	LS	F/R	RS
2*	LT(C)	CT(C)	RT(C)
3	LL	RA	RL
4	LA	RA	RA
5	LA	RL	RA
6	LL	RT	RL
7	LT	CT	RT
8	CT	LT	CT
9	RT	LL	LT
10	RA	LA	LA
11	RL	LA	LL
12	HD	HD	HD


*A result of 2 may inflict a critical hit

TO-HIT MODIFIERS

Attacker	
Stationary	+0
Walked	+1
Ran	+2
Prone	+2
Skidding	+1
Terrain	
Light Woods	+1/hex
Heavy Woods	+2/hex
Partial Cover	+1
Target	
Prone (adjacent hex)	-2
Prone (other hex)	+1
Immobile	-4
Skidding	-2
Moved 0-2 hexes	+0
Moved 3-4 hexes	+1
Moved 5-6 hexes	+2
Moved 7-9 hexes	+3
Moved 10-17 hexes	+4
Moved 18-24 hexes	+5
Moved 25+ hexes	+6
Jumped	+1
BattleArmor unit	+1
Secondary target (front)	+1
Secondary target (side/rear)	+2
Large support vehicle or grounded DropShip	-1
Damage	
Sensor hit	+2
Shoulder hit	+4
Arm Actuator	+1

INTERNAL STRUCTURE DIAGRAM

Endo Steel



Heat Scale

Overflow

30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

HEAT DATA

Heat Level*	Effects
30	Shutdown
28	Ammo Exp, avoid on 8+
26	Shutdown, avoid on 10+
25	-5 Movement Points
24	+4 Modifier to Fire
23	Ammo Exp, avoid on 6+
22	Shutdown, avoid on 8+
20	-4 Movement Points
19	Ammo Exp, avoid on 4+
18	Shutdown, avoid on 6+
17	+3 Modifier to Fire
15	-3 Movement Points
14	Shutdown, avoid on 4+
13	+2 Modifier to Fire
10	-2 Movement Points
8	+1 Modifier to Fire
5	-1 Movement Points

Double Heat Sinks: 12 (24)



© 2024 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

MOVEMENT RECORD

Turn #	1	2	3	4	5	6	7	8	9	10
Hex/Facing										
Move Mode										

Turn #	11	12	13	14	15	16	17	18	19	20
Hex/Facing										
Move Mode										

KICK LOCATION TABLE

Die Roll (1D6)	LS	F/R	RS
1-3	LL	RL	RL
4-6	LL	LL	RL

FACING AFTER FALL

Die Roll (1D6)	New Facing	Hit Location
1	Same Direction	Front
2	1 Hexside Right	Right Side
3	2 Hexsides Right	Right Side
4	Opposite Direction	Rear
5	2 Hexsides Left	Left Side
6	1 Hexside Left	Left Side

BATTLETECH™

BATTLEMECH RECORD SHEET

MECH DATA

Type: Archer ARC-9W

Movement Points:

Walking: 5

Running: 8

Jumping: 0

Engine Type: 350 XL

Tonnage: 70

Tech Base: Inner Sphere

Rules Level: Advanced

Role: Missile Boat

WARRIOR DATA

Name: Conor Holman

Gunnery Skill: 4

Piloting Skill: 5

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead

Weapons & Equipment Inventory


Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Ln
1	Void Signature System	*	10	[E]	—	—	—	—
1	ER Large Laser	LA	12	8 [DE]	—	7	14	19
1	ER Large Laser	RA	12	8 [DE]	—	7	14	19
1	Angel ECM Suite	RA	—	[E]	—	—	—	6
1	LRM 15	LT	5	1/Msl	6	7	14	21
				[M,C,S]				
	w/Artemis IV							
1	LRM 15	RT	5	1/Msl	6	7	14	21
				[M,C,S]				
	w/Artemis IV							

Ammo: (LRM 15 Artemis) 16, (LRM 15 Semi-guided) 8

Quirks: Battle Fists (LA), Battle Fists (RA), Command Mek, Stable, Ubiquitous (Inner Sphere)


BV: 1,774

CRITICAL TABLE

Left Arm		Right Arm			
1-3	1. Shoulder	1-3	1. Shoulder		
	2. Upper Arm Actuator		2. Upper Arm Actuator		
	3. Lower Arm Actuator		3. Lower Arm Actuator		
	4. Hand Actuator		4. Hand Actuator		
	5. [ER Large Laser		5. [ER Large Laser		
4-6	6. [ER Large Laser	4-6	6. [ER Large Laser		
	Center Torso				
	1-3		1. XL Fusion Engine	1-3	1. [Angel ECM Suite
			2. XL Fusion Engine		2. [Angel ECM Suite
			3. XL Fusion Engine		3. Void Signature System
4. Gyro		4. Endo Steel			
5. Gyro		5. Endo Steel			
4-6	6. Endo Steel	4-6	6. Endo Steel		
	Left Torso (CASE)		Right Torso (CASE)		
	1-3		1. XL Fusion Engine	1-3	1. XL Fusion Engine
			2. XL Fusion Engine		2. XL Fusion Engine
			3. XL Fusion Engine		3. XL Fusion Engine
4. [LRM 15		4. [LRM 15			
5. LRM 15		5. LRM 15			
4-6	6. LRM 15	4-6	6. LRM 15		
	1. Artemis IV FCS		1. Artemis IV FCS		
	2. Ammo (LRM 15 Artemis) 8		2. Ammo (LRM 15 Artemis) 8		
	3. Ammo (LRM 15 Semi-guided) 8		3. Void Signature System		
	4. Void Signature System		4. CASE		
4-6	5. CASE	4-6	5. Endo Steel		
	6. Endo Steel		6. Roll Again		
	Left Leg		Right Leg		
	1-3		1. Hip	1-3	1. Hip
			2. Upper Leg Actuator		2. Upper Leg Actuator
3. Lower Leg Actuator		3. Lower Leg Actuator			
4. Foot Actuator		4. Foot Actuator			
5. Void Signature System		5. Void Signature System			
4-6	6. Endo Steel	4-6	6. Endo Steel		
					
	Damage Transfer Diagram		Heat Scale		


ARMOR DIAGRAM

Standard Armor



INTERNAL STRUCTURE DIAGRAM

Endo Steel



HEAT DATA

Heat	Effects
Level*	
30	Shutdown
28	Ammo Exp, avoid on 8+
26	Shutdown, avoid on 10+
25	-5 Movement Points
24	+4 Modifier to Fire
23	Ammo Exp, avoid on 6+
22	Shutdown, avoid on 8+
20	-4 Movement Points
19	Ammo Exp, avoid on 4+
18	Shutdown, avoid on 6+
17	+3 Modifier to Fire
15	-3 Movement Points
14	Shutdown, avoid on 4+
13	+2 Modifier to Fire
10	-2 Movement Points
8	+1 Modifier to Fire
5	-1 Movement Points

HIT LOCATION TABLE

Die Roll (2D6)	LS	F/R	RS
2*	LT(C)	CT(C)	RT(C)
3	LL	RA	RL
4	LA	RA	RA
5	LA	RL	RA
6	LL	RT	RL
7	LT	CT	RT
8	CT	LT	CT
9	RT	LL	LT
10	RA	LA	LA
11	RL	LA	LL
12	HD	HD	HD

*A result of 2 may inflict a critical hit.

TO-HIT MODIFIERS

Attacker	
Stationary	+0
Walked	+1
Ran	+2
Prone	+2
Skidding	+1
Terrain	
Light Woods	+1/hex
Heavy Woods	+2/hex
Partial Cover	+1
Target	
Prone (adjacent hex)	-2
Prone (other hex)	+1
Immobile	-4
Skidding	-2
Moved 0-2 hexes	+0
Moved 3-4 hexes	+1
Moved 5-6 hexes	+2
Moved 7-9 hexes	+3
Moved 10-17 hexes	+4
Moved 18-24 hexes	+5
Moved 25+ hexes	+6
Jumped	+1
BattleArmor unit	+1
Secondary target (front)	+1
Secondary target (side/rear)	+2
Large support vehicle or grounded DropShip	-1
Damage	
Sensor hit	+2
Shoulder hit	+4
Arm Actuator	+1

PHYSICAL ATTACKS

Attack	To-Hit	Damage
Punch	+0	7
Kick	-2	14
Push	-1	—
Club	-1	14
Charge	+0*	7/Hex

*Modified by target piloting skill

PUNCH LOCATION TABLE

Die Roll (1D6)	LS	F/R	RS
1	LT	LA	RT
2	LT	LT	RT
3	CT	CT	CT
4	LA	RT	LA
5	LA	RA	RA
6	HD	HD	HD

KICK LOCATION TABLE

Die Roll (1D6)	LS	F/R	RS
1-3	LL	RL	RL
4-6	LL	LL	LL

FACING AFTER FALL

Die Roll (1D6)	New Facing	Hit Location
1	Same Direction	Front
2	1 Hexside Right	Right Side
3	2 Hexsides Right	Right Side
4	Opposite Direction	Rear
5	2 Hexsides Left	Left Side
6	1 Hexside Left	Left Side

CLUSTER HITS TABLE

Die Roll (2D6)	
2	5
3	5
4	6
5	9
6	9
7	9
8	9
9	12
10	12
11	15
12	15

Artemis IV FCS: +2

MOVEMENT RECORD

Turn #	1	2	3	4	5	6	7	8	9	10
Hex/Facing										
Move Mode										

Turn #	11	12	13	14	15	16	17	18	19	20
Hex/Facing										
Move Mode										

© 2024 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.



BATTLE ARMOR
RECORD SHEET

BATTLE ARMOR: SQUAD 1

Type: Aegis Point Defense Suit (Sqd4)
Gunnery Skill: 4 Anti-Mech Skill: 5
Ground MP: 3

Qty	Type	Dmg	Min	Sht	Med	Lng
2	Basic Manipulator		—	—	—	—
1	RISC Advanced Point Defense Quick-Improved Communications System	[PB]	—	0	—	3

Mechanized: ☒ Swarm: ☒ Leg: ☒ AP: ☒

Armor: Stealth (Improved) Role: Scout BV: 179/35

1 ●○○○○○○○

2 ●○○○○○○○

3 ●○○○○○○○

4 ●○○○○○○○

LEG ATTACKS TABLE

BATTLE ARMOR TROOPERS ACTIVE	BASE TO-HIT MODIFIER
4-6	0
3	+2
2	+5
1	+7

SWARM ATTACKS TABLE

BATTLE ARMOR TROOPERS ACTIVE	BASE TO-HIT MODIFIER
4-6	+2
1-3	+5

SWARM ATTACK MODIFIERS TABLE

ATTACKING ENEMY	FRIENDLY MECHANIZED BATTLE
BATTLE ARMOR	ARMOR TROOPERS ACTIVE
TROOPERS ACTIVE	1 2 3 4 5 6
6	+0 +0 +0 +0 +1 +2
5	+0 +0 +0 +1 +2 +3
4	+0 +0 +1 +2 +3 +4
3	+0 +1 +2 +3 +4 +5
2	+1 +2 +3 +4 +5 +6
1	+2 +3 +4 +5 +6 +7

BATTLE ARMOR EQUIPMENT
Claws with magnets -1

SITUATION*
'Mech prone -2
'Mech or vehicle immobile -4
Vehicle -2

*Modifiers are cumulative

SWARM ATTACKS HIT LOCATION TABLE

2D6	BIPEDAL/TRIPOD	QUAD
ROLL	LOCATION	LOCATION
2	Head	Head
3	Rear Center Torso	Front Right Torso
4	Rear Right Torso	Rear Center Torso
5	Front Right Torso	Rear Right Torso
6	Right Arm	Front Right Torso
7	Front Center Torso	Front Center Torso
8	Left Arm	Front Left Torso
9	Front Left Torso	Rear Left Torso
10	Rear Left Torso	Rear Center Torso
11	Rear Center Torso	Front Left Torso
12	Head	Head

TRANSPORT POSITIONS TABLE

TROOPER NUMBER	'MECH LOCATION	VEHICLE LOCATION
1	Right Torso	Right Side
2	Left Torso	Right Side
3	Right Torso (rear)	Left Side
4	Left Torso (rear)	Left Side
5	Center Torso (rear)	Rear
6	Center Torso	Rear

TROOPER NUMBER	LARGE SUPPORT VEHICLE LOCATION*
1	Right Side (Unit 1/Unit 2)
2	Right Side (Unit 1/Unit 2)
3	Left Side (Unit 1/Unit 2)
4	Left Side (Unit 1/Unit 2)
5	Rear (Unit 1/Unit 2)
6	Rear (Unit 1/Unit 2)

*Unit 1 and Unit 2 represent two battle armor units.



TO-HIT MODIFIERS

Terrain	
Light Woods	+1/hex
Heavy Woods	+2/hex
Partial Cover	+1
Target	
Prone (adjacent hex)	-2
Prone (other hex)	+1
Immobile	-4
Skidding	-2
Moved 0-2 hexes	+0
Moved 3-4 hexes	+1
Moved 5-6 hexes	+2
Moved 7-9 hexes	+3
Moved 10-17 hexes	+4
Moved 18-24 hexes	+5
Moved 25+ hexes	+6
Jumped	+1
Secondary Target	+1
Large support vehicle or grounded DropShip	-1

MOVEMENT COSTS

Move	Cost
Cost to Enter Any Hex:	1
Terrain Cost:	
Clear	+0
Paved/Bridge	+0
Road	+0
Rough	+1
Light woods	+0
Heavy woods	+1
Water	
Depth 1+	Prohibited
Rubble	+1
Building	+0
Level Change (Up or Down)	
1 level	+2
2+ levels	Prohibited

CLUSTER HITS TABLE

Die Roll (2D6)	2	3	4
2	1	1	1
3	1	1	2
4	1	1	2
5	1	2	2
6	1	2	2
7	1	2	3
8	2	2	3
9	2	2	3
10	2	3	3
11	2	3	4
12	2	3	4

MOVEMENT RECORD

Turn #	1	2	3	4	5	6	7	8	9	10
Hex										
Move Mode										

Turn #	11	12	13	14	15	16	17	18	19	20
Hex										
Move Mode										