

BATTLETECH™

BATTLEMECH RECORD SHEET

MECH DATA

Type: Pillager PLG-3Z

Movement Points: 3

Walking: 3

Running: 5

Jumping: 3

Engine Type: 300 XL

Tonnage: 100

Tech Base: Inner Sphere

Rules Level: Standard

Role: Juggernaut

WARRIOR DATA

Name: Major Rebecca Zhao

Gunnery Skill: 2

Piloting Skill: 4

Hits Taken

Consciousness #

Weapons & Equipment Inventory

(hexes)

Qty Type

Loc

Ht

Dmg

Min

Sht

Med

Lg

2 Medium Laser

LA

3

5 [DE]

—

3

6

9

1 Large Laser

RA

8

8 [DE]

—

5

10

15

1 Gauss Rifle

LT

1

15 [DB,X]

2

7

15

22

1 Gauss Rifle

RT

1

15 [DB,X]

2

7

15

22

1 Medium Laser

CT

3

5 [DE]

—

3

6

9

1 Medium Laser

HD

3

5 [DE]

—

3

6


9

Total Heat (Dissipation): 22 (28)

Ammo: (Gauss) 48

Quirks: Battle Fists (LA), Battle Fists (RA)

BV: 4,153



HIT LOCATION TABLE

Die Roll (2D6)

	LS	F/R	RS
2*	LT(C)	CT(C)	RT(C)
3	LL	RA	RL
4	LA	RA	RA
5	LA	RL	RA
6	LL	RT	RL
7	LT	CT	RT
8	CT	LT	CT
9	RT	LL	LT
10	RA	LA	LA
11	RL	LA	LL
12	HD	HD	HD

*A result of 2 may inflict a critical hit

TO-HIT MODIFIERS

Attacker	
Stationary	+0
Walked	+1
Ran	+2
Jumped	+3
Prone	+2
Skidding	+1
Terrain	
Light Woods	+1/hex
Heavy Woods	+2/hex
Partial Cover	+1
Target	
Prone (adjacent hex)	-2
Prone (other hex)	+1
Immobile	-4
Skidding	-2
Moved 0-2 hexes	+0
Moved 3-4 hexes	+1
Moved 5-6 hexes	+2
Moved 7-9 hexes	+3
Moved 10-17 hexes	+4
Moved 18-24 hexes	+5
Moved 25+ hexes	+6
Jumped	+1
BattleArmor unit	+1
Secondary target (front)	+1
Secondary target (side/rear)	+2
Large support vehicle or grounded DropShip	-1
Damage	
Sensor hit	+2
Shoulder hit	+4
Arm Actuator	+1

INTERNAL STRUCTURE DIAGRAM

Standard Structure

HEAT DATA

Heat Level*

Effects

Double Heat Sinks: 14 (28)

Heat Scale

Overflow

30*

29

28*

27

26*

25*

24*

23*

22*

21

20*

19*

18*

17*

16

15*

14*

13*

12

11

10*

9

8*

7

6

5*

4

3

2

1

0

CRITICAL TABLE

Left Arm

1-3

1. Shoulder

2. Upper Arm Actuator

3. Lower Arm Actuator

4. Hand Actuator

5. Double Heat Sink

6. Double Heat Sink

4-6

1. Double Heat Sink

2. Medium Laser

3. Medium Laser

4. Roll Again

5. Roll Again

6. Roll Again

Left Torso

1-3

1. XL Fusion Engine

2. XL Fusion Engine

3. XL Fusion Engine

4. Gauss Rifle

5. Gauss Rifle

6. Gauss Rifle

4-6

1. Gauss Rifle

2. Gauss Rifle

3. Gauss Rifle

4. Gauss Rifle

5. Ammo (Gauss) 8

6. Ammo (Gauss) 8

Head

1-3

1. Life Support

2. Sensors

3. Cockpit

4. Medium Laser

5. Sensors

6. Life Support

Center Torso

1-3

1. XL Fusion Engine

2. XL Fusion Engine

3. XL Fusion Engine

4. Gyro

5. Gyro

6. Gyro

4-6

1. Gyro

2. XL Fusion Engine

3. XL Fusion Engine

4. XL Fusion Engine

5. Jump Jet

6. Medium Laser

Right Arm

1-3

1. Shoulder

2. Upper Arm Actuator

3. Lower Arm Actuator

4. Hand Actuator

5. Double Heat Sink

6. Double Heat Sink

4-6

1. Double Heat Sink

2. Large Laser

3. Large Laser

4. Roll Again

5. Roll Again

6. Roll Again

Right Torso

1-3

1. XL Fusion Engine

2. XL Fusion Engine

3. XL Fusion Engine

4. Gauss Rifle

5. Gauss Rifle

6. Gauss Rifle

4-6

1. Gauss Rifle

2. Gauss Rifle

3. Gauss Rifle

4. Gauss Rifle

5. Ammo (Gauss) 8

6. Ammo (Gauss) 8

Left Leg

1-3

1. Hip

2. Upper Leg Actuator

3. Lower Leg Actuator

4. Foot Actuator

5. Jump Jet

6. Ammo (Gauss) 8

Right Leg

1-3

1. Hip

2. Upper Leg Actuator

3. Lower Leg Actuator

4. Foot Actuator

5. Jump Jet

6. Ammo (Gauss) 8

Engine Hits

Gyro Hits

Sensor Hits

Life Support

CATALYST

Damage Transfer Diagram

© 2024 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

MOVEMENT RECORD

Turn #	1	2	3	4	5	6	7	8	9	10
Hex/Facing										
Move Mode										

Turn #	11	12	13	14	15	16	17	18	19	20
Hex/Facing										
Move Mode										

KICK LOCATION TABLE

Die Roll (1D6)

	LS	F/R	RS
1-3	LL	RL	RL
4-6	LL	LL	RL

FACING AFTER FALL

Die Roll (1D6)

	New Facing	Hit Location
1	Same Direction	Front
2	1 Hexside Right	Right Side
3	2 Hexsides Right	Right Side
4	Opposite Direction	Rear
5	2 Hexsides Left	Left Side
6	1 Hexside Left	Left Side

BATTLETECH™

BATTLEMECH RECORD SHEET

MECH DATA

Type: Catapult CPLT-C3

Movement Points:

Walking: 4

Running: 6

Jumping: 4

Engine Type: 260 Fusion

Tonnage: 65

Tech Base: Inner Sphere

Rules Level: Advanced

Role: Missile Boat

WARRIOR DATA

Name: Sg. Jesse Marwat

Gunnery Skill: 4

Piloting Skill: 5

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Ln
1	Arrow IV	RT/RA	10	20[AE,S,F]	—	1	2	8
1	Medium Laser	LT	3	5[DE]	—	3	6	9
1	Medium Laser	RT	3	5[DE]	—	3	6	9
2	Medium Laser	CT	3	5[DE]	—	3	6	9

Total Heat (Dissipation): 22 (15)

Ammo: (Arrow IV Homing) 5

Quirks: No/Minimal Arms, Weak Head Armor (1)

BV: 1,368



CRITICAL TABLE

- Left Arm**
- Shoulder
 - Upper Arm Actuator
- 1-3
- Roll Again
 - Roll Again
 - Roll Again

- 4-6
- Roll Again
 - Roll Again
 - Roll Again
 - Roll Again
 - Roll Again
 - Roll Again

- Left Torso**
- Jump Jet
 - Jump Jet
 - Medium Laser
- 1-3
- Roll Again
 - Roll Again
 - Roll Again


- 4-6
- Roll Again
 - Roll Again
 - Roll Again
 - Roll Again
 - Roll Again
 - Roll Again

- Left Leg**
- Hip
 - Upper Leg Actuator
 - Lower Leg Actuator
 - Foot Actuator
 - Heat Sink
 - Heat Sink

- Head**
- Life Support
 - Sensors
 - Cockpit
 - Heat Sink
 - Sensors
 - Life Support

- Center Torso**
- Fusion Engine
 - Fusion Engine
 - Fusion Engine
- 1-3
- Gyro
 - Gyro
 - Gyro

Engine Hits ○○○○
Gyro Hits ○○○○
Sensor Hits ○○○○
Life Support ○



Damage Transfer Diagram

- Right Arm**
- Shoulder
 - Upper Arm Actuator
- 1-3
- Roll Again
 - Roll Again
 - Roll Again

- 4-6
- Roll Again
 - Roll Again
 - Roll Again
 - Roll Again
 - Roll Again
 - Roll Again


- Right Torso**
- Jump Jet
 - Jump Jet
 - Medium Laser
- 1-3
- Roll Again
 - Roll Again
 - Roll Again

- 4-6
- Roll Again
 - Roll Again
 - Roll Again
 - Roll Again
 - Roll Again
 - Roll Again

- Right Leg**
- Hip
 - Upper Leg Actuator
 - Lower Leg Actuator
 - Foot Actuator
 - Heat Sink
 - Heat Sink

ARMOR DIAGRAM

Standard Armor



HIT LOCATION TABLE

Die Roll (2D6)	LS	F/R	RS
2*	LT(C)	CT(C)	RT(C)
3	LL	RA	RL
4	LA	RA	RA
5	LA	RL	RA
6	LL	RT	RL
7	LT	CT	RT
8	CT	LT	CT
9	RT	LL	LT
10	RA	LA	LA
11	RL	LA	LL
12	HD	HD	HD


*A result of 2 may inflict a critical hit

TO-HIT MODIFIERS

Attacker	
Stationary	+0
Walked	+1
Ran	+2
Jumped	+3
Prone	+2
Skidding	+1
Terrain	
Light Woods	+1/hex
Heavy Woods	+2/hex
Partial Cover	+1
Target	
Prone (adjacent hex)	-2
Prone (other hex)	+1
Immobile	-4
Skidding	-2
Moved 0-2 hexes	+0
Moved 3-4 hexes	+1
Moved 5-6 hexes	+2
Moved 7-9 hexes	+3
Moved 10-17 hexes	+4
Moved 18-24 hexes	+5
Moved 25+ hexes	+6
Jumped	+1
BattleArmor unit	+1
Secondary target (front)	+1
Secondary target (side/rear)	+2
Large support vehicle or grounded DropShip	-1
Damage	
Sensor hit	+2
Shoulder hit	+4
Arm Actuator	+1

INTERNAL STRUCTURE DIAGRAM

Standard Structure



Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

HEAT DATA

Heat Level*	Effects	Heat Sinks: 15
30	Shutdown	○○○○○○○○○○○○○○○○○○○○
28	Ammo Exp, avoid on 8+	○○○○○○○○○○○○○○○○○○○○
26	Shutdown, avoid on 10+	○○○○○○○○○○○○○○○○○○○○
25	-5 Movement Points	○○○○○○○○○○○○○○○○○○○○
24	+4 Modifier to Fire	○○○○○○○○○○○○○○○○○○○○
23	Ammo Exp, avoid on 6+	○○○○○○○○○○○○○○○○○○○○
22	Shutdown, avoid on 8+	○○○○○○○○○○○○○○○○○○○○
20	-4 Movement Points	○○○○○○○○○○○○○○○○○○○○
19	Ammo Exp, avoid on 4+	○○○○○○○○○○○○○○○○○○○○
18	Shutdown, avoid on 6+	○○○○○○○○○○○○○○○○○○○○
17	+3 Modifier to Fire	○○○○○○○○○○○○○○○○○○○○
15	-3 Movement Points	○○○○○○○○○○○○○○○○○○○○
14	Shutdown, avoid on 4+	○○○○○○○○○○○○○○○○○○○○
13	+2 Modifier to Fire	○○○○○○○○○○○○○○○○○○○○
10	-2 Movement Points	○○○○○○○○○○○○○○○○○○○○
8	+1 Modifier to Fire	○○○○○○○○○○○○○○○○○○○○
5	-1 Movement Points	○○○○○○○○○○○○○○○○○○○○

© 2024 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

MOVEMENT RECORD

Turn #	1	2	3	4	5	6	7	8	9	10
Hex/Facing										
Move Mode										

Turn #	11	12	13	14	15	16	17	18	19	20
Hex/Facing										
Move Mode										

KICK LOCATION TABLE

Die Roll (1D6)	LS	F/R	RS
1-3	LL	RL	RL
4-6	LL	LL	RL

FACING AFTER FALL

Die Roll (1D6)	New Facing	Hit Location
1	Same Direction	Front
2	1 Hexside Right	Right Side
3	2 Hexsides Right	Right Side
4	Opposite Direction	Rear
5	2 Hexsides Left	Left Side
6	1 Hexside Left	Left Side

BATTLEMECH RECORD SHEET

Movement Points:		Tonnage:	85
Walking:	3	Tech Base:	Inner Sphere
Running:	5	Rules Level:	Standard
Jumping:	0	Role:	Missile Boat
Engine Type:	255 XL		

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dea

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Ln
1	LRM 20	LA	6	1/Msl [M,C,S]	6	7	14	21
w/Artemis IV								
1	LRM 15	LA	5	1/Msl [M,C,S]	6	7	14	21
w/Artemis IV								
1	LRM 20	RA	6	1/Msl [M,C,S]	6	7	14	21
w/Artemis IV								
1	LRM 15	RA	5	1/Msl [M,C,S]	6	7	14	21
w/Artemis IV								
Ammo: (LRM 15 Artemis) 32, (LRM 20 Artemis) 24, (LRM 20								
2-ER Small Laser								
Semi-guided 6								
1-ER Small Laser								
Quirk: Anti-Aircraft Targeting, Searchlight, Ubiquitous (Inner								
Total Heat (Dissipation): 28 (24)								
Total Heat/Cultural Cost: 100								

BV: 1,690



1-3

1. Shoulder
2. Upper Arm Actuator
3. LRM 20
4. LRM 20
5. LRM 20
6. LRM 20

1. Life Support
2. Sensors
3. Cockpit
4. ER Small Laser
5. Sensors
6. Life Support

1. Shoulder
2. Upper Arm Actuator
3. LRM 20
4. LRM 20
5. LRM 20
6. LRM 20

1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Gyro
5. Gyro
6. Gyro

1-3

1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Double Heat Sink
5. Double Heat Sink
6. Double Heat Sink

1-3

1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Double Heat Sink
5. Double Heat Sink
6. Double Heat Sink

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again



Damage Transfer Diagram

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

Head (9)

Left Torso (25)

Right Torso (25)

Left Arm (20)

Right Arm (20)

Left Leg (20)

Right Leg (20)

Center Torso (35)

Left Torso Rear (8)

Right Torso Rear (8)

Die Roll (2D6)	LS	F/R	RS
	LT(C)	CT(C)	RT(C)
3	LL	RA	RL
4	LA	RA	RA
5	LA	RL	RA
6	LL	RT	RL
7	LT	CT	RT
8	CT	LT	CT
9	RT	LL	LT
10	RA	LA	LA
11	RL	LA	LL
12	HD	HD	HD

Attacker	
Stationary	+0
Walked	+1
Ran	+2
Prone	+2
Skidding	+3
Terrain	
Light Woods	+1/hex
Heavy Woods	+2/hex
Partial Cover	+1
Target	
Prone (adjacent hex)	-2
Prone (other hex)	+1
Immobile	-4
Skidding	-2
Moved 0-2 hexes	+0
Moved 3-4 hexes	+1
Moved 5-6 hexes	+2
Moved 7-9 hexes	+3
Moved 10-17 hexes	+4
Moved 18-24 hexes	+5
Moved 25+ hexes	+6
Jumped	+1
BattleArmor unit	+1
Secondary target (front)	+1
Secondary target (side/rear)	+2
Large support vehicle	-1
or grounded DropShip	
Damage	
Sensor hit	+2
Shoulder hit	+4
Arm Actuator	+3

Attack	To-Hit	Damage
Punch	+3	4
Kick	-2	17
Push	-1	—
Charge	+0*	8/Hex

*Modified by target piloting skill

Die Roll (1D6)	LS	F/R	RS
1	LT	LA	RT
2	LT	LT	RT
3	CT	CT	CT
4	LA	RT	RA
5	LA	RA	RA
6	HD	HD	HD

Die Roll (1D6)	LS	F/R	RS
1-3	LL	RL	RL
4-6	LL	LL	RL

Die Roll (1D6)	New Facing	Hit Location
1	Same Direction	Front
2	1 Hexside Right	Right Side
3	2 Hexsides Right	Right Side
4	Opposite Direction	Rear
5	2 Hexsides Left	Left Side
6	1 Hexside Left	Left Side

Die Roll (2D6)	15	20
2	5	6
3	5	6
4	6	9
5	9	12
6	9	12
7	9	12
8	9	12
9	12	16
10	12	16
11	15	20
12	15	20

Artemis IV FCS: +2

Artemis IV FCS: +2

Diagram illustrating the distribution of points (represented by small circles) across various body parts of a human figure. The points are distributed as follows:

- Head: 10 points
- Left Torso: 18 points
- Right Torso: 18 points
- Left Arm: 14 points
- Right Arm: 14 points
- Center Torso: 27 points
- Left Leg: 18 points
- Right Leg: 18 points

A legend on the right shows a vertical scale from 18 to 30, with corresponding point counts for each level:

Scale	Points
30	30
29	29
28	28
27	27
26	26
25	25
24	24
23	23
22	22
21	21
20	20
19	19
18	18

Level*	Effects	Double Heat Sinks: 12 (24)
30	Shutdown	○ ○
28	Ammo Exp, avoid on 8+	○ ○
26	Shutdown, avoid on 10+	○ ○
25	-5 Movement Points	○
24	+4 Modifier to Fire	○
23	Ammo Exp, avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	○
19	Ammo Exp, avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	
14	Shutdown, avoid on 4+	
13	+2 Modifier to Fire	
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

MOVEMENT RECORD

[illegible][illegible]

OMNIMECH RECORD SHEET

OMNIMECH RECORD SHEET

BATTLETECH™

BATTLEMECH RECORD SHEET

MECH DATA

Type: Ostscout OTT-9S

Movement Points:

Walking: 8

Running: 12

Jumping: 8

Engine Type: 280 Light

Tonnage: 35

Tech Base: Inner Sphere

Rules Level: Standard

Role: Scout

WARRIOR DATA

Name: Sg. James Banks

Gunnery Skill: 4

Piloting Skill: 5

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead

Weapons & Equipment Inventory

(hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Ln
1	A-Pod	LL	—	[PB,OS,AI]	—	—	—	—
1	A-Pod	RL	—	[PB,OS,AI]	—	—	—	—
1	ER Medium Laser	LA	5	5 [DE]	—	4	8	12
1	ER Medium Laser	RA	5	5 [DE]	—	4	8	12
1	ECM Suite (Guardian)	LT	—	[E]	—	—	—	6
1	Active Probe (Beagle)	RT	—	[E]	—	—	—	4
1	TAG	HD	—	[E]	—	5	9	15

Total Heat (Dissipation): 10 (10)

Quirks: Improved Communications, Improved Sensors, Narrow/Low Profile, Rugged (1 Point)

BV: 959



CRITICAL TABLE

Left Arm

- Shoulder
- Upper Arm Actuator
- Lower Arm Actuator
- ER Medium Laser
- Endo Steel
- Endo Steel

1-3

- Endo Steel
- Ferro-Fibrous
- Ferro-Fibrous
- Ferro-Fibrous
- Ferro-Fibrous
- Ferro-Fibrous

4-6

Left Torso

- Light Fusion Engine
- Light Fusion Engine
- Jump Jet
- Jump Jet
- Jump Jet
- Jump Jet

1-3

- ECM Suite (Guardian)
- ECM Suite (Guardian)
- Endo Steel
- Endo Steel
- Ferro-Fibrous
- Ferro-Fibrous

4-6

Left Leg

- Hip
- Upper Leg Actuator
- Lower Leg Actuator
- Foot Actuator
- A-Pod
- Endo Steel

Head

- Life Support
- Sensors
- Cockpit
- TAG
- Sensors
- Life Support

Center Torso

- Light Fusion Engine
- Light Fusion Engine
- Light Fusion Engine
- Gyro
- Gyro
- Gyro

1-3

- Gyro
- Light Fusion Engine
- Light Fusion Engine
- Light Fusion Engine
- Endo Steel
- Endo Steel

4-6

Engine Hits ○○○○
Gyro Hits ○○○○
Sensor Hits ○○○○
Life Support ○



Damage Transfer Diagram

Right Arm

- Shoulder
- Upper Arm Actuator
- Lower Arm Actuator
- ER Medium Laser
- Endo Steel
- Endo Steel

1-3

- Endo Steel
- Ferro-Fibrous
- Ferro-Fibrous
- Ferro-Fibrous
- Ferro-Fibrous
- Ferro-Fibrous

4-6

Right Torso

- Light Fusion Engine
- Light Fusion Engine
- Jump Jet
- Jump Jet
- Jump Jet
- Jump Jet

1-3

- Active Probe (Beagle)
- Active Probe (Beagle)
- Endo Steel
- Endo Steel
- Ferro-Fibrous
- Ferro-Fibrous


4-6

Right Leg

- Hip
- Upper Leg Actuator
- Lower Leg Actuator
- Foot Actuator
- A-Pod
- Endo Steel

ARMOR DIAGRAM

Ferro-Fibrous



HIT LOCATION TABLE

Die Roll

(2D6)

LS

F/R

RS

2*	LT(C)	CT(C)	RT(C)
3	LL	RA	RL
4	LA	RA	RA
5	LA	RL	RA
6	LL	RT	RL
7	LT	CT	RT
8	CT	LT	CT
9	RT	LL	LT
10	RA	LA	LA
11	RL	LA	LL
12	HD	HD	HD

*A result of 2 may inflict a critical hit

TO-HIT MODIFIERS

Attacker

Stationary	+0
Walked	+1
Ran	+2
Jumped	+3
Prone	+2
Skidding	+1

Terrain

Light Woods	+1/hex
Heavy Woods	+2/hex
Partial Cover	+1

Target

Prone (adjacent hex)	-2
Prone (other hex)	+1
Immobile	-4
Skidding	-2
Moved 0-2 hexes	+0
Moved 3-4 hexes	+1
Moved 5-6 hexes	+2
Moved 7-9 hexes	+3
Moved 10-17 hexes	+4
Moved 18-24 hexes	+5
Moved 25+ hexes	+6
Jumped	+1
BattleArmor unit	+1
Secondary target (front)	+1
Secondary target (side/rear)	+2
Large support vehicle or grounded DropShip	-1

Damage

Sensor hit	+2
Shoulder hit	+4
Arm Actuator	+1

PHYSICAL ATTACKS

Attack	To-Hit	Damage
Punch	+1	4
Kick	-2	7
Push	-1	—
Charge	+0*	3/Hex
DFA	+0*	11

*Modified by target piloting skill

PUNCH LOCATION TABLE

Die Roll

(1D6)

LS

F/R

RS

1	LT	LA	R
2	LT	LT	R
3	CT	CT	C
4	LA	RT	R
5	LA	RA	R
6	HD	HD	H

KICK LOCATION TABLE

Die Roll

(1D6)

LS

F/R

RS

1-3	LL	RL	RL
4-6	LL	LL	LL

FACING AFTER FALL

Die Roll

(1D6)

New Facing

Hit Location

1	Same Direction	Front
2	1 Hexside Right	Right Side
3	2 Hexsides Right	Right Side
4	Opposite Direction	Rear
5	2 Hexsides Left	Left Side
6	1 Hexside Left	Left Side

MOVEMENT RECORD

Turn #	1	2	3	4	5	6	7	8	9	10
Hex/Facing										
Move Mode										

Turn #	11	12	13	14	15	16	17	18	19	20
Hex/Facing										
Move Mode										

© 2024 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

MECH DATA

Type: Wraith TR1

Movement Points: 7

Walking: 7

Running: 11

Jumping: 7

Engine Type: 385 XL

Tonnage: 55

Tech Base: Inner Sphere

Rules Level: Standard

Role: Skirmisher

WARRIOR DATA

Name: Sg. Wen Volnov

Gunnery Skill: 4

Piloting Skill: 5

Hits Taken

Consciousness #

Weapons & Equipment Inventory

(hexes)

Qty Type Loc Ht Dmg Min Sht Med Lng

2 Medium Pulse LA 4 6 [P] — 2 4 6



Laser

1 Large Pulse Laser RA 10 9 [P] — 3 7 10

Total Heat (Dissipation): 18 (20)

Quirks: Ubiquitous (Inner Sphere), Difficult to Maintain

BV: 1,287



HIT LOCATION TABLE

Die Roll (2D6)	LS	F/R	RS
2*	LT(C)	CT(C)	RT(C)
3	LL	RA	RL
4	LA	RA	RA
5	LA	RL	RA
6	LL	RT	RL
7	LT	CT	RT
8	CT	LT	CT
9	RT	LL	LT
10	RA	LA	LA
11	RL	LA	LL
12	HD	HD	HD

*A result of 2 may inflict a critical hit

TO-HIT MODIFIERS

Attacker	
Stationary	+0
Walked	+1
Ran	+2
Jumped	+3
Prone	+2
Skidding	+1
Terrain	
Light Woods	+1/hex
Heavy Woods	+2/hex
Partial Cover	+1
Target	
Prone (adjacent hex)	-2
Prone (other hex)	+1
Immobile	-4
Skidding	-2
Moved 0-2 hexes	+0
Moved 3-4 hexes	+1
Moved 5-6 hexes	+2
Moved 7-9 hexes	+3
Moved 10-17 hexes	+4
Moved 18-24 hexes	+5
Moved 25+ hexes	+6
Jumped	+1
BattleArmor unit	+1
Secondary target (front)	+1
Secondary target (side/rear)	+2
Large support vehicle or grounded DropShip	-1
Damage	
Sensor hit	+2
Shoulder hit	+4
Arm Actuator	+1

CRITICAL TABLE

Left Arm

1-3

1. Shoulder

2. Upper Arm Actuator

3. Lower Arm Actuator

4. Hand Actuator

5. Medium Pulse Laser

6. Medium Pulse Laser

Center Torso

1-3

1. Life Support

2. Sensors

3. Cockpit

4. Ferro-Fibrous

5. Sensors

6. Life Support

Right Arm

1-3

1. Shoulder

2. Upper Arm Actuator

3. Lower Arm Actuator

4. Hand Actuator

5. Large Pulse Laser

6. Large Pulse Laser

Left Torso

1-3

1. XL Fusion Engine

2. XL Fusion Engine

3. XL Fusion Engine

4. Ferro-Fibrous

5. Ferro-Fibrous

6. Roll Again

Center Torso

4-6

1. XL Fusion Engine

2. XL Fusion Engine

3. XL Fusion Engine

4. Gyro

5. Gyro

6. Gyro

Right Torso

4-6

1. Endo Steel

2. Endo Steel

3. Endo Steel

4. Ferro-Fibrous

5. Ferro-Fibrous

6. Roll Again

Left Leg

1-3

1. XL Fusion Engine

2. XL Fusion Engine

3. XL Fusion Engine

4. Jump Jet

5. Jump Jet

6. Jump Jet

Right Leg

1-3

1. XL Fusion Engine

2. XL Fusion Engine

3. XL Fusion Engine

4. Jump Jet

5. Jump Jet

6. Jump Jet

Engine Hits

Gyro Hits

Sensor Hits

Life Support

Left Torso

4-6

1. Endo Steel

2. Endo Steel

3. Ferro-Fibrous

4. Ferro-Fibrous

5. Ferro-Fibrous

6. Ferro-Fibrous

Right Torso

4-6

1. Endo Steel

2. Endo Steel

3. Ferro-Fibrous

4. Ferro-Fibrous

5. Ferro-Fibrous

6. Ferro-Fibrous

Left Leg

4-6

1. Hip

2. Upper Leg Actuator

3. Lower Leg Actuator

4. Foot Actuator

5. Endo Steel

6. Endo Steel

Right Leg

4-6

1. Hip

2. Upper Leg Actuator

3. Lower Leg Actuator

4. Foot Actuator

5. Endo Steel

6. Endo Steel

Damage Transfer Diagram

INTERNAL STRUCTURE DIAGRAM

Endo Steel

HEAT DATA

Heat Level*

Effects

Double Heat Sinks: 10 (20)

Heat Scale

Overflow

30*

29

28*

27

26*

25*

24*

23*

22*

21

20*

19*

18*

17*

16

15*

14*

13*

12

11

10*

9

8*

7

6

5*

4

3

2

1

0

© 2024 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

MOVEMENT RECORD

Turn #	1	2	3	4	5	6	7	8	9	10
Hex/Facing										
Move Mode										

Turn #	11	12	13	14	15	16	17	18	19	20
Hex/Facing										
Move Mode										

PHYSICAL ATTACKS

Attack	To-Hit	Damage
Punch	+0	6
Kick	-2	11
Push	-1	—
Club	-1	11
Charge	+0*	5/Hex
DFA	+0*	17

*Modified by target piloting skill

PUNCH LOCATION TABLE

Die Roll (1D6)	LS	F/R	RS
1	LT	LA	RT
2	LT	LT	RT
3	CT	CT	CT
4	LA	RT	RA
5	LA	RA	RA
6	HD	HD	HD

KICK LOCATION TABLE

Die Roll (1D6)	LS	F/R	RS
1-3	LL	RL	RL
4-6	LL	LL	LL

FACING AFTER FALL

Die Roll (1D6)	New Facing	Hit Location
1	Same Direction	Front
2	1 Hexside Right	Right Side
3	2 Hexsides Right	Right Side
4	Opposite Direction	Rear
5	2 Hexsides Left	Left Side
6	1 Hexside Left	Left Side

BATTLEMECH RECORD SHEET

Die Roll (2D6)		
2	1	2
3	1	2
4	1	3
5	1	3
6	1	4
7	1	4
8	2	4
9	2	5
10	2	5
11	2	6
12	2	6

[illegible]

Die Roll (2D6)		
2	1	2
3	1	2
4	1	3
5	1	3
6	1	4
7	1	4
8	2	4
9	2	5
10	2	5
11	2	6
12	2	6

BATTLEMECH RECORD SHEET

Die Roll (1D6)	New Facing	Hit Location
1	Same Direction	Front
2	1 Hexside Right	Right Side
3	2 Hexsides Right	Right Side
4	Opposite Direction	Rear
5	2 Hexsides Left	Left Side
6	1 Hexside Left	Left Side

BATTLETECH™

BATTLEMECH RECORD SHEET

MECH DATA

Type: Trebuchet TBT-5N
Movement Points: 50
Walking: 5
Running: 8
Jumping: 0
Engine Type: 250 Fusion
Tonnage: 50
Tech Base: Inner Sphere
Rules Level: Introductory
Role: Missile Boat

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Ln
1	LRM 15	LA	5	1/Msl	6	7	14	21
				[M,C,S]				
1	Medium Laser	LA	3	5 [DE]	—	3	6	9
2	Medium Laser	RA	3	5 [DE]	—	3	6	9
1	LRM 15	RT	5	1/Msl	6	7	14	21
				[M,C,S]				


Total Heat (Dissipation): 19 (10)

Ammo: (LRM 15) 8, (LRM 15 Semi-guided) 8
Quirks: Easy to Maintain

BV: 1,191


WARRIOR DATA

Name: Sg. Bill Daniyalov
Gunberry Skill: 4 Piloting Skill: 5
Hits Taken
Consciousness #



ARMOR DIAGRAM

Standard Armor



HIT LOCATION TABLE

Die Roll (2D6)	LS	F/R	RS
2*	LT(C)	CT(C)	RT(C)
3	LL	RA	RL
4	LA	RA	RA
5	LA	RL	RA
6	LL	RT	RL
7	LT	CT	RT
8	CT	LT	CT
9	RT	LL	LT
10	RA	LA	LA
11	RL	LA	LL
12	HD	HD	HD


*A result of 2 may inflict a critical hit.

TO-HIT MODIFIERS

Attacker	
Stationary	+0
Walked	+1
Ran	+2
Prone	+2
Skidding	+1
Terrain	
Light Woods	+1/hex
Heavy Woods	+2/hex
Partial Cover	+1
Target	
Prone (adjacent hex)	-2
Prone (other hex)	+1
Immobile	-4
Skidding	-2
Moved 0-2 hexes	+0
Moved 3-4 hexes	+1
Moved 5-6 hexes	+2
Moved 7-9 hexes	+3
Moved 10-17 hexes	+4
Moved 18-24 hexes	+5
Moved 25+ hexes	+6
Jumped	+1
BattleArmor unit	+1
Secondary target (front)	+1
Secondary target (side/rear)	+2
Large support vehicle or grounded DropShip	-1
Damage	
Sensor hit	+2
Shoulder hit	+4
Arm Actuator	+1

INTERNAL STRUCTURE DIAGRAM

Standard Structure




Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0


HEAT DATA

Heat Level*	Effects	Heat Sinks: 10
30	Shutdown	
28	Ammo Exp, avoid on 8+	
26	Shutdown, avoid on 10+	
25	-5 Movement Points	
24	+4 Modifier to Fire	
23	Ammo Exp, avoid on 6+	
22	Shutdown, avoid on 8+	
20	-4 Movement Points	
19	Ammo Exp, avoid on 4+	
18	Shutdown, avoid on 6+	
17	+3 Modifier to Fire	
15	-3 Movement Points	
14	Shutdown, avoid on 4+	
13	+2 Modifier to Fire	
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

CRITICAL TABLE

Left Arm		Right Arm
1. Shoulder	1. Life Support	1. Shoulder
2. Upper Arm Actuator	2. Sensors	2. Upper Arm Actuator
3. Lower Arm Actuator	3. Cockpit	3. Lower Arm Actuator
4. Hand Actuator	4. Roll Again	4. Medium Laser
5. LRM 15	5. Sensors	5. Medium Laser
6. LRM 15	6. Life Support	6. Roll Again
	Center Torso	
1. LRM 15	1. Fusion Engine	1. Roll Again
2. Medium Laser	2. Fusion Engine	2. Roll Again
3. Roll Again	3. Fusion Engine	3. Roll Again
4. Roll Again	4. Gyro	4. Roll Again
5. Roll Again	5. Gyro	5. Roll Again
6. Roll Again	6. Gyro	6. Roll Again
		Right Torso
1. Ammo (LRM 15 Semi-guided) 8	1. Gyro	1. LRM 15
2. Roll Again	2. Fusion Engine	2. LRM 15
3. Roll Again	3. Fusion Engine	3. LRM 15
4. Roll Again	5. Roll Again	4. Ammo (LRM 15) 8
5. Roll Again	6. Roll Again	5. Roll Again
6. Roll Again		6. Roll Again
	Engine Hits○○○ Gyro Hits○○○ Sensor Hits○○○ Life Support○	
		
	Damage Transfer Diagram	
Left Leg		Right Leg
1. Hip		1. Hip
2. Upper Leg Actuator		2. Upper Leg Actuator
3. Lower Leg Actuator		3. Lower Leg Actuator
4. Foot Actuator		4. Foot Actuator
5. Roll Again		5. Roll Again
6. Roll Again		6. Roll Again

Engine Hits
Gyro Hits
Sensor Hits
Life Support



Damage Transfer Diagram

© 2024 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

MOVEMENT RECORD

Turn #	1	2	3	4	5	6	7	8	9	10
Hex/Facing										
Move Mode										

Turn #	11	12	13	14	15	16	17	18	19	20
Hex/Facing										
Move Mode										

PHYSICAL ATTACKS

Attack	To-Hit	Damage
Punch (LA)	+0	5
Punch (RA)	+1	5
Kick	-2	10
Push	-1	—
Charge	+0*	5/Hex

*Modified by target piloting skill

PUNCH LOCATION TABLE

Die Roll (1D6)	LS	F/R	RS
1	LT	LA	RT
2	LT	LT	RT
3	CT	CT	CT
4	LA	RT	RA
5	LA	RA	RA
6	HD	HD	HD

KICK LOCATION TABLE

Die Roll (1D6)	LS	F/R	RS
1-3	LL	RL	RL
4-6	LL	LL	RL

FACING AFTER FALL

Die Roll (1D6)	New Facing	Hit Location
1	Same Direction	Front
2	1 Hexside Right	Right Side
3	2 Hexsides Right	Right Side
4	Opposite Direction	Rear
5	2 Hexsides Left	Left Side
6	1 Hexside Left	Left Side

CLUSTER HITS TABLE

Die Roll (2D6)	
2	5
3	5
4	6
5	9
6	9
7	9
8	9
9	12
10	12
11	15
12	15

AEROSPACE FIGHTER RECORD SHEET

FIGHTER DATA

Type: Lightning LTN-G15

Thrust: Tonnage: 50
SafeThrust: 6 Tech Base: Inner Sphere
Maximum Thrust: 9 Rules Level: Standard
Engine Type: 200 Fusion Role: Dogfighter

Weapons & Equipment Inventory

Standard Scale		(1-6) (7-12) (13-20) (21-25)					
Qty	Type	Loc	Ht	SRV	MRV	LRV	ERV
1	Medium Laser [DE]	NOS	3	5	—	—	—
1	AC/20 [DB,S]	NOS	7	20	—	—	—
1	Medium Laser [DE]	LWG	3	5	—	—	—
1	Medium Laser [DE]	RWG	3	5	—	—	—
1	Medium Laser [DE]	AFT	3	5	—	—	—
Total Heat (Dissipation): 35 (13)							

Ammo: (AC/20) 10
Fuel Points: 400

BV: 1,315

ARMOR DIAGRAM

Standard Armor

Nose Damage
Threshold (Total Armor)
7 (65)

Left Wing
Damage Threshold
(Total Armor)
4 (35)

Structural
Integrity:
6


Right Wing
Damage Threshold
(Total Armor)
4 (35)

Aft Damage
Threshold
(Total Armor)
4 (33)

Advanced
Movement
Compass



EXTERNAL STORES/BOMBS



Key:
HE - High Explosive
LG - Laser Guided
C - Cluster
RL - Rocket Launcher

TO-HIT MODIFIERS

Range	
Short	+0
Medium	+2
Long	+4
Extreme	+6
Target/Intervening conditions	
Attack against aft	+0
Attack against side	+2
Attack against nose	+1
Attacker flying at altitude 1 attacking air target	+2
Secondary target in fwd arc	+1
Secondary target in other arc	+2
Target is conducting air-to-ground attack	-3
Target is at zero velocity	-2
Firing through atmospheric hex on high altitude map	+2/hex
Firing into or out of screen hex	+2
Target is evading	variable
Attacker Conditions	
Exceeded safe thrust this turn	+2
Out of control	+2
Pilot damage	+2
FCS damage	+2/hit
Sensor damage	+1/hit
Sensors destroyed	+5
Attacker evading	Prohibited

NOTES

CRITICAL DAMAGE

Avionics	+1	+2	+5	Engine	2	4	D
FCS	+2	+4	D	Landing Gear			+5
Sensors	+1	+2	+5	Life Support			+2

PILOT DATA

Name: Lt. Wolde-Selassie Kibet

Gunnery Skill: 4 Piloting Skill: 4

His Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead
Modifier	+1	+2	+3	+4	+5	

HEAT DATA

Heat Level*	Effects	Heat Sinks:
30	Shutdown	13
28	Ammo Exp avoid on 8+	○○
27	Pilot damage, avoid on 9+	○○○
26	Shutdown, avoid on 10+	○○○○
25	Random Movement, avoid on 10+	○○○○○
24	+4 Modifier to Fire	○○○○○○
23	Ammo Exp avoid on 6+	○○○○○○○
22	Shutdown, avoid on 8+	○○○○○○○○
21	Pilot damage, avoid on 6+	○○○○○○○○○
20	Random Movement, avoid on 8+	○○○○○○○○○
19	Ammo Exp avoid on 4+	○○○○○○○○○
18	Shutdown, avoid on 6+	○○○○○○○○○
17	+3 Modifier to Fire	○○○○○○○○○
15	Random Movement, avoid on 7+	○○○○○○○○○
14	Shutdown, avoid on 4+	○○○○○○○○○
13	+2 Modifier to Fire	○○○○○○○○○
10	Random Movement, avoid on 6+	○○○○○○○○○
8	+1 Modifier to Fire	○○○○○○○○○
5	Random Movement, avoid on 5+	○○○○○○○○○

VELOCITY RECORD

Turn #	1	2	3	4	5	6	7	8	9	10
Thrust										
Velocity										
Effective Velocity										
Altitude										

Turn #	11	12	13	14	15	16	17	18	19	20
Thrust										
Velocity										
Effective Velocity										
Altitude										

© 2024 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

HIT LOCATION TABLE

Die Roll (2D6)	Nose	Aft	Side	Above/Below
2	Nose/Weapon	Aft/Weapon	Nose/Weapon	Nose/Weapon
3	Nose/Sensor	Aft/Heat Sink	Wing/Gear	Wing/Gear
4	Right Wing/Heat Sink	Right Wing/Fuel	Nose/Sensor	Nose/Sensor
5	Right Wing/Weapon	Right Wing/Weapon	Nose/Crew	Nose/Crew
6	Nose/Avionics	Aft/Engine	Wing/Weapon	Wing/Weapon
7	Nose/Control	Aft/Control	Wing/Avionics	Nose/Avionics
8	Nose/FCS	Aft/Engine	Wing/Bomb	Wing/Weapon
9	Left Wing/Weapon	Left Wing/Weapon	Aft/Control	Aft/Control
10	Left Wing/Heat Sink	Left Wing/Fuel	Aft/Engine	Aft/Engine
11	Nose/Gear	Aft/Heat Sink	Wing/Gear	Wing/Gear
12	Nose/Weapon	Aft/Weapon	Aft/Weapon	Aft/Weapon

AIR-TO-GROUND ATTACKS

Attack Type	Modifier	Altitude
Strafing	+4	1-3
Striking	+2	2-5
Dive bombing	+2	3-5
Altitude bombing	+2	1+
	+altitude	

RANDOM MOVEMENT TABLE

1D6 Result	Effect
1	Forward 1 hex, left 2 hexsides
2	Forward 1 hex, left 1 hexside
3-4	Forward 1 hex
5	Forward 1 hex, right 1 hexside
6	Forward 1 hex, right 2 hexsides

STRAIGHT MOVEMENT

Low Altitude		
Velocity	Map	Ground Map
1	1	8
2	1	12
3	1	16
4	1	20
5	1	24
6	1	28
7	2	32
8	2	36
9	2	40
10	3	44
11	3	48
12	3	52
13-15	4	-
16+	5	-

CHANGING FACING COST

Velocity	Thrust points	Velocity	Thrust points
0-2	1	10	5
3-5	2	11	6
6-7	3	12	+1/point
8-9	4		



Key:
HE - High Explosive
LG - Laser Guided
C - Cluster
RL - Rocket Launcher

FIGHTER DATA

Type: Seydlitz SYD-Z3A

Thrust: 11 Tonnage: 20
SafeThrust: 11 Tech Base: Inner Sphere
Maximum Thrust: 17 Rules Level: Standard
Engine Type: 180 XL Role: Interceptor

Weapons & Equipment Inventory

Standard Scale		(1-6) (7-12) (13-20) (21-25)					
Qty	Type	Loc	Ht	SRV	MRV	LRV	ERV
1	Medium Pulse Laser [P]	LWG	4	6	—	—	—
1	Medium Pulse Laser [P]	RWG	4	6	—	—	—
Total Heat (Dissipation): 12 (20)							

Fuel Points: 400

BV: 565

NOTES

CRITICAL DAMAGE

Avionics	+1	+2	+5	Engine	2	4	D
FCS	+2	+4	D	Landing Gear			+5
Sensors	+1	+2	+5	Life Support			+2


VELOCITY RECORD

Turn #	1	2	3	4	5	6	7	8	9	10
Thrust										
Velocity										
Effective Velocity										
Altitude										

Turn #	11	12	13	14	15	16	17	18	19	20
Thrust										
Velocity										
Effective Velocity										
Altitude										

ARMOR DIAGRAM

Ferro-Aluminum



PILOT DATA

Name: Sg. Tat Barnowski	
Gunnery Skill: 4	Piloting Skill: 4
His Taken	1 2 3 4 5 6
Consciousness #	3 5 7 10 11 Dead
Modifier	+1 +2 +3 +4 +5

HEAT DATA

Heat Level*	Effects	Double Heat Sinks: 10 (20)
30	Shutdown	○
28	Ammo Exp avoid on 8+	○
27	Pilot damage, avoid on 9+	○
26	Shutdown, avoid on 10+	○
25	Random Movement, avoid on 10+	○
24	+4 Modifier to Fire	○
23	Ammo Exp avoid on 6+	○
22	Shutdown, avoid on 8+	○
21	Pilot damage, avoid on 6+	○
20	Random Movement, avoid on 8+	○
19	Ammo Exp avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	Random Movement, avoid on 7+	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	Random Movement, avoid on 6+	○
8	+1 Modifier to Fire	○
5	Random Movement, avoid on 5+	○

Heat Scale



TO-HIT MODIFIERS

Range	
Short	+0
Medium	+2
Long	+4
Extreme	+6
Target/Intervening conditions	
Attack against aft	+0
Attack against side	+2
Attack against nose	+1
Attacker flying at altitude 1 attacking air target	+2
Secondary target in fwd arc	+1
Secondary target in other arc	+2
Target is conducting air-to-ground attack	-3
Target is at zero velocity	-2
Firing through atmospheric hex on high altitude map	+2/hex
Firing into or out of screen hex	+2
Target is evading	variable
Attacker Conditions	
Exceeded safe thrust this turn	+2
Out of control	+2
Pilot damage	+2
FCS damage	+2/hit
Sensor damage	+1/hit
Sensors destroyed	+5
Attacker evading	Prohibited

CONTROL ROLL TABLE

Situation	
Movement	
Roll more than once in a turn	
Use thrust > current SI	
Velocity > 2x safe thrust in atmosphere	
Stalling	
Descending 3+ altitudes in a turn	
Damage	
Avionics critical	
Control critical	
Damaged in atmosphere	
Modifiers	
Pilot damage	+1/hit
Avionics damage	+1/hit
Life support damage	+1/hit
Above safe thrust	+1
Atmospheric operations	+1
Per 20 points of damage	+1
Velocity above 2x safe thrust	+1/point

STRAIGHT MOVEMENT

Low Altitude		
Velocity	Map	Ground Map
1	1	8
2	1	12
3	1	16
4	1	20
5	1	24
6	1	28
7	2	32
8	2	36
9	2	40
10	3	44
11	3	48
12	3	52
13-15	4	-
16+	5	-

CHANGING FACING COST

Velocity	Thrust points	Velocity	Thrust points
0-2	1	10	5
3-5	2	11	6
6-7	3	12	+1/point
8-9	4		

AIR-TO-GROUND ATTACKS

Attack Type	Modifier	Altitude
Strafing	+4	1-3
Striking	+2	2-5
Dive bombing	+2	3-5
Altitude bombing	+2	1+
	+altitude	

RANDOM MOVEMENT TABLE

1D6 Result	Effect
1	Forward 1 hex, left 2 hexsides
2	Forward 1 hex, left 1 hexside
3-4	Forward 1 hex
5	Forward 1 hex, right 1 hexside
6	Forward 1 hex, right 2 hexsides

HIT LOCATION TABLE

Die Roll (2D6)	Nose	Aft	Side	Above/Below
2	Nose/Weapon	Aft/Weapon	Nose/Weapon	Nose/Weapon
3	Nose/Sensor	Aft/Heat Sink	Wing/Gear	Wing/Gear
4	Right Wing/Heat Sink	Right Wing/Fuel	Nose/Sensor	Nose/Sensor
5	Right Wing/Weapon	Right Wing/Weapon	Nose/Crew	Nose/Crew
6	Nose/Avionics	Aft/Engine	Wing/Weapon	Wing/Weapon
7	Nose/Control	Aft/Control	Wing/Avionics	Nose/Avionics
8	Nose/FCS	Aft/Engine	Wing/Bomb	Wing/Weapon
9	Left Wing/Weapon	Left Wing/Weapon	Aft/Control	Aft/Control
10	Left Wing/Heat Sink	Left Wing/Fuel	Aft/Engine	Aft/Engine
11	Nose/Gear	Aft/Heat Sink	Wing/Gear	Wing/Gear
12	Nose/Weapon	Aft/Weapon	Aft/Weapon	Aft/Weapon