

BATTLEMECH RECORD SHEET

[illegible]

BATTLETECH™

BATTLEMECH RECORD SHEET

MECH DATA

Type: Ostscout OTT-9S

Movement Points:

Walking: 8

Running: 12

Jumping: 8

Engine Type: 280 Light

Tonnage: 35

Tech Base: Inner Sphere

Rules Level: Standard

Role: Scout

WARRIOR DATA

Name: Sg. Giovanni Berthelot

Gunnery Skill: 4

Piloting Skill: 5

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lg
1	A-Pod	LL	—	[PB,OS,AI]	—	—	—	—
1	A-Pod	RL	—	[PB,OS,AI]	—	—	—	—
1	ER Medium Laser	LA	5	5 [DE]	—	4	8	12
1	ER Medium Laser	RA	5	5 [DE]	—	4	8	12
1	ECM Suite (Guardian)	LT	—	[E]	—	—	—	6
1	Active Probe (Beagle)	RT	—	[E]	—	—	—	4
1	TAG	HD	—	[E]	—	5	9	15

Total Heat (Dissipation): 10 (10)

Quirks: Improved Communications, Improved Sensors, Narrow/Low Profile, Rugged (1 Point)

BV: 855

CRITICAL TABLE

- Left Arm**
- Shoulder
 - Upper Arm Actuator
 - Lower Arm Actuator
 - ER Medium Laser
 - Endo Steel
 - Endo Steel

- Center Torso**
- Light Fusion Engine
 - Light Fusion Engine
 - Light Fusion Engine
 - Gyro
 - Gyro
 - Gyro

- Left Torso**
- Light Fusion Engine
 - Light Fusion Engine
 - Jump Jet
 - Jump Jet
 - Jump Jet
 - Jump Jet

- Right Torso**
- ECM Suite (Guardian)
 - ECM Suite (Guardian)
 - Endo Steel
 - Endo Steel
 - Ferro-Fibrous
 - Ferro-Fibrous


- Left Leg**
- Hip
 - Upper Leg Actuator
 - Lower Leg Actuator
 - Foot Actuator
 - A-Pod
 - Endo Steel

- Right Arm**
- Shoulder
 - Upper Arm Actuator
 - Lower Arm Actuator
 - ER Medium Laser
 - Endo Steel
 - Endo Steel

- Center Torso**
- Light Fusion Engine
 - Light Fusion Engine
 - Light Fusion Engine
 - Gyro
 - Gyro
 - Gyro

- Right Torso**
- Light Fusion Engine
 - Light Fusion Engine
 - Jump Jet
 - Jump Jet
 - Jump Jet
 - Jump Jet

Engine Hits ○○○○
Gyro Hits ○○○○
Sensor Hits ○○○○
Life Support ○



Damage Transfer Diagram

- Right Arm**
- Shoulder
 - Upper Arm Actuator
 - Lower Arm Actuator
 - ER Medium Laser
 - Endo Steel
 - Endo Steel

- Center Torso**
- Light Fusion Engine
 - Light Fusion Engine
 - Light Fusion Engine
 - Gyro
 - Gyro
 - Gyro


- Right Torso**
- Light Fusion Engine
 - Light Fusion Engine
 - Jump Jet
 - Jump Jet
 - Jump Jet
 - Jump Jet

- Right Leg**
- Hip
 - Upper Leg Actuator
 - Lower Leg Actuator
 - Foot Actuator
 - A-Pod
 - Endo Steel

- Right Leg**
- Hip
 - Upper Leg Actuator
 - Lower Leg Actuator
 - Foot Actuator
 - A-Pod
 - Endo Steel


ARMOR DIAGRAM

Ferro-Fibrous



INTERNAL STRUCTURE DIAGRAM

Endo Steel



HEAT DATA

Heat	Effects	Heat Sinks:
Level*		10
30	Shutdown	○
28	Ammo Exp, avoid on 8+	○
26	Shutdown, avoid on 10+	○
25	-5 Movement Points	○
24	+4 Modifier to Fire	○
23	Ammo Exp, avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	○
19	Ammo Exp, avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	○
8	+1 Modifier to Fire	○
5	-1 Movement Points	○

Heat Scale
Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

HIT LOCATION TABLE

Die Roll (2D6)	LS	F/R	RS
2*	LT(C)	CT(C)	RT(C)
3	LL	RA	RL
4	LA	RA	RA
5	LA	RL	RA
6	LL	RT	RL
7	LT	CT	RT
8	CT	LT	CT
9	RT	LL	LT
10	RA	LA	LA
11	RL	LA	LL
12	HD	HD	HD

*A result of 2 may inflict a critical hit

TO-HIT MODIFIERS

Attacker	
Stationary	+0
Walked	+1
Ran	+2
Jumped	+3
Prone	+2
Skidding	+1
Terrain	
Light Woods	+1/hex
Heavy Woods	+2/hex
Partial Cover	+1
Target	
Prone (adjacent hex)	-2
Prone (other hex)	+1
Immobile	-4
Skidding	-2
Moved 0-2 hexes	+0
Moved 3-4 hexes	+1
Moved 5-6 hexes	+2
Moved 7-9 hexes	+3
Moved 10-17 hexes	+4
Moved 18-24 hexes	+5
Moved 25+ hexes	+6
Jumped	+1
BattleArmor unit	+1
Secondary target (front)	+1
Secondary target (side/rear)	+2
Large support vehicle or grounded DropShip	-1
Damage	
Sensor hit	+2
Shoulder hit	+4
Arm Actuator	+1

PHYSICAL ATTACKS

Attack	To-Hit	Damage
Punch	+1	4
Kick	-2	7
Push	-1	—
Charge	+0*	3/Hex
DFA	+0*	11

*Modified by target piloting skill

PUNCH LOCATION TABLE

Die Roll (1D6)	LS	F/R	RS
1	LT	LA	RT
2	LT	LT	RT
3	CT	CT	CT
4	LA	RT	RA
5	LA	RA	RA
6	HD	HD	HD

KICK LOCATION TABLE

Die Roll (1D6)	LS	F/R	RS
1-3	LL	RL	RL
4-6	LL	LL	LL

FACING AFTER FALL

Die Roll (1D6)	New Facing	Hit Location
1	Same Direction	Front
2	1 Hexside Right	Right Side
3	2 Hexsides Right	Right Side
4	Opposite Direction	Rear
5	2 Hexsides Left	Left Side
6	1 Hexside Left	Left Side

MOVEMENT RECORD

Turn #	1	2	3	4	5	6	7	8	9	10
Hex/Facing										
Move Mode										

Turn #	11	12	13	14	15	16	17	18	19	20
Hex/Facing										
Move Mode										

OMNIMECH RECORD SHEET

BATTLETECH™

BATTLEMECH RECORD SHEET

MECH DATA

Type: Phoenix Hawk PXH-1c (Special)
Movement Points: Tonnage: 45
Walking: 6 Tech Base: Inner Sphere
Running: 9 Rules Level: Standard
Jumping: 6 Role: Striker
Engine Type: 270 XL

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Ln
1	Medium Laser	LA	3	5 [DE]	—	3	6	9
1	Machine Gun	LA	—	2 [DB, AI]	—	1	2	3
1	Snub-Nose PPC	RA	10	10/8/5	—	9	13	15
				[DE, V]				
1	Medium Laser	RA	3	5 [DE]	—	3	6	9
1	Machine Gun	RA	—	2 [DB, AI]	—	1	2	3
1	ER Large Laser	RT	12	8 [DE]	—	7	14	19
1	ECM Suite (Guardian)	CT	—	[E]	—	—	—	6

Total Heat (Dissipation): 28 (20)

Ammo: (MG) 200

Quirks: Command Mek, Improved Communications, Ubiquitous (Inner Sphere), Ubiquitous (Clans)


BV: 1,443

WARRIOR DATA

Name: Sg. Branka Merklein


Gunnery Skill: 4 Piloting Skill: 5

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM

Standard Armor



HIT LOCATION TABLE

Die Roll (2D6)	LS	F/R	RS
2*	LT(C)	CT(C)	RT(C)
3	LL	RA	RL
4	LA	RA	RA
5	LA	RL	RA
6	LL	RT	RL
7	LT	CT	RT
8	CT	LT	CT
9	RT	LL	LT
10	RA	LA	LA
11	RL	LA	LL
12	HD	HD	HD

*A result of 2 may inflict a critical hit

TO-HIT MODIFIERS

Attacker	
Stationary	+0
Walked	+1
Ran	+2
Jumped	+3
Prone	+2
Skidding	+1
Terrain	
Light Woods	+1/hex
Heavy Woods	+2/hex
Partial Cover	+1
Target	
Prone (adjacent hex)	-2
Prone (other hex)	+1
Immobile	-4
Skidding	-2
Moved 0-2 hexes	+0
Moved 3-4 hexes	+1
Moved 5-6 hexes	+2
Moved 7-9 hexes	+3
Moved 10-17 hexes	+4
Moved 18-24 hexes	+5
Moved 25+ hexes	+6
Jumped	+1
BattleArmor unit	+1
Secondary target (front)	+1
Secondary target (side/rear)	+2
Large support vehicle or grounded DropShip	-1
Damage	
Sensor hit	+2
Shoulder hit	+4
Arm Actuator	+1

CRITICAL TABLE

- Left Arm**
- Shoulder
 - Upper Arm Actuator
 - Lower Arm Actuator
 - Hand Actuator
 - Medium Laser
 - Machine Gun

- Center Torso**
- XL Fusion Engine
 - XL Fusion Engine
 - XL Fusion Engine
 - Roll Again
 - Roll Again
 - Roll Again

- Left Torso (CASE)**
- XL Fusion Engine
 - XL Fusion Engine
 - XL Fusion Engine
 - Jump Jet
 - Jump Jet
 - Jump Jet

- Right Arm**
- Shoulder
 - Upper Arm Actuator
 - Lower Arm Actuator
 - Hand Actuator
 - Snub-Nose PPC
 - Snub-Nose PPC

- Right Torso**
- XL Fusion Engine
 - XL Fusion Engine
 - XL Fusion Engine
 - Jump Jet
 - Jump Jet
 - Jump Jet

- Left Leg**
- Hip
 - Upper Leg Actuator
 - Lower Leg Actuator
 - Foot Actuator
 - Endo Steel
 - Endo Steel

- Right Leg**
- Hip
 - Upper Leg Actuator
 - Lower Leg Actuator
 - Foot Actuator
 - Endo Steel
 - Endo Steel

- Head**
- Life Support
 - Sensors
 - Cockpit
 - Endo Steel
 - Sensors
 - Life Support

- Engine Hits**
- XL Fusion Engine
 - XL Fusion Engine
 - XL Fusion Engine
 - Roll Again
 - Roll Again
 - Roll Again

- Gyro Hits**
- XL Fusion Engine
 - XL Fusion Engine
 - XL Fusion Engine
 - Roll Again
 - Roll Again
 - Roll Again

- Sensor Hits**
- XL Fusion Engine
 - XL Fusion Engine
 - XL Fusion Engine
 - Roll Again
 - Roll Again
 - Roll Again


- Life Support**
- XL Fusion Engine
 - XL Fusion Engine
 - XL Fusion Engine
 - Roll Again
 - Roll Again
 - Roll Again

- Damage Transfer Diagram**



INTERNAL STRUCTURE DIAGRAM

Endo Steel



HEAT DATA

Heat	Effects
Level*	
30	Shutdown
28	Ammo Exp, avoid on 8+
26	Shutdown, avoid on 10+
25	-5 Movement Points
24	+4 Modifier to Fire
23	Ammo Exp, avoid on 6+
22	Shutdown, avoid on 8+
20	-4 Movement Points
19	Ammo Exp, avoid on 4+
18	Shutdown, avoid on 6+
17	+3 Modifier to Fire
15	-3 Movement Points
14	Shutdown, avoid on 4+
13	+2 Modifier to Fire
10	-2 Movement Points
8	+1 Modifier to Fire
5	-1 Movement Points

Heat Scale

Heat Scale
Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2024 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

MOVEMENT RECORD

Turn #	1	2	3	4	5	6	7	8	9	10
Hex/Facing										
Move Mode										

Turn #	11	12	13	14	15	16	17	18	19	20
Hex/Facing										
Move Mode										

KICK LOCATION TABLE

Die Roll (1D6)	LS	F/R	RS
1-3	LL	RL	RL
4-6	LL	LL	RL

FACING AFTER FALL

Die Roll (1D6)	New Facing	Hit Location
1	Same Direction	Front
2	1 Hexside Right	Right Side
3	2 Hexsides Right	Right Side
4	Opposite Direction	Rear
5	2 Hexsides Left	Left Side
6	1 Hexside Left	Left Side

OMNIMECH RECORD SHEET

OMNIMECH RECORD SHEET

BATTLEMECH RECORD SHEET

BATTLETECH™

BATTLEMECH RECORD SHEET

MECH DATA

Type: Ostscout OTT-9S

Movement Points:

Walking: 8

Running: 12

Jumping: 8

Engine Type: 280 Light

Tonnage: 35

Tech Base: Inner Sphere

Rules Level: Standard

Role: Scout

WARRIOR DATA

Name: Sg. Kalakuta Shadiya

Gunnery Skill: 4

Piloting Skill: 5

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead

Weapons & Equipment Inventory

(hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Ln
1	A-Pod	LL	—	[PB,OS,AI]	—	—	—	—
1	A-Pod	RL	—	[PB,OS,AI]	—	—	—	—
1	ER Medium Laser	LA	5	5 [DE]	—	4	8	12
1	ER Medium Laser	RA	5	5 [DE]	—	4	8	12
1	ECM Suite (Guardian)	LT	—	[E]	—	—	—	6
1	Active Probe (Beagle)	RT	—	[E]	—	—	—	4
1	TAG	HD	—	[E]	—	5	9	15

Total Heat (Dissipation): 10 (10)

Quirks: Improved Communications, Improved Sensors, Narrow/Low Profile, Rugged (1 Point)

BV: 855

CRITICAL TABLE

Left Arm

- Shoulder
- Upper Arm Actuator
- Lower Arm Actuator
- ER Medium Laser
- Endo Steel
- Endo Steel

1-3

- Endo Steel
- Ferro-Fibrous
- Ferro-Fibrous
- Ferro-Fibrous
- Ferro-Fibrous
- Ferro-Fibrous

4-6

Left Torso

- Light Fusion Engine
- Light Fusion Engine
- Jump Jet
- Jump Jet
- Jump Jet
- Jump Jet

1-3

- ECM Suite (Guardian)
- ECM Suite (Guardian)
- Endo Steel
- Endo Steel
- Ferro-Fibrous
- Ferro-Fibrous

4-6

Left Leg

- Hip
- Upper Leg Actuator
- Lower Leg Actuator
- Foot Actuator
- A-Pod
- Endo Steel

Head

- Life Support
- Sensors
- Cockpit
- TAG
- Sensors
- Life Support

Center Torso

1-3

- Light Fusion Engine
- Light Fusion Engine
- Light Fusion Engine
- Gyro
- Gyro
- Gyro

4-6

- Gyro
- Light Fusion Engine
- Light Fusion Engine
- Light Fusion Engine
- Endo Steel
- Endo Steel

Engine Hits ○○○○
Gyro Hits ○○○○
Sensor Hits ○○○○
Life Support ○



Damage Transfer Diagram

Right Arm

- Shoulder
- Upper Arm Actuator
- Lower Arm Actuator
- ER Medium Laser
- Endo Steel
- Endo Steel

1-3

- Endo Steel
- Ferro-Fibrous
- Ferro-Fibrous
- Ferro-Fibrous
- Ferro-Fibrous
- Ferro-Fibrous

4-6

Right Torso

- Light Fusion Engine
- Light Fusion Engine
- Jump Jet
- Jump Jet
- Jump Jet
- Jump Jet

1-3

- Active Probe (Beagle)
- Active Probe (Beagle)
- Endo Steel
- Endo Steel
- Ferro-Fibrous
- Ferro-Fibrous


4-6

Right Leg

- Hip
- Upper Leg Actuator
- Lower Leg Actuator
- Foot Actuator
- A-Pod
- Endo Steel

ARMOR DIAGRAM

Ferro-Fibrous



HIT LOCATION TABLE

Die Roll (2D6)	LS	F/R	RS
2*	LT(C)	CT(C)	RT(C)
3	LL	RA	RL
4	LA	RA	RA
5	LA	RL	RA
6	LL	RT	RL
7	LT	CT	RT
8	CT	LT	CT
9	RT	LL	LT
10	RA	LA	LA
11	RL	LA	LL
12	HD	HD	HD


*A result of 2 may inflict a critical hit

TO-HIT MODIFIERS

Attacker	
Stationary	+0
Walked	+1
Ran	+2
Jumped	+3
Prone	+2
Skidding	+1
Terrain	
Light Woods	+1/hex
Heavy Woods	+2/hex
Partial Cover	+1
Target	
Prone (adjacent hex)	-2
Prone (other hex)	+1
Immobile	-4
Skidding	-2
Moved 0-2 hexes	+0
Moved 3-4 hexes	+1
Moved 5-6 hexes	+2
Moved 7-9 hexes	+3
Moved 10-17 hexes	+4
Moved 18-24 hexes	+5
Moved 25+ hexes	+6
Jumped	+1
BattleArmor unit	+1
Secondary target (front)	+1
Secondary target (side/rear)	+2
Large support vehicle or grounded DropShip	-1
Damage	
Sensor hit	+2
Shoulder hit	+4
Arm Actuator	+1

INTERNAL STRUCTURE DIAGRAM

Endo Steel



Heat Scale

Overflow

30*

29

28*

27

26*

25*

24*

23*

22*

21

20*

19*

18*

17*

16

15*

14*

13*

12

11

10*

9

8*

7

6

5*

4

3

2

1

0

HEAT DATA

Heat	Effects	Heat Sinks: 10
Level*		
30	Shutdown	○
28	Ammo Exp, avoid on 8+	○
26	Shutdown, avoid on 10+	○
25	-5 Movement Points	○
24	+4 Modifier to Fire	○
23	Ammo Exp, avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	○
19	Ammo Exp, avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	○
8	+1 Modifier to Fire	○
5	-1 Movement Points	○

© 2024 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

MOVEMENT RECORD

Turn #	1	2	3	4	5	6	7	8	9	10
Hex/Facing										
Move Mode										

Turn #	11	12	13	14	15	16	17	18	19	20
Hex/Facing										
Move Mode										

KICK LOCATION TABLE

Die Roll (1D6)	LS	F/R	RS
1-3	LL	RL	RL
4-6	LL	LL	RL

FACING AFTER FALL

Die Roll (1D6)	New Facing	Hit Location
1	Same Direction	Front
2	1 Hexside Right	Right Side
3	2 Hexsides Right	Right Side
4	Opposite Direction	Rear
5	2 Hexsides Left	Left Side
6	1 Hexside Left	Left Side

AEROSPACE FIGHTER RECORD SHEET

EXTERNAL STORES/BOMBS



Key:
HE - High Explosive
LG - Laser Guided
C - Cluster
RL - Rocket Launcher

TO-HIT MODIFIERS

Range	
Short	+0
Medium	+2
Long	+4
Extreme	+6
Target/Intervening conditions	
Attack against aft	+0
Attack against side	+2
Attack against nose	+1
Attacker flying at altitude 1 attacking air target	+2
Secondary target in fwd arc	+1
Secondary target in other arc	+2
Target is conducting air-to-ground attack	-3
Target is at zero velocity	-2
Firing through atmospheric hex on high altitude map	+2/hex
Firing into or out of screen hex	+2
Target is evading	variable
Attacker Conditions	
Exceeded safe thrust this turn	+2
Out of control	+2
Pilot damage	+2
FCS damage	+2/hit
Sensor damage	+1/hit
Sensors destroyed	+5
Attacker evading	Prohibited

FIGHTER DATA

Type: Seydlitz SYD-Z1

Thrust: 11 Tonnage: 20
SafeThrust: 11 Tech Base: Inner Sphere
Maximum Thrust: 17 Rules Level: Standard
Engine Type: 180 Fusion Role: Interceptor

Weapons & Equipment Inventory

Standard Scale (1-6) (7-12) (13-20) (21-25)

Qty	Type	Loc	Ht	SRV	MRV	LRV	ERV
1	Large Laser [DE]	NOS	8	8	8	—	—

Total Heat (Dissipation): 16 (10)



Fuel Points: 240

BV: 537



ARMOR DIAGRAM

Standard Armor



NOTES

CRITICAL DAMAGE

Avionics	+1	+2	+5	Engine	2	4	D
FCS	+2	+4	D	Landing Gear			+5
Sensors	+1	+2	+5	Life Support			+2

PILOT DATA

Name: Lt. José Francisco

Gunnery Skill: 4 Piloting Skill: 4

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead
Modifier	+1	+2	+3	+4	+5	

HEAT DATA

Heat Level*	Effects	Heat Sinks:
30	Shutdown	10
28	Ammo Exp avoid on 8+	
27	Pilot damage, avoid on 9+	
26	Shutdown, avoid on 10+	
25	Random Movement, avoid on 10+	
24	+4 Modifier to Fire	
23	Ammo Exp avoid on 6+	
22	Shutdown, avoid on 8+	
21	Pilot damage, avoid on 6+	
20	Random Movement, avoid on 8+	
19	Ammo Exp avoid on 4+	
18	Shutdown, avoid on 6+	
17	+3 Modifier to Fire	
15	Random Movement, avoid on 7+	
14	Shutdown, avoid on 4+	
13	+2 Modifier to Fire	
10	Random Movement, avoid on 6+	
8	+1 Modifier to Fire	
5	Random Movement, avoid on 5+	

VELOCITY RECORD

Turn #	1	2	3	4	5	6	7	8	9	10
Thrust										
Velocity										
Effective Velocity										
Altitude										

Turn #	11	12	13	14	15	16	17	18	19	20
Thrust										
Velocity										
Effective Velocity										
Altitude										

© 2024 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

HIT LOCATION TABLE

Die Roll (2D6)	Nose	Aft	Side	Above/Below
2	Nose/Weapon	Aft/Weapon	Nose/Weapon	Nose/Weapon
3	Nose/Sensor	Aft/Heat Sink	Wing/Gear	Wing/Gear
4	Right Wing/Heat Sink	Right Wing/Fuel	Nose/Sensor	Nose/Sensor
5	Right Wing/Weapon	Right Wing/Weapon	Nose/Crew	Nose/Crew
6	Nose/Avionics	Aft/Engine	Wing/Weapon	Wing/Weapon
7	Nose/Control	Aft/Control	Wing/Avionics	Nose/Avionics
8	Nose/FCS	Aft/Engine	Wing/Bomb	Wing/Weapon
9	Left Wing/Weapon	Left Wing/Weapon	Aft/Control	Aft/Control
10	Left Wing/Heat Sink	Left Wing/Fuel	Aft/Engine	Aft/Engine
11	Nose/Gear	Aft/Heat Sink	Wing/Gear	Wing/Gear
12	Nose/Weapon	Aft/Weapon	Aft/Weapon	Aft/Weapon

AIR-TO-GROUND ATTACKS

Attack Type	Modifier	Altitude
Strafing	+4	1-3
Striking	+2	2-5
Dive bombing	+2	3-5
Altitude bombing	+2	1+
	+altitude	

RANDOM MOVEMENT TABLE

1D6 Result	Effect
1	Forward 1 hex, left 2 hexsides
2	Forward 1 hex, left 1 hexside
3-4	Forward 1 hex
5	Forward 1 hex, right 1 hexside
6	Forward 1 hex, right 2 hexsides

STRAIGHT MOVEMENT

Velocity	Low Altitude	
	Map	Ground Map
1	1	8
2	1	12
3	1	16
4	1	20
5	1	24
6	1	28
7	2	32
8	2	36
9	2	40
10	3	44
11	3	48
12	3	52
13-15	4	-
16+	5	-

CHANGING FACING COST

Velocity	Thrust points	Velocity	Thrust points
0-2	1	10	5
3-5	2	11	6
6-7	3	12	+1/point
8-9	4		

AEROSPACE FIGHTER RECORD SHEET

EXTERNAL STORES/BOMBS



Key:
HE - High Explosive
LG - Laser Guided
C - Cluster
RL - Rocket Launcher

TO-HIT MODIFIERS

Range	
Short	+0
Medium	+2
Long	+4
Extreme	+6
Target/Intervening conditions	
Attack against aft	+0
Attack against side	+2
Attack against nose	+1
Attacker flying at altitude 1 attacking air target	+2
Secondary target in fwd arc	+1
Secondary target in other arc	+2
Target is conducting air-to-ground attack	-3
Target is at zero velocity	-2
Firing through atmospheric hex on high altitude map	+2/hex
Firing into or out of screen hex	+2
Target is evading	variable
Attacker Conditions	
Exceeded safe thrust this turn	+2
Out of control	+2
Pilot damage	+2
FCS damage	+2/hit
Sensor damage	+1/hit
Sensors destroyed	+5
Attacker evading	Prohibited

FIGHTER DATA

Type: Seydlitz SYD-Z2B

Thrust: 11 Tonnage: 20
SafeThrust: 11 Tech Base: Inner Sphere
Maximum Thrust: 17 Rules Level: Standard
Engine Type: 180 XL Role: Interceptor

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	SRV	MRV	LRV	ERV
2	ER Medium Laser [DE]	NOS	5	5	5	—	—
1	ER Medium Laser [DE]	LWG	5	5	5	—	—
1	ER Medium Laser [DE]	RWG	5	5	5	—	—

Total Heat (Dissipation): 30 (20)

ARMOR DIAGRAM

Ferro-Aluminum

Nose Damage Threshold (Total Armor) 3 (26)

Left Wing Damage Threshold (Total Armor) 2 (16)

Right Wing Damage Threshold (Total Armor) 2 (16)

Structural Integrity: 11

Aft Damage Threshold (Total Armor) 3 (22)

Advanced Movement Compass



Heat Scale

Overflow

30*
29
28*
27*
26*
25*
24*
23*
22*
21*
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0



NOTES

CRITICAL DAMAGE

Avionics	+1	+2	+5	Engine	2	4	D
FCS	+2	+4	D	Landing Gear			+5
Sensors	+1	+2	+5	Life Support			+2

PILOT DATA

Name: Sg. Donnelly Paisley

Gunnery Skill: 4 Piloting Skill: 5

His Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead
Modifier	+1	+2	+3	+4	+5	

HEAT DATA

Heat Level*	Effects	Double Heat Sinks: 10 (20)
30	Shutdown	○
28	Ammo Exp avoid on 8+	○
27	Pilot damage, avoid on 9+	○
26	Shutdown, avoid on 10+	○
25	Random Movement, avoid on 10+	○
24	+4 Modifier to Fire	○
23	Ammo Exp avoid on 6+	○
22	Shutdown, avoid on 8+	○
21	Pilot damage, avoid on 6+	○
20	Random Movement, avoid on 8+	○
19	Ammo Exp avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	Random Movement, avoid on 7+	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	Random Movement, avoid on 6+	○
8	+1 Modifier to Fire	○
5	Random Movement, avoid on 5+	○

VELOCITY RECORD

Turn #	1	2	3	4	5	6	7	8	9	10
Thrust										
Velocity										
Effective Velocity										
Altitude										

Turn #	11	12	13	14	15	16	17	18	19	20
Thrust										
Velocity										
Effective Velocity										
Altitude										

© 2024 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

HIT LOCATION TABLE

Die Roll (2D6)	Nose	Aft	Side	Above/Below
2	Nose/Weapon	Aft/Weapon	Nose/Weapon	Nose/Weapon
3	Nose/Sensor	Aft/Heat Sink	Wing/Gear	Wing/Gear
4	Right Wing/Heat Sink	Right Wing/Fuel	Nose/Sensor	Nose/Sensor
5	Right Wing/Weapon	Right Wing/Weapon	Nose/Crew	Nose/Crew
6	Nose/Avionics	Aft/Engine	Wing/Weapon	Wing/Weapon
7	Nose/Control	Aft/Control	Wing/Avionics	Nose/Avionics
8	Nose/FCS	Aft/Engine	Wing/Bomb	Wing/Weapon
9	Left Wing/Weapon	Left Wing/Weapon	Aft/Control	Aft/Control
10	Left Wing/Heat Sink	Left Wing/Fuel	Aft/Engine	Aft/Engine
11	Nose/Gear	Aft/Heat Sink	Wing/Gear	Wing/Gear
12	Nose/Weapon	Aft/Weapon	Aft/Weapon	Aft/Weapon

AIR-TO-GROUND ATTACKS

Attack Type	Modifier	Altitude
Strafing	+4	1-3
Striking	+2	2-5
Dive bombing	+2	3-5
Altitude bombing	+2	1+
	+altitude	

RANDOM MOVEMENT TABLE

1D6 Result	Effect
1	Forward 1 hex, left 2 hexsides
2	Forward 1 hex, left 1 hexside
3-4	Forward 1 hex
5	Forward 1 hex, right 1 hexside
6	Forward 1 hex, right 2 hexsides

STRAIGHT MOVEMENT

Velocity	Low Altitude	
	Map	Ground Map
1	1	8
2	1	12
3	1	16
4	1	20
5	1	24
6	1	28
7	2	32
8	2	36
9	2	40
10	3	44
11	3	48
12	3	52
13-15	4	-
16+	5	-

CHANGING FACING COST

Velocity	Thrust points	Velocity	Thrust points
0-2	1	10	5
3-5	2	11	6
6-7	3	12	+1/point
8-9	4		