BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Atlas AS7-A

Movement Points:		**Tonnage:**	100
Walking:	3	**Tech Base:**	Inner Sphere
Running:	5	**Rules Level:**	Introductory
Jumping:	0	**Role:**	Juggernaut
Engine Type:	300 Fusion		

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	Medium Laser	LA	3	5 [DE]	—	3	6	9
1	Medium Laser	RA	3	5 [DE]	—	3	6	9
1	AC/5	LT	1	5 [DB,S]	3	6	12	18
1	LRM 10	LT	4	1/Msl [M,C,S]	6	7	14	21
5	SRM 6	RT	4	2/Msl [M,C,S]	—	3	6	9

Total Heat (Dissipation): 31 (20)

Ammo: (AC/5) 20, (LRM 10) 12, (SRM 6) 30, (SRM 6 Smoke) 15, (SRM 6 Tandem-Charge) 7

Quirks: Battle Fists (LA), Battle Fists (RA), Command Mek, Distracting, Improved Communications

BV: 1,543

WARRIOR DATA

Name: Pvt. Jim Fielding

Gunnery Skill: 5 **Piloting Skill:** 6

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM

Standard Armor



INTERNAL STRUCTURE DIAGRAM

Standard Structure



Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

HIT LOCATION TABLE

Die Roll (2D6)	LS	F/R	RS
2*	LT(C)	CT(C)	RT(C)
3	LL	RA	RL
4	LA	RA	RA
5	LA	RL	RA
6	LL	RT	RL
7	LT	CT	RT
8	CT	LT	CT
9	RT	LL	LT
10	RA	LA	LA
11	RL	LA	LL
12	HD	HD	HD

*A result of 2 may inflict a critical hit.

TO-HIT MODIFIERS

Attacker	
Stationary	+0
Walked	+1
Ran	+2
Prone	+2
Skidding	+1
Terrain	
Light Woods	+1/hex
Heavy Woods	+2/hex
Partial Cover	+1
Target	
Prone (adjacent hex)	-2
Prone (other hex)	+1
Immobile	-4
Skidding	-2
Moved 0-2 hexes	+0
Moved 3-4 hexes	+1
Moved 5-6 hexes	+2
Moved 7-9 hexes	+3
Moved 10-17 hexes	+4
Moved 18-24 hexes	+5
Moved 25+ hexes	+6
Jumped	+1
BattleArmor unit	+1
Secondary target (front)	+1
Secondary target (side/rear)	+2
Large support vehicle or grounded DropShip	-1
Damage	
Sensor hit	+2
Shoulder hit	+4
Arm Actuator	+1

PHYSICAL ATTACKS

Attack	To-Hit	Damage
Punch	+0	10
Kick	-2	20
Push	-1	—
Club	-1	20
Charge	+0*	10/Hex

*Modified by target piloting skill

PUNCH LOCATION TABLE

Die Roll (1D6)	LS	F/R	RS
1	LT	LA	RT
2	LT	LT	RT
3	CT	CT	CT
4	LA	RT	RA
5	LA	RA	RA
6	HD	HD	HD

KICK LOCATION TABLE

Die Roll (1D6)	LS	F/R	RS
1-3	LL	RL	RL
4-6	LL	LL	RL

FACING AFTER FALL

Die Roll (1D6)	New Facing	Hit Location
1	Same Direction	Front
2	1 Hexside Right	Right Side
3	2 Hexsides Right	Right Side
4	Opposite Direction	Rear
5	2 Hexsides Left	Left Side
6	1 Hexside Left	Left Side

CLUSTER HITS TABLE

Die Roll (2D6)	6	10
2	2	3
3	2	3
4	3	4
5	3	6
6	4	6
7	4	6
8	4	6
9	5	8
10	5	8
11	6	10
12	6	10

CRITICAL TABLE

Left Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Medium Laser
6. Heat Sink

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Head

1. Life Support
2. Sensors
3. Cockpit
4. Heat Sink
5. Sensors
6. Life Support

Center Torso

1-3
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Roll Again
6. Roll Again

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Medium Laser
6. Heat Sink

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso

1-3
1. AC/5
2. AC/5
3. AC/5
4. AC/5
5. LRM 10
6. LRM 10

4-6
1. Ammo (AC/5) 20
2. Ammo (LRM 10) 12
3. Ammo (SRM 6 Smoke) 15
4. Ammo (SRM 6 Tandem-Charge) 7
5. Ammo (SRM 6) 15
6. Ammo (SRM 6) 15

Right Torso

1-3
1. SRM 6
2. SRM 6
3. SRM 6
4. SRM 6
5. SRM 6
6. SRM 6

4-6
1. SRM 6
2. SRM 6
3. SRM 6
4. SRM 6
5. Heat Sink
6. Roll Again

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Heat Sink



Damage Transfer Diagram

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Heat Sink

HEAT DATA

Heat Sinks: 20 ○○

Heat Level*	Effects
30	Shutdown
28	Ammo Exp, avoid on 8+
26	Shutdown, avoid on 10+
25	-5 Movement Points
24	+4 Modifier to Fire
23	Ammo Exp, avoid on 6+
22	Shutdown, avoid on 8+
20	-4 Movement Points
19	Ammo Exp, avoid on 4+
18	Shutdown, avoid on 6+
17	+3 Modifier to Fire
15	-3 Movement Points
14	Shutdown, avoid on 4+
13	+2 Modifier to Fire
10	-2 Movement Points
8	+1 Modifier to Fire
5	-1 Movement Points

© 2024 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

MOVEMENT RECORD

Turn #	1	2	3	4	5	6	7	8	9	10
Hex/Facing										
Move Mode										

Turn #	11	12	13	14	15	16	17	18	19	20
Hex/Facing										
Move Mode										

BATTLETECH

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Locust C

Movement Points:
Walking: 8
Running: 12
Jumping: 0
Engine Type: 160 Fusion

Tonnage: 20
Tech Base: Mixed
Rules Level: Standard
Role: Striker

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	ER Small Laser (C)	LA	2	5 [DE]	—	2	4	6
1	ER Small Laser (C)	RA	2	5 [DE]	—	2	4	6
1	Medium Pulse Laser (C)	CT	4	7 [P]	—	4	8	12

Total Heat (Dissipation): 8 (10)

Quirks: Compact Mek, Narrow/Low Profile, Cramped Cockpit, No/Minimal Arms, Weak Legs

BV: 638

WARRIOR DATA

Name: Pvt. Aimar Hidalgo

Gunnery Skill: 4 **Piloting Skill:** 6

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM

Standard Armor



INTERNAL STRUCTURE DIAGRAM

Standard Structure



Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

HIT LOCATION TABLE

Die Roll (2D6)	LS	F/R	RS
2*	LT(C)	CT(C)	RT(C)
3	LL	RA	RL
4	LA	RA	RA
5	LA	RL	RA
6	LL	RT	RL
7	LT	CT	RT
8	CT	LT	CT
9	RT	LL	LT
10	RA	LA	LA
11	RL	LA	LL
12	HD	HD	HD

*A result of 2 may inflict a critical hit

TO-HIT MODIFIERS

Attacker	
Stationary	+0
Walked	+1
Ran	+2
Prone	+2
Skidding	+1
Terrain	
Light Woods	+1/hex
Heavy Woods	+2/hex
Partial Cover	+1
Target	
Prone (adjacent hex)	-2
Prone (other hex)	+1
Immobile	-4
Skidding	-2
Moved 0-2 hexes	+0
Moved 3-4 hexes	+1
Moved 5-6 hexes	+2
Moved 7-9 hexes	+3
Moved 10-17 hexes	+4
Moved 18-24 hexes	+5
Moved 25+ hexes	+6
Jumped	+1
BattleArmor unit	+1
Secondary target (front)	+1
Secondary target (side/rear)	+2
Large support vehicle or grounded DropShip	-1
Damage	
Sensor hit	+2
Shoulder hit	+4
Arm Actuator	+1

CRITICAL TABLE

Left Arm
- 1-3: 1. Shoulder; 2. Upper Arm Actuator; 3. ER Small Laser [Clan]; 4. Roll Again; 5. Roll Again; 6. Roll Again
- 4-6: 1. Roll Again; 2. Roll Again; 3. Roll Again; 4. Roll Again; 5. Roll Again; 6. Roll Again

Head
- 1. Life Support; 2. Sensors; 3. Cockpit; 4. Roll Again; 5. Sensors; 6. Life Support

Right Arm
- 1-3: 1. Shoulder; 2. Upper Arm Actuator; 3. ER Small Laser [Clan]; 4. Roll Again; 5. Roll Again; 6. Roll Again
- 4-6: 1. Roll Again; 2. Roll Again; 3. Roll Again; 4. Roll Again; 5. Roll Again; 6. Roll Again

Center Torso
- 1-3: 1. Fusion Engine; 2. Fusion Engine; 3. Fusion Engine; 4. Gyro; 5. Gyro; 6. Gyro
- 4-6: 1. Gyro; 2. Fusion Engine; 3. Fusion Engine; 4. Fusion Engine; 5. Medium Pulse Laser [Clan]; 6. Roll Again

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

Left Torso
- 1-3: 1. Roll Again; 2. Roll Again; 3. Roll Again; 4. Roll Again; 5. Roll Again; 6. Roll Again
- 4-6: 1. Roll Again; 2. Roll Again; 3. Roll Again; 4. Roll Again; 5. Roll Again; 6. Roll Again

Right Torso
- 1-3: 1. Roll Again; 2. Roll Again; 3. Roll Again; 4. Roll Again; 5. Roll Again; 6. Roll Again
- 4-6: 1. Roll Again; 2. Roll Again; 3. Roll Again; 4. Roll Again; 5. Roll Again; 6. Roll Again

Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Heat Sink



Damage Transfer Diagram

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Heat Sink

HEAT DATA

Heat Sinks: 10

Heat Level*	Effects
30	Shutdown
28	Ammo Exp, avoid on 8+
26	Shutdown, avoid on 10+
25	-5 Movement Points
24	+4 Modifier to Fire
23	Ammo Exp, avoid on 6+
22	Shutdown, avoid on 8+
20	-4 Movement Points
19	Ammo Exp, avoid on 4+
18	Shutdown, avoid on 6+
17	+3 Modifier to Fire
15	-3 Movement Points
14	Shutdown, avoid on 4+
13	+2 Modifier to Fire
10	-2 Movement Points
8	+1 Modifier to Fire
5	-1 Movement Points

PHYSICAL ATTACKS

Attack	To-Hit	Damage
Punch	+3	1
Kick	-2	4
Push	-1	—
Charge	+0*	2/Hex

*Modified by target piloting skill

PUNCH LOCATION TABLE

Die Roll (1D6)	LS	F/R	RS
1	LT	LA	RT
2	LT	LT	RT
3	CT	CT	CT
4	LA	RT	RA
5	LA	RA	RA
6	HD	HD	HD

© 2024 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

KICK LOCATION TABLE

Die Roll (1D6)	LS	F/R	RS
1-3	LL	RL	RL
4-6	LL	LL	RL

MOVEMENT RECORD

Turn #	1	2	3	4	5	6	7	8	9	10
Hex/Facing										
Move Mode										

Turn #	11	12	13	14	15	16	17	18	19	20
Hex/Facing										
Move Mode										

FACING AFTER FALL

Die Roll (1D6)	New Facing	Hit Location
1	Same Direction	Front
2	1 Hexside Right	Right Side
3	2 Hexsides Right	Right Side
4	Opposite Direction	Rear
5	2 Hexsides Left	Left Side
6	1 Hexside Left	Left Side

BATTLETECH

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Locust C

Movement Points:
Walking: 8
Running: 12
Jumping: 0
Engine Type: 160 Fusion

Tonnage: 20
Tech Base: Mixed
Rules Level: Standard
Role: Striker

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	ER Small Laser (C)	LA	2	5 [DE]	—	2	4	6
1	ER Small Laser (C)	RA	2	5 [DE]	—	2	4	6
1	Medium Pulse Laser (C)	CT	4	7 [P]	—	4	8	12

Total Heat (Dissipation): 8 (10)

Quirks: Compact Mek, Narrow/Low Profile, Cramped Cockpit, No/Minimal Arms, Weak Legs

BV: 638

WARRIOR DATA

Name: Pvt. Marta Arriaga

Gunnery Skill: 4 **Piloting Skill:** 6

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM

Standard Armor



INTERNAL STRUCTURE DIAGRAM

Standard Structure



Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

HIT LOCATION TABLE

Die Roll (2D6)	LS	F/R	RS
2*	LT(C)	CT(C)	RT(C)
3	LL	RA	RL
4	LA	RA	RA
5	LA	RL	RA
6	LL	RT	RL
7	LT	CT	RT
8	CT	LT	CT
9	RT	LL	LT
10	RA	LA	LA
11	RL	LA	LL
12	HD	HD	HD

*A result of 2 may inflict a critical hit

TO-HIT MODIFIERS

Attacker	
Stationary	+0
Walked	+1
Ran	+2
Prone	+2
Skidding	+1
Terrain	
Light Woods	+1/hex
Heavy Woods	+2/hex
Partial Cover	+1
Target	
Prone (adjacent hex)	-2
Prone (other hex)	+1
Immobile	-4
Skidding	-2
Moved 0-2 hexes	+0
Moved 3-4 hexes	+1
Moved 5-6 hexes	+2
Moved 7-9 hexes	+3
Moved 10-17 hexes	+4
Moved 18-24 hexes	+5
Moved 25+ hexes	+6
Jumped	+1
BattleArmor unit	+1
Secondary target (front)	+1
Secondary target (side/rear)	+2
Large support vehicle or grounded DropShip	-1
Damage	
Sensor hit	+2
Shoulder hit	+4
Arm Actuator	+1

CRITICAL TABLE

Left Arm
1-3:
1. Shoulder
2. Upper Arm Actuator
3. ER Small Laser [Clan]
4. Roll Again
5. Roll Again
6. Roll Again

4-6:
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso
1-3:
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6:
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Heat Sink

Head
1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support

Center Torso
1-3:
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6:
1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Medium Pulse Laser [Clan]
6. Roll Again

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○



Damage Transfer Diagram

Right Arm
1-3:
1. Shoulder
2. Upper Arm Actuator
3. ER Small Laser [Clan]
4. Roll Again
5. Roll Again
6. Roll Again

4-6:
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso
1-3:
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6:
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Heat Sink

HEAT DATA

Heat Sinks: 10

Heat Level*	Effects	
30	Shutdown	○
28	Ammo Exp, avoid on 8+	○
26	Shutdown, avoid on 10+	○
25	-5 Movement Points	○
24	+4 Modifier to Fire	○
23	Ammo Exp, avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	○
19	Ammo Exp, avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	
14	Shutdown, avoid on 4+	
13	+2 Modifier to Fire	
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

PHYSICAL ATTACKS

Attack	To-Hit	Damage
Punch	+3	1
Kick	-2	4
Push	-1	—
Charge	+0*	2/Hex

*Modified by target piloting skill

PUNCH LOCATION TABLE

Die Roll (1D6)	LS	F/R	RS
1	LT	LA	RT
2	LT	LT	RT
3	CT	CT	CT
4	LA	RT	RA
5	LA	RA	RA
6	HD	HD	HD

© 2024 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

KICK LOCATION TABLE

Die Roll (1D6)	LS	F/R	RS
1-3	LL	RL	RL
4-6	LL	LL	RL

MOVEMENT RECORD

Turn #	1	2	3	4	5	6	7	8	9	10
Hex/Facing										
Move Mode										

Turn #	11	12	13	14	15	16	17	18	19	20
Hex/Facing										
Move Mode										

FACING AFTER FALL

Die Roll (1D6)	New Facing	Hit Location
1	Same Direction	Front
2	1 Hexside Right	Right Side
3	2 Hexsides Right	Right Side
4	Opposite Direction	Rear
5	2 Hexsides Left	Left Side
6	1 Hexside Left	Left Side

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Locust LCT-3V

Movement Points:
Walking: 8
Running: 12
Jumping: 0
Engine Type: 160 Fusion

Tonnage: 20
Tech Base: Inner Sphere
Rules Level: Introductory
Role: Scout

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	Machine Gun	LA	—	2 [DB,AI]	—	1	2	3
1	Machine Gun	RA	—	2 [DB,AI]	—	1	2	3
2	Medium Laser	CT	3	5 [DE]	—	3	6	9

Total Heat (Dissipation): 6 (10)

Ammo: (MG) 100

Quirks: Compact Mek, Narrow/Low Profile, Cramped Cockpit, No/Minimal Arms, Weak Legs

BV: 490

WARRIOR DATA

Name: Pvt. Pervak Stepanovich

Gunnery Skill: 4 **Piloting Skill:** 5

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM

Standard Armor



INTERNAL STRUCTURE DIAGRAM

Standard Structure



Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

HIT LOCATION TABLE

Die Roll (2D6)	LS	F/R	RS
2*	LT(C)	CT(C)	RT(C)
3	LL	RA	RL
4	LA	RA	RA
5	LA	RL	RA
6	LL	RT	RL
7	LT	CT	RT
8	CT	LT	CT
9	RT	LL	LT
10	RA	LA	LA
11	RL	LA	LL
12	HD	HD	HD

*A result of 2 may inflict a critical hit

TO-HIT MODIFIERS

Attacker	
Stationary	+0
Walked	+1
Ran	+2
Prone	+2
Skidding	+1
Terrain	
Light Woods	+1/hex
Heavy Woods	+2/hex
Partial Cover	+1
Target	
Prone (adjacent hex)	-2
Prone (other hex)	+1
Immobile	-4
Skidding	-2
Moved 0-2 hexes	+0
Moved 3-4 hexes	+1
Moved 5-6 hexes	+2
Moved 7-9 hexes	+3
Moved 10-17 hexes	+4
Moved 18-24 hexes	+5
Moved 25+ hexes	+6
Jumped	+1
BattleArmor unit	+1
Secondary target (front)	+1
Secondary target (side/rear)	+2
Large support vehicle or grounded DropShip	-1
Damage	
Sensor hit	+2
Shoulder hit	+4
Arm Actuator	+1

CRITICAL TABLE

Left Arm
- 1-3: 1. Shoulder; 2. Upper Arm Actuator; 3. Machine Gun; 4. Roll Again; 5. Roll Again; 6. Roll Again
- 4-6: 1. Roll Again; 2. Roll Again; 3. Roll Again; 4. Roll Again; 5. Roll Again; 6. Roll Again

Left Torso
- 1-3: 1. Roll Again; 2. Roll Again; 3. Roll Again; 4. Roll Again; 5. Roll Again; 6. Roll Again
- 4-6: 1. Roll Again; 2. Roll Again; 3. Roll Again; 4. Roll Again; 5. Roll Again; 6. Roll Again

Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Heat Sink

Head
1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support

Center Torso
- 1-3: 1. Fusion Engine; 2. Fusion Engine; 3. Fusion Engine; 4. Gyro; 5. Gyro; 6. Gyro
- 4-6: 1. Gyro; 2. Fusion Engine; 3. Fusion Engine; 4. Fusion Engine; 5. Medium Laser; 6. Medium Laser

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○



Damage Transfer Diagram

Right Arm
- 1-3: 1. Shoulder; 2. Upper Arm Actuator; 3. Machine Gun; 4. Roll Again; 5. Roll Again; 6. Roll Again
- 4-6: 1. Roll Again; 2. Roll Again; 3. Roll Again; 4. Roll Again; 5. Roll Again; 6. Roll Again

Right Torso
- 1-3: 1. Ammo (MG) 100; 2. Roll Again; 3. Roll Again; 4. Roll Again; 5. Roll Again; 6. Roll Again
- 4-6: 1. Roll Again; 2. Roll Again; 3. Roll Again; 4. Roll Again; 5. Roll Again; 6. Roll Again

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Heat Sink

HEAT DATA

Heat Sinks: 10

Heat Level*	Effects
30	Shutdown
28	Ammo Exp, avoid on 8+
26	Shutdown, avoid on 10+
25	-5 Movement Points
24	+4 Modifier to Fire
23	Ammo Exp, avoid on 6+
22	Shutdown, avoid on 8+
20	-4 Movement Points
19	Ammo Exp, avoid on 4+
18	Shutdown, avoid on 6+
17	+3 Modifier to Fire
15	-3 Movement Points
14	Shutdown, avoid on 4+
13	+2 Modifier to Fire
10	-2 Movement Points
8	+1 Modifier to Fire
5	-1 Movement Points

PHYSICAL ATTACKS

Attack	To-Hit	Damage
Punch	+3	1
Kick	-2	4
Push	-1	—
Charge	+0*	2/Hex

*Modified by target piloting skill

PUNCH LOCATION TABLE

Die Roll (1D6)	LS	F/R	RS
1	LT	LA	RT
2	LT	LT	RT
3	CT	CT	CT
4	LA	RT	RA
5	LA	RA	RA
6	HD	HD	HD

© 2024 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

KICK LOCATION TABLE

Die Roll (1D6)	LS	F/R	RS
1-3	LL	RL	RL
4-6	LL	LL	RL

MOVEMENT RECORD

Turn #	1	2	3	4	5	6	7	8	9	10
Hex/Facing										
Move Mode										

Turn #	11	12	13	14	15	16	17	18	19	20
Hex/Facing										
Move Mode										

FACING AFTER FALL

Die Roll (1D6)	New Facing	Hit Location
1	Same Direction	Front
2	1 Hexside Right	Right Side
3	2 Hexsides Right	Right Side
4	Opposite Direction	Rear
5	2 Hexsides Left	Left Side
6	1 Hexside Left	Left Side

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Locust LCT-3V

Movement Points:
Walking: 8
Running: 12
Jumping: 0
Engine Type: 160 Fusion

Tonnage: 20
Tech Base: Inner Sphere
Rules Level: Introductory
Role: Scout

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	Machine Gun	LA	—	2 [DB,AI]	—	1	2	3
1	Machine Gun	RA	—	2 [DB,AI]	—	1	2	3
2	Medium Laser	CT	3	5 [DE]	—	3	6	9

Total Heat (Dissipation): 6 (10)

Ammo: (MG) 100

Quirks: Compact Mek, Narrow/Low Profile, Cramped Cockpit, No/Minimal Arms, Weak Legs

BV: 490

WARRIOR DATA

Name: Pvt. Abel Guerrero

Gunnery Skill: 4 **Piloting Skill:** 5

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM

Standard Armor



INTERNAL STRUCTURE DIAGRAM

Standard Structure



Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

HIT LOCATION TABLE

Die Roll (2D6)	LS	F/R	RS
2*	LT(C)	CT(C)	RT(C)
3	LL	RA	RL
4	LA	RA	RA
5	LA	RL	RA
6	LL	RT	RL
7	LT	CT	RT
8	CT	LT	CT
9	RT	LL	LT
10	RA	LA	LA
11	RL	LA	LL
12	HD	HD	HD

*A result of 2 may inflict a critical hit

TO-HIT MODIFIERS

Attacker	
Stationary	+0
Walked	+1
Ran	+2
Prone	+2
Skidding	+1
Terrain	
Light Woods	+1/hex
Heavy Woods	+2/hex
Partial Cover	+1
Target	
Prone (adjacent hex)	-2
Prone (other hex)	+1
Immobile	-4
Skidding	-2
Moved 0-2 hexes	+0
Moved 3-4 hexes	+1
Moved 5-6 hexes	+2
Moved 7-9 hexes	+3
Moved 10-17 hexes	+4
Moved 18-24 hexes	+5
Moved 25+ hexes	+6
Jumped	+1
BattleArmor unit	+1
Secondary target (front)	+1
Secondary target (side/rear)	+2
Large support vehicle or grounded DropShip	-1
Damage	
Sensor hit	+2
Shoulder hit	+4
Arm Actuator	+1

CRITICAL TABLE

Left Arm
- 1-3: 1. Shoulder; 2. Upper Arm Actuator; 3. Machine Gun; 4. Roll Again; 5. Roll Again; 6. Roll Again
- 4-6: 1. Roll Again; 2. Roll Again; 3. Roll Again; 4. Roll Again; 5. Roll Again; 6. Roll Again

Left Torso
- 1-3: 1. Roll Again; 2. Roll Again; 3. Roll Again; 4. Roll Again; 5. Roll Again; 6. Roll Again
- 4-6: 1. Roll Again; 2. Roll Again; 3. Roll Again; 4. Roll Again; 5. Roll Again; 6. Roll Again

Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Heat Sink

Head
1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support

Center Torso
- 1-3: 1. Fusion Engine; 2. Fusion Engine; 3. Fusion Engine; 4. Gyro; 5. Gyro; 6. Gyro
- 4-6: 1. Gyro; 2. Fusion Engine; 3. Fusion Engine; 4. Fusion Engine; 5. Medium Laser; 6. Medium Laser

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○



Damage Transfer Diagram

Right Arm
- 1-3: 1. Shoulder; 2. Upper Arm Actuator; 3. Machine Gun; 4. Roll Again; 5. Roll Again; 6. Roll Again
- 4-6: 1. Roll Again; 2. Roll Again; 3. Roll Again; 4. Roll Again; 5. Roll Again; 6. Roll Again

Right Torso
- 1-3: 1. Ammo (MG) 100; 2. Roll Again; 3. Roll Again; 4. Roll Again; 5. Roll Again; 6. Roll Again
- 4-6: 1. Roll Again; 2. Roll Again; 3. Roll Again; 4. Roll Again; 5. Roll Again; 6. Roll Again

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Heat Sink

HEAT DATA

Heat Sinks: 10

Heat Level*	Effects
30	Shutdown
28	Ammo Exp, avoid on 8+
26	Shutdown, avoid on 10+
25	-5 Movement Points
24	+4 Modifier to Fire
23	Ammo Exp, avoid on 6+
22	Shutdown, avoid on 8+
20	-4 Movement Points
19	Ammo Exp, avoid on 4+
18	Shutdown, avoid on 6+
17	+3 Modifier to Fire
15	-3 Movement Points
14	Shutdown, avoid on 4+
13	+2 Modifier to Fire
10	-2 Movement Points
8	+1 Modifier to Fire
5	-1 Movement Points

PHYSICAL ATTACKS

Attack	To-Hit	Damage
Punch	+3	1
Kick	-2	4
Push	-1	—
Charge	+0*	2/Hex

*Modified by target piloting skill

PUNCH LOCATION TABLE

Die Roll (1D6)	LS	F/R	RS
1	LT	LA	RT
2	LT	LT	RT
3	CT	CT	CT
4	LA	RT	RA
5	LA	RA	RA
6	HD	HD	HD

© 2024 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

KICK LOCATION TABLE

Die Roll (1D6)	LS	F/R	RS
1-3	LL	RL	RL
4-6	LL	LL	RL

MOVEMENT RECORD

Turn #	1	2	3	4	5	6	7	8	9	10
Hex/Facing										
Move Mode										

Turn #	11	12	13	14	15	16	17	18	19	20
Hex/Facing										
Move Mode										

FACING AFTER FALL

Die Roll (1D6)	New Facing	Hit Location
1	Same Direction	Front
2	1 Hexside Right	Right Side
3	2 Hexsides Right	Right Side
4	Opposite Direction	Rear
5	2 Hexsides Left	Left Side
6	1 Hexside Left	Left Side

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Locust IIC 3

Movement Points:
Walking: 8
Running: 12
Jumping: 0
Engine Type: 200 Fusion

Tonnage: 25
Tech Base: Clan
Rules Level: Standard
Role: Striker

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	Small Pulse Laser	LA	2	3 [P,AI]	—	2	4	6
1	Small Pulse Laser	RA	2	3 [P,AI]	—	2	4	6
1	ER Large Laser	CT	12	10 [DE]	—	8	15	25

Total Heat (Dissipation): 16 (20)

Quirks: Easy to Maintain, Narrow/Low Profile, No/Minimal Arms, Weak Legs

BV: 980

WARRIOR DATA

Name: Pvt. Lucie Schwortz

Gunnery Skill: 4 **Piloting Skill:** 5

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM

Ferro-Fibrous



INTERNAL STRUCTURE DIAGRAM

Endo Steel



Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

HIT LOCATION TABLE

Die Roll (2D6)	LS	F/R	RS
2*	LT(C)	CT(C)	RT(C)
3	LL	RA	RL
4	LA	RA	RA
5	LA	RL	RA
6	LL	RT	RL
7	LT	CT	RT
8	CT	LT	CT
9	RT	LL	LT
10	RA	LA	LA
11	RL	LA	LL
12	HD	HD	HD

*A result of 2 may inflict a critical hit

TO-HIT MODIFIERS

Attacker	
Stationary	+0
Walked	+1
Ran	+2
Prone	+2
Skidding	+1
Terrain	
Light Woods	+1/hex
Heavy Woods	+2/hex
Partial Cover	+1
Target	
Prone (adjacent hex)	-2
Prone (other hex)	+1
Immobile	-4
Skidding	-2
Moved 0-2 hexes	+0
Moved 3-4 hexes	+1
Moved 5-6 hexes	+2
Moved 7-9 hexes	+3
Moved 10-17 hexes	+4
Moved 18-24 hexes	+5
Moved 25+ hexes	+6
Jumped	+1
BattleArmor unit	+1
Secondary target (front)	+1
Secondary target (side/rear)	+2
Large support vehicle or grounded DropShip	-1
Damage	
Sensor hit	+2
Shoulder hit	+4
Arm Actuator	+1

PHYSICAL ATTACKS

Attack	To-Hit	Damage
Punch	+3	1
Kick	-2	5
Push	-1	—
Charge	+0*	2/Hex

*Modified by target piloting skill

PUNCH LOCATION TABLE

Die Roll (1D6)	LS	F/R	RS
1	LT	LA	RT
2	LT	LT	RT
3	CT	CT	CT
4	LA	RT	RA
5	LA	RA	RA
6	HD	HD	HD

CRITICAL TABLE

Left Arm
1-3:
1. Shoulder
2. Upper Arm Actuator
3. Small Pulse Laser
4. Roll Again
5. Roll Again
6. Roll Again

4-6:
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso
1-3:
1. Double Heat Sink
2. Double Heat Sink
3. Endo Steel
4. Endo Steel
5. Ferro-Fibrous
6. Ferro-Fibrous

4-6:
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Endo Steel
6. Ferro-Fibrous

Head
1. Life Support
2. Sensors
3. Cockpit
4. Ferro-Fibrous
5. Sensors
6. Life Support

Center Torso
1-3:
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6:
1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. ER Large Laser
6. Endo Steel

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○



Damage Transfer Diagram

Right Arm
1-3:
1. Shoulder
2. Upper Arm Actuator
3. Small Pulse Laser
4. Roll Again
5. Roll Again
6. Roll Again

4-6:
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso
1-3:
1. Double Heat Sink
2. Double Heat Sink
3. Endo Steel
4. Endo Steel
5. Ferro-Fibrous
6. Ferro-Fibrous

4-6:
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Endo Steel
6. Ferro-Fibrous

HEAT DATA

Double Heat Sinks: 10 (20)

Heat Level*	Effects	
30	Shutdown	○
28	Ammo Exp, avoid on 8+	○
26	Shutdown, avoid on 10+	○
25	-5 Movement Points	○
24	+4 Modifier to Fire	○
23	Ammo Exp, avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	○
19	Ammo Exp, avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	
14	Shutdown, avoid on 4+	
13	+2 Modifier to Fire	
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

KICK LOCATION TABLE

Die Roll (1D6)	LS	F/R	RS
1-3	LL	RL	RL
4-6	LL	LL	RL

FACING AFTER FALL

Die Roll (1D6)	New Facing	Hit Location
1	Same Direction	Front
2	1 Hexside Right	Right Side
3	2 Hexsides Right	Right Side
4	Opposite Direction	Rear
5	2 Hexsides Left	Left Side
6	1 Hexside Left	Left Side

© 2024 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

MOVEMENT RECORD

Turn #	1	2	3	4	5	6	7	8	9	10
Hex/Facing										
Move Mode										

Turn #	11	12	13	14	15	16	17	18	19	20
Hex/Facing										
Move Mode										

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Spider SDR-8M

Movement Points:
Walking: 8
Running: 12
Jumping: 8
Engine Type: 240 Fusion

Tonnage: 30
Tech Base: Inner Sphere
Rules Level: Standard
Role: Striker

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
2	Medium Pulse Laser	CT	4	6 [P]	—	2	4	6

Total Heat (Dissipation): 8 (20)

Quirks: Easy to Maintain, Nimble Jumper, No Ejection System

BV: 820

WARRIOR DATA

Name: Lt. Dennis Stickler

Gunnery Skill: 3 **Piloting Skill:** 4

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM

Ferro-Fibrous



INTERNAL STRUCTURE DIAGRAM

Endo Steel



Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

HIT LOCATION TABLE

Die Roll (2D6)	LS	F/R	RS
2*	LT(C)	CT(C)	RT(C)
3	LL	RA	RL
4	LA	RA	RA
5	LA	RL	RA
6	LL	RT	RL
7	LT	CT	RT
8	CT	LT	CT
9	RT	LL	LT
10	RA	LA	LA
11	RL	LA	LL
12	HD	HD	HD

*A result of 2 may inflict a critical hit

TO-HIT MODIFIERS

Attacker	
Stationary	+0
Walked	+1
Ran	+2
Jumped	+3
Prone	+2
Skidding	+1
Terrain	
Light Woods	+1/hex
Heavy Woods	+2/hex
Partial Cover	+1
Target	
Prone (adjacent hex)	-2
Prone (other hex)	+1
Immobile	-4
Skidding	-2
Moved 0-2 hexes	+0
Moved 3-4 hexes	+1
Moved 5-6 hexes	+2
Moved 7-9 hexes	+3
Moved 10-17 hexes	+4
Moved 18-24 hexes	+5
Moved 25+ hexes	+6
Jumped	+1
BattleArmor unit	+1
Secondary target (front)	+1
Secondary target (side/rear)	+2
Large support vehicle or grounded DropShip	-1
Damage	
Sensor hit	+2
Shoulder hit	+4
Arm Actuator	+1

CRITICAL TABLE

Left Arm

1-3
1. **Shoulder**
2. **Upper Arm Actuator**
3. **Lower Arm Actuator**
4. **Hand Actuator**
5. Ferro-Fibrous
6. Ferro-Fibrous

4-6
1. Ferro-Fibrous
2. Ferro-Fibrous
3. Ferro-Fibrous
4. Ferro-Fibrous
5. Ferro-Fibrous
6. Roll Again

Left Torso

1-3
1. **Jump Jet**
2. **Jump Jet**
3. **Jump Jet**
4. **Jump Jet**
5. **Double Heat Sink**
6. **Double Heat Sink**

4-6
1. **Double Heat Sink**
2. Endo Steel
3. Endo Steel
4. Endo Steel
5. Endo Steel
6. Endo Steel

Left Leg

1. **Hip**
2. **Upper Leg Actuator**
3. **Lower Leg Actuator**
4. **Foot Actuator**
5. Roll Again
6. Roll Again

Head

1. **Life Support**
2. **Sensors**
3. **Cockpit**
4. Endo Steel
5. **Sensors**
6. **Life Support**

Center Torso

1-3
1. **Fusion Engine**
2. **Fusion Engine**
3. **Fusion Engine**
4. **Gyro**
5. **Gyro**
6. **Gyro**

4-6
1. **Gyro**
2. **Fusion Engine**
3. **Fusion Engine**
4. **Fusion Engine**
5. **Medium Pulse Laser**
6. **Medium Pulse Laser**

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○



Damage Transfer Diagram

Right Arm

1-3
1. **Shoulder**
2. **Upper Arm Actuator**
3. **Lower Arm Actuator**
4. **Hand Actuator**
5. Ferro-Fibrous
6. Ferro-Fibrous

4-6
1. Ferro-Fibrous
2. Ferro-Fibrous
3. Ferro-Fibrous
4. Ferro-Fibrous
5. Ferro-Fibrous
6. Roll Again

Right Torso

1-3
1. **Jump Jet**
2. **Jump Jet**
3. **Jump Jet**
4. **Jump Jet**
5. Endo Steel
6. Endo Steel

4-6
1. Endo Steel
2. Endo Steel
3. Endo Steel
4. Endo Steel
5. Endo Steel
6. Endo Steel

Right Leg

1. **Hip**
2. **Upper Leg Actuator**
3. **Lower Leg Actuator**
4. **Foot Actuator**
5. Roll Again
6. Roll Again

HEAT DATA

Double Heat Sinks: 10 (20)

Heat Level*	Effects	
30	Shutdown	○
28	Ammo Exp, avoid on 8+	○
26	Shutdown, avoid on 10+	○
25	-5 Movement Points	○
24	+4 Modifier to Fire	○
23	Ammo Exp, avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	○
19	Ammo Exp, avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	
14	Shutdown, avoid on 4+	
13	+2 Modifier to Fire	
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

PHYSICAL ATTACKS

Attack	To-Hit	Damage
Punch	+0	3
Kick	-2	6
Push	-1	—
Club	-1	6
Charge	+0*	3/Hex
DFA	+0*	9

*Modified by target piloting skill

PUNCH LOCATION TABLE

Die Roll (1D6)	LS	F/R	RS
1	LT	LA	RT
2	LT	LT	RT
3	CT	CT	CT
4	LA	RT	RA
5	LA	RA	RA
6	HD	HD	HD

© 2024 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

MOVEMENT RECORD

Turn #	1	2	3	4	5	6	7	8	9	10
Hex/Facing										
Move Mode										

Turn #	11	12	13	14	15	16	17	18	19	20
Hex/Facing										
Move Mode										

KICK LOCATION TABLE

Die Roll (1D6)	LS	F/R	RS
1-3	LL	RL	RL
4-6	LL	LL	RL

FACING AFTER FALL

Die Roll (1D6)	New Facing	Hit Location
1	Same Direction	Front
2	1 Hexside Right	Right Side
3	2 Hexsides Right	Right Side
4	Opposite Direction	Rear
5	2 Hexsides Left	Left Side
6	1 Hexside Left	Left Side

BATTLETECH

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Spector SPR-5F

Movement Points:
Walking: 7
Running: 11
Jumping: 7
Engine Type: 245 XL

Tonnage: 35
Tech Base: Inner Sphere
Rules Level: Standard
Role: Striker

Weapons & Equipment Inventory

(hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
2	Medium Laser	LA	3	5 [DE]	—	3	6	9
1	Large Laser	RA	8	8 [DE]	—	5	10	15
1	ECM Suite (Guardian)	RT	—	[E]	—	—	—	6
1	Small Laser	HD	1	3 [DE]	—	1	2	3

Total Heat (Dissipation): 15 (22)

Quirks: Rugged (1 Point), Difficult to Maintain

BV: 1,562

WARRIOR DATA

Name: Lt. Marcus Brandler

Gunnery Skill: 3 **Piloting Skill:** 4

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM

Standard Armor



INTERNAL STRUCTURE DIAGRAM

Endo Steel



Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

HIT LOCATION TABLE

Die Roll (2D6)	LS	F/R	RS
2*	LT(C)	CT(C)	RT(C)
3	LL	RA	RL
4	LA	RA	RA
5	LA	RL	RA
6	LL	RT	RL
7	LT	CT	RT
8	CT	LT	CT
9	RT	LL	LT
10	RA	LA	LA
11	RL	LA	LL
12	HD	HD	HD

*A result of 2 may inflict a critical hit

TO-HIT MODIFIERS

Attacker	
Stationary	+0
Walked	+1
Ran	+2
Jumped	+3
Prone	+2
Skidding	+1
Terrain	
Light Woods	+1/hex
Heavy Woods	+2/hex
Partial Cover	+1
Target	
Prone (adjacent hex)	-2
Prone (other hex)	+1
Immobile	-4
Skidding	-2
Moved 0-2 hexes	+0
Moved 3-4 hexes	+1
Moved 5-6 hexes	+2
Moved 7-9 hexes	+3
Moved 10-17 hexes	+4
Moved 18-24 hexes	+5
Moved 25+ hexes	+6
Jumped	+1
BattleArmor unit	+1
Secondary target (front)	+1
Secondary target (side/rear)	+2
Large support vehicle or grounded DropShip	-1
Damage	
Sensor hit	+2
Shoulder hit	+4
Arm Actuator	+1

CRITICAL TABLE

Left Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Medium Laser
6. Medium Laser

4-6
1. Endo Steel
2. Endo Steel
3. Endo Steel
4. Endo Steel
5. Roll Again
6. Roll Again

Left Torso

1-3
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Double Heat Sink
5. Double Heat Sink
6. Double Heat Sink

4-6
1. Jump Jet
2. Jump Jet
3. Endo Steel
4. Endo Steel
5. Roll Again
6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Endo Steel

Head

1. Life Support
2. Sensors
3. Cockpit
4. Small Laser
5. Sensors
6. Life Support

Center Torso

1-3
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. XL Fusion Engine
3. XL Fusion Engine
4. XL Fusion Engine
5. Jump Jet
6. Roll Again

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Large Laser
5. Large Laser
6. Endo Steel

4-6
1. Endo Steel
2. Endo Steel
3. Endo Steel
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso

1-3
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Double Heat Sink
5. Double Heat Sink
6. Double Heat Sink

4-6
1. Jump Jet
2. Jump Jet
3. ECM Suite (Guardian)
4. ECM Suite (Guardian)
5. Endo Steel
6. Endo Steel

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Endo Steel

HEAT DATA

Double Heat Sinks: 11 (22)

Heat Level*	Effects
30	Shutdown
28	Ammo Exp, avoid on 8+
26	Shutdown, avoid on 10+
25	-5 Movement Points
24	+4 Modifier to Fire
23	Ammo Exp, avoid on 6+
22	Shutdown, avoid on 8+
20	-4 Movement Points
19	Ammo Exp, avoid on 4+
18	Shutdown, avoid on 6+
17	+3 Modifier to Fire
15	-3 Movement Points
14	Shutdown, avoid on 4+
13	+2 Modifier to Fire
10	-2 Movement Points
8	+1 Modifier to Fire
5	-1 Movement Points

PHYSICAL ATTACKS

Attack	To-Hit	Damage
Punch (LA)	+0	4
Punch (RA)	+1	4
Kick	-2	7
Push	-1	—
Charge	+0*	3/Hex
DFA	+0*	11

*Modified by target piloting skill

PUNCH LOCATION TABLE

Die Roll (1D6)	LS	F/R	RS
1	LT	LA	RT
2	LT	LT	RT
3	CT	CT	CT
4	LA	RT	RA
5	LA	RA	RA
6	HD	HD	HD

© 2024 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

MOVEMENT RECORD

Turn #	1	2	3	4	5	6	7	8	9	10
Hex/Facing										
Move Mode										

Turn #	11	12	13	14	15	16	17	18	19	20
Hex/Facing										
Move Mode										

KICK LOCATION TABLE

Die Roll (1D6)	LS	F/R	RS
1-3	LL	RL	RL
4-6	LL	LL	RL

FACING AFTER FALL

Die Roll (1D6)	New Facing	Hit Location
1	Same Direction	Front
2	1 Hexside Right	Right Side
3	2 Hexsides Right	Right Side
4	Opposite Direction	Rear
5	2 Hexsides Left	Left Side
6	1 Hexside Left	Left Side

BATTLETECH

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Stiletto STO-4B

Movement Points:
Walking: 8
Running: 12
Jumping: 0
Engine Type: 280 Light

Tonnage: 35
Tech Base: Inner Sphere
Rules Level: Standard
Role: Striker

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	ER Medium Laser	LA	5	5 [DE]	—	4	8	12
1	ER Medium Laser	RA	5	5 [DE]	—	4	8	12
1	ECM Suite (Guardian)	LT	—	[E]	—	—	—	6
1	ER Large Laser	RT	12	8 [DE]	—	7	14	19
1	Flamer	CT	3	2 [DE,H,AI]	—	1	2	3

Total Heat (Dissipation): 25 (20)

Quirks: Multi-Trac, Difficult Ejection

BV: 1,164

WARRIOR DATA

Name: Pvt. Patrick Witt

Gunnery Skill: 4 **Piloting Skill:** 5

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM

Ferro-Fibrous



INTERNAL STRUCTURE DIAGRAM

Endo Steel



Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

HIT LOCATION TABLE

Die Roll (2D6)	LS	F/R	RS
2*	LT(C)	CT(C)	RT(C)
3	LL	RA	RL
4	LA	RA	RA
5	LA	RL	RA
6	LL	RT	RL
7	LT	CT	RT
8	CT	LT	CT
9	RT	LL	LT
10	RA	LA	LA
11	RL	LA	LL
12	HD	HD	HD

*A result of 2 may inflict a critical hit

TO-HIT MODIFIERS

Attacker	
Stationary	+0
Walked	+1
Ran	+2
Prone	+2
Skidding	+1
Terrain	
Light Woods	+1/hex
Heavy Woods	+2/hex
Partial Cover	+1
Target	
Prone (adjacent hex)	-2
Prone (other hex)	+1
Immobile	-4
Skidding	-2
Moved 0-2 hexes	+0
Moved 3-4 hexes	+1
Moved 5-6 hexes	+2
Moved 7-9 hexes	+3
Moved 10-17 hexes	+4
Moved 18-24 hexes	+5
Moved 25+ hexes	+6
Jumped	+1
BattleArmor unit	+1
Secondary target (front)	+1
Secondary target (side/rear)	+2
Large support vehicle or grounded DropShip	-1
Damage	
Sensor hit	+2
Shoulder hit	+4
Arm Actuator	+1

CRITICAL TABLE

Left Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. ER Medium Laser
4. Ferro-Fibrous
5. Ferro-Fibrous
6. Ferro-Fibrous

4-6
1. Ferro-Fibrous
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso

1-3
1. Light Fusion Engine
2. Light Fusion Engine
3. ECM Suite (Guardian)
4. ECM Suite (Guardian)
5. Ferro-Fibrous
6. Ferro-Fibrous

4-6
1. Ferro-Fibrous
2. Ferro-Fibrous
3. Ferro-Fibrous
4. Ferro-Fibrous
5. Ferro-Fibrous
6. Ferro-Fibrous

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Ferro-Fibrous
6. Ferro-Fibrous

Head

1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support

Center Torso

1-3
1. Light Fusion Engine
2. Light Fusion Engine
3. Light Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. Light Fusion Engine
3. Light Fusion Engine
4. Light Fusion Engine
5. Flamer
6. Endo Steel

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. ER Medium Laser
4. Endo Steel
5. Endo Steel
6. Endo Steel

4-6
1. Endo Steel
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso

1-3
1. Light Fusion Engine
2. Light Fusion Engine
3. ER Large Laser
4. ER Large Laser
5. Endo Steel
6. Endo Steel

4-6
1. Endo Steel
2. Endo Steel
3. Endo Steel
4. Endo Steel
5. Endo Steel
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Endo Steel
6. Endo Steel

HEAT DATA

Double Heat Sinks: 10 (20)

Heat Level*	Effects
30	Shutdown
28	Ammo Exp, avoid on 8+
26	Shutdown, avoid on 10+
25	-5 Movement Points
24	+4 Modifier to Fire
23	Ammo Exp, avoid on 6+
22	Shutdown, avoid on 8+
20	-4 Movement Points
19	Ammo Exp, avoid on 4+
18	Shutdown, avoid on 6+
17	+3 Modifier to Fire
15	-3 Movement Points
14	Shutdown, avoid on 4+
13	+2 Modifier to Fire
10	-2 Movement Points
8	+1 Modifier to Fire
5	-1 Movement Points

PHYSICAL ATTACKS

Attack	To-Hit	Damage
Punch	+3	2
Kick	-2	7
Push	-1	—
Charge	+0*	3/Hex

*Modified by target piloting skill

PUNCH LOCATION TABLE

Die Roll (1D6)	LS	F/R	RS
1	LT	LA	RT
2	LT	LT	RT
3	CT	CT	CT
4	LA	RT	RA
5	LA	RA	RA
6	HD	HD	HD

© 2024 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

KICK LOCATION TABLE

Die Roll (1D6)	LS	F/R	RS
1-3	LL	RL	RL
4-6	LL	LL	RL

FACING AFTER FALL

Die Roll (1D6)	New Facing	Hit Location
1	Same Direction	Front
2	1 Hexside Right	Right Side
3	2 Hexsides Right	Right Side
4	Opposite Direction	Rear
5	2 Hexsides Left	Left Side
6	1 Hexside Left	Left Side

MOVEMENT RECORD

Turn #	1	2	3	4	5	6	7	8	9	10
Hex/Facing										
Move Mode										

Turn #	11	12	13	14	15	16	17	18	19	20
Hex/Facing										
Move Mode										

BATTLETECH™

AEROSPACE FIGHTER RECORD SHEET

FIGHTER DATA

Type: Lightning LTN-G15

Thrust:		**Tonnage:**	50
SafeThrust:	6	**Tech Base:**	Inner Sphere
Maximum Thrust:	9	**Rules Level:**	Standard
Engine Type:	200 Fusion	**Role:**	Dogfighter

Weapons & Equipment Inventory

Standard Scale (1-6) (7-12) (13-20) (21-25)

Qty	Type	Loc	Ht	SRV	MRV	LRV	ERV
1	Medium Laser [DE]	NOS	3	5	—	—	—
1	AC/20 [DB,S]	NOS	7	20	—	—	—
1	Medium Laser [DE]	LWG	3	5	—	—	—
1	Medium Laser [DE]	RWG	3	5	—	—	—
1	Medium Laser [DE]	AFT	3	5	—	—	—

Total Heat (Dissipation): 35 (13)

Ammo: (AC/20) 10

Fuel Points: 400

BV: 1,145

NOTES

ARMOR DIAGRAM

Standard Armor



EXTERNAL STORES/BOMBS

Key:
HE - High Explosive
LG - Laser Guided
C - Cluster
RL - Rocket Launcher

TO-HIT MODIFIERS

Range	
Short	+0
Medium	+2
Long	+4
Extreme	+6
Target/Intervening conditions	
Attack against aft	+0
Attack against side	+2
Attack against nose	+1
Attacker flying at altitude 1 attacking air target	+2
Secondary target in fwd arc	+1
Secondary target in other arc	+2
Target is conducting air-to-ground attack	-3
Target is at zero velocity	-2
Firing through atmospheric hex on high altitude map	+2/hex
Firing into or out of screen hex	+2
Target is evading	variable
Attacker Conditions	
Exceeded safe thrust this turn	+2
Out of control	+2
Pilot damage	+2
FCS damage	+2/hit
Sensor damage	+1/hit
Sensors destroyed	+5
Attacker evading	Prohibited

CONTROL ROLL TABLE

Situation	
Movement	
Roll more than once in a turn	
Use thrust > current SI	
Velocity > 2x safe thrust in atmosphere	
Stalling	
Descending 3+ altitudes in a turn	
Damage	
Avionics critical	
Control critical	
Damaged in atmosphere	
Modifiers	
Pilot damage	+1/hit
Avionics damage	+1/hit
Life support damage	+1/hit
Above safe thrust	+1
Atmospheric operations	+1
Per 20 points of damage	+1
Velocity above 2x safe thrust	+1/point

CRITICAL DAMAGE

Avionics	+1	+2	+5	Engine	2	4	D
FCS	+2	+4	D	Landing Gear	+5		
Sensors	+1	+2	+5	Life Support	+2		

PILOT DATA

Name: Pvt. Cassie Fulton

Gunnery Skill: 4 **Piloting Skill:** 6

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead
Modifier	+1	+2	+3	+4	+5	

HEAT DATA

Heat Sinks: 13

Heat Level*	Effects
30	Shutdown
28	Ammo Exp avoid on 8+
27	Pilot damage, avoid on 9+
26	Shutdown, avoid on 10+
25	Random Movement, avoid on 10+
24	+4 Modifier to Fire
23	Ammo Exp avoid on 6+
22	Shutdown, avoid on 8+
21	Pilot damage, avoid on 6+
20	Random Movement, avoid on 8+
19	Ammo Exp avoid on 4+
18	Shutdown, avoid on 6+
17	+3 Modifier to Fire
15	Random Movement, avoid on 7+
14	Shutdown, avoid on 4+
13	+2 Modifier to Fire
10	Random Movement, avoid on 6+
8	+1 Modifier to Fire
5	Random Movement, avoid on 5+

Heat Scale

Overflow, 30*, 29, 28*, 27*, 26*, 25*, 24*, 23*, 22*, 21*, 20*, 19*, 18*, 17*, 16, 15*, 14*, 13*, 12, 11, 10*, 9, 8*, 7, 6, 5*, 4, 3, 2, 1, 0

VELOCITY RECORD

Turn #	1	2	3	4	5	6	7	8	9	10
Thrust										
Velocity										
Effective Velocity										
Altitude										

Turn #	11	12	13	14	15	16	17	18	19	20
Thrust										
Velocity										
Effective Velocity										
Altitude										

STRAIGHT MOVEMENT

Velocity	Low Altitude Map	Ground Map
1	1	8
2	1	12
3	1	16
4	1	20
5	1	24
6	1	28
7	2	32
8	2	36
9	2	40
10	3	44
11	3	48
12	3	52
13-15	4	-
16+	5	-

© 2024 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

HIT LOCATION TABLE

Die Roll (2D6)	Nose	Aft	Side	Above/Below
2	Nose/Weapon	Aft/Weapon	Nose/Weapon	Nose/Weapon
3	Nose/Sensor	Aft/Heat Sink	Wing/Gear	Wing/Gear
4	Right Wing/Heat Sink	Right Wing/Fuel	Nose/Sensor	Nose/Sensor
5	Right Wing/Weapon	Right Wing/Weapon	Nose/Crew	Nose/Crew
6	Nose/Avionics	Aft/Engine	Wing/Weapon	Wing/Weapon
7	Nose/Control	Aft/Control	Wing/Avionics	Nose/Avionics
8	Nose/FCS	Aft/Engine	Wing/Bomb	Wing/Weapon
9	Left Wing/Weapon	Left Wing/Weapon	Aft/Control	Aft/Control
10	Left Wing/Heat Sink	Left Wing/Fuel	Aft/Engine	Aft/Engine
11	Nose/Gear	Aft/Heat Sink	Wing/Gear	Wing/Gear
12	Nose/Weapon	Aft/Weapon	Aft/Weapon	Aft/Weapon

AIR-TO-GROUND ATTACKS

Attack Type	Modifier	Altitude
Strafing	+4	1-3
Striking	+2	2-5
Dive bombing	+2	3-5
Altitude bombing	+2 +altitude	1+

RANDOM MOVEMENT TABLE

1D6 Result	Effect
1	Forward 1 hex, left 2 hexsides
2	Forward 1 hex, left 1 hexside
3-4	Forward 1 hex
5	Forward 1 hex, right 1 hexside
6	Forward 1 hex, right 2 hexsides

CHANGING FACING COST

Velocity	Thrust points	Velocity	Thrust points
0-2	1	10	5
3-5	2	11	6
6-7	3	12	+1/point
8-9	4		

BATTLETECH™

OMNIMECH RECORD SHEET

'MECH DATA

Type: Viper Prime

Movement Points:
Walking: 8
Running: 12
Jumping: 8
Engine Type: 320 XL

Tonnage: 40
Tech Base: Clan
Rules Level: Standard
Role: Scout

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	SRM 4	LA	3	2/Msl [M,C,S]	—	3	6	9
2	Medium Pulse Laser	RA	4	7 [P]	—	4	8	12
1	Anti-Missile System	LT	1	[PB]	—	1	—	—
2	Machine Gun	RT	—	2 [DB,AI]	—	1	2	3

Total Heat (Dissipation): 12 (20)

Ammo: (AMS) 24, (MG) 100, (SRM 4) 25

Quirks: Improved Targeting (Long), Narrow/Low Profile

BV: 1,450

WARRIOR DATA

Name: Pvt. Lindsey Shaw

Gunnery Skill: 4 **Piloting Skill:** 5

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM

Ferro-Fibrous



INTERNAL STRUCTURE DIAGRAM

Endo Steel



Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

HIT LOCATION TABLE

Die Roll (2D6)	LS	F/R	RS
2*	LT(C)	CT(C)	RT(C)
3	LL	RA	RL
4	LA	RA	RA
5	LA	RL	RA
6	LL	RT	RL
7	LT	CT	RT
8	CT	LT	CT
9	RT	LL	LT
10	RA	LA	LA
11	RL	LA	LL
12	HD	HD	HD

*A result of 2 may inflict a critical hit.

TO-HIT MODIFIERS

Attacker	
Stationary	+0
Walked	+1
Ran	+2
Jumped	+3
Prone	+2
Skidding	+1
Terrain	
Light Woods	+1/hex
Heavy Woods	+2/hex
Partial Cover	+1
Target	
Prone (adjacent hex)	-2
Prone (other hex)	+1
Immobile	-4
Skidding	-2
Moved 0-2 hexes	+0
Moved 3-4 hexes	+1
Moved 5-6 hexes	+2
Moved 7-9 hexes	+3
Moved 10-17 hexes	+4
Moved 18-24 hexes	+5
Moved 25+ hexes	+6
Jumped	+1
BattleArmor unit	+1
Secondary target (front)	+1
Secondary target (side/rear)	+2
Large support vehicle or grounded DropShip	-1
Damage	
Sensor hit	+2
Shoulder hit	+4
Arm Actuator	+1

PHYSICAL ATTACKS

Attack	To-Hit	Damage
Punch	+0	4
Kick	-2	8
Push	-1	—
Club	-1	8
Charge	+0*	4/Hex
DFA	+0*	12

*Modified by target piloting skill

PUNCH LOCATION TABLE

Die Roll (1D6)	LS	F/R	RS
1	LT	LA	RT
2	LT	LT	RT
3	CT	CT	CT
4	LA	RT	RA
5	LA	RA	RA
6	HD	HD	HD

KICK LOCATION TABLE

Die Roll (1D6)	LS	F/R	RS
1-3	LL	RL	RL
4-6	LL	LL	RL

FACING AFTER FALL

Die Roll (1D6)	New Facing	Hit Location
1	Same Direction	Front
2	1 Hexside Right	Right Side
3	2 Hexsides Right	Right Side
4	Opposite Direction	Rear
5	2 Hexsides Left	Left Side
6	1 Hexside Left	Left Side

CLUSTER HITS TABLE

Die Roll (2D6)	4
2	1
3	2
4	2
5	2
6	2
7	3
8	3
9	3
10	3
11	4
12	4

CRITICAL TABLE

Left Arm (CASE)

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. SRM 4
6. Ammo (SRM 4) 25

4-6
1. Ferro-Fibrous
2. Ferro-Fibrous
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso (CASE)

1-3
1. XL Fusion Engine
2. XL Fusion Engine
3. Jump Jet
4. Jump Jet
5. Anti-Missile System
6. Ammo (AMS) 24

4-6
1. Endo Steel
2. Endo Steel
3. Endo Steel
4. Ferro-Fibrous
5. Roll Again
6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Jump Jet

Head

1. Life Support
2. Sensors
3. Cockpit
4. Ferro-Fibrous
5. Sensors
6. Life Support

Center Torso

1-3
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. XL Fusion Engine
3. XL Fusion Engine
4. XL Fusion Engine
5. Endo Steel
6. Roll Again

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Medium Pulse Laser
6. Medium Pulse Laser

4-6
1. Ferro-Fibrous
2. Ferro-Fibrous
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso (CASE)

1-3
1. XL Fusion Engine
2. XL Fusion Engine
3. Jump Jet
4. Jump Jet
5. Machine Gun
6. Machine Gun

4-6
1. Ammo (MG) 100
2. Endo Steel
3. Endo Steel
4. Endo Steel
5. Ferro-Fibrous
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Jump Jet

HEAT DATA

Double Heat Sinks: 10 (20)

Heat Level*	Effects	
30	Shutdown	○
28	Ammo Exp, avoid on 8+	○
26	Shutdown, avoid on 10+	○
25	-5 Movement Points	○
24	+4 Modifier to Fire	○
23	Ammo Exp, avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	○
19	Ammo Exp, avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	
14	Shutdown, avoid on 4+	
13	+2 Modifier to Fire	
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

© 2024 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

MOVEMENT RECORD

Turn #	1	2	3	4	5	6	7	8	9	10
Hex/Facing										
Move Mode										

Turn #	11	12	13	14	15	16	17	18	19	20
Hex/Facing										
Move Mode										

BATTLETECH

BATTLEMECH RECORD SHEET

'MECH DATA

Type: JagerMech JM6-DG

Movement Points:		**Tonnage:**	65
Walking:	4	**Tech Base:**	Inner Sphere
Running:	6	**Rules Level:**	Standard
Jumping:	0	**Role:**	Sniper
Engine Type:	260 XL		

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	Gauss Rifle	LA	1	15 [DB,X]	2	7	15	22
1	Gauss Rifle	RA	1	15 [DB,X]	2	7	15	22
2	Medium Laser	CT	3	5 [DE]	—	3	6	9

Total Heat (Dissipation): 8 (10)

Ammo: (Gauss) 48

Quirks: Anti-Aircraft Targeting

BV: 1,950

WARRIOR DATA

Name: Sgt. Malia Wolf

Gunnery Skill: 3 **Piloting Skill:** 5

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead

ARMOR DIAGRAM

Ferro-Fibrous



INTERNAL STRUCTURE DIAGRAM

Standard Structure



Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

HIT LOCATION TABLE

Die Roll (2D6)	LS	F/R	RS
2*	LT(C)	CT(C)	RT(C)
3	LL	RA	RL
4	LA	RA	RA
5	LA	RL	RA
6	LL	RT	RL
7	LT	CT	RT
8	CT	LT	CT
9	RT	LL	LT
10	RA	LA	LA
11	RL	LA	LL
12	HD	HD	HD

*A result of 2 may inflict a critical hit

TO-HIT MODIFIERS

Attacker	
Stationary	+0
Walked	+1
Ran	+2
Prone	+2
Skidding	+1
Terrain	
Light Woods	+1/hex
Heavy Woods	+2/hex
Partial Cover	+1
Target	
Prone (adjacent hex)	-2
Prone (other hex)	+1
Immobile	-4
Skidding	-2
Moved 0-2 hexes	+0
Moved 3-4 hexes	+1
Moved 5-6 hexes	+2
Moved 7-9 hexes	+3
Moved 10-17 hexes	+4
Moved 18-24 hexes	+5
Moved 25+ hexes	+6
Jumped	+1
BattleArmor unit	+1
Secondary target (front)	+1
Secondary target (side/rear)	+2
Large support vehicle or grounded DropShip	-1
Damage	
Sensor hit	+2
Shoulder hit	+4
Arm Actuator	+1

CRITICAL TABLE

Left Arm

1. Shoulder
2. Upper Arm Actuator
3. Gauss Rifle (1-3)
4. Gauss Rifle (1-3)
5. Gauss Rifle (1-3)
6. Gauss Rifle (1-3)
1. Gauss Rifle (4-6)
2. Gauss Rifle (4-6)
3. Gauss Rifle (4-6)
4. Ferro-Fibrous (4-6)
5. Ferro-Fibrous (4-6)
6. Ferro-Fibrous (4-6)

Left Torso (CASE)

1. XL Fusion Engine (1-3)
2. XL Fusion Engine (1-3)
3. XL Fusion Engine (1-3)
4. Ammo (Gauss) 8 (1-3)
5. Ammo (Gauss) 8 (1-3)
6. Ammo (Gauss) 8 (1-3)
1. CASE (4-6)
2. Ferro-Fibrous (4-6)
3. Ferro-Fibrous (4-6)
4. Ferro-Fibrous (4-6)
5. Ferro-Fibrous (4-6)
6. Roll Again (4-6)

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

Head

1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support

Center Torso

1. XL Fusion Engine (1-3)
2. XL Fusion Engine (1-3)
3. XL Fusion Engine (1-3)
4. Gyro (1-3)
5. Gyro (1-3)
6. Gyro (1-3)
1. Gyro (4-6)
2. XL Fusion Engine (4-6)
3. XL Fusion Engine (4-6)
4. XL Fusion Engine (4-6)
5. Medium Laser (4-6)
6. Medium Laser (4-6)

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○



Damage Transfer Diagram

Right Arm

1. Shoulder
2. Upper Arm Actuator
3. Gauss Rifle (1-3)
4. Gauss Rifle (1-3)
5. Gauss Rifle (1-3)
6. Gauss Rifle (1-3)
1. Gauss Rifle (4-6)
2. Gauss Rifle (4-6)
3. Gauss Rifle (4-6)
4. Ferro-Fibrous (4-6)
5. Ferro-Fibrous (4-6)
6. Ferro-Fibrous (4-6)

Right Torso (CASE)

1. XL Fusion Engine (1-3)
2. XL Fusion Engine (1-3)
3. XL Fusion Engine (1-3)
4. Ammo (Gauss) 8 (1-3)
5. Ammo (Gauss) 8 (1-3)
6. Ammo (Gauss) 8 (1-3)
1. CASE (4-6)
2. Ferro-Fibrous (4-6)
3. Ferro-Fibrous (4-6)
4. Ferro-Fibrous (4-6)
5. Ferro-Fibrous (4-6)
6. Roll Again (4-6)

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

HEAT DATA

Heat Sinks: 10

Heat Level*	Effects
30	Shutdown
28	Ammo Exp, avoid on 8+
26	Shutdown, avoid on 10+
25	-5 Movement Points
24	+4 Modifier to Fire
23	Ammo Exp, avoid on 6+
22	Shutdown, avoid on 8+
20	-4 Movement Points
19	Ammo Exp, avoid on 4+
18	Shutdown, avoid on 6+
17	+3 Modifier to Fire
15	-3 Movement Points
14	Shutdown, avoid on 4+
13	+2 Modifier to Fire
10	-2 Movement Points
8	+1 Modifier to Fire
5	-1 Movement Points

PHYSICAL ATTACKS

Attack	To-Hit	Damage
Punch	+3	3
Kick	-2	13
Push	-1	—
Charge	+0*	6/Hex

*Modified by target piloting skill

PUNCH LOCATION TABLE

Die Roll (1D6)	LS	F/R	RS
1	LT	LA	RT
2	LT	LT	RT
3	CT	CT	CT
4	LA	RT	RA
5	LA	RA	RA
6	HD	HD	HD

© 2024 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

KICK LOCATION TABLE

Die Roll (1D6)	LS	F/R	RS
1-3	LL	RL	RL
4-6	LL	LL	RL

MOVEMENT RECORD

Turn #	1	2	3	4	5	6	7	8	9	10
Hex/Facing										
Move Mode										

Turn #	11	12	13	14	15	16	17	18	19	20
Hex/Facing										
Move Mode										

FACING AFTER FALL

Die Roll (1D6)	New Facing	Hit Location
1	Same Direction	Front
2	1 Hexside Right	Right Side
3	2 Hexsides Right	Right Side
4	Opposite Direction	Rear
5	2 Hexsides Left	Left Side
6	1 Hexside Left	Left Side

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Rifleman IIC

Movement Points:
Walking: 3
Running: 5
Jumping: 3
Engine Type: 195 Fusion

Tonnage: 65
Tech Base: Clan
Rules Level: Standard
Role: Sniper

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
2	Large Pulse Laser	LA	10	10 [P]	—	6	14	20
2	Large Pulse Laser	RA	10	10 [P]	—	6	14	20
1	Active Probe	CT	—	[E]	—	—	—	5
1	ER Small Laser	HD	2	5 [DE]	—	2	4	6

Total Heat (Dissipation): 42 (38)

Quirks: Anti-Aircraft Targeting, Improved Communications

BV: 3,553

WARRIOR DATA

Name: Captain Daniel Waters

Gunnery Skill: 2 **Piloting Skill:** 4

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM

Ferro-Fibrous



INTERNAL STRUCTURE DIAGRAM

Endo Steel



Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

HIT LOCATION TABLE

Die Roll (2D6)	LS	F/R	RS
2*	LT(C)	CT(C)	RT(C)
3	LL	RA	RL
4	LA	RA	RA
5	LA	RL	RA
6	LL	RT	RL
7	LT	CT	RT
8	CT	LT	CT
9	RT	LL	LT
10	RA	LA	LA
11	RL	LA	LL
12	HD	HD	HD

*A result of 2 may inflict a critical hit

TO-HIT MODIFIERS

Attacker	
Stationary	+0
Walked	+1
Ran	+2
Jumped	+3
Prone	+2
Skidding	+1
Terrain	
Light Woods	+1/hex
Heavy Woods	+2/hex
Partial Cover	+1
Target	
Prone (adjacent hex)	-2
Prone (other hex)	+1
Immobile	-4
Skidding	-2
Moved 0-2 hexes	+0
Moved 3-4 hexes	+1
Moved 5-6 hexes	+2
Moved 7-9 hexes	+3
Moved 10-17 hexes	+4
Moved 18-24 hexes	+5
Moved 25+ hexes	+6
Jumped	+1
BattleArmor unit	+1
Secondary target (front)	+1
Secondary target (side/rear)	+2
Large support vehicle or grounded DropShip	-1
Damage	
Sensor hit	+2
Shoulder hit	+4
Arm Actuator	+1

CRITICAL TABLE

Left Arm
1. Shoulder
2. Upper Arm Actuator
3. Double Heat Sink (1-3)
4. Double Heat Sink (1-3)
5. Large Pulse Laser (1-3)
6. Large Pulse Laser (1-3)
1. Large Pulse Laser (4-6)
2. Large Pulse Laser (4-6)
3. Endo Steel (4-6)
4. Endo Steel (4-6)
5. Ferro-Fibrous (4-6)
6. Ferro-Fibrous (4-6)

Left Torso
1. Double Heat Sink (1-3)
2. Double Heat Sink (1-3)
3. Double Heat Sink (1-3)
4. Double Heat Sink (1-3)
5. Double Heat Sink (1-3)
6. Double Heat Sink (1-3)
1. Double Heat Sink (4-6)
2. Double Heat Sink (4-6)
3. Jump Jet (4-6)
4. Endo Steel (4-6)
5. Endo Steel (4-6)
6. Ferro-Fibrous (4-6)

Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Double Heat Sink
6. Double Heat Sink

Head
1. Life Support
2. Sensors
3. Cockpit
4. ER Small Laser
5. Sensors
6. Life Support

Center Torso
1. Fusion Engine (1-3)
2. Fusion Engine (1-3)
3. Fusion Engine (1-3)
4. Gyro (1-3)
5. Gyro (1-3)
6. Gyro (1-3)
1. Gyro (4-6)
2. Fusion Engine (4-6)
3. Fusion Engine (4-6)
4. Fusion Engine (4-6)
5. Jump Jet (4-6)
6. Active Probe (4-6)

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○



Damage Transfer Diagram

Right Arm
1. Shoulder
2. Upper Arm Actuator
3. Double Heat Sink (1-3)
4. Double Heat Sink (1-3)
5. Large Pulse Laser (1-3)
6. Large Pulse Laser (1-3)
1. Large Pulse Laser (4-6)
2. Large Pulse Laser (4-6)
3. Endo Steel (4-6)
4. Ferro-Fibrous (4-6)
5. Ferro-Fibrous (4-6)
6. Ferro-Fibrous (4-6)

Right Torso
1. Double Heat Sink (1-3)
2. Double Heat Sink (1-3)
3. Double Heat Sink (1-3)
4. Double Heat Sink (1-3)
5. Double Heat Sink (1-3)
6. Double Heat Sink (1-3)
1. Double Heat Sink (4-6)
2. Double Heat Sink (4-6)
3. Jump Jet (4-6)
4. Endo Steel (4-6)
5. Endo Steel (4-6)
6. Ferro-Fibrous (4-6)

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Double Heat Sink
6. Double Heat Sink

HEAT DATA

Double Heat Sinks: 19 (38)

Heat Level*	Effects
30	Shutdown
28	Ammo Exp, avoid on 8+
26	Shutdown, avoid on 10+
25	-5 Movement Points
24	+4 Modifier to Fire
23	Ammo Exp, avoid on 6+
22	Shutdown, avoid on 8+
20	-4 Movement Points
19	Ammo Exp, avoid on 4+
18	Shutdown, avoid on 6+
17	+3 Modifier to Fire
15	-3 Movement Points
14	Shutdown, avoid on 4+
13	+2 Modifier to Fire
10	-2 Movement Points
8	+1 Modifier to Fire
5	-1 Movement Points

PHYSICAL ATTACKS

Attack	To-Hit	Damage
Punch	+3	3
Kick	-2	13
Push	-1	—
Charge	+0*	6/Hex
DFA	+0*	20

*Modified by target piloting skill

PUNCH LOCATION TABLE

Die Roll (1D6)	LS	F/R	RS
1	LT	LA	RT
2	LT	LT	RT
3	CT	CT	CT
4	LA	RT	RA
5	LA	RA	RA
6	HD	HD	HD

KICK LOCATION TABLE

Die Roll (1D6)	LS	F/R	RS
1-3	LL	RL	RL
4-6	LL	LL	RL

FACING AFTER FALL

Die Roll (1D6)	New Facing	Hit Location
1	Same Direction	Front
2	1 Hexside Right	Right Side
3	2 Hexsides Right	Right Side
4	Opposite Direction	Rear
5	2 Hexsides Left	Left Side
6	1 Hexside Left	Left Side

© 2024 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

MOVEMENT RECORD

Turn #	1	2	3	4	5	6	7	8	9	10
Hex/Facing										
Move Mode										

Turn #	11	12	13	14	15	16	17	18	19	20
Hex/Facing										
Move Mode										

BATTLETECH™

OMNIMECH RECORD SHEET

'MECH DATA

Type: Avatar AV1-OG

Movement Points:		**Tonnage:**	70
Walking:	4	**Tech Base:**	Inner Sphere
Running:	6	**Rules Level:**	Standard
Jumping:	0	**Role:**	Sniper
Engine Type:	280 XL		

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	Gauss Rifle	LA	1	15 [DB,X]	2	7	15	22
1	Gauss Rifle	RA	1	15 [DB,X]	2	7	15	22
2	Medium Laser	CT	3	5 [DE]	—	3	6	9

Total Heat (Dissipation): 8 (20)

Ammo: (Gauss) 32

BV: 2,130

WARRIOR DATA

Name: Sgt. Susanna Weber

Gunnery Skill: 3 **Piloting Skill:** 5

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM

Standard Armor



INTERNAL STRUCTURE DIAGRAM

Standard Structure



Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

HIT LOCATION TABLE

Die Roll (2D6)	LS	F/R	RS
2*	LT(C)	CT(C)	RT(C)
3	LL	RA	RL
4	LA	RA	RA
5	LA	RL	RA
6	LL	RT	RL
7	LT	CT	RT
8	CT	LT	CT
9	RT	LL	LT
10	RA	LA	LA
11	RL	LA	LL
12	HD	HD	HD

*A result of 2 may inflict a critical hit

TO-HIT MODIFIERS

Attacker	
Stationary	+0
Walked	+1
Ran	+2
Prone	+2
Skidding	+1
Terrain	
Light Woods	+1/hex
Heavy Woods	+2/hex
Partial Cover	+1
Target	
Prone (adjacent hex)	-2
Prone (other hex)	+1
Immobile	-4
Skidding	-2
Moved 0-2 hexes	+0
Moved 3-4 hexes	+1
Moved 5-6 hexes	+2
Moved 7-9 hexes	+3
Moved 10-17 hexes	+4
Moved 18-24 hexes	+5
Moved 25+ hexes	+6
Jumped	+1
BattleArmor unit	+1
Secondary target (front)	+1
Secondary target (side/rear)	+2
Large support vehicle or grounded DropShip	-1
Damage	
Sensor hit	+2
Shoulder hit	+4
Arm Actuator	+1

CRITICAL TABLE

Left Arm
1. Shoulder
2. Upper Arm Actuator
3. Gauss Rifle (1-3)
4. Gauss Rifle (1-3)
5. Gauss Rifle (1-3)
6. Gauss Rifle (1-3)
1. Gauss Rifle (4-6)
2. Gauss Rifle (4-6)
3. Gauss Rifle (4-6)
4. Ammo (Gauss) 8 (4-6)
5. Ammo (Gauss) 8 (4-6)
6. Roll Again (4-6)

Head
1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support

Right Arm
1. Shoulder
2. Upper Arm Actuator
3. Gauss Rifle (1-3)
4. Gauss Rifle (1-3)
5. Gauss Rifle (1-3)
6. Gauss Rifle (1-3)
1. Gauss Rifle (4-6)
2. Gauss Rifle (4-6)
3. Gauss Rifle (4-6)
4. Ammo (Gauss) 8 (4-6)
5. Ammo (Gauss) 8 (4-6)
6. Roll Again (4-6)

Center Torso
1. XL Fusion Engine (1-3)
2. XL Fusion Engine (1-3)
3. XL Fusion Engine (1-3)
4. Gyro (1-3)
5. Gyro (1-3)
6. Gyro (1-3)
1. Gyro (4-6)
2. XL Fusion Engine (4-6)
3. XL Fusion Engine (4-6)
4. XL Fusion Engine (4-6)
5. Medium Laser (4-6)
6. Medium Laser (4-6)

Left Torso (CASE)
1. XL Fusion Engine (1-3)
2. XL Fusion Engine (1-3)
3. XL Fusion Engine (1-3)
4. CASE (1-3)
5. Roll Again (1-3)
6. Roll Again (1-3)
1. Roll Again (4-6)
2. Roll Again (4-6)
3. Roll Again (4-6)
4. Roll Again (4-6)
5. Roll Again (4-6)
6. Roll Again (4-6)

Right Torso (CASE)
1. XL Fusion Engine (1-3)
2. XL Fusion Engine (1-3)
3. XL Fusion Engine (1-3)
4. CASE (1-3)
5. Roll Again (1-3)
6. Roll Again (1-3)
1. Roll Again (4-6)
2. Roll Again (4-6)
3. Roll Again (4-6)
4. Roll Again (4-6)
5. Roll Again (4-6)
6. Roll Again (4-6)

Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○



Damage Transfer Diagram

HEAT DATA

Double Heat Sinks: 10 (20)

Heat Level*	Effects	
30	Shutdown	○
28	Ammo Exp, avoid on 8+	○
26	Shutdown, avoid on 10+	○
25	-5 Movement Points	○
24	+4 Modifier to Fire	○
23	Ammo Exp, avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	○
19	Ammo Exp, avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	
14	Shutdown, avoid on 4+	
13	+2 Modifier to Fire	
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

PHYSICAL ATTACKS

Attack	To-Hit	Damage
Punch	+3	3
Kick	-2	14
Push	-1	—
Charge	+0*	7/Hex

*Modified by target piloting skill

PUNCH LOCATION TABLE

Die Roll (1D6)	LS	F/R	RS
1	LT	LA	RT
2	LT	LT	RT
3	CT	CT	CT
4	LA	RT	RA
5	LA	RA	RA
6	HD	HD	HD

© 2024 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

KICK LOCATION TABLE

Die Roll (1D6)	LS	F/R	RS
1-3	LL	RL	RL
4-6	LL	LL	RL

MOVEMENT RECORD

Turn #	1	2	3	4	5	6	7	8	9	10
Hex/Facing										
Move Mode										

Turn #	11	12	13	14	15	16	17	18	19	20
Hex/Facing										
Move Mode										

FACING AFTER FALL

Die Roll (1D6)	New Facing	Hit Location
1	Same Direction	Front
2	1 Hexside Right	Right Side
3	2 Hexsides Right	Right Side
4	Opposite Direction	Rear
5	2 Hexsides Left	Left Side
6	1 Hexside Left	Left Side

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Spider SDR-8M

Movement Points:
Walking: 8
Running: 12
Jumping: 8
Engine Type: 240 Fusion

Tonnage: 30
Tech Base: Inner Sphere
Rules Level: Standard
Role: Striker

Weapons & Equipment Inventory (hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
2	Medium Pulse Laser	CT	4	6 [P]	—	2	4	6

Total Heat (Dissipation): 8 (20)

Quirks: Easy to Maintain, Nimble Jumper, No Ejection System

BV: 820

WARRIOR DATA

Name: Sgt. Tilly MacPherson

Gunnery Skill: 3 **Piloting Skill:** 4

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM

Ferro-Fibrous



INTERNAL STRUCTURE DIAGRAM

Endo Steel



Heat Scale

Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

HIT LOCATION TABLE

Die Roll (2D6)	LS	F/R	RS
2*	LT(C)	CT(C)	RT(C)
3	LL	RA	RL
4	LA	RA	RA
5	LA	RL	RA
6	LL	RT	RL
7	LT	CT	RT
8	CT	LT	CT
9	RT	LL	LT
10	RA	LA	LA
11	RL	LA	LL
12	HD	HD	HD

*A result of 2 may inflict a critical hit

TO-HIT MODIFIERS

Attacker	
Stationary	+0
Walked	+1
Ran	+2
Jumped	+3
Prone	+2
Skidding	+1
Terrain	
Light Woods	+1/hex
Heavy Woods	+2/hex
Partial Cover	+1
Target	
Prone (adjacent hex)	-2
Prone (other hex)	+1
Immobile	-4
Skidding	-2
Moved 0-2 hexes	+0
Moved 3-4 hexes	+1
Moved 5-6 hexes	+2
Moved 7-9 hexes	+3
Moved 10-17 hexes	+4
Moved 18-24 hexes	+5
Moved 25+ hexes	+6
Jumped	+1
BattleArmor unit	+1
Secondary target (front)	+1
Secondary target (side/rear)	+2
Large support vehicle or grounded DropShip	-1
Damage	
Sensor hit	+2
Shoulder hit	+4
Arm Actuator	+1

PHYSICAL ATTACKS

Attack	To-Hit	Damage
Punch	+0	3
Kick	-2	6
Push	-1	—
Club	-1	6
Charge	+0*	3/Hex
DFA	+0*	9

*Modified by target piloting skill

CRITICAL TABLE

Left Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Ferro-Fibrous
6. Ferro-Fibrous

4-6
1. Ferro-Fibrous
2. Ferro-Fibrous
3. Ferro-Fibrous
4. Ferro-Fibrous
5. Ferro-Fibrous
6. Roll Again

Left Torso

1-3
1. Jump Jet
2. Jump Jet
3. Jump Jet
4. Jump Jet
5. Double Heat Sink
6. Double Heat Sink

4-6
1. Double Heat Sink
2. Endo Steel
3. Endo Steel
4. Endo Steel
5. Endo Steel
6. Endo Steel

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

Head

1. Life Support
2. Sensors
3. Cockpit
4. Endo Steel
5. Sensors
6. Life Support

Center Torso

1-3
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Medium Pulse Laser
6. Medium Pulse Laser

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Ferro-Fibrous
6. Ferro-Fibrous

4-6
1. Ferro-Fibrous
2. Ferro-Fibrous
3. Ferro-Fibrous
4. Ferro-Fibrous
5. Ferro-Fibrous
6. Roll Again

Right Torso

1-3
1. Jump Jet
2. Jump Jet
3. Jump Jet
4. Jump Jet
5. Endo Steel
6. Endo Steel

4-6
1. Endo Steel
2. Endo Steel
3. Endo Steel
4. Endo Steel
5. Endo Steel
6. Endo Steel

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

HEAT DATA

Double Heat Sinks: 10 (20)

Heat Level*	Effects	
30	Shutdown	○
28	Ammo Exp, avoid on 8+	○
26	Shutdown, avoid on 10+	○
25	-5 Movement Points	○
24	+4 Modifier to Fire	○
23	Ammo Exp, avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	○
19	Ammo Exp, avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	
14	Shutdown, avoid on 4+	
13	+2 Modifier to Fire	
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

PUNCH LOCATION TABLE

Die Roll (1D6)	LS	F/R	RS
1	LT	LA	RT
2	LT	LT	RT
3	CT	CT	CT
4	LA	RT	RA
5	LA	RA	RA
6	HD	HD	HD

© 2024 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

KICK LOCATION TABLE

Die Roll (1D6)	LS	F/R	RS
1-3	LL	RL	RL
4-6	LL	LL	RL

MOVEMENT RECORD

Turn #	1	2	3	4	5	6	7	8	9	10
Hex/Facing										
Move Mode										

Turn #	11	12	13	14	15	16	17	18	19	20
Hex/Facing										
Move Mode										

FACING AFTER FALL

Die Roll (1D6)	New Facing	Hit Location
1	Same Direction	Front
2	1 Hexside Right	Right Side
3	2 Hexsides Right	Right Side
4	Opposite Direction	Rear
5	2 Hexsides Left	Left Side
6	1 Hexside Left	Left Side

BATTLETECH™

AEROSPACE FIGHTER RECORD SHEET

EXTERNAL STORES/BOMBS

Key:
HE - High Explosive
LG - Laser Guided
C - Cluster
RL - Rocket Launcher

FIGHTER DATA

Type: Cheetah F-11

Thrust:		**Tonnage:**	25
SafeThrust:	12	**Tech Base:**	Inner Sphere
Maximum Thrust:	18	**Rules Level:**	Standard
Engine Type:	250 XL	**Role:**	Interceptor

Weapons & Equipment Inventory

Standard Scale (1-6) (7-12) (13-20) (21-25)

Qty	Type	Loc	Ht	SRV	MRV	LRV	ERV
1	Small Pulse Laser [P,AI]	NOS	2	3	—	—	—
1	Medium Pulse Laser [P]	LWG	4	6	—	—	—
1	Medium Pulse Laser [P]	RWG	4	6	—	—	—

Total Heat (Dissipation): 16 (10)

Fuel Points: 480

BV: 619

ARMOR DIAGRAM

Ferro-Aluminum



TO-HIT MODIFIERS

Range	
Short	+0
Medium	+2
Long	+4
Extreme	+6
Target/Intervening conditions	
Attack against aft	+0
Attack against side	+2
Attack against nose	+1
Attacker flying at altitude 1 attacking air target	+2
Secondary target in fwd arc	+1
Secondary target in other arc	+2
Target is conducting air-to-ground attack	-3
Target is at zero velocity	-2
Firing through atmospheric hex on high altitude map	+2/hex
Firing into or out of screen hex	+2
Target is evading	variable
Attacker Conditions	
Exceeded safe thrust this turn	+2
Out of control	+2
Pilot damage	+2
FCS damage	+2/hit
Sensor damage	+1/hit
Sensors destroyed	+5
Attacker evading	Prohibited

NOTES

CONTROL ROLL TABLE

Situation	
Movement	
Roll more than once in a turn	
Use thrust > current SI	
Velocity > 2x safe thrust in atmosphere	
Stalling	
Descending 3+ altitudes in a turn	
Damage	
Avionics critical	
Control critical	
Damaged in atmosphere	
Modifiers	
Pilot damage	+1/hit
Avionics damage	+1/hit
Life support damage	+1/hit
Above safe thrust	+1
Atmospheric operations	+1
Per 20 points of damage	+1
Velocity above 2x safe thrust	+1/point

CRITICAL DAMAGE

Avionics	+1	+2	+5	Engine	2	4	D
FCS	+2	+4	D	Landing Gear	+5		
Sensors	+1	+2	+5	Life Support	+2		

PILOT DATA

Name: Lt. Joe Stryker

Gunnery Skill: 4 **Piloting Skill:** 4

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead
Modifier	+1	+2	+3	+4	+5	

HEAT DATA

Heat Sinks: 10

Heat Level*	Effects	
30	Shutdown	○
28	Ammo Exp avoid on 8+	○
27	Pilot damage, avoid on 9+	○
26	Shutdown, avoid on 10+	○
25	Random Movement, avoid on 10+	○
24	+4 Modifier to Fire	○
23	Ammo Exp avoid on 6+	○
22	Shutdown, avoid on 8+	○
21	Pilot damage, avoid on 6+	○
20	Random Movement, avoid on 8+	○
19	Ammo Exp avoid on 4+	
18	Shutdown, avoid on 6+	
17	+3 Modifier to Fire	
15	Random Movement, avoid on 7+	
14	Shutdown, avoid on 4+	
13	+2 Modifier to Fire	
10	Random Movement, avoid on 6+	
8	+1 Modifier to Fire	
5	Random Movement, avoid on 5+	

Heat Scale

Overflow
30*
29
28*
27*
26*
25*
24*
23*
22*
21*
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

VELOCITY RECORD

Turn #	1	2	3	4	5	6	7	8	9	10
Thrust										
Velocity										
Effective Velocity										
Altitude										

Turn #	11	12	13	14	15	16	17	18	19	20
Thrust										
Velocity										
Effective Velocity										
Altitude										

STRAIGHT MOVEMENT

Velocity	Low Altitude Map	Ground Map
1	1	8
2	1	12
3	1	16
4	1	20
5	1	24
6	1	28
7	2	32
8	2	36
9	2	40
10	3	44
11	3	48
12	3	52
13-15	4	-
16+	5	-

© 2024 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

HIT LOCATION TABLE

Die Roll (2D6)	Nose	Aft	Side	Above/Below
2	Nose/Weapon	Aft/Weapon	Nose/Weapon	Nose/Weapon
3	Nose/Sensor	Aft/Heat Sink	Wing/Gear	Wing/Gear
4	Right Wing/Heat Sink	Right Wing/Fuel	Nose/Sensor	Nose/Sensor
5	Right Wing/Weapon	Right Wing/Weapon	Nose/Crew	Nose/Crew
6	Nose/Avionics	Aft/Engine	Wing/Weapon	Wing/Weapon
7	Nose/Control	Aft/Control	Wing/Avionics	Nose/Avionics
8	Nose/FCS	Aft/Engine	Wing/Bomb	Wing/Weapon
9	Left Wing/Weapon	Left Wing/Weapon	Aft/Control	Aft/Control
10	Left Wing/Heat Sink	Left Wing/Fuel	Aft/Engine	Aft/Engine
11	Nose/Gear	Aft/Heat Sink	Wing/Gear	Wing/Gear
12	Nose/Weapon	Aft/Weapon	Aft/Weapon	Aft/Weapon

AIR-TO-GROUND ATTACKS

Attack Type	Modifier	Altitude
Strafing	+4	1-3
Striking	+2	2-5
Dive bombing	+2	3-5
Altitude bombing	+2 +altitude	1+

RANDOM MOVEMENT TABLE

1D6 Result	Effect
1	Forward 1 hex, left 2 hexsides
2	Forward 1 hex, left 1 hexside
3-4	Forward 1 hex
5	Forward 1 hex, right 1 hexside
6	Forward 1 hex, right 2 hexsides

CHANGING FACING COST

Velocity	Thrust points	Velocity	Thrust points
0-2	1	10	5
3-5	2	11	6
6-7	3	12	+1/point
8-9	4		