

BATTLEMECH RECORD SHEET

Type: Black Knight BL-12-KNT	
Movement Points:	Tonnage: 75
Walking: 4	Tech Base: Inner Sphere
Running: 6	Rules Level: Standard
Jumping: 0	Role: Brawler
Engine Type: 300 Fusion	

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead

[illegible]

BATTLETECH™

BATTLEMECH RECORD SHEET

MECH DATA

Type: Marauder II MAD-4A
Movement Points: 3
Walking: 3
Running: 5
Jumping: 3
Engine Type: 300 Fusion
Tonnage: 100
Tech Base: Inner Sphere
Rules Level: Introductory
Role: Juggernaut

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Ln
1	PPC	LA	10	10 [DE]	3	6	12	18
1	Medium Laser	LA	3	5 [DE]	—	3	6	9
1	PPC	RA	10	10 [DE]	3	6	12	18
1	Medium Laser	RA	3	5 [DE]	—	3	6	9
1	Large Laser	RT	8	8 [DE]	—	5	10	15


Total Heat (Dissipation): 34 (29)

Quirks: Command Mek, Hyper-Extending Actuators, Narrow/Low Profile

BV: 2,488


WARRIOR DATA

Name: Sg. Eylache Blakely
Gunnery Skill: 3 Piloting Skill: 5
Hits Taken
Consciousness #



ARMOR DIAGRAM

Standard Armor



HIT LOCATION TABLE

Die Roll (2D6)	LS	F/R	RS
2*	LT(C)	CT(C)	RT(C)
3	LL	RA	RL
4	LA	RA	RA
5	LA	RL	RA
6	LL	RT	RL
7	LT	CT	RT
8	CT	LT	CT
9	RT	LL	LT
10	RA	LA	LA
11	RL	LA	LL
12	HD	HD	HD

*A result of 2 may inflict a critical hit

TO-HIT MODIFIERS


Attacker	
Stationary	+0
Walked	+1
Ran	+2
Jumped	+3
Prone	+2
Skidding	+1
Terrain	
Light Woods	+1/hex
Heavy Woods	+2/hex
Partial Cover	+1
Target	
Prone (adjacent hex)	-2
Prone (other hex)	+1
Immobile	-4
Skidding	-2
Moved 0-2 hexes	+0
Moved 3-4 hexes	+1
Moved 5-6 hexes	+2
Moved 7-9 hexes	+3
Moved 10-17 hexes	+4
Moved 18-24 hexes	+5
Moved 25+ hexes	+6
Jumped	+1
BattleArmor unit	+1
Secondary target (front)	+1
Secondary target (side/rear)	+2
Large support vehicle or grounded DropShip	-1
Damage	
Sensor hit	+2
Shoulder hit	+4
Arm Actuator	+1

CRITICAL TABLE

Left Arm	Head	Right Arm
1. Shoulder 2. Upper Arm Actuator 3. Lower Arm Actuator 1-3 4. PPC 5. PPC 6. PPC	1. Life Support 2. Sensors 3. Cockpit 4. Roll Again 5. Sensors 6. Life Support	1. Shoulder 2. Upper Arm Actuator 3. Lower Arm Actuator 1-3 4. PPC 5. PPC 6. PPC
Center Torso	Left Torso	Right Torso
1. Fusion Engine 2. Fusion Engine 3. Fusion Engine 1-3 4. Gyro 5. Gyro 6. Gyro	1. Medium Laser 2. Roll Again 3. Roll Again 4. Roll Again 5. Roll Again 6. Roll Again	1. Medium Laser 2. Roll Again 3. Roll Again 4. Roll Again 5. Roll Again 6. Roll Again
Left Leg	Right Leg	Engine Hits
1. Heat Sink 2. Heat Sink 3. Heat Sink 1-3 4. Heat Sink 5. Heat Sink 6. Heat Sink	1. Heat Sink 2. Heat Sink 3. Heat Sink 1-3 4. Heat Sink 5. Heat Sink 6. Heat Sink	Gyro Hits Sensor Hits Life Support
Left Torso	Right Torso	Right Leg
1. Heat Sink 2. Heat Sink 3. Heat Sink 1-3 4. Heat Sink 5. Heat Sink 6. Heat Sink	1. Heat Sink 2. Heat Sink 3. Heat Sink 1-3 4. Heat Sink 5. Heat Sink 6. Heat Sink	1. Hip 2. Upper Leg Actuator 3. Lower Leg Actuator 4. Foot Actuator 5. Heat Sink 6. Jump Jet

INTERNAL STRUCTURE DIAGRAM

Standard Structure



HEAT DATA

Heat	Effects	Heat Sinks: 29
Level*		
30	Shutdown	
28	Ammo Exp, avoid on 8+	
26	Shutdown, avoid on 10+	
25	-5 Movement Points	
24	+4 Modifier to Fire	
23	Ammo Exp, avoid on 6+	
22	Shutdown, avoid on 8+	
20	-4 Movement Points	
19	Ammo Exp, avoid on 4+	
18	Shutdown, avoid on 6+	
17	+3 Modifier to Fire	
15	-3 Movement Points	
14	Shutdown, avoid on 4+	
13	+2 Modifier to Fire	
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

Heat Scale
Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

PHYSICAL ATTACKS

Attack	To-Hit	Damage
Punch	+1	10
Kick	-2	20
Push	-1	—
Charge	+0*	10/Hex
DFA	+0*	30

*Modified by target piloting skill

PUNCH LOCATION TABLE

Die Roll (1D6)	LS	F/R	RS
1	LT	LA	RT
2	LT	LT	RT
3	CT	CT	CT
4	LA	RT	RA
5	LA	RA	RA
6	HD	HD	HD

KICK LOCATION TABLE

Die Roll (1D6)	LS	F/R	RS
1-3	LL	RL	RL
4-6	LL	LL	LL

FACING AFTER FALL

Die Roll (1D6)	New Facing	Hit Location
1	Same Direction	Front
2	1 Hexside Right	Right Side
3	2 Hexsides Right	Right Side
4	Opposite Direction	Rear
5	2 Hexsides Left	Left Side
6	1 Hexside Left	Left Side

MOVEMENT RECORD

Turn #	1	2	3	4	5	6	7	8	9	10
Hex/Facing										
Move Mode										

Turn #	11	12	13	14	15	16	17	18	19	20
Hex/Facing										
Move Mode										

BATTLETECH™

BATTLEMECH RECORD SHEET

MECH DATA

Type: Hunchback HBK-4P

Movement Points: 50

Tonnage: 50

Walking: 4

Tech Base: Inner Sphere

Running: 6

Rules Level: Introductory

Jumping: 0

Role: Juggernaut

Engine Type: 200 Fusion

Weapons & Equipment Inventory

(hexes)

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Ln
1	Medium Laser	LA	3	5 [DE]	—	3	6	9
1	Medium Laser	RA	3	5 [DE]	—	3	6	9
6	Medium Laser	RT	3	5 [DE]	—	3	6	9
1	Small Laser	HD	1	3 [DE]	—	1	2	3

Total Heat (Dissipation): 25 (23)

Quirks: Battle Fists (LA), Battle Fists (RA)

BV: 1,138

WARRIOR DATA

Name: Sg. Lopes Wirtz



Gunnery Skill: 4

Piloting Skill: 5

Hits Taken

1	2	3	4	5	6
3	5	7	10	11	Dead

Consciousness #



HIT LOCATION TABLE

Die Roll (2D6)	LS	F/R	RS
2*	LT(C)	CT(C)	RT(C)
3	LL	RA	RL
4	LA	RA	RA
5	LA	RL	RA
6	LL	RT	RL
7	LT	CT	RT
8	CT	LT	CT
9	RT	LL	LT
10	RA	LA	LA
11	RL	LA	LL
12	HD	HD	HD

*A result of 2 may inflict a critical hit

TO-HIT MODIFIERS

Attacker	
Stationary	+0
Walked	+1
Ran	+2
Prone	+2
Skidding	+1
Terrain	
Light Woods	+1/hex
Heavy Woods	+2/hex
Partial Cover	+1
Target	
Prone (adjacent hex)	-2
Prone (other hex)	+1
Immobile	-4
Skidding	-2
Moved 0-2 hexes	+0
Moved 3-4 hexes	+1
Moved 5-6 hexes	+2
Moved 7-9 hexes	+3
Moved 10-17 hexes	+4
Moved 18-24 hexes	+5
Moved 25+ hexes	+6
Jumped	+1
BattleArmor unit	+1
Secondary target (front)	+1
Secondary target (side/rear)	+2
Large support vehicle or grounded DropShip	-1
Damage	
Sensor hit	+2
Shoulder hit	+4
Arm Actuator	+1

CRITICAL TABLE

Left Arm

1-3

1. Shoulder

2. Upper Arm Actuator

3. Lower Arm Actuator

4. Hand Actuator

5. Medium Laser

6. Roll Again

Center Torso

1-3

1. Life Support

2. Sensors

3. Cockpit

4. Small Laser

5. Sensors

6. Life Support

Right Arm

1-3

1. Shoulder

2. Upper Arm Actuator

3. Lower Arm Actuator

4. Hand Actuator

5. Medium Laser

6. Roll Again

Left Torso

1-3

1. Heat Sink

2. Heat Sink

3. Heat Sink

4. Heat Sink

5. Heat Sink

6. Heat Sink

Right Torso

1-3

1. Heat Sink

2. Heat Sink

3. Medium Laser

4. Medium Laser

5. Medium Laser

6. Medium Laser

Left Leg

1-3

1. Heat Sink

2. Roll Again

3. Roll Again

4. Roll Again

5. Roll Again

6. Roll Again

Right Leg

1-3

1. Heat Sink

2. Roll Again

3. Roll Again

4. Roll Again

5. Roll Again

6. Roll Again

Engine Hits

Gyro Hits

Sensor Hits

Life Support

Damage Transfer Diagram

INTERNAL STRUCTURE DIAGRAM

Standard Structure

HEAT DATA

Heat Sinks: 23

Heat Level*	Effects
30	Shutdown
28	Ammo Exp, avoid on 8+
26	Shutdown, avoid on 10+
25	-5 Movement Points
24	+4 Modifier to Fire
23	Ammo Exp, avoid on 6+
22	Shutdown, avoid on 8+
20	-4 Movement Points
19	Ammo Exp, avoid on 4+
18	Shutdown, avoid on 6+
17	+3 Modifier to Fire
15	-3 Movement Points
14	Shutdown, avoid on 4+
13	+2 Modifier to Fire
10	-2 Movement Points
8	+1 Modifier to Fire
5	-1 Movement Points

© 2024 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

MOVEMENT RECORD

Turn #	1	2	3	4	5	6	7	8	9	10
Hex/Facing										
Move Mode										

Turn #	11	12	13	14	15	16	17	18	19	20
Hex/Facing										
Move Mode										

PHYSICAL ATTACKS

Attack	To-Hit	Damage
Punch	+0	5
Kick	-2	10
Push	-1	—
Club	-1	10
Charge	+0*	5/Hex

*Modified by target piloting skill

PUNCH LOCATION TABLE

Die Roll (1D6)	LS	F/R	RS
1	LT	LA	RT
2	LT	LT	RT
3	CT	CT	CT
4	LA	RT	RA
5	LA	RA	RA
6	HD	HD	HD

KICK LOCATION TABLE

Die Roll (1D6)	LS	F/R	RS
1-3	LL	RL	RL
4-6	LL	LL	RL

FACING AFTER FALL

Die Roll (1D6)	New Facing	Hit Location
1	Same Direction	Front
2	1 Hexside Right	Right Side
3	2 Hexsides Right	Right Side
4	Opposite Direction	Rear
5	2 Hexsides Left	Left Side
6	1 Hexside Left	Left Side

BATTLEMECH RECORD SHEET

[illegible]

BATTLETECH™

BATTLEMECH RECORD SHEET

MECH DATA

Type: Grasshopper GHR-5N
Movement Points: 70
Walking: 4
Running: 6
Jumping: 4
Engine Type: 280 Fusion
Tonnage: 70
Tech Base: Inner Sphere
Rules Level: Introductory
Role: Skirmisher

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Ln
1	Medium Laser	LA	3	5 [DE]	—	3	6	9
1	Medium Laser	RA	3	5 [DE]	—	3	6	9
1	Medium Laser	LT	3	5 [DE]	—	3	6	9
1	PPC	RT	10	10 [DE]	3	6	12	18
1	Medium Laser	RT	3	5 [DE]	—	3	6	9
1	Medium Laser	HD	3	5 [DE]	—	3	6	9

Total Heat (Dissipation): 25 (22)


Quirks: Rugged (1 Point)

BV: 1,511

WARRIOR DATA


Name: Sg. Michelle Grimshaw
Gunners Skill: 4
Piloting Skill: 5

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM

Standard Armor



HIT LOCATION TABLE

Die Roll (2D6)	LS	F/R	RS
2*	LT(C)	CT(C)	RT(C)
3	LL	RA	RL
4	LA	RA	RA
5	LA	RL	RA
6	LL	RT	RL
7	LT	CT	RT
8	CT	LT	CT
9	RT	LL	LT
10	RA	LA	LA
11	RL	LA	LL
12	HD	HD	HD


*A result of 2 may inflict a critical hit

TO-HIT MODIFIERS

Attacker	
Stationary	+0
Walked	+1
Ran	+2
Jumped	+3
Prone	+2
Skidding	+1
Terrain	
Light Woods	+1/hex
Heavy Woods	+2/hex
Partial Cover	+1
Target	
Prone (adjacent hex)	-2
Prone (other hex)	+1
Immobile	-4
Skidding	-2
Moved 0-2 hexes	+0
Moved 3-4 hexes	+1
Moved 5-6 hexes	+2
Moved 7-9 hexes	+3
Moved 10-17 hexes	+4
Moved 18-24 hexes	+5
Moved 25+ hexes	+6
Jumped	+1
BattleArmor unit	+1
Secondary target (front)	+1
Secondary target (side/rear)	+2
Large support vehicle or grounded DropShip	-1
Damage	
Sensor hit	+2
Shoulder hit	+4
Arm Actuator	+1

INTERNAL STRUCTURE DIAGRAM

Standard Structure



Heat Scale

Overflow

30*

29

28*

27

26*

25*

24*

23*

22*

21

20*

19*

18*

17*

16

15*

14*

13*

12

11

10*

9

8*

7

6

5*

4

3

2

1

0

HEAT DATA

Heat Level*	Effects	Heat Sinks: 22
30	Shutdown	○○○
28	Ammo Exp, avoid on 8+	○○○
26	Shutdown, avoid on 10+	○○○
25	-5 Movement Points	○○○
24	+4 Modifier to Fire	○○○
23	Ammo Exp, avoid on 6+	○○○
22	Shutdown, avoid on 8+	○○○
20	-4 Movement Points	○○○
19	Ammo Exp, avoid on 4+	○○○
18	Shutdown, avoid on 6+	○○○
17	+3 Modifier to Fire	○○○
15	-3 Movement Points	○○○
14	Shutdown, avoid on 4+	○○○
13	+2 Modifier to Fire	○○○
10	-2 Movement Points	○○○
8	+1 Modifier to Fire	○○○
5	-1 Movement Points	○○○

CRITICAL TABLE

- Left Arm**
- Shoulder
 - Upper Arm Actuator
 - Lower Arm Actuator
 - Hand Actuator
 - Heat Sink
 - Medium Laser

- Center Torso**
- Fusion Engine
 - Fusion Engine
 - Fusion Engine
 - Gyro
 - Gyro
 - Gyro

- Left Torso**
- Heat Sink
 - Heat Sink
 - Heat Sink
 - Heat Sink
 - Heat Sink
 - Medium Laser

- Right Torso**
- Heat Sink
 - Heat Sink
 - PPC
 - PPC
 - PPC
 - Medium Laser

- Left Leg**
- Hip
 - Upper Leg Actuator
 - Lower Leg Actuator
 - Foot Actuator
 - Jump Jet
 - Jump Jet


- Right Leg**
- Hip
 - Upper Leg Actuator
 - Lower Leg Actuator
 - Foot Actuator
 - Jump Jet
 - Jump Jet

- Head**
- Life Support
 - Sensors
 - Cockpit
 - Medium Laser
 - Sensors
 - Life Support

- Right Arm**
- Shoulder
 - Upper Arm Actuator
 - Lower Arm Actuator
 - Hand Actuator
 - Heat Sink
 - Medium Laser

- Center Torso**
- Fusion Engine
 - Fusion Engine
 - Fusion Engine
 - Gyro
 - Gyro
 - Gyro

- Engine Hits** ○○○○
Gyro Hits ○○○○
Sensor Hits ○○○○
Life Support ○



Damage Transfer Diagram

© 2024 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

MOVEMENT RECORD

Turn #	1	2	3	4	5	6	7	8	9	10
Hex/Facing										
Move Mode										

Turn #	11	12	13	14	15	16	17	18	19	20
Hex/Facing										
Move Mode										

KICK LOCATION TABLE

Die Roll (1D6)	LS	F/R	RS
1-3	LL	RL	RL
4-6	LL	LL	RL

FACING AFTER FALL

Die Roll (1D6)	New Facing	Hit Location
1	Same Direction	Front
2	1 Hexside Right	Right Side
3	2 Hexsides Right	Right Side
4	Opposite Direction	Rear
5	2 Hexsides Left	Left Side
6	1 Hexside Left	Left Side

BATTLEMECH RECORD SHEET

BATTLEMECH RECORD SHEET

BATTLEMECH RECORD SHEET

[illegible]

BATTLETECH™

BATTLEMECH RECORD SHEET

MECH DATA

Type: Mongoose MON-66

Movement Points:

Walking: 8

Running: 12

Jumping: 0

Engine Type: 200 Fusion

Tonnage: 25

Tech Base: Inner Sphere

Rules Level: Standard

Role: Scout

WARRIOR DATA

Name: Sg. Sharon Zirkelbach

Gunnery Skill: 4

Piloting Skill: 5

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Ln
1	Medium Laser	LA	3	5 [DE]	—	3	6	9
1	Medium Laser	RA	3	5 [DE]	—	3	6	9
1	Active Probe (Beagle)	LT	—	[E]	—	—	—	4
1	Medium Laser	CT	3	5 [DE]	—	3	6	9
1	Small Laser	HD	1	3 [DE]	—	1	2	3

Total Heat (Dissipation): 10 (10)

Quirks: Command Mek, Easy to Pilot

BV: 758

CRITICAL TABLE

Left Arm

- Shoulder
- Upper Arm Actuator
- Lower Arm Actuator
- Hand Actuator
- Medium Laser
- Ferro-Fibrous

1-3

- Ferro-Fibrous
- Ferro-Fibrous
- Ferro-Fibrous
- Ferro-Fibrous
- Ferro-Fibrous
- Ferro-Fibrous

4-6

Left Torso

- Active Probe (Beagle)
- Active Probe (Beagle)
- Endo Steel
- Endo Steel
- Endo Steel
- Endo Steel

1-3

- Endo Steel
- Endo Steel
- Endo Steel
- Roll Again
- Roll Again
- Roll Again

4-6

Left Leg

- Hip
- Upper Leg Actuator
- Lower Leg Actuator
- Foot Actuator
- Heat Sink
- Roll Again

Head

- Life Support
- Sensors
- Cockpit
- Small Laser
- Sensors
- Life Support

Center Torso

- Fusion Engine
- Fusion Engine
- Fusion Engine
- Gyro
- Gyro
- Gyro

1-3

- Gyro
- Fusion Engine
- Fusion Engine
- Fusion Engine
- Medium Laser
- Roll Again

4-6

Engine Hits ○○○○
Gyro Hits ○○○○
Sensor Hits ○○○○
Life Support ○



Damage Transfer Diagram

Right Arm

- Shoulder
- Upper Arm Actuator
- Lower Arm Actuator
- Hand Actuator
- Medium Laser
- Ferro-Fibrous

1-3

- Ferro-Fibrous
- Ferro-Fibrous
- Ferro-Fibrous
- Ferro-Fibrous
- Ferro-Fibrous
- Ferro-Fibrous

4-6

Right Torso

- Endo Steel
- Endo Steel
- Endo Steel
- Endo Steel
- Endo Steel
- Endo Steel

1-3

- Endo Steel
- Roll Again
- Roll Again
- Roll Again
- Roll Again
- Roll Again


4-6

Right Leg

- Hip
- Upper Leg Actuator
- Lower Leg Actuator
- Foot Actuator
- Heat Sink
- Roll Again

ARMOR DIAGRAM

Ferro-Fibrous



HIT LOCATION TABLE

Die Roll (2D6)	LS	F/R	RS
2*	LT(C)	CT(C)	RT(C)
3	LL	RA	RL
4	LA	RA	RA
5	LA	RL	RA
6	LL	RT	RL
7	LT	CT	RT
8	CT	LT	CT
9	RT	LL	LT
10	RA	LA	LA
11	RL	LA	LL
12	HD	HD	HD


*A result of 2 may inflict a critical hit

TO-HIT MODIFIERS

Attacker	
Stationary	+0
Walked	+1
Ran	+2
Prone	+2
Skidding	+1
Terrain	
Light Woods	+1/hex
Heavy Woods	+2/hex
Partial Cover	+1
Target	
Prone (adjacent hex)	-2
Prone (other hex)	+1
Immobilized	-4
Skidding	-2
Moved 0-2 hexes	+0
Moved 3-4 hexes	+1
Moved 5-6 hexes	+2
Moved 7-9 hexes	+3
Moved 10-17 hexes	+4
Moved 18-24 hexes	+5
Moved 25+ hexes	+6
Jumped	+1
BattleArmor unit	+1
Secondary target (front)	+1
Secondary target (side/rear)	+2
Large support vehicle or grounded DropShip	-1
Damage	
Sensor hit	+2
Shoulder hit	+4
Arm Actuator	+1

INTERNAL STRUCTURE DIAGRAM

Endo Steel



Heat Scale

Overflow

30*

29

28*

27

26*

25*

24*

23*

22*

21

20*

19*

18*

17*

16

15*

14*

13*

12

11

10*

9

8*

7

6

5*

4

3

2

1

0

HEAT DATA

Heat Level*	Effects	Heat Sinks: 10
30	Shutdown	○
28	Ammo Exp, avoid on 8+	○
26	Shutdown, avoid on 10+	○
25	-5 Movement Points	○
24	+4 Modifier to Fire	○
23	Ammo Exp, avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	○
19	Ammo Exp, avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	○
8	+1 Modifier to Fire	○
5	-1 Movement Points	○

© 2024 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

MOVEMENT RECORD

Turn #	1	2	3	4	5	6	7	8	9	10
Hex/Facing										
Move Mode										

Turn #	11	12	13	14	15	16	17	18	19	20
Hex/Facing										
Move Mode										

KICK LOCATION TABLE

Die Roll (1D6)	LS	F/R	RS
1-3	LL	RL	RL
4-6	LL	LL	RL

FACING AFTER FALL

Die Roll (1D6)	New Facing	Hit Location
1	Same Direction	Front
2	1 Hexside Right	Right Side
3	2 Hexsides Right	Right Side
4	Opposite Direction	Rear
5	2 Hexsides Left	Left Side
6	1 Hexside Left	Left Side

BATTLETECH™

BATTLEMECH RECORD SHEET

MECH DATA

Type: Javelin JVN-10F 'Fire Javelin'
Movement Points: 30
Walking: 6
Running: 9
Jumping: 6
Engine Type: 180 Fusion
Tonnage: 30
Tech Base: Inner Sphere
Rules Level: Introductory
Role: Striker

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Ln
2	Medium Laser	LT	3	5 [DE]	—	3	6	9
2	Medium Laser	RT	3	5 [DE]	—	3	6	9

Total Heat (Dissipation): 12 (12)

Quirks: Unbalanced

BV: 835


WARRIOR DATA

Name: Sg. Pat Von Glahn
Gunnery Skill: 4
Piloting Skill: 5
Hits Taken
Consciousness #



ARMOR DIAGRAM

Standard Armor



HIT LOCATION TABLE

Die Roll (2D6)	LS	F/R	RS
2*	LT(C)	CT(C)	RT(C)
3	LL	RA	RL
4	LA	RA	RA
5	LA	RL	RA
6	LL	RT	RL
7	LT	CT	RT
8	CT	LT	CT
9	RT	LL	LT
10	RA	LA	LA
11	RL	LA	LL
12	HD	HD	HD

*A result of 2 may inflict a critical hit


TO-HIT MODIFIERS

Attacker	
Stationary	+0
Walked	+1
Ran	+2
Jumped	+3
Prone	+2
Skidding	+1
Terrain	
Light Woods	+1/hex
Heavy Woods	+2/hex
Partial Cover	+1
Target	
Prone (adjacent hex)	-2
Prone (other hex)	+1
Immobile	-4
Skidding	-2
Moved 0-2 hexes	+0
Moved 3-4 hexes	+1
Moved 5-6 hexes	+2
Moved 7-9 hexes	+3
Moved 10-17 hexes	+4
Moved 18-24 hexes	+5
Moved 25+ hexes	+6
Jumped	+1
BattleArmor unit	+1
Secondary target (front)	+1
Secondary target (side/rear)	+2
Large support vehicle or grounded DropShip	-1
Damage	
Sensor hit	+2
Shoulder hit	+4
Arm Actuator	+1

CRITICAL TABLE

Left Arm		Right Arm	
1-3	1. Shoulder 2. Upper Arm Actuator 3. Lower Arm Actuator 4. Hand Actuator 5. Roll Again 6. Roll Again	1-3	1. Shoulder 2. Upper Arm Actuator 3. Lower Arm Actuator 4. Hand Actuator 5. Roll Again 6. Roll Again
Center Torso		Right Torso	
4-6	1. Roll Again 2. Roll Again 3. Roll Again 4. Roll Again 5. Roll Again 6. Roll Again	4-6	1. Roll Again 2. Roll Again 3. Roll Again 4. Roll Again 5. Roll Again 6. Roll Again
Left Torso		Right Torso	
1-3	1. Heat Sink 2. Heat Sink 3. Medium Laser 4. Medium Laser 5. Roll Again 6. Roll Again	1-3	1. Heat Sink 2. Heat Sink 3. Medium Laser 4. Medium Laser 5. Roll Again 6. Roll Again
4-6	1. Roll Again 2. Roll Again 3. Roll Again 4. Roll Again 5. Roll Again 6. Roll Again	4-6	1. Roll Again 2. Roll Again 3. Roll Again 4. Roll Again 5. Roll Again 6. Roll Again
Engine Hits ○○○○ Gyro Hits ○○○ Sensor Hits ○○○ Life Support ○ 			


Engine Hits
Gyro Hits
Sensor Hits
Life Support



Damage Transfer Diagram

INTERNAL STRUCTURE DIAGRAM

Standard Structure



Heat Scale

30*	29	28*	27	26*	25*	24*	23*	22*	21	20*	19*	18*	17*	16	15*	14*	13*	12	11	10*	9	8*	7	6	5*	4	3	2	1	0
-----	----	-----	----	-----	-----	-----	-----	-----	----	-----	-----	-----	-----	----	-----	-----	-----	----	----	-----	---	----	---	---	----	---	---	---	---	---

HEAT DATA

Heat	Effects	Heat Sinks: 12
Level*		
30	Shutdown	
28	Ammo Exp, avoid on 8+	
26	Shutdown, avoid on 10+	
25	-5 Movement Points	
24	+4 Modifier to Fire	
23	Ammo Exp, avoid on 6+	
22	Shutdown, avoid on 8+	
20	-4 Movement Points	
19	Ammo Exp, avoid on 4+	
18	Shutdown, avoid on 6+	
17	+3 Modifier to Fire	
15	-3 Movement Points	
14	Shutdown, avoid on 4+	
13	+2 Modifier to Fire	
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

© 2024 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

MOVEMENT RECORD

Turn #	1	2	3	4	5	6	7	8	9	10
Hex/Facing										
Move Mode										

Turn #	11	12	13	14	15	16	17	18	19	20
Hex/Facing										
Move Mode										

KICK LOCATION TABLE

Die Roll (1D6)	LS	F/R	RS
1-3	LL	RL	RL
4-6	LL	LL	RL

FACING AFTER FALL

Die Roll (1D6)	New Facing	Hit Location
1	Same Direction	Front
2	1 Hexside Right	Right Side
3	2 Hexsides Right	Right Side
4	Opposite Direction	Rear
5	2 Hexsides Left	Left Side
6	1 Hexside Left	Left Side

AEROSPACE FIGHTER RECORD SHEET

FIGHTER DATA

Type: Sparrowhawk SPR-H5

Thrust: 10 Tonnage: 30
 SafeThrust: 10 Tech Base: Inner Sphere
 Maximum Thrust: 15 Rules Level: Standard
 Engine Type: 240 Fusion Role: Interceptor

Weapons & Equipment Inventory

Standard Scale (1-6) (7-12) (13-20) (21-25)

Qty	Type	Loc	Ht	SRV	MRV	LRV	ERV
2	Medium Laser [DE]	NOS	3	5	—	—	—
1	Small Laser [DE]	LWG	1	3	—	—	—
1	Small Laser [DE]	RWG	1	3	—	—	—

Total Heat (Dissipation): 12 (10)

Fuel Points: 400

BV: 701

NOTES

CRITICAL DAMAGE

Avionics	+1	+2	+5	Engine	2	4	D
FCS	+2	+4	D	Landing Gear			+5
Sensors	+1	+2	+5	Life Support			+2


VELOCITY RECORD

Turn #	1	2	3	4	5	6	7	8	9	10
Thrust										
Velocity										
Effective Velocity										
Altitude										

Turn #	11	12	13	14	15	16	17	18	19	20
Thrust										
Velocity										
Effective Velocity										
Altitude										

ARMOR DIAGRAM

Standard Armor



Advanced Movement Compass



PILOT DATA

Name: Lt. Martina Ackermann

Gunnery Skill: 4 Piloting Skill: 4

His Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead
Modifier	+1	+2	+3	+4	+5	

HEAT DATA

Heat Level*	Effects	Heat Sinks:
30	Shutdown	10
28	Ammo Exp avoid on 8+	
27	Pilot damage, avoid on 9+	
26	Shutdown, avoid on 10+	
25	Random Movement, avoid on 10+	
24	+4 Modifier to Fire	
23	Ammo Exp avoid on 6+	
22	Shutdown, avoid on 8+	
21	Pilot damage, avoid on 6+	
20	Random Movement, avoid on 8+	
19	Ammo Exp avoid on 4+	
18	Shutdown, avoid on 6+	
17	+3 Modifier to Fire	
15	Random Movement, avoid on 7+	
14	Shutdown, avoid on 4+	
13	+2 Modifier to Fire	
10	Random Movement, avoid on 6+	
8	+1 Modifier to Fire	
5	Random Movement, avoid on 5+	

EXTERNAL STORES/BOMBS



Key:
 HE - High Explosive
 LG - Laser Guided
 C - Cluster
 RL - Rocket Launcher

TO-HIT MODIFIERS

Range	
Short	+0
Medium	+2
Long	+4
Extreme	+6
Target/Intervening conditions	
Attack against aft	+0
Attack against side	+2
Attack against nose	+1
Attacker flying at altitude 1 attacking air target	+2
Secondary target in fwd arc	+1
Secondary target in other arc	+2
Target is conducting air-to-ground attack	-3
Target is at zero velocity	-2
Firing through atmospheric hex on high altitude map	+2/hex
Firing into or out of screen hex	+2
Target is evading	variable
Attacker Conditions	
Exceeded safe thrust this turn	+2
Out of control	+2
Pilot damage	+2
FCS damage	+2/hit
Sensor damage	+1/hit
Sensors destroyed	+5
Attacker evading	Prohibited

CONTROL ROLL TABLE

Situation	
Movement	
Roll more than once in a turn	
Use thrust > current SI	
Velocity > 2x safe thrust in atmosphere	
Stalling	
Descending 3+ altitudes in a turn	
Damage	
Avionics critical	
Control critical	
Damaged in atmosphere	
Modifiers	
Pilot damage	+1/hit
Avionics damage	+1/hit
Life support damage	+1/hit
Above safe thrust	+1
Atmospheric operations	+1
Per 20 points of damage	+1
Velocity above 2x safe thrust	+1/point

STRAIGHT MOVEMENT

Velocity	Low Altitude Map	Ground Map
1	1	8
2	1	12
3	1	16
4	1	20
5	1	24
6	1	28
7	2	32
8	2	36
9	2	40
10	3	44
11	3	48
12	3	52
13-15	4	-
16+	5	-

AIR-TO-GROUND ATTACKS

Attack Type	Modifier	Altitude
Strafing	+4	1-3
Striking	+2	2-5
Dive bombing	+2	3-5
Altitude bombing	+2	1+
	+altitude	

RANDOM MOVEMENT TABLE

1D6 Result	Effect
1	Forward 1 hex, left 2 hexsides
2	Forward 1 hex, left 1 hexside
3-4	Forward 1 hex
5	Forward 1 hex, right 1 hexside
6	Forward 1 hex, right 2 hexsides

CHANGING FACING COST

Velocity	Thrust points	Velocity	Thrust points
0-2	1	10	5
3-5	2	11	6
6-7	3	12	+1/point
8-9	4		

BATTLETECH™

AEROSPACE FIGHTER RECORD SHEET

FIGHTER DATA

Type: Sparrowhawk SPR-H5

Thrust: 10 Tonnage: 30
SafeThrust: 10 Tech Base: Inner Sphere
Maximum Thrust: 15 Rules Level: Standard
Engine Type: 240 Fusion Role: Interceptor

Weapons & Equipment Inventory

Standard Scale (1-6) (7-12) (13-20) (21-25)

Qty	Type	Loc	Ht	SRV	MRV	LRV	ERV
2	Medium Laser [DE]	NOS	3	5	—	—	—
1	Small Laser [DE]	LWG	1	3	—	—	—
1	Small Laser [DE]	RWG	1	3	—	—	—

Total Heat (Dissipation): 12 (10)

Fuel Points: 400

BV: 637

NOTES

CRITICAL DAMAGE

Avionics	+1	+2	+5	Engine	2	4	D
FCS	+2	+4	D	Landing Gear			+5
Sensors	+1	+2	+5	Life Support			+2

VELOCITY RECORD

Turn #	1	2	3	4	5	6	7	8	9	10
Thrust										
Velocity										
Effective Velocity										
Altitude										

Turn #	11	12	13	14	15	16	17	18	19	20
Thrust										
Velocity										
Effective Velocity										
Altitude										

ARMOR DIAGRAM

Standard Armor

Nose Damage
Threshold (Total Armor)
4 (38)

Left Wing
Damage Threshold
(Total Armor)
3 (24)

Right Wing
Damage Threshold
(Total Armor)
3 (24)

Structural
Integrity:
10

Aft Damage
Threshold
(Total Armor)
4 (34)

Advanced
Movement
Compass



PILOT DATA

Name: Sg. Shelley Adur

Gunnery Skill: 4 Piloting Skill: 5


His Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead
Modifier	+1	+2	+3	+4	+5	

HEAT DATA

Heat Level*	Effects	Heat Sinks:
30	Shutdown	10
28	Ammo Exp avoid on 8+	
27	Pilot damage, avoid on 9+	
26	Shutdown, avoid on 10+	
25	Random Movement, avoid on 10+	
24	+4 Modifier to Fire	
23	Ammo Exp avoid on 6+	
22	Shutdown, avoid on 8+	
21	Pilot damage, avoid on 6+	
20	Random Movement, avoid on 8+	
19	Ammo Exp avoid on 4+	
18	Shutdown, avoid on 6+	
17	+3 Modifier to Fire	
15	Random Movement, avoid on 7+	
14	Shutdown, avoid on 4+	
13	+2 Modifier to Fire	
10	Random Movement, avoid on 6+	
8	+1 Modifier to Fire	
5	Random Movement, avoid on 5+	



EXTERNAL STORES/BOMBS



Key:
HE - High Explosive
LG - Laser Guided
C - Cluster
RL - Rocket Launcher

TO-HIT MODIFIERS

Range	
Short	+0
Medium	+2
Long	+4
Extreme	+6
Target/Intervening conditions	
Attack against aft	+0
Attack against side	+2
Attack against nose	+1
Attacker flying at altitude 1 attacking air target	+2
Secondary target in fwd arc	+1
Secondary target in other arc	+2
Target is conducting air-to-ground attack	-3
Target is at zero velocity	-2
Firing through atmospheric hex on high altitude map	+2/hex
Firing into or out of screen hex	+2
Target is evading	variable
Attacker Conditions	
Exceeded safe thrust this turn	+2
Out of control	+2
Pilot damage	+2
FCS damage	+2/hit
Sensor damage	+1/hit
Sensors destroyed	+5
Attacker evading	Prohibited

CONTROL ROLL TABLE

Situation	
Movement	
Roll more than once in a turn	
Use thrust > current SI	
Velocity > 2x safe thrust in atmosphere	
Stalling	
Descending 3+ altitudes in a turn	
Damage	
Avionics critical	
Control critical	
Damaged in atmosphere	
Modifiers	
Pilot damage	+1/hit
Avionics damage	+1/hit
Life support damage	+1/hit
Above safe thrust	+1
Atmospheric operations	+1
Per 20 points of damage	+1
Velocity above 2x safe thrust	+1/point

STRAIGHT MOVEMENT

Velocity	Low Altitude Map	Ground Map
1	1	8
2	1	12
3	1	16
4	1	20
5	1	24
6	1	28
7	2	32
8	2	36
9	2	40
10	3	44
11	3	48
12	3	52
13-15	4	-
16+	5	-

AIR-TO-GROUND ATTACKS

Attack Type	Modifier	Altitude
Strafing	+4	1-3
Striking	+2	2-5
Dive bombing	+2	3-5
Altitude bombing	+2	1+
	+altitude	

RANDOM MOVEMENT TABLE

1D6 Result	Effect
1	Forward 1 hex, left 2 hexsides
2	Forward 1 hex, left 1 hexside
3-4	Forward 1 hex
5	Forward 1 hex, right 1 hexside
6	Forward 1 hex, right 2 hexsides

CHANGING FACING COST

Velocity	Thrust points	Velocity	Thrust points
0-2	1	10	5
3-5	2	11	6
6-7	3	12	+1/point
8-9	4		

HIT LOCATION TABLE

Die Roll (2D6)	Nose	Aft	Side	Above/Below
2	Nose/Weapon	Aft/Weapon	Nose/Weapon	Nose/Weapon
3	Nose/Sensor	Aft/Heat Sink	Wing/Gear	Wing/Gear
4	Right Wing/Heat Sink	Right Wing/Fuel	Nose/Sensor	Nose/Sensor
5	Right Wing/Weapon	Right Wing/Weapon	Nose/Crew	Nose/Crew
6	Nose/Avionics	Aft/Engine	Wing/Weapon	Wing/Weapon
7	Nose/Control	Aft/Control	Wing/Avionics	Nose/Avionics
8	Nose/FCS	Aft/Engine	Wing/Bomb	Wing/Weapon
9	Left Wing/Weapon	Left Wing/Weapon	Aft/Control	Aft/Control
10	Left Wing/Heat Sink	Left Wing/Fuel	Aft/Engine	Aft/Engine
11	Nose/Gear	Aft/Heat Sink	Wing/Gear	Wing/Gear
12	Nose/Weapon	Aft/Weapon	Aft/Weapon	Aft/Weapon