

BATTLETECH™

BATTLEMECH RECORD SHEET

MECH DATA

Type: UrbanMech UM-R60

Movement Points: 30
Walking: 2
Running: 3
Jumping: 2
Engine Type: 60 Fusion

Tonnage: 30
Tech Base: Inner Sphere
Rules Level: Introductory
Role: Ambusher

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Ln
1	Small Laser	LA	1	3 [DE]	—	1	2	3
1	AC/10	RA	3	10 [DB,S]	—	5	10	15

Ammo: (AC/10) 10

Quirks: Extended Torso Twist, Narrow/Low Profile, No/Minimal Arms


BV: 504

WARRIOR DATA

Name: Gloria Schuilenberg


Gunnery Skill: 4 Piloting Skill: 5

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM

Standard Armor



HIT LOCATION TABLE


Die Roll (2D6)	LS	F/R	RS
2*	LT(C)	CT(C)	RT(C)
3	LL	RA	RL
4	LA	RA	RA
5	LA	RL	RA
6	LL	RT	RL
7	LT	CT	RT
8	CT	LT	CT
9	RT	LL	LT
10	RA	LA	LA
11	RL	LA	LL
12	HD	HD	HD

*A result of 2 may inflict a critical hit


TO-HIT MODIFIERS

Attacker	
Stationary	+0
Walked	+1
Ran	+2
Jumped	+3
Prone	+2
Skidding	+1
Terrain	
Light Woods	+1/hex
Heavy Woods	+2/hex
Partial Cover	+1
Target	
Prone (adjacent hex)	-2
Prone (other hex)	+1
Immobile	-4
Skidding	-2
Moved 0-2 hexes	+0
Moved 3-4 hexes	+1
Moved 5-6 hexes	+2
Moved 7-9 hexes	+3
Moved 10-17 hexes	+4
Moved 18-24 hexes	+5
Moved 25+ hexes	+6
Jumped	+1
BattleArmor unit	+1
Secondary target (front)	+1
Secondary target (side/rear)	+2
Large support vehicle or grounded DropShip	-1
Damage	
Sensor hit	+2
Shoulder hit	+4
Arm Actuator	+1

CRITICAL TABLE

Left Arm		Right Arm	
1-3	1. Shoulder 2. Upper Arm Actuator 3. Small Laser 4. Roll Again 5. Roll Again 6. Roll Again	1-3	1. Shoulder 2. Upper Arm Actuator 3. AC/10 4. AC/10 5. AC/10 6. AC/10
Center Torso		Right Torso	
4-6	1. Roll Again 2. Roll Again 3. Roll Again 4. Roll Again 5. Roll Again 6. Roll Again	4-6	1. AC/10 2. AC/10 3. AC/10 4. Roll Again 5. Roll Again 6. Roll Again
Left Torso		Right Torso	
1-3	1. Heat Sink 2. Heat Sink 3. Roll Again 4. Roll Again 5. Roll Again 6. Roll Again	1-3	1. Heat Sink 2. Heat Sink 3. Ammo (AC/10) 10 4. Roll Again 5. Roll Again 6. Roll Again
4-6	1. Roll Again 2. Roll Again 3. Roll Again 4. Roll Again 5. Roll Again 6. Roll Again	4-6	1. Roll Again 2. Roll Again 3. Roll Again 4. Roll Again 5. Roll Again 6. Roll Again
Engine Hits ○○○○ Gyro Hits ○○○ Sensor Hits ○○○ Life Support ○			
			
Left Leg		Right Leg	
1-3	1. Hip 2. Upper Leg Actuator 3. Lower Leg Actuator 4. Foot Actuator 5. Heat Sink 6. Heat Sink	1-3	1. Hip 2. Upper Leg Actuator 3. Lower Leg Actuator 4. Foot Actuator 5. Heat Sink 6. Heat Sink


Engine Hits ○○○○
Gyro Hits ○○○○
Sensor Hits ○○○○
Life Support ○



Damage Transfer Diagram

INTERNAL STRUCTURE DIAGRAM

Standard Structure



Heat Scale

Heat Scale
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

HEAT DATA

Heat	Effects
30	Shutdown
28	Ammo Exp, avoid on 8+
26	Shutdown, avoid on 10+
25	-5 Movement Points
24	+4 Modifier to Fire
23	Ammo Exp, avoid on 6+
22	Shutdown, avoid on 8+
20	-4 Movement Points
19	Ammo Exp, avoid on 4+
18	Shutdown, avoid on 6+
17	+3 Modifier to Fire
15	-3 Movement Points
14	Shutdown, avoid on 4+
13	+2 Modifier to Fire
10	-2 Movement Points
8	+1 Modifier to Fire
5	-1 Movement Points

Heat Sinks: 11

© 2024 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

MOVEMENT RECORD

Turn #	1	2	3	4	5	6	7	8	9	10
Hex/Facing										
Move Mode										

Turn #	11	12	13	14	15	16	17	18	19	20
Hex/Facing										
Move Mode										

KICK LOCATION TABLE

Die Roll (1D6)	LS	F/R	RS
1-3	LL	RL	RL
4-6	LL	LL	RL

FACING AFTER FALL

Die Roll (1D6)	New Facing	Hit Location
1	Same Direction	Front
2	1 Hexside Right	Right Side
3	2 Hexsides Right	Right Side
4	Opposite Direction	Rear
5	2 Hexsides Left	Left Side
6	1 Hexside Left	Left Side

BATTLETECH™

BATTLEMECH RECORD SHEET

MECH DATA

Type: UrbanMech UM-R60

Movement Points: 30
Walking: 2
Running: 3
Jumping: 2
Engine Type: 60 Fusion

Tonnage: 30
Tech Base: Inner Sphere
Rules Level: Introductory
Role: Ambusher

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Ln
1	Small Laser	LA	1	3 [DE]	—	1	2	3
1	AC/10	RA	3	10 [DB,S]	—	5	10	15

Ammo: (AC/10) 10

Quirks: Extended Torso Twist, Narrow/Low Profile, No/Minimal Arms


BV: 504

WARRIOR DATA

Name: Hao See-to


Gunnery Skill: 4 Piloting Skill: 5

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM

Standard Armor



HIT LOCATION TABLE

Die Roll (2D6)	LS	F/R	RS
2*	LT(C)	CT(C)	RT(C)
3	LL	RA	RL
4	LA	RA	RA
5	LA	RL	RA
6	LL	RT	RL
7	LT	CT	RT
8	CT	LT	CT
9	RT	LL	LT
10	RA	LA	LA
11	RL	LA	LL
12	HD	HD	HD

*A result of 2 may inflict a critical hit


TO-HIT MODIFIERS

Attacker	
Stationary	+0
Walked	+1
Ran	+2
Jumped	+3
Prone	+2
Skidding	+1
Terrain	
Light Woods	+1/hex
Heavy Woods	+2/hex
Partial Cover	+1
Target	
Prone (adjacent hex)	-2
Prone (other hex)	+1
Immobile	-4
Skidding	-2
Moved 0-2 hexes	+0
Moved 3-4 hexes	+1
Moved 5-6 hexes	+2
Moved 7-9 hexes	+3
Moved 10-17 hexes	+4
Moved 18-24 hexes	+5
Moved 25+ hexes	+6
Jumped	+1
BattleArmor unit	+1
Secondary target (front)	+1
Secondary target (side/rear)	+2
Large support vehicle or grounded DropShip	-1
Damage	
Sensor hit	+2
Shoulder hit	+4
Arm Actuator	+1

CRITICAL TABLE

Left Arm	Head	Right Arm
1. Shoulder	1. Life Support	1. Shoulder
2. Upper Arm Actuator	2. Sensors	2. Upper Arm Actuator
3. Small Laser	3. Cockpit	3. AC/10
4. Roll Again	4. Heat Sink	4. AC/10
5. Roll Again	5. Sensors	5. AC/10
6. Roll Again	6. Life Support	6. AC/10
1. Roll Again		1. AC/10
2. Roll Again		2. AC/10
3. Roll Again		3. AC/10
4. Roll Again		4. Roll Again
5. Roll Again		5. Roll Again
6. Roll Again		6. Roll Again
Center Torso		Right Torso
1. Fusion Engine		1. Heat Sink
2. Fusion Engine		2. Heat Sink
3. Fusion Engine		3. Ammo (AC/10) 10
4. Gyro		4. Roll Again
5. Gyro		5. Roll Again
6. Gyro		6. Roll Again
1. Gyro		1. Roll Again
2. Fusion Engine		2. Roll Again
3. Fusion Engine		3. Roll Again
4. Fusion Engine		4. Roll Again
5. Jump Jet		5. Roll Again
6. Jump Jet		6. Roll Again
Left Torso		Right Torso
1. Heat Sink		1. Heat Sink
2. Heat Sink		2. Heat Sink
3. Roll Again		3. Roll Again
4. Roll Again		4. Roll Again
5. Roll Again		5. Roll Again
6. Roll Again		6. Roll Again
1. Roll Again		1. Roll Again
2. Roll Again		2. Roll Again
3. Roll Again		3. Roll Again
4. Roll Again		4. Roll Again
5. Roll Again		5. Roll Again
6. Roll Again		6. Roll Again
Left Leg		Right Leg
1. Hip		1. Hip
2. Upper Leg Actuator		2. Upper Leg Actuator
3. Lower Leg Actuator		3. Lower Leg Actuator
4. Foot Actuator		4. Foot Actuator
5. Heat Sink		5. Heat Sink
6. Heat Sink		6. Heat Sink


Engine Hits ○○○○
Gyro Hits ○○○○
Sensor Hits ○○○○
Life Support ○



Damage Transfer Diagram

INTERNAL STRUCTURE DIAGRAM

Standard Structure



Heat Scale

Overflow

30*

29

28*

27

26*

25*

24*

23*

22*

21

20*

19*

18*

17*

16

15*

14*

13*

12

11

10*

9

8*

7

6

5*

4

3

2

1

0

HEAT DATA

Heat	Effects
30	Shutdown
28	Ammo Exp, avoid on 8+
26	Shutdown, avoid on 10+
25	-5 Movement Points
24	+4 Modifier to Fire
23	Ammo Exp, avoid on 6+
22	Shutdown, avoid on 8+
20	-4 Movement Points
19	Ammo Exp, avoid on 4+
18	Shutdown, avoid on 6+
17	+3 Modifier to Fire
15	-3 Movement Points
14	Shutdown, avoid on 4+
13	+2 Modifier to Fire
10	-2 Movement Points
8	+1 Modifier to Fire
5	-1 Movement Points

Heat Sinks: 11



© 2024 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

MOVEMENT RECORD

Turn #	1	2	3	4	5	6	7	8	9	10
Hex/Facing										
Move Mode										

Turn #	11	12	13	14	15	16	17	18	19	20
Hex/Facing										
Move Mode										

KICK LOCATION TABLE

Die Roll (1D6)	LS	F/R	RS
1-3	LL	RL	RL
4-6	LL	LL	RL

FACING AFTER FALL

Die Roll (1D6)	New Facing	Hit Location
1	Same Direction	Front
2	1 Hexside Right	Right Side
3	2 Hexsides Right	Right Side
4	Opposite Direction	Rear
5	2 Hexsides Left	Left Side
6	1 Hexside Left	Left Side

BATTLETECH™

BATTLEMECH RECORD SHEET

MECH DATA

Type: UrbanMech UM-R60
Movement Points: 30
Walking: 2
Running: 3
Jumping: 2
Engine Type: 60 Fusion
Tonnage: 30
Tech Base: Inner Sphere
Rules Level: Introductory
Role: Ambusher

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Ln
1	Small Laser	LA	1	3 [DE]	—	1	2	3
1	AC/10	RA	3	10 [DB,S]	—	5	10	15


Ammo: (AC/10) 10

Quirks: Extended Torso Twist, Narrow/Low Profile, No/Minimal Arms

BV: 504


WARRIOR DATA

Name: Elton Shafer
Gunnery Skill: 4
Piloting Skill: 5
Hits Taken
Consciousness #



ARMOR DIAGRAM

Standard Armor



HIT LOCATION TABLE

Die Roll (2D6)	LS	F/R	RS
2*	LT(C)	CT(C)	RT(C)
3	LL	RA	RL
4	LA	RA	RA
5	LA	RL	RA
6	LL	RT	RL
7	LT	CT	RT
8	CT	LT	CT
9	RT	LL	LT
10	RA	LA	LA
11	RL	LA	LL
12	HD	HD	HD

*A result of 2 may inflict a critical hit


TO-HIT MODIFIERS

Attacker	
Stationary	+0
Walked	+1
Ran	+2
Jumped	+3
Prone	+2
Skidding	+1
Terrain	
Light Woods	+1/hex
Heavy Woods	+2/hex
Partial Cover	+1
Target	
Prone (adjacent hex)	-2
Prone (other hex)	+1
Immobile	-4
Skidding	-2
Moved 0-2 hexes	+0
Moved 3-4 hexes	+1
Moved 5-6 hexes	+2
Moved 7-9 hexes	+3
Moved 10-17 hexes	+4
Moved 18-24 hexes	+5
Moved 25+ hexes	+6
Jumped	+1
BattleArmor unit	+1
Secondary target (front)	+1
Secondary target (side/rear)	+2
Large support vehicle or grounded DropShip	-1
Damage	
Sensor hit	+2
Shoulder hit	+4
Arm Actuator	+1

CRITICAL TABLE

Left Arm		Right Arm	
1-3	- Shoulder - Upper Arm Actuator - Small Laser - Roll Again - Roll Again - Roll Again	1-3	- Shoulder - Upper Arm Actuator - AC/10 - AC/10 - AC/10 - AC/10
Center Torso			
4-6	- Roll Again - Roll Again - Roll Again - Roll Again - Roll Again - Roll Again	4-6	- Roll Again - Roll Again - Roll Again - Roll Again - Roll Again - Roll Again
Left Torso		Right Torso	
1-3	- Heat Sink - Heat Sink - Roll Again - Roll Again - Roll Again - Roll Again	1-3	- Heat Sink - Heat Sink - Ammo (AC/10) 10 - Roll Again - Roll Again - Roll Again
4-6	- Roll Again - Roll Again - Roll Again - Roll Again - Roll Again - Roll Again	4-6	- Roll Again - Roll Again - Roll Again - Roll Again - Roll Again - Roll Again
Engine Hits ○○○○ Gyro Hits ○○○ Sensor Hits ○○○ Life Support ○ 			


Engine Hits
Gyro Hits
Sensor Hits
Life Support



Damage Transfer Diagram

INTERNAL STRUCTURE DIAGRAM

Standard Structure



Heat Scale

Heat Scale
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

HEAT DATA

Heat	Effects
30	Shutdown
28	Ammo Exp, avoid on 8+
26	Shutdown, avoid on 10+
25	-5 Movement Points
24	+4 Modifier to Fire
23	Ammo Exp, avoid on 6+
22	Shutdown, avoid on 8+
20	-4 Movement Points
19	Ammo Exp, avoid on 4+
18	Shutdown, avoid on 6+
17	+3 Modifier to Fire
15	-3 Movement Points
14	Shutdown, avoid on 4+
13	+2 Modifier to Fire
10	-2 Movement Points
8	+1 Modifier to Fire
5	-1 Movement Points

Heat Sinks: 11



© 2024 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

MOVEMENT RECORD

Turn #	1	2	3	4	5	6	7	8	9	10
Hex/Facing										
Move Mode										

Turn #	11	12	13	14	15	16	17	18	19	20
Hex/Facing										
Move Mode										

KICK LOCATION TABLE

Die Roll (1D6)	LS	F/R	RS
1-3	LL	RL	RL
4-6	LL	LL	RL

FACING AFTER FALL

Die Roll (1D6)	New Facing	Hit Location
1	Same Direction	Front
2	1 Hexside Right	Right Side
3	2 Hexsides Right	Right Side
4	Opposite Direction	Rear
5	2 Hexsides Left	Left Side
6	1 Hexside Left	Left Side

BATTLETECH

BATTLEMECH RECORD SHEET

MECH DATA

Type: UrbanMech UM-R60
Movement Points: 30
Walking: 2
Running: 3
Jumping: 2
Engine Type: 60 Fusion
Tonnage: 30
Tech Base: Inner Sphere
Rules Level: Introductory
Role: Ambusher

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Ln
1	Small Laser	LA	1	3 [DE]	—	1	2	3
1	AC/10	RA	3	10 [DB,S]	—	5	10	15

Ammo: (AC/10) 10

Quirks: Extended Torso Twist, Narrow/Low Profile, No/Minimal Arms


BV: 504

WARRIOR DATA

Name: Ashley Dumbelton


Gunnery Skill: 4 Piloting Skill: 5

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM

Standard Armor



HIT LOCATION TABLE

Die Roll (2D6)	LS	F/R	RS
2*	LT(C)	CT(C)	RT(C)
3	LL	RA	RL
4	LA	RA	RA
5	LA	RL	RA
6	LL	RT	RL
7	LT	CT	RT
8	CT	LT	CT
9	RT	LL	LT
10	RA	LA	LA
11	RL	LA	LL
12	HD	HD	HD

*A result of 2 may inflict a critical hit


TO-HIT MODIFIERS

Attacker	
Stationary	+0
Walked	+1
Ran	+2
Jumped	+3
Prone	+2
Skidding	+1
Terrain	
Light Woods	+1/hex
Heavy Woods	+2/hex
Partial Cover	+1
Target	
Prone (adjacent hex)	-2
Prone (other hex)	+1
Immobile	-4
Skidding	-2
Moved 0-2 hexes	+0
Moved 3-4 hexes	+1
Moved 5-6 hexes	+2
Moved 7-9 hexes	+3
Moved 10-17 hexes	+4
Moved 18-24 hexes	+5
Moved 25+ hexes	+6
Jumped	+1
BattleArmor unit	+1
Secondary target (front)	+1
Secondary target (side/rear)	+2
Large support vehicle or grounded DropShip	-1
Damage	
Sensor hit	+2
Shoulder hit	+4
Arm Actuator	+1

CRITICAL TABLE

Left Arm		Right Arm	
1-3	- Shoulder - Upper Arm Actuator - Small Laser - Roll Again - Roll Again - Roll Again	1-3	- Shoulder - Upper Arm Actuator - AC/10 - AC/10 - AC/10 - AC/10
Center Torso		Right Torso	
4-6	- Fusion Engine - Fusion Engine - Fusion Engine - Gyro - Gyro - Gyro	4-6	- AC/10 - AC/10 - AC/10 - Roll Again - Roll Again - Roll Again
Left Torso		Right Torso	
1-3	- Heat Sink - Heat Sink - Roll Again - Roll Again - Roll Again - Roll Again	1-3	- Heat Sink - Heat Sink - Ammo (AC/10) 10 - Roll Again - Roll Again - Roll Again
4-6	- Roll Again - Roll Again - Roll Again - Roll Again - Roll Again - Roll Again	4-6	- Roll Again - Roll Again - Roll Again - Roll Again - Roll Again - Roll Again
Engine Hits ○○○○ Gyro Hits ○○○ Sensor Hits ○○○ Life Support ○			
			
Left Leg		Right Leg	
1-3	- Hip - Upper Leg Actuator - Lower Leg Actuator - Foot Actuator - Heat Sink - Heat Sink	1-3	- Hip - Upper Leg Actuator - Lower Leg Actuator - Foot Actuator - Heat Sink - Heat Sink
4-6	- Hip - Upper Leg Actuator - Lower Leg Actuator - Foot Actuator - Heat Sink - Heat Sink	4-6	- Hip - Upper Leg Actuator - Lower Leg Actuator - Foot Actuator - Heat Sink - Heat Sink


Engine Hits
Gyro Hits
Sensor Hits
Life Support



Damage Transfer Diagram

INTERNAL STRUCTURE DIAGRAM

Standard Structure



Heat Scale

Heat Scale
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

HEAT DATA

Heat	Effects
30	Shutdown
28	Ammo Exp, avoid on 8+
26	Shutdown, avoid on 10+
25	-5 Movement Points
24	+4 Modifier to Fire
23	Ammo Exp, avoid on 6+
22	Shutdown, avoid on 8+
20	-4 Movement Points
19	Ammo Exp, avoid on 4+
18	Shutdown, avoid on 6+
17	+3 Modifier to Fire
15	-3 Movement Points
14	Shutdown, avoid on 4+
13	+2 Modifier to Fire
10	-2 Movement Points
8	+1 Modifier to Fire
5	-1 Movement Points

Heat Sinks: 11

© 2024 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

MOVEMENT RECORD

Turn #	1	2	3	4	5	6	7	8	9	10
Hex/Facing										
Move Mode										

Turn #	11	12	13	14	15	16	17	18	19	20
Hex/Facing										
Move Mode										

KICK LOCATION TABLE

Die Roll (1D6)	LS	F/R	RS
1-3	LL	RL	RL
4-6	LL	LL	RL

FACING AFTER FALL

Die Roll (1D6)	New Facing	Hit Location
1	Same Direction	Front
2	1 Hexside Right	Right Side
3	2 Hexsides Right	Right Side
4	Opposite Direction	Rear
5	2 Hexsides Left	Left Side
6	1 Hexside Left	Left Side

BATTLETECH™

BATTLEMECH RECORD SHEET

MECH DATA

Type: UrbanMech UM-R60
Movement Points: 30
Walking: 2
Running: 3
Jumping: 2
Engine Type: 60 Fusion
Tonnage: 30
Tech Base: Inner Sphere
Rules Level: Introductory
Role: Ambusher

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Ln
1	Small Laser	LA	1	3 [DE]	—	1	2	3
1	AC/10	RA	3	10 [DB,S]	—	5	10	15


Ammo: (AC/10) 10

Quirks: Extended Torso Twist, Narrow/Low Profile, No/Minimal Arms

BV: 504


WARRIOR DATA

Name:	Hwa-pyung Kim					
Gunnery Skill:	4	Piloting Skill:	5			
Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM

Standard Armor



HIT LOCATION TABLE

Die Roll (2D6)	LS	F/R	RS
2*	LT(C)	CT(C)	RT(C)
3	LL	RA	RL
4	LA	RA	RA
5	LA	RL	RA
6	LL	RT	RL
7	LT	CT	RT
8	CT	LT	CT
9	RT	LL	LT
10	RA	LA	LA
11	RL	LA	LL
12	HD	HD	HD


*A result of 2 may inflict a critical hit

TO-HIT MODIFIERS

Attacker	
Stationary	+0
Walked	+1
Ran	+2
Jumped	+3
Prone	+2
Skidding	+1
Terrain	
Light Woods	+1/hex
Heavy Woods	+2/hex
Partial Cover	+1
Target	
Prone (adjacent hex)	-2
Prone (other hex)	+1
Immobile	-4
Skidding	-2
Moved 0-2 hexes	+0
Moved 3-4 hexes	+1
Moved 5-6 hexes	+2
Moved 7-9 hexes	+3
Moved 10-17 hexes	+4
Moved 18-24 hexes	+5
Moved 25+ hexes	+6
Jumped	+1
BattleArmor unit	+1
Secondary target (front)	+1
Secondary target (side/rear)	+2
Large support vehicle or grounded DropShip	-1
Damage	
Sensor hit	+2
Shoulder hit	+4
Arm Actuator	+1

INTERNAL STRUCTURE DIAGRAM

Standard Structure



Heat Scale

30*	29	28*	27	26*	25*	24*	23*	22*	21	20*	19*	18*	17*	16	15*	14*	13*	12	11	10*	9	8*	7	6	5*	4	3	2	1	0
-----	----	-----	----	-----	-----	-----	-----	-----	----	-----	-----	-----	-----	----	-----	-----	-----	----	----	-----	---	----	---	---	----	---	---	---	---	---


HEAT DATA

Heat	Effects	Heat Sinks:
30	Shutdown	11
28	Ammo Exp, avoid on 8+	
26	Shutdown, avoid on 10+	
25	-5 Movement Points	
24	+4 Modifier to Fire	
23	Ammo Exp, avoid on 6+	
22	Shutdown, avoid on 8+	
20	-4 Movement Points	
19	Ammo Exp, avoid on 4+	
18	Shutdown, avoid on 6+	
17	+3 Modifier to Fire	
15	-3 Movement Points	
14	Shutdown, avoid on 4+	
13	+2 Modifier to Fire	
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

CRITICAL TABLE

Left Arm	Head	Right Arm
1. Shoulder	1. Life Support	1. Shoulder
2. Upper Arm Actuator	2. Sensors	2. Upper Arm Actuator
3. Small Laser	3. Cockpit	3. AC/10
4. Roll Again	4. Heat Sink	4. AC/10
5. Roll Again	5. Sensors	5. AC/10
6. Roll Again	6. Life Support	6. AC/10
1. Roll Again		1. AC/10
2. Roll Again		2. AC/10
3. Roll Again		3. AC/10
4. Roll Again		4. Roll Again
5. Roll Again		5. Roll Again
6. Roll Again		6. Roll Again
Center Torso	Left Torso	Right Torso
1. Fusion Engine	1. Heat Sink	1. Heat Sink
2. Fusion Engine	2. Heat Sink	2. Heat Sink
3. Fusion Engine	3. Roll Again	3. Ammo (AC/10) 10
4. Gyro	4. Roll Again	4. Roll Again
5. Gyro	5. Roll Again	5. Roll Again
6. Gyro	6. Roll Again	6. Roll Again
1. Gyro		1. Roll Again
2. Fusion Engine		2. Roll Again
3. Fusion Engine		3. Roll Again
4. Fusion Engine		4. Roll Again
5. Jump Jet		5. Roll Again
6. Jump Jet		6. Roll Again
1. Roll Again		
2. Roll Again		
3. Roll Again		
4. Roll Again		
5. Roll Again		
6. Roll Again		
Left Leg	Right Leg	
1. Hip	1. Hip	
2. Upper Leg Actuator	2. Upper Leg Actuator	
3. Lower Leg Actuator	3. Lower Leg Actuator	
4. Foot Actuator	4. Foot Actuator	
5. Heat Sink	5. Heat Sink	
6. Heat Sink	6. Heat Sink	

Engine Hits
Gyro Hits
Sensor Hits
Life Support



Damage Transfer Diagram

© 2024 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

MOVEMENT RECORD

Turn #	1	2	3	4	5	6	7	8	9	10
Hex/Facing										
Move Mode										

Turn #	11	12	13	14	15	16	17	18	19	20
Hex/Facing										
Move Mode										

KICK LOCATION TABLE

Die Roll (1D6)	LS	F/R	RS
1-3	LL	RL	RL
4-6	LL	LL	RL

FACING AFTER FALL

Die Roll (1D6)	New Facing	Hit Location
1	Same Direction	Front
2	1 Hexside Right	Right Side
3	2 Hexsides Right	Right Side
4	Opposite Direction	Rear
5	2 Hexsides Left	Left Side
6	1 Hexside Left	Left Side

BATTLETECH

BATTLEMECH RECORD SHEET

MECH DATA

Type: UrbanMech UM-R60
Movement Points: 30
Walking: 2
Running: 3
Jumping: 2
Engine Type: 60 Fusion
Tonnage: 30
Tech Base: Inner Sphere
Rules Level: Introductory
Role: Ambusher

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Ln
1	Small Laser	LA	1	3 [DE]	—	1	2	3
1	AC/10	RA	3	10 [DB,S]	—	5	10	15

Ammo: (AC/10) 10

Quirks: Extended Torso Twist, Narrow/Low Profile, No/Minimal Arms

BV: 504


WARRIOR DATA

Name: Shawna Ch'oe

Gunnery Skill: 4


Piloting Skill: 5

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM

Standard Armor



HIT LOCATION TABLE

Die Roll (2D6)	LS	F/R	RS
2*	LT(C)	CT(C)	RT(C)
3	LL	RA	RL
4	LA	RA	RA
5	LA	RL	RA
6	LL	RT	RL
7	LT	CT	RT
8	CT	LT	CT
9	RT	LL	LT
10	RA	LA	LA
11	RL	LA	LL
12	HD	HD	HD


*A result of 2 may inflict a critical hit

TO-HIT MODIFIERS

Attacker	
Stationary	+0
Walked	+1
Ran	+2
Jumped	+3
Prone	+2
Skidding	+1
Terrain	
Light Woods	+1/hex
Heavy Woods	+2/hex
Partial Cover	+1
Target	
Prone (adjacent hex)	-2
Prone (other hex)	+1
Immobile	-4
Skidding	-2
Moved 0-2 hexes	+0
Moved 3-4 hexes	+1
Moved 5-6 hexes	+2
Moved 7-9 hexes	+3
Moved 10-17 hexes	+4
Moved 18-24 hexes	+5
Moved 25+ hexes	+6
Jumped	+1
BattleArmor unit	+1
Secondary target (front)	+1
Secondary target (side/rear)	+2
Large support vehicle or grounded DropShip	-1
Damage	
Sensor hit	+2
Shoulder hit	+4
Arm Actuator	+1

INTERNAL STRUCTURE DIAGRAM

Standard Structure



Heat Scale

Overflow

30*

29

28*

27

26*

25*

24*

23*

22*

21

20*

19*

18*

17*

16

15*

14*

13*

12

11

10*

9

8*

7

6

5*

4

3

2

1

0

HEAT DATA

Heat	Effects
30	Shutdown
28	Ammo Exp, avoid on 8+
26	Shutdown, avoid on 10+
25	-5 Movement Points
24	+4 Modifier to Fire
23	Ammo Exp, avoid on 6+
22	Shutdown, avoid on 8+
20	-4 Movement Points
19	Ammo Exp, avoid on 4+
18	Shutdown, avoid on 6+
17	+3 Modifier to Fire
15	-3 Movement Points
14	Shutdown, avoid on 4+
13	+2 Modifier to Fire
10	-2 Movement Points
8	+1 Modifier to Fire
5	-1 Movement Points

Heat Sinks: 11

CRITICAL TABLE

Left Arm
1. Shoulder
2. Upper Arm Actuator
3. Small Laser
4. Roll Again
5. Roll Again
6. Roll Again
1-3
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again
4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again
Left Torso
1. Heat Sink
2. Heat Sink
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again
1-3
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again
4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

- Head
- Life Support
 - Sensors
 - Cockpit
 - Heat Sink
 - Sensors
 - Life Support

- Center Torso
- Fusion Engine
 - Fusion Engine
 - Fusion Engine
 - Gyro
 - Gyro
 - Gyro

- Right Arm
- Shoulder
 - Upper Arm Actuator
 - AC/10
 - AC/10
 - AC/10
 - AC/10


Engine Hits
Gyro Hits
Sensor Hits
Life Support

- Right Torso
- Heat Sink
 - Heat Sink
 - Ammo (AC/10) 10
 - Roll Again
 - Roll Again
 - Roll Again

- Left Leg
- Hip
 - Upper Leg Actuator
 - Lower Leg Actuator
 - Foot Actuator
 - Heat Sink
 - Heat Sink

- Right Leg
- Hip
 - Upper Leg Actuator
 - Lower Leg Actuator
 - Foot Actuator
 - Heat Sink
 - Heat Sink

Damage Transfer Diagram



© 2024 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

MOVEMENT RECORD

Turn #	1	2	3	4	5	6	7	8	9	10
Hex/Facing										
Move Mode										

Turn #	11	12	13	14	15	16	17	18	19	20
Hex/Facing										
Move Mode										

KICK LOCATION TABLE

Die Roll (1D6)	LS	F/R	RS
1-3	LL	RL	RL
4-6	LL	LL	RL

FACING AFTER FALL

Die Roll (1D6)	New Facing	Hit Location
1	Same Direction	Front
2	1 Hexside Right	Right Side
3	2 Hexsides Right	Right Side
4	Opposite Direction	Rear
5	2 Hexsides Left	Left Side
6	1 Hexside Left	Left Side

BATTLETECH™

BATTLEMECH RECORD SHEET

MECH DATA

Type: UrbanMech UM-R60
Movement Points: 30
Walking: 2
Running: 3
Jumping: 2
Engine Type: 60 Fusion
Tonnage: 30
Tech Base: Inner Sphere
Rules Level: Introductory
Role: Ambusher

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Ln
1	Small Laser	LA	1	3 [DE]	—	1	2	3
1	AC/10	RA	3	10 [DB,S]	—	5	10	15


Ammo: (AC/10) 10

Quirks: Extended Torso Twist, Narrow/Low Profile, No/Minimal Arms

BV: 504


WARRIOR DATA

Name:	Michael Lapi					
Gunnery Skill:	4	Piloting Skill:	5			
Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM

Standard Armor



HIT LOCATION TABLE

Die Roll (2D6)	LS	F/R	RS
2*	LT(C)	CT(C)	RT(C)
3	LL	RA	RL
4	LA	RA	RA
5	LA	RL	RA
6	LL	RT	RL
7	LT	CT	RT
8	CT	LT	CT
9	RT	LL	LT
10	RA	LA	LA
11	RL	LA	LL
12	HD	HD	HD


*A result of 2 may inflict a critical hit

TO-HIT MODIFIERS

Attacker	
Stationary	+0
Walked	+1
Ran	+2
Jumped	+3
Prone	+2
Skidding	+1
Terrain	
Light Woods	+1/hex
Heavy Woods	+2/hex
Partial Cover	+1
Target	
Prone (adjacent hex)	-2
Prone (other hex)	+1
Immobile	-4
Skidding	-2
Moved 0-2 hexes	+0
Moved 3-4 hexes	+1
Moved 5-6 hexes	+2
Moved 7-9 hexes	+3
Moved 10-17 hexes	+4
Moved 18-24 hexes	+5
Moved 25+ hexes	+6
Jumped	+1
BattleArmor unit	+1
Secondary target (front)	+1
Secondary target (side/rear)	+2
Large support vehicle or grounded DropShip	-1
Damage	
Sensor hit	+2
Shoulder hit	+4
Arm Actuator	+1

INTERNAL STRUCTURE DIAGRAM

Standard Structure



Heat Scale

30*	29	28*	27	26*	25*	24*	23*	22*	21	20*	19*	18*	17*	16	15*	14*	13*	12	11	10*	9	8*	7	6	5*	4	3	2	1	0
-----	----	-----	----	-----	-----	-----	-----	-----	----	-----	-----	-----	-----	----	-----	-----	-----	----	----	-----	---	----	---	---	----	---	---	---	---	---


HEAT DATA

Heat	Effects	Heat Sinks
30	Shutdown	11
28	Ammo Exp, avoid on 8+	
26	Shutdown, avoid on 10+	
25	-5 Movement Points	
24	+4 Modifier to Fire	
23	Ammo Exp, avoid on 6+	
22	Shutdown, avoid on 8+	
20	-4 Movement Points	
19	Ammo Exp, avoid on 4+	
18	Shutdown, avoid on 6+	
17	+3 Modifier to Fire	
15	-3 Movement Points	
14	Shutdown, avoid on 4+	
13	+2 Modifier to Fire	
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

CRITICAL TABLE

Left Arm	Head	Right Arm
1. Shoulder	1. Life Support	1. Shoulder
2. Upper Arm Actuator	2. Sensors	2. Upper Arm Actuator
3. Small Laser	3. Cockpit	3. AC/10
4. Roll Again	4. Heat Sink	4. AC/10
5. Roll Again	5. Sensors	5. AC/10
6. Roll Again	6. Life Support	6. AC/10
Center Torso	Left Torso	Right Torso
1. Fusion Engine	1. Heat Sink	1. Heat Sink
2. Fusion Engine	2. Heat Sink	2. Heat Sink
3. Fusion Engine	3. Roll Again	3. Roll Again
4. Gyro	4. Roll Again	4. Roll Again
5. Gyro	5. Roll Again	5. Roll Again
6. Gyro	6. Roll Again	6. Roll Again
Left Leg	Right Leg	
1. Hip	1. Hip	
2. Upper Leg Actuator	2. Upper Leg Actuator	
3. Lower Leg Actuator	3. Lower Leg Actuator	
4. Foot Actuator	4. Foot Actuator	
5. Heat Sink	5. Heat Sink	
6. Heat Sink	6. Heat Sink	

Engine Hits
Gyro Hits
Sensor Hits
Life Support



Damage Transfer Diagram

© 2024 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

MOVEMENT RECORD

Turn #	1	2	3	4	5	6	7	8	9	10
Hex/Facing										
Move Mode										

Turn #	11	12	13	14	15	16	17	18	19	20
Hex/Facing										
Move Mode										

KICK LOCATION TABLE

Die Roll (1D6)	LS	F/R	RS
1-3	LL	RL	RL
4-6	LL	LL	RL

FACING AFTER FALL

Die Roll (1D6)	New Facing	Hit Location
1	Same Direction	Front
2	1 Hexside Right	Right Side
3	2 Hexsides Right	Right Side
4	Opposite Direction	Rear
5	2 Hexsides Left	Left Side
6	1 Hexside Left	Left Side

BATTLETECH™

BATTLEMECH RECORD SHEET

MECH DATA

Type: UrbanMech UM-R60

Movement Points: 30
Walking: 2
Running: 3
Jumping: 2
Engine Type: 60 Fusion

Tonnage: 30
Tech Base: Inner Sphere
Rules Level: Introductory
Role: Ambusher

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Ln
1	Small Laser	LA	1	3 [DE]	—	1	2	3
1	AC/10	RA	3	10 [DB,S]	—	5	10	15

Ammo: (AC/10) 10

Quirks: Extended Torso Twist, Narrow/Low Profile, No/Minimal Arms


BV: 504

WARRIOR DATA

Name: Aila Imamura


Gunnery Skill: 4 Piloting Skill: 5

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM

Standard Armor



HIT LOCATION TABLE


Die Roll (2D6)	LS	F/R	RS
2*	LT(C)	CT(C)	RT(C)
3	LL	RA	RL
4	LA	RA	RA
5	LA	RL	RA
6	LL	RT	RL
7	LT	CT	RT
8	CT	LT	CT
9	RT	LL	LT
10	RA	LA	LA
11	RL	LA	LL
12	HD	HD	HD

*A result of 2 may inflict a critical hit


TO-HIT MODIFIERS

Attacker	
Stationary	+0
Walked	+1
Ran	+2
Jumped	+3
Prone	+2
Skidding	+1
Terrain	
Light Woods	+1/hex
Heavy Woods	+2/hex
Partial Cover	+1
Target	
Prone (adjacent hex)	-2
Prone (other hex)	+1
Immobile	-4
Skidding	-2
Moved 0-2 hexes	+0
Moved 3-4 hexes	+1
Moved 5-6 hexes	+2
Moved 7-9 hexes	+3
Moved 10-17 hexes	+4
Moved 18-24 hexes	+5
Moved 25+ hexes	+6
Jumped	+1
BattleArmor unit	+1
Secondary target (front)	+1
Secondary target (side/rear)	+2
Large support vehicle or grounded DropShip	-1
Damage	
Sensor hit	+2
Shoulder hit	+4
Arm Actuator	+1

CRITICAL TABLE

Left Arm		Right Arm	
1-3	1. Shoulder 2. Upper Arm Actuator 3. Small Laser 4. Roll Again 5. Roll Again 6. Roll Again	1-3	1. Shoulder 2. Upper Arm Actuator 3. AC/10 4. AC/10 5. AC/10 6. AC/10
Center Torso		Right Torso	
4-6	1. Roll Again 2. Roll Again 3. Roll Again 4. Roll Again 5. Roll Again 6. Roll Again	4-6	1. AC/10 2. AC/10 3. AC/10 4. Roll Again 5. Roll Again 6. Roll Again
Left Torso		Right Torso	
1-3	1. Heat Sink 2. Heat Sink 3. Roll Again 4. Roll Again 5. Roll Again 6. Roll Again	1-3	1. Heat Sink 2. Heat Sink 3. Ammo (AC/10) 10 4. Roll Again 5. Roll Again 6. Roll Again
4-6	1. Roll Again 2. Roll Again 3. Roll Again 4. Roll Again 5. Roll Again 6. Roll Again	4-6	1. Roll Again 2. Roll Again 3. Roll Again 4. Roll Again 5. Roll Again 6. Roll Again
Engine Hits ○○○○ Gyro Hits ○○○ Sensor Hits ○○○ Life Support ○			
			
Left Leg		Right Leg	
1-3	1. Hip 2. Upper Leg Actuator 3. Lower Leg Actuator 4. Foot Actuator 5. Heat Sink 6. Heat Sink	1-3	1. Hip 2. Upper Leg Actuator 3. Lower Leg Actuator 4. Foot Actuator 5. Heat Sink 6. Heat Sink


Engine Hits ○○○○
Gyro Hits ○○○○
Sensor Hits ○○○○
Life Support ○



Damage Transfer Diagram

INTERNAL STRUCTURE DIAGRAM

Standard Structure



Heat Scale

Overflow

30*

29

28*

27

26*

25*

24*

23*

22*

21

20*

19*

18*

17*

16

15*

14*

13*

12

11

10*

9

8*

7

6

5*

4

3

2

1

0

HEAT DATA

Heat	Effects
30	Shutdown
28	Ammo Exp, avoid on 8+
26	Shutdown, avoid on 10+
25	-5 Movement Points
24	+4 Modifier to Fire
23	Ammo Exp, avoid on 6+
22	Shutdown, avoid on 8+
20	-4 Movement Points
19	Ammo Exp, avoid on 4+
18	Shutdown, avoid on 6+
17	+3 Modifier to Fire
15	-3 Movement Points
14	Shutdown, avoid on 4+
13	+2 Modifier to Fire
10	-2 Movement Points
8	+1 Modifier to Fire
5	-1 Movement Points

Heat Sinks: 11

© 2024 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

MOVEMENT RECORD

Turn #	1	2	3	4	5	6	7	8	9	10
Hex/Facing										
Move Mode										

Turn #	11	12	13	14	15	16	17	18	19	20
Hex/Facing										
Move Mode										

KICK LOCATION TABLE

Die Roll (1D6)	LS	F/R	RS
1-3	LL	RL	RL
4-6	LL	LL	RL

FACING AFTER FALL

Die Roll (1D6)	New Facing	Hit Location
1	Same Direction	Front
2	1 Hexside Right	Right Side
3	2 Hexsides Right	Right Side
4	Opposite Direction	Rear
5	2 Hexsides Left	Left Side
6	1 Hexside Left	Left Side

BATTLETECH™

BATTLEMECH RECORD SHEET

MECH DATA

Type: UrbanMech UM-R60
Movement Points: 30
Walking: 2
Running: 3
Jumping: 2
Engine Type: 60 Fusion
Tonnage: 30
Tech Base: Inner Sphere
Rules Level: Introductory
Role: Ambusher

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Ln
1	Small Laser	LA	1	3 [DE]	—	1	2	3
1	AC/10	RA	3	10 [DB,S]	—	5	10	15

Ammo: (AC/10) 10

Quirks: Extended Torso Twist, Narrow/Low Profile, No/Minimal Arms


BV: 504

WARRIOR DATA

Name: Zabia Madongo


Gunnery Skill: 4 Piloting Skill: 5

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM

Standard Armor



HIT LOCATION TABLE

Die Roll (2D6)	LS	F/R	RS
2*	LT(C)	CT(C)	RT(C)
3	LL	RA	RL
4	LA	RA	RA
5	LA	RL	RA
6	LL	RT	RL
7	LT	CT	RT
8	CT	LT	CT
9	RT	LL	LT
10	RA	LA	LA
11	RL	LA	LL
12	HD	HD	HD


*A result of 2 may inflict a critical hit

TO-HIT MODIFIERS

Attacker	
Stationary	+0
Walked	+1
Ran	+2
Jumped	+3
Prone	+2
Skidding	+1
Terrain	
Light Woods	+1/hex
Heavy Woods	+2/hex
Partial Cover	+1
Target	
Prone (adjacent hex)	-2
Prone (other hex)	+1
Immobile	-4
Skidding	-2
Moved 0-2 hexes	+0
Moved 3-4 hexes	+1
Moved 5-6 hexes	+2
Moved 7-9 hexes	+3
Moved 10-17 hexes	+4
Moved 18-24 hexes	+5
Moved 25+ hexes	+6
Jumped	+1
BattleArmor unit	+1
Secondary target (front)	+1
Secondary target (side/rear)	+2
Large support vehicle or grounded DropShip	-1
Damage	
Sensor hit	+2
Shoulder hit	+4
Arm Actuator	+1

INTERNAL STRUCTURE DIAGRAM

Standard Structure



Heat Scale

Overflow

30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

HEAT DATA


Heat	Effects
30	Shutdown
28	Ammo Exp, avoid on 8+
26	Shutdown, avoid on 10+
25	-5 Movement Points
24	+4 Modifier to Fire
23	Ammo Exp, avoid on 6+
22	Shutdown, avoid on 8+
20	-4 Movement Points
19	Ammo Exp, avoid on 4+
18	Shutdown, avoid on 6+
17	+3 Modifier to Fire
15	-3 Movement Points
14	Shutdown, avoid on 4+
13	+2 Modifier to Fire
10	-2 Movement Points
8	+1 Modifier to Fire
5	-1 Movement Points

Heat Sinks: 11

CRITICAL TABLE

Left Arm	Head	Right Arm
1. Shoulder	1. Life Support	1. Shoulder
2. Upper Arm Actuator	2. Sensors	2. Upper Arm Actuator
3. Small Laser	3. Cockpit	3. AC/10
4. Roll Again	4. Heat Sink	4. AC/10
5. Roll Again	5. Sensors	5. AC/10
6. Roll Again	6. Life Support	6. AC/10
Center Torso	Left Torso	Right Torso
1. Fusion Engine	1. Heat Sink	1. Heat Sink
2. Fusion Engine	2. Heat Sink	2. Heat Sink
3. Fusion Engine	3. Roll Again	3. Roll Again
4. Gyro	4. Roll Again	4. Roll Again
5. Gyro	5. Roll Again	5. Roll Again
6. Gyro	6. Roll Again	6. Roll Again
Left Leg	Right Leg	
1. Hip	1. Hip	
2. Upper Leg Actuator	2. Upper Leg Actuator	
3. Lower Leg Actuator	3. Lower Leg Actuator	
4. Foot Actuator	4. Foot Actuator	
5. Heat Sink	5. Heat Sink	
6. Heat Sink	6. Heat Sink	

Engine Hits
Gyro Hits
Sensor Hits
Life Support



Damage Transfer Diagram

© 2024 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

MOVEMENT RECORD

Turn #	1	2	3	4	5	6	7	8	9	10
Hex/Facing										
Move Mode										

Turn #	11	12	13	14	15	16	17	18	19	20
Hex/Facing										
Move Mode										

KICK LOCATION TABLE

Die Roll (1D6)	LS	F/R	RS
1-3	LL	RL	RL
4-6	LL	LL	RL

FACING AFTER FALL

Die Roll (1D6)	New Facing	Hit Location
1	Same Direction	Front
2	1 Hexside Right	Right Side
3	2 Hexsides Right	Right Side
4	Opposite Direction	Rear
5	2 Hexsides Left	Left Side
6	1 Hexside Left	Left Side

BATTLETECH™

BATTLEMECH RECORD SHEET

MECH DATA

Type: UrbanMech UM-R60

Movement Points: 30
Walking: 2
Running: 3
Jumping: 2
Engine Type: 60 Fusion

Tonnage: 30
Tech Base: Inner Sphere
Rules Level: Introductory
Role: Ambusher

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Ln
1	Small Laser	LA	1	3 [DE]	—	1	2	3
1	AC/10	RA	3	10 [DB,S]	—	5	10	15

Ammo: (AC/10) 10

Quirks: Extended Torso Twist, Narrow/Low Profile,
No/Minimal Arms


BV: 504

WARRIOR DATA

Name: Tim Decker


Gunnery Skill: 4 Piloting Skill: 5

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM

Standard Armor



HIT LOCATION TABLE

Die Roll (2D6)	LS	F/R	RS
2*	LT(C)	CT(C)	RT(C)
3	LL	RA	RL
4	LA	RA	RA
5	LA	RL	RA
6	LL	RT	RL
7	LT	CT	RT
8	CT	LT	CT
9	RT	LL	LT
10	RA	LA	LA
11	RL	LA	LL
12	HD	HD	HD

*A result of 2 may inflict a critical hit

TO-HIT MODIFIERS

Attacker	
Stationary	+0
Walked	+1
Ran	+2
Jumped	+3
Prone	+2
Skidding	+1
Terrain	
Light Woods	+1/hex
Heavy Woods	+2/hex
Partial Cover	+1
Target	
Prone (adjacent hex)	-2
Prone (other hex)	+1
Immobile	-4
Skidding	-2
Moved 0-2 hexes	+0
Moved 3-4 hexes	+1
Moved 5-6 hexes	+2
Moved 7-9 hexes	+3
Moved 10-17 hexes	+4
Moved 18-24 hexes	+5
Moved 25+ hexes	+6
Jumped	+1
BattleArmor unit	+1
Secondary target (front)	+1
Secondary target (side/rear)	+2
Large support vehicle or grounded DropShip	-1
Damage	
Sensor hit	+2
Shoulder hit	+4
Arm Actuator	+1

CRITICAL TABLE

Left Arm	Head	Right Arm
1. Shoulder	1. Life Support	1. Shoulder
2. Upper Arm Actuator	2. Sensors	2. Upper Arm Actuator
3. Small Laser	3. Cockpit	3. AC/10
4. Roll Again	4. Heat Sink	4. AC/10
5. Roll Again	5. Sensors	5. AC/10
6. Roll Again	6. Life Support	6. AC/10
1. Roll Again		1. AC/10
2. Roll Again		2. AC/10
3. Roll Again		3. AC/10
4. Roll Again		4. Roll Again
5. Roll Again		5. Roll Again
6. Roll Again		6. Roll Again
Center Torso	Left Torso	Right Torso
1. Fusion Engine	1. Heat Sink	1. Heat Sink
2. Fusion Engine	2. Heat Sink	2. Heat Sink
3. Fusion Engine	3. Roll Again	3. Ammo (AC/10) 10
4. Gyro	4. Roll Again	4. Roll Again
5. Gyro	5. Roll Again	5. Roll Again
6. Gyro	6. Roll Again	6. Roll Again
1. Gyro		1. Roll Again
2. Fusion Engine		2. Roll Again
3. Fusion Engine		3. Roll Again
4. Fusion Engine		4. Roll Again
5. Jump Jet		5. Roll Again
6. Jump Jet		6. Roll Again
1. Roll Again		1. Roll Again
2. Roll Again		2. Roll Again
3. Roll Again		3. Roll Again
4. Roll Again		4. Roll Again
5. Roll Again		5. Roll Again
6. Roll Again		6. Roll Again
Left Leg	Right Leg	
1. Hip	1. Hip	
2. Upper Leg Actuator	2. Upper Leg Actuator	
3. Lower Leg Actuator	3. Lower Leg Actuator	
4. Foot Actuator	4. Foot Actuator	
5. Heat Sink	5. Heat Sink	
6. Heat Sink	6. Heat Sink	


Engine Hits ○○○○
Gyro Hits ○○○○
Sensor Hits ○○○○
Life Support ○



Damage Transfer Diagram

INTERNAL STRUCTURE DIAGRAM

Standard Structure



Heat Scale

Overflow

30*

29

28*

27

26*

25*

24*

23*

22*

21

20*

19*

18*

17*

16

15*

14*

13*

12

11

10*

9

8*

7

6

5*

4

3

2

1

0

HEAT DATA

Heat	Effects	Heat Sinks: 11
30	Shutdown	○
28	Ammo Exp, avoid on 8+	○
26	Shutdown, avoid on 10+	○
25	-5 Movement Points	○
24	+4 Modifier to Fire	○
23	Ammo Exp, avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	○
19	Ammo Exp, avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	○
13	+2 Modifier to Fire	○
10	-2 Movement Points	○
8	+1 Modifier to Fire	○
5	-1 Movement Points	○

© 2024 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

MOVEMENT RECORD

Turn #	1	2	3	4	5	6	7	8	9	10
Hex/Facing										
Move Mode										

Turn #	11	12	13	14	15	16	17	18	19	20
Hex/Facing										
Move Mode										

KICK LOCATION TABLE

Die Roll (1D6)	LS	F/R	RS
1-3	LL	RL	RL
4-6	LL	LL	RL

FACING AFTER FALL

Die Roll (1D6)	New Facing	Hit Location
1	Same Direction	Front
2	1 Hexside Right	Right Side
3	2 Hexsides Right	Right Side
4	Opposite Direction	Rear
5	2 Hexsides Left	Left Side
6	1 Hexside Left	Left Side

BATTLEMECH RECORD SHEET

[illegible]