

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Thunderbolt TDR-5SS

Movement Points: 4
Walking: 4
Running: 6
Jumping: 0
Engine Type: 260 Fusion

Tonnage: 65
Tech Base: Inner Sphere
Rules Level: Introductory
Role: Brawler

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	PPC	RA	10	10 [DE]	3	6	12	18
1	SRM 6	LT	4	2/Msl [M,C,S]	—	3	6	9
3	Medium Laser	LT	3	5 [DE]	—	3	6	9
1	Flamer	RT	3	2 [DE,H,AI]	—	1	2	3

Total Heat (Dissipation): 26 (21)

Ammo: (SRM 6) 15

Quirks: Multi-Trac, Rugged (2 Point), Ubiquitous (Inner Sphere)


BV: 2,059

WARRIOR DATA

Name: Lieutenant JG Misa "Reset" Arnold (Reset)


Gunnery Skill: 2 Piloting Skill: 4

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM

Standard Armor



HIT LOCATION TABLE

Die Roll (2D6)	LS	F/R	RS
2*	LT(C)	CT(C)	RT(C)
3	LL	RA	RL
4	LA	RA	RA
5	LA	RL	RA
6	LL	RT	RL
7	LT	CT	RT
8	CT	LT	CT
9	RT	LL	LT
10	RA	LA	LA
11	RL	LA	LL
12	HD	HD	HD

*A result of 2 may inflict a critical hit.

TO-HIT MODIFIERS

Attacker	
Stationary	+0
Walked	+1
Ran	+2
Prone	+2
Skidding	+1
Terrain	
Light Woods	+1/hex
Heavy Woods	+2/hex
Partial Cover	+1
Target	
Prone (adjacent hex)	-2
Prone (other hex)	+1
Immobile	-4
Skidding	-2
Moved 0-2 hexes	+0
Moved 3-4 hexes	+1
Moved 5-6 hexes	+2
Moved 7-9 hexes	+3
Moved 10-17 hexes	+4
Moved 18-24 hexes	+5
Moved 25+ hexes	+6
Jumped	+1
BattleArmor unit	+1
Secondary target (front)	+1
Secondary target (side/rear)	+2
Large support vehicle or grounded DropShip	-1
Damage	
Sensor hit	+2
Shoulder hit	+4
Arm Actuator	+1

CRITICAL TABLE

- Left Arm**
- Shoulder
 - Upper Arm Actuator
 - Lower Arm Actuator
 - Hand Actuator
 - Roll Again
 - Roll Again

- Center Torso**
- Fusion Engine
 - Fusion Engine
 - Fusion Engine
 - Gyro
 - Gyro
 - Gyro

- Left Torso**
- Heat Sink
 - SRM 6
 - SRM 6
 - Medium Laser
 - Medium Laser
 - Medium Laser

- Right Torso**
- Heat Sink
 - Heat Sink
 - Heat Sink
 - Heat Sink
 - Heat Sink
 - Flamer

- Left Leg**
- Hip
 - Upper Leg Actuator
 - Lower Leg Actuator
 - Foot Actuator
 - Heat Sink
 - Heat Sink

- Head**
- Life Support
 - Sensors
 - Cockpit
 - Roll Again
 - Sensors
 - Life Support

- Right Arm**
- Shoulder
 - Upper Arm Actuator
 - Lower Arm Actuator
 - Hand Actuator
 - Roll Again
 - Roll Again

- Center Torso**
- Fusion Engine
 - Fusion Engine
 - Fusion Engine
 - Gyro
 - Gyro
 - Gyro

- Left Torso**
- Heat Sink
 - Heat Sink
 - Heat Sink
 - Heat Sink
 - Heat Sink
 - Flamer


- Right Torso**
- Heat Sink
 - Heat Sink
 - Heat Sink
 - Heat Sink
 - Heat Sink
 - Flamer

- Left Leg**
- Hip
 - Upper Leg Actuator
 - Lower Leg Actuator
 - Foot Actuator
 - Heat Sink
 - Heat Sink

- Right Leg**
- Hip
 - Upper Leg Actuator
 - Lower Leg Actuator
 - Foot Actuator
 - Heat Sink
 - Heat Sink

Engine Hits ○○○○
Gyro Hits ○○○○
Sensor Hits ○○○○
Life Support ○


CATALYST
game labs



Damage Transfer Diagram

INTERNAL STRUCTURE DIAGRAM

Standard Structure



HEAT DATA

Heat Level*	Effects	Heat Sinks: 21
30	Shutdown	○○○○○
28	Ammo Exp, avoid on 8+	○○○○○
26	Shutdown, avoid on 10+	○○○○○
25	-5 Movement Points	○○○○○
24	+4 Modifier to Fire	○○○○○
23	Ammo Exp, avoid on 6+	○○○○○
22	Shutdown, avoid on 8+	○○○○○
20	-4 Movement Points	○○○○○
19	Ammo Exp, avoid on 4+	○○○○○
18	Shutdown, avoid on 6+	○○○○○
17	+3 Modifier to Fire	○○○○○
15	-3 Movement Points	○○○○○
14	Shutdown, avoid on 4+	○○○○○
13	+2 Modifier to Fire	○○○○○
10	-2 Movement Points	○○○○○
8	+1 Modifier to Fire	○○○○○
5	-1 Movement Points	○○○○○

Heat Scale

Overflow

30*

29

28*

27

26*

25*

24*

23*

22*

21

20*

19*

18*

17*

16

15*

14*

13*

12

11

10*

9

8*

7

6

5*

4

3

2

1

0

© 2025 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

MOVEMENT RECORD

Turn #	1	2	3	4	5	6	7	8	9	10
Hex/Facing										
Move Mode										

Turn #	11	12	13	14	15	16	17	18	19	20
Hex/Facing										
Move Mode										

CLUSTER HITS TABLE

Die Roll (2D6)	
2	2
3	2
4	3
5	3
6	4
7	4
8	4
9	5
10	5
11	6
12	6

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: **Hunchback HBK-4P**

Movement Points: 50
Walking: 4
Running: 6
Jumping: 0
Engine Type: 200 Fusion

Tonnage: 50
Tech Base: Inner Sphere
Rules Level: Introductory
Role: Juggernaut

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
1	Medium Laser	LA	3	5 [DE]	—	3	6	9
1	Medium Laser	RA	3	5 [DE]	—	3	6	9
6	Medium Laser	RT	3	5 [DE]	—	3	6	9
1	Small Laser	HD	1	3 [DE]	—	1	2	3

Total Heat (Dissipation): 25 (23)

Quirks: Battle Fists (LA), Battle Fists (RA)


BV: 1,502

WARRIOR DATA

Name: Sergeant Yaeko "Fox" Miyake (Fox)


Gunnery Skill: 3 Piloting Skill: 4

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM

Standard Armor



HIT LOCATION TABLE

Die Roll (2D6)	LS	F/R	RS
2*	LT(C)	CT(C)	RT(C)
3	LL	RA	RL
4	LA	RA	RA
5	LA	RL	RA
6	LL	RT	RL
7	LT	CT	RT
8	CT	LT	CT
9	RT	LL	LT
10	RA	LA	LA
11	RL	LA	LL
12	HD	HD	HD

*A result of 2 may inflict a critical hit.

TO-HIT MODIFIERS

Attacker	
Stationary	+0
Walked	+1
Ran	+2
Prone	+2
Skidding	+1
Terrain	
Light Woods	+1/hex
Heavy Woods	+2/hex
Partial Cover	+1
Target	
Prone (adjacent hex)	-2
Prone (other hex)	+1
Immobilized	-4
Skidding	-2
Moved 0-2 hexes	+0
Moved 3-4 hexes	+1
Moved 5-6 hexes	+2
Moved 7-9 hexes	+3
Moved 10-17 hexes	+4
Moved 18-24 hexes	+5
Moved 25+ hexes	+6
Jumped	+1
BattleArmor unit	+1
Secondary target (front)	+1
Secondary target (side/rear)	+2
Large support vehicle or grounded DropShip	-1
Damage	
Sensor hit	+2
Shoulder hit	+4
Arm Actuator	+1

CRITICAL TABLE

Left Arm	Head	Right Arm
1. Shoulder	1. Life Support	1. Shoulder
2. Upper Arm Actuator	2. Sensors	2. Upper Arm Actuator
3. Lower Arm Actuator	3. Cockpit	3. Lower Arm Actuator
4. Hand Actuator	4. Small Laser	4. Hand Actuator
5. Medium Laser	5. Sensors	5. Medium Laser
6. Roll Again	6. Life Support	6. Roll Again
1-3		1-3
1. Roll Again		1. Roll Again
2. Roll Again		2. Roll Again
3. Roll Again		3. Roll Again
4. Roll Again		4. Roll Again
5. Roll Again		5. Roll Again
6. Roll Again		6. Roll Again
4-6		4-6
1. Roll Again		1. Roll Again
2. Roll Again		2. Roll Again
3. Roll Again		3. Roll Again
4. Roll Again		4. Roll Again
5. Roll Again		5. Roll Again
6. Roll Again		6. Roll Again
Center Torso		
1. Fusion Engine		
2. Fusion Engine		
3. Fusion Engine		
4. Gyro		
5. Gyro		
6. Gyro		
1-3		
1. Roll Again		
2. Roll Again		
3. Roll Again		
4. Roll Again		
5. Roll Again		
6. Roll Again		
4-6		
1. Roll Again		
2. Roll Again		
3. Roll Again		
4. Roll Again		
5. Roll Again		
6. Roll Again		
Left Torso		Right Torso
1. Heat Sink		1. Heat Sink
2. Heat Sink		2. Heat Sink
3. Heat Sink		3. Medium Laser
4. Heat Sink		4. Medium Laser
5. Heat Sink		5. Medium Laser
6. Heat Sink		6. Medium Laser
1-3		1-3
1. Heat Sink		1. Medium Laser
2. Roll Again		2. Medium Laser
3. Roll Again		3. Roll Again
4. Roll Again		4. Roll Again
5. Roll Again		5. Roll Again
6. Roll Again		6. Roll Again
4-6		4-6
1. Roll Again		1. Roll Again
2. Roll Again		2. Roll Again
3. Roll Again		3. Roll Again
4. Roll Again		4. Roll Again
5. Roll Again		5. Roll Again
6. Roll Again		6. Roll Again
Left Leg		Right Leg
1. Hip		1. Hip
2. Upper Leg Actuator		2. Upper Leg Actuator
3. Lower Leg Actuator		3. Lower Leg Actuator
4. Foot Actuator		4. Foot Actuator
5. Heat Sink		5. Heat Sink
6. Heat Sink		6. Heat Sink


Engine Hits ○○○○
Gyro Hits ○○○○
Sensor Hits ○○○○
Life Support ○



Damage Transfer Diagram

INTERNAL STRUCTURE DIAGRAM

Standard Structure



HEAT DATA

Heat Level*	Effects	Heat Sinks: 23
30	Shutdown	○○○○
28	Ammo Exp, avoid on 8+	○○○○
26	Shutdown, avoid on 10+	○○○○
25	-5 Movement Points	○○○○
24	+4 Modifier to Fire	○○○○
23	Ammo Exp, avoid on 6+	○○○○
22	Shutdown, avoid on 8+	○○○○
20	-4 Movement Points	○○○○
19	Ammo Exp, avoid on 4+	○○○○
18	Shutdown, avoid on 6+	○○○○
17	+3 Modifier to Fire	○○○○
15	-3 Movement Points	○○○○
14	Shutdown, avoid on 4+	○○○○
13	+2 Modifier to Fire	○○○○
10	-2 Movement Points	○○○○
8	+1 Modifier to Fire	○○○○
5	-1 Movement Points	○○○○

Heat Scale
Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

© 2025 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

MOVEMENT RECORD

Turn #	1	2	3	4	5	6	7	8	9	10
Hex/Facing										
Move Mode										

Turn #	11	12	13	14	15	16	17	18	19	20
Hex/Facing										
Move Mode										

PHYSICAL ATTACKS

Attack	To-Hit	Damage
Punch	+0	5
Kick	-2	10
Push	-1	—
Club	-1	10
Charge	+0*	5/Hex

*Modified by target piloting skill

PUNCH LOCATION TABLE

Die Roll (1D6)	LS	F/R	RS
1	LT	LA	RT
2	LT	LT	RT
3	CT	CT	CT
4	LA	RT	RA
5	LA	RA	RA
6	HD	HD	HD

KICK LOCATION TABLE

Die Roll (1D6)	LS	F/R	RS
1-3	LL	RL	RL
4-6	LL	LL	RL

FACING AFTER FALL

Die Roll (1D6)	New Facing	Hit Location
1	Same Direction	Front
2	1 Hexside Right	Right Side
3	2 Hexsides Right	Right Side
4	Opposite Direction	Rear
5	2 Hexsides Left	Left Side
6	1 Hexside Left	Left Side

