

MEDIUM SUPPORT VTOL RECORD SHEET

VEHICLE DATA

Type: Strike Falcon Attack VTOL (Standard)
Movement Points: 7
Cruising: 7
Flanking: 11
Movement Type: VTOL
Engine Type: 70 ICE

Tonnage: 30
Tech Base: Inner Sphere
Rules Level: Standard
Role: Striker

Weapons & Equipment Inventory		(hexes)					
Qty	Type	Loc	Dmg	Min	Sht	Med	Lng
2	SRM 4	FR	2[M,C,S]	—	3	6	9
1	Machine Gun	FR	2[DB,AI]	—	1	2	3
1	Machine Gun	RS	2[DB,AI]	—	1	2	3
1	Machine Gun	LS	2[DB,AI]	—	1	2	3

Ammo: (Machine Gun) 100, (SRM 4) 25
Features Advanced Fire Control, Infantry Bay (6 tons)
Quirks: Easy to Pilot, Obsolete

BV: 281



CREW DATA

Crew: Lieutenant SG Daniela "Convict" Valdevies
Gunnery Skill: 5 Driving Skill: 4
Co-Pilot Hit +1 Pilot Hit +2
Modifier to all skill rolls Modifier to Driving skill rolls


CRITICAL DAMAGE

Flight Stabilizer* +3 Engine Hit ☐
Sensor Hits +1 +2 +3 D
Stabilizers
Front ☐ Left ☐ Right ☐
Rear ☐
*Move at Cruising speed only

NOTES

ARMOR DIAGRAM

BAR: 7



TO-HIT MODIFIERS

Attacker	
Stationary	+0
Cruised	+1
Flanked	+2
Skidding	+1
Terrain	
Light Woods	+1/hex
Heavy Woods	+2/hex
Partial Cover	+1
Target	
Prone (adjacent hex)	-2
Prone (other hex)	+1
Immobilized	-4
Skidding	-2
Moved 0-2 hexes	+0
Moved 3-4 hexes	+1
Moved 5-6 hexes	+2
Moved 7-9 hexes	+3
Moved 10-17 hexes	+4
Moved 18-24 hexes	+5
Moved 25+ hexes	+6
Jumped	+1
BattleArmor unit	+1
Secondary target (front)	+1
Secondary target (side/rear)	+2
Large support vehicle or grounded DropShip	-1



MOVEMENT COSTS

Cost to Enter Hex (Airborne):	1
Woods (except along road)	Prohibited
Building	Prohibited
Level Change (Up or Down)	+1/level
Additional Movement Actions	
Facing change	1/hexside

VTOL COMBAT VEHICLE HIT LOCATION

	FRONT	REAR	SIDES
2*	Front (critical)	Rear (critical)	Side (critical)
3	Rotor†	Rotor†	Rotor†
4	Turret‡	Turret‡	Turret‡
5	Right Side†	Left Side†	Front†
6	Front	Rear	Side
7	Front	Rear	Side
8	Front	Rear	Side (critical)*
9	Left Side	Right Side	Rear
10	Rotor†	Rotor†	Rotor†
11	Rotor†	Rotor†	Rotor†
12*	Rotors (critical)*†	Rotors (critical)*†	Rotors (critical)*†

*A result of 2 or 12 (or an 8 if the attack strikes the side) may inflict a critical hit on the VTOL. For each such attack, apply damage normally to the armor in that section. The attacking player then immediately rolls once on the VTOL Combat Vehicle Critical Hits Table, below.

† Damage Value / 10 (round up); see Rotor Hits, p. 197, *Total Warfare*. Additionally, damage to rotors slows down the VTOL. Each hit reduces the VTOL's Cruising MP by 1, meaning that the controlling player must also recalculate Flank MP; multiply the new Cruising MP by 1.5 and round up. As with all damage, such movement penalties do not apply until the end of the phase in which the damage occurred.

‡ A result of 2 or 12 (or an 8 if the attack strikes the side) may inflict a critical hit on the VTOL. For each such attack, apply damage normally to the armor in that section. The attacking player then immediately rolls once on the VTOL Combat Vehicle Critical Hits Table, below.

VTOL ELEVATION TRACK

Turn	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
Elevation															

Turn	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30
Elevation															

PHYSICAL ATTACKS AGAINST VTOLS TABLE

DIFFERENCE IN LEVELS	TYPES OF PHYSICAL ATTACKS ALLOWED
-1 or lower	None
0	All except Punch
1-2	All except Kick
3	Club and Physical Weapons Only
4+	None

VTOL COMBAT VEHICLE CRITICAL HITS TABLE

	FRONT	SIDE	LOCATION HIT REAR	ROTORS	TURRET
2-5	No Critical Hit	No Critical Hit	No Critical Hit	No Critical Hit	No Critical Hit
6	Copilot Hit	Weapon Malfunction	Cargo/Infantry Hit	Rotor Damage	Stabilizer
7	Weapon Malfunction	Weapon/Infantry Hit	Weapon Malfunction	Rotor Damage	Turret Jam
8	Stabilizer	Stabilizer	Stabilizer	Rotor Damage	Weapon Malfunction
9	Sensors	Weapon Destroyed	Weapon Destroyed	Flight Stabilizer Hit	Turret Locks
10	Pilot Hit	Engine Hit	Sensors	Flight Stabilizer Hit	Weapon Destroyed
11	Weapon Destroyed	RotorsDestroyed	Ammunition**	Engine Hit	Ammunition**
12	Crew Killed	Fuel Tank*	Fuel Tank*	RotorsDestroyed	Turret Blown Off

*Only if the VTOL has an ICE engine. For VTOLs with fusion engines, treat this result as Engine Hit.

** If the VTOL carries no ammunition, treat this result as Weapon Destroyed.

MOVEMENT RECORD

Turn #	1	2	3	4	5	6	7	8	9	10
Hex/Facing										
Move Mode										

Turn #	11	12	13	14	15	16	17	18	19	20
Hex/Facing										
Move Mode										

CLUSTER HITS TABLE

Die Roll (2D6)	
2	4
3	1
4	2
5	2
6	2
7	3
8	3
9	3
10	3
11	4
12	4

MEDIUM SUPPORT VTOL RECORD SHEET

VEHICLE DATA

Type: Strike Falcon Attack VTOL (Standard)
Movement Points: 7
Cruising: 7
Flanking: 11
Movement Type: VTOL
Engine Type: 70 ICE

Tonnage: 30
Tech Base: Inner Sphere
Rules Level: Standard
Role: Striker

Weapons & Equipment Inventory		(hexes)					
Qty	Type	Loc	Dmg	Min	Sht	Med	Lng
2	SRM 4	FR	2[M,C,S]	—	3	6	9
1	Machine Gun	FR	2[DB,AI]	—	1	2	3
1	Machine Gun	RS	2[DB,AI]	—	1	2	3
1	Machine Gun	LS	2[DB,AI]	—	1	2	3

Ammo: (Machine Gun) 100, (SRM 4) 25
Features Advanced Fire Control, Infantry Bay (6 tons)
Quirks: Easy to Pilot, Obsolete

BV: 312



CREW DATA

Crew: Nira "Hardcore" Cabecinho
Gunnery Skill: 4 Driving Skill: 4
Co-Pilot Hit +1 Pilot Hit +2
Modifier to all skill rolls Modifier to Driving skill rolls


CRITICAL DAMAGE

Flight Stabilizer* +3 Engine Hit ☐
Sensor Hits +1 +2 +3 D
Stabilizers
Front ☐ Left ☐ Right ☐
Rear ☐
*Move at Cruising speed only

NOTES

ARMOR DIAGRAM

BAR: 7



TO-HIT MODIFIERS

Attacker	
Stationary	+0
Cruised	+1
Flanked	+2
Skidding	+1
Terrain	
Light Woods	+1/hex
Heavy Woods	+2/hex
Partial Cover	+1
Target	
Prone (adjacent hex)	-2
Prone (other hex)	+1
Immobilized	-4
Skidding	-2
Moved 0-2 hexes	+0
Moved 3-4 hexes	+1
Moved 5-6 hexes	+2
Moved 7-9 hexes	+3
Moved 10-17 hexes	+4
Moved 18-24 hexes	+5
Moved 25+ hexes	+6
Jumped	+1
BattleArmor unit	+1
Secondary target (front)	+1
Secondary target (side/rear)	+2
Large support vehicle or grounded DropShip	-1

MOVEMENT COSTS

Cost to Enter Hex (Airborne):	1
Woods (except along road)	Prohibited
Building	Prohibited
Level Change (Up or Down)	+1/level
Additional Movement Actions	
Facing change	1/hexside

VTOL COMBAT VEHICLE HIT LOCATION

	FRONT	REAR	SIDES
2*	Front (critical)	Rear (critical)	Side (critical)
3	Rotor†	Rotor†	Rotor†
4	Turret‡	Turret‡	Turret‡
5	Right Side†	Left Side†	Front†
6	Front	Rear	Side
7	Front	Rear	Side
8	Front	Rear	Side (critical)*
9	Left Side	Right Side	Rear
10	Rotor†	Rotor†	Rotor†
11	Rotor†	Rotor†	Rotor†
12*	Rotors (critical)*†	Rotors (critical)*†	Rotors (critical)*†

*A result of 2 or 12 (or an 8 if the attack strikes the side) may inflict a critical hit on the VTOL. For each such attack, apply damage normally to the armor in that section. The attacking player then immediately rolls once on the VTOL Combat Vehicle Critical Hits Table, below.

† Damage Value / 10 (round up); see Rotor Hits, p. 197, *Total Warfare*. Additionally, damage to rotors slows down the VTOL. Each hit reduces the VTOL's Cruising MP by 1, meaning that the controlling player must also recalculate Flank MP; multiply the new Cruising MP by 1.5 and round up. As with all damage, such movement penalties do not apply until the end of the phase in which the damage occurred.

‡ A result of 2 or 12 (or an 8 if the attack strikes the side) may inflict a critical hit on the VTOL. For each such attack, apply damage normally to the armor in that section. The attacking player then immediately rolls once on the VTOL Combat Vehicle Critical Hits Table, below.

VTOL ELEVATION TRACK

Turn	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
Elevation															

Turn	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30
Elevation															

PHYSICAL ATTACKS AGAINST VTOLS TABLE

DIFFERENCE IN LEVELS	TYPES OF PHYSICAL ATTACKS ALLOWED
-1 or lower	None
0	All except Punch
1-2	All except Kick
3	Club and Physical Weapons Only
4+	None

VTOL COMBAT VEHICLE CRITICAL HITS TABLE

	FRONT	SIDE	LOCATION HIT REAR	ROTORS	TURRET
2-5	No Critical Hit	No Critical Hit	No Critical Hit	No Critical Hit	No Critical Hit
6	Copilot Hit	Weapon Malfunction	Cargo/Infantry Hit	Rotor Damage	Stabilizer
7	Weapon Malfunction	Weapon/Infantry Hit	Weapon Malfunction	Rotor Damage	Turret Jam
8	Stabilizer	Stabilizer	Stabilizer	Rotor Damage	Weapon Malfunction
9	Sensors	Weapon Destroyed	Weapon Destroyed	Flight Stabilizer Hit	Turret Locks
10	Pilot Hit	Engine Hit	Sensors	Flight Stabilizer Hit	Weapon Destroyed
11	Weapon Destroyed	RotorsDestroyed	Ammunition**	Engine Hit	Ammunition**
12	Crew Killed	Fuel Tank*	Fuel Tank*	RotorsDestroyed	Turret Blown Off

*Only if the VTOL has an ICE engine. For VTOLs with fusion engines, treat this result as Engine Hit.
** If the VTOL carries no ammunition, treat this result as Weapon Destroyed.

MOVEMENT RECORD

Turn #	1	2	3	4	5	6	7	8	9	10
Hex/Facing										
Move Mode										

Turn #	11	12	13	14	15	16	17	18	19	20
Hex/Facing										
Move Mode										

CLUSTER HITS TABLE

Die Roll (2D6)	
2	4
3	1
4	2
5	2
6	2
7	3
8	3
9	3
10	3
11	4
12	4



Jump Platoon (SRM)

Commander: Lieutenant SG Chan-ko

Gunnery Skill: 4

Anti-'Mech Skill: 7

Role: Ambusher

Max Weapon Damage*

Notes:

None

Armor Type: Generic Infantry Kit

Damage Divisor: 1.0

30	29	28	27	26	25	24	23	22	21	20	19	18	17	16	15	14	13	12	11	10	9	8	7	6	5	4	3	2	1

—	—	—	—	—	—	—	—	—	—	—	—	10	9	9	8	8	7	6	6	5	5	4	4	3	3	2	2	1	1
*Damage is always applied in 2-point Damage Value groupings												RANGE IN HEXES (TO-HIT MODIFIER)																	
Range:	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21							
Range Modifier:	-1	0	0	+2	+2	+4	+4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

BV: 69

Transport Wt: 3.0 tons

Movement MP: 2

Movement MP: 1

Type: Jump

Type: Ground

TO-HIT MODIFIERS

Terrain

Light Woods	+1/hex
Heavy Woods	+2/hex
Partial Cover	+1

Target

Prone (adjacent hex)	-2
Prone (other hex)	+1
Immobile	-4
Skidding	-2
Moved 0-2 hexes	+0
Moved 3-4 hexes	+1
Moved 5-6 hexes	+2
Moved 7-9 hexes	+3
Moved 10-17 hexes	+4
Moved 18-24 hexes	+5
Moved 25+ hexes	+6
Jumped	+1
Large support vehicle	-1
or grounded DropShip	

MOVEMENT COSTS

Move	Cost
Cost to Enter Any Hex:	1
Terrain Cost:	
Clear	+0
Paved/Bridge	+0
Road	+0
Rough	+1
Light woods	+0
Heavy woods	+1
Water	
Depth 1+	Prohibited
Rubble	+1
Building	
Nonmechanized	+0
Level Change (Up or Down)	
1 level	+2
2+ levels	Prohibited

BURST-FIRE WEAPON DAMAGE VS. CONVENTIONAL INFANTRY

'MECHS, PROTOMECHS AND VEHICLES

WEAPON	DAMAGE VS. CONVENTIONAL INFANTRY
AP Gauss Rifle	2D6
Light Machine Gun	1D6
Machine Gun	2D6
Heavy Machine Gun	3D6
Small/Micro Pulse Laser	2D6
Flamer	4D6

BATTLE ARMOR

WEAPON	DAMAGE VS. CONVENTIONAL INFANTRY
Light Machine Gun	1D6/2 (round up)
Machine Gun	1D6
Heavy Machine Gun	2D6
Flamer	3D6
Light Recoilless Rifle	1D6
Medium Recoilless Rifle	2D6
Heavy Recoilless Rifle	2D6
Light Mortar	1D6
Heavy Mortar	1D6
Automatic Grenade Launcher	1D6/2 (round up)
Heavy Grenade Launcher	1D6

NON-INFANTRY WEAPON AGAINST INFANTRY

WEAPON TYPE*	NUMBER OF CONVENTIONAL TROOPERS HIT†
Direct Fire (Energy or Ballistic)	Damage Value / 10
Cluster (Ballistic)	Damage Value / 10 + 1
Pulse**	Damage Value / 10 + 2
Cluster (Missile)	Damage Value / 5
Area Effect (AE)	Damage Value / 5
Burst-Fire	See Burst-Fire Weapons Table
Heat Effect Weapons	See Heat-Effect Weapons‡

*See Combat, p. 113 in *Total Warfare*, for weapon terminology.

**Except for Small and Micro Pulse Lasers, which are treated as Burst-Fire Weapons.

†This equals the number of conventional infantry troopers hit and eliminated, regardless of armor protection. Attacks by non-infantry weapons against mechanized infantry double the number of troopers eliminated; round fractions up.

‡Each Heat-Effect Weapon has specific damage against conventional infantry, as noted on either the appropriate Weapon and Equipment Tables or in *Other Combat Weapons and Equipment* (see p. 129 in *Total Warfare*).



ANTI-'MECH ATTACK TABLE

Active troopers	Leg Attack	Swarm Attack
22+	0	+2
16-21	+2	+5
10-15	+5	Not possible
5-9	+7	Not possible
1-4	Not possible	Not possible

SWARM ATTACKS HIT LOCATION

2D6 Roll	Bipedal Location	Four-Legged Location
2	H	H
3	CT(R)	RT
4	RT(R)	CT(R)
5	RT	RT(R)
6	RA	RT
7	CT	CT
8	LA	LT
9	LT	LT(R)
10	LT(R)	CT(R)
11	CT(R)	LT
12	H	H

© 2023 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

CLUSTER HITS TABLE

Die Roll (2D6)	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
2	1	1	1	1	2	2	2	3	3	4	4	4	5	5	5	5	6
3	1	1	2	2	2	2	3	3	3	4	4	4	5	5	5	5	6
4	1	1	2	2	3	3	3	4	4	5	5	5	6	6	7	7	8
5	1	2	2	3	3	4	4	5	6	7	8	8	9	9	10	10	11
6	1	2	2	3	4	4	4	5	6	7	8	8	9	9	10	10	11
7	1	2	3	3	4	4	5	5	6	7	8	8	9	9	10	10	11
8	2	2	3	3	4	4	5	5	6	7	8	8	9	9	10	10	11
9	2	2	3	4	5	6	6	7	8	9	10	11	11	12	13	14	14
10	2	3	3	4	5	6	7	7	8	9	10	11	11	12	13	14	14
11	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
12	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18



Jump Platoon (Rifle)

Commander: Lieutenant JG Eva Beil

Gunnery Skill: 3

Anti-Mech Skill: 8

Max Weapon Damage*

Notes:

None

Armor Type: Generic Infantry Kit

Damage Divisor: 1.0

30	29	28	27	26	25	24	23	22	21	20	19	18	17	16	15	14	13	12	11	10	9	8	7	6	5	4	3	2	1

—	—	—	—	—	—	—	—	—	11	10	10	9	9	8	8	7	7	6	6	5	5	4	4	3	3	2	2	1	1
*Damage is always applied in 2-point Damage Value groupings															RANGE IN HEXES (TO-HIT MODIFIER)														
Range:	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21							
Range Modifier:	-2	0	+2	+4																									

BV: 93

Transport Wt: 3.5 tons

Movement MP: 3

Movement MP: 1

Type: Jump

Type: Ground

TO-HIT MODIFIERS

Terrain

Light Woods	+1/hex
Heavy Woods	+2/hex
Partial Cover	+1

Target

Prone (adjacent hex)	-2
Prone (other hex)	+1
Immobile	-4
Skidding	-2
Moved 0-2 hexes	+0
Moved 3-4 hexes	+1
Moved 5-6 hexes	+2
Moved 7-9 hexes	+3
Moved 10-17 hexes	+4
Moved 18-24 hexes	+5
Moved 25+ hexes	+6
Jumped	+1
Large support vehicle	-1
or grounded DropShip	

MOVEMENT COSTS

Move	Cost
Cost to Enter Any Hex:	1
Terrain Cost:	
Clear	+0
Paved/Bridge	+0
Road	+0
Rough	+1
Light woods	+0
Heavy woods	+1
Water	
Depth 1+	Prohibited
Rubble	+1
Building	
Nonmechanized	+0
Level Change (Up or Down)	
1 level	+2
2+ levels	Prohibited

BURST-FIRE WEAPON DAMAGE VS. CONVENTIONAL INFANTRY

*MECHS, PROTOMECHS AND VEHICLES

WEAPON	DAMAGE VS. CONVENTIONAL INFANTRY
AP Gauss Rifle	2D6
Light Machine Gun	1D6
Machine Gun	2D6
Heavy Machine Gun	3D6
Small/Micro Pulse Laser	2D6
Flamer	4D6

BATTLE ARMOR

WEAPON	DAMAGE VS. CONVENTIONAL INFANTRY
Light Machine Gun	1D6/2 (round up)
Machine Gun	1D6
Heavy Machine Gun	2D6
Flamer	3D6
Light Recoilless Rifle	1D6
Medium Recoilless Rifle	2D6
Heavy Recoilless Rifle	2D6
Light Mortar	1D6
Heavy Mortar	1D6
Automatic Grenade Launcher	1D6/2 (round up)
Heavy Grenade Launcher	1D6

NON-INFANTRY WEAPON AGAINST INFANTRY

WEAPON TYPE*	NUMBER OF CONVENTIONAL TROOPERS HIT†
Direct Fire (Energy or Ballistic)	Damage Value / 10
Cluster (Ballistic)	Damage Value / 10 + 1
Pulse**	Damage Value / 10 + 2
Cluster (Missile)	Damage Value / 5
Area Effect (AE)	Damage Value / 5
Burst-Fire	See Burst-Fire Weapons Table
Heat Effect Weapons	See Heat-Effect Weapons‡

*See Combat, p. 113 in *Total Warfare*, for weapon terminology.

**Except for Small and Micro Pulse Lasers, which are treated as Burst-Fire Weapons.

†This equals the number of conventional infantry troopers hit and eliminated, regardless of armor protection. Attacks by non-infantry weapons against mechanized infantry double the number of troopers eliminated; round fractions up.

‡Each Heat-Effect Weapon has specific damage against conventional infantry, as noted on either the appropriate Weapon and Equipment Tables or in *Other Combat Weapons and Equipment* (see p. 129 in *Total Warfare*).



© 2023 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

CLUSTER HITS TABLE

Die Roll (2D6)	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21
2	1	1	1	1	2	2	2	3	3	4	4	4	5	5	5	5	6	6	6	7
3	1	1	2	2	2	2	3	3	3	4	4	4	5	5	5	5	6	6	6	7
4	1	1	2	2	3	3	3	4	4	5	5	5	6	6	7	7	8	8	9	9
5	1	2	2	3	3	4	4	5	6	7	8	8	9	9	10	10	11	11	12	13
6	1	2	2	3	4	4	4	5	6	7	8	8	9	9	10	10	11	11	12	13
7	1	2	3	3	4	4	5	5	6	7	8	8	9	9	10	10	11	11	12	13
8	2	2	3	3	4	4	5	5	6	7	8	8	9	9	10	10	11	11	12	13
9	2	2	3	4	5	6	6	7	8	9	10	11	11	12	13	14	14	15	16	17
10	2	3	3	4	5	6	7	7	8	9	10	11	11	12	13	14	14	15	16	17
11	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21
12	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21

ANTI-MECH ATTACK TABLE

Active troopers	Leg Attack	Swarm Attack
22+	0	+2
16-21	+2	+5
10-15	+5	Not possible
5-9	+7	Not possible
1-4	Not possible	Not possible

SWARM ATTACKS HIT LOCATION

2D6 Roll	Bipedal Location	Four-Legged Location
2	H	H
3	CT(R)	RT
4	RT(R)	CT(R)
5	RT	RT(R)
6	RA	RT
7	CT	CT
8	LA	LT
9	LT	LT(R)
10	LT(R)	CT(R)
11	CT(R)	LT
12	H	H

BATTLETECH™

FIXED WING SUPPORT VEHICLE RECORD SHEET

FIGHTER DATA

Type: Boomerang Spotter Plane (Standard)

Thrust: 4 Tonnage: 4,999 kg
SafeThrust: 4 Tech Base: Inner Sphere
Maximum Thrust: 6 Rules Level: Standard
Engine Type: 1 ICE Role: Attack Fighter

Weapons & Equipment Inventory

Standard Scale (1-6) (7-12) (13-20) (21-25)
Qty Type Loc SRV MRV LRV ERV
1 Recon Camera [E] NOS — — — —

Fuel Points: 273

Features Propeller-Driven, Ultra-Light, STOL Chassis Mods,
1 Ejection Seat, Cargo (13 kg)

BV: 2



ARMOR DIAGRAM

BAR: 2

Nose Damage
Threshold (Total Armor)
1 (0)

Left Wing
Damage Threshold
(Total Armor)
1 (0)

Right Wing
Damage Threshold
(Total Armor)
1 (0)

Aft Damage
Threshold
(Total Armor)
1 (0)



TO-HIT MODIFIERS

Range	
Short	+0
Medium	+2
Long	+4
Extreme	+6
Target/Intervening conditions	
Attack against aft	+0
Attack against side	+2
Attack against nose	+1
Attacker flying at altitude 1	+2
attacking air target	
Secondary target in fwd arc	+1
Secondary target in other arc	+2
Target is conducting	-3
air-to-ground attack	
Target is at zero velocity	-2
Target is evading	variable
Attacker Conditions	
Exceeded safe thrust this turn	+2
Out of control	+2
Crew damage	+2
FCS damage	+2/hit
Sensor damage	+1/hit
Sensors destroyed	+5
Attacker evading	Prohibited

CONTROL ROLL TABLE

Situation	
Movement	
Exceed normal operating ceiling	
Roll more than once in a turn	
Use thrust > current SI	
Velocity > 2x safe thrust	
in atmosphere	
Stalling	
Descending 3+ altitudes in a turn	
Damage	
Avionics critical	
Control critical	
Damaged in atmosphere	
Modifiers	
Crew damage	+1/hit
Avionics damage	+1/hit
Life support damage	+1/hit
Above safe thrust	+1
Atmospheric operations	+1
Per 20 points of damage	+1
Velocity above 2x	+1/point
safe thrust	

NOTES

CRITICAL DAMAGE

Avionics +1 +2 +5 Engine 2 4 D
FCS +2 +4 D Landing Gear +5
Sensors +1 +2 +5 Life Support +2

PILOT DATA

Name: Sloan "Kaiser" MacCaw

Gunnery Skill: 4 Piloting Skill: 5

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead
Modifier	+1	+2	+3	+4	+5	

GROUND MAP STRAIGHT MOVEMENT

	FIGHTER	SMALL CRAFT AND FIXED WING SUPPORT VEHICLES
1	8	8
2	12	14
3	16	20
4	20	26
5	24	32
6	28	38
7	32	44
8	36	50
9	40	56
10	44	62
11	48	68
12	52	74

Velocity above 12 is not possible on ground maps.

FIGHTER RETURN TABLE

	TURNS BEFORE RETURN
1-4	3
5-8	2
9-12	1
13+	0

VELOCITY RECORD

Turn #	1	2	3	4	5	6	7	8	9	10
Thrust										
Velocity										
Effective Velocity										
Altitude										

Turn #	11	12	13	14	15	16	17	18	19	20
Thrust										
Velocity										
Effective Velocity										
Altitude										

© 2023 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

HIT LOCATION TABLE

Die Roll (2D6)	Nose	Aft	Side	Above/Below
2	Nose/Weapon	Aft/Weapon	Nose/Weapon	Nose/Weapon
3	Nose/Sensor	Aft/Heat Sink	Wing/Gear	Wing/Gear
4	Right Wing/Heat Sink	Right Wing/Fuel	Nose/Sensor	Nose/Sensor
5	Right Wing/Weapon	Right Wing/Weapon	Nose/Crew	Nose/Crew
6	Nose/Avionics	Aft/Engine	Wing/Weapon	Wing/Weapon
7	Nose/Control	Aft/Control	Wing/Avionics	Nose/Avionics
8	Nose/FCS	Aft/Engine	Wing/Bomb	Wing/Weapon
9	Left Wing/Weapon	Left Wing/Weapon	Aft/Control	Aft/Control
10	Left Wing/Heat Sink	Left Wing/Fuel	Aft/Engine	Aft/Engine
11	Nose/Gear	Aft/Heat Sink	Wing/Gear	Wing/Gear
12	Nose/Weapon	Aft/Weapon	Aft/Weapon	Aft/Weapon

AIR-TO-GROUND ATTACKS

Attack Type	Modifier	Altitude
Striking	+2	2-5

RANDOM MOVEMENT TABLE

1D6 Result	Effect
1	Forward 1 hex, left 2 hexsides
2	Forward 1 hex, left 1 hexside
3-4	Forward 1 hex
5	Forward 1 hex, right 1 hexside
6	Forward 1 hex, right 2 hexsides

STRAIGHT MOVEMENT

	Low Altitude	
Velocity	Map	Ground Map
1	2	8
2	2	14
3	2	20
4	2	26
5	2	32
6	2	38
7	2	44
8	2	50
9	2	56
10	4	62
11	4	68
12	4	74
13-15	6	-
16+	8	-



TO-HIT MODIFIERS

Range	
Short	+0
Medium	+2
Long	+4
Extreme	+6
Target/Intervening conditions	
Attack against aft	+0
Attack against side	+2
Attack against nose	+1
Attacker flying at altitude 1	+2
attacking air target	
Target is conducting	-3
air-to-ground attack	
Target is at zero velocity	-2
Firing through atmospheric	+2/hex
hex on high altitude map	
Firing into or out of screen hex+2	
Target is evading	variable
Attacker Conditions	
Exceeded safe thrust this turn	+2
Out of control	+2
Crew damage	+2
FCS damage	+2/hit
Sensor damage	+1/hit
Sensors destroyed	+5
Attacker evading	+2

DROPSHIP DATA

Type: Leopard (Black Swan Mk III)
 Name: _____ Tonnage: 1,900
 Thrust: _____ Tech Base: Inner Sphere
 Safe Thrust: 4 Rules Level: Standard
 Maximum Thrust: 6

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	SRV	MRV	LRV	ERV
2	PPC	NOS	20	2	(20)	2	(20)
1	LRM 20 (12 rounds)	NOS	6	1	(12)	1	(12)
3	Medium Laser	NOS	9	2	(15)	—	—
1	LRM 20 (12 rounds)	LW/RW	6	1	(12)	1	(12)
1	Medium Laser	LW/RW	19	3	(21)	2	(16)
2	Large Laser						
2	Medium Laser	AFT	14	2	(18)	1	(8)
1	Large Laser						

Cargo:

Bay 1: Mech (4) (4 Doors)
 Bay 5: Light Vehicle (2) (1 Door)
 Bay 6: Cargo (234) (1 Door)

Fuel Points: 5,480

BV: 2,854



Left Wing
Damage
Threshold
(Total Armor)
13 (130)

Right Wing
Damage
Threshold
(Total Armor)
13 (130)

Structural Integrity: 7

Aft
Damage Threshold
(Total Armor)
10 (100)

Advanced F
Movement E
Compass



PILOT DATA

Gunnery Skill: 4	Piloting Skill: 5
Hits Taken	1 2 3 4 5 6
Modifier	+1 +2 +3 +4 +5 Incp.
Crew: 27	Marines: 0
Passengers: 0	BattleArmor: 0
Other: 0	
Life Boats/Escapes Pods: 0/2	

CRITICAL DAMAGE

Avionics	+1 +2 +5	Landing Gear	+5
FCS	2 4 D	Life Support	+2
Sensors	+1 +2 +5	K-F Boom	D
Thrusters		Docking Collar	D
Left	+1 +2 +3 D		
Right	+1 +2 +3 D		
Engine	-1 -2 -3 -4 -5 D		

HEAT DATA

Heat Sinks: 80	Heat Generation Per Arc:
	Nose: 35
	Left/Right Wing: 25/25
	Left/Right Wing (Rear): 0/0
	Aft: 14

VELOCITY RECORD

Turn #	1	2	3	4	5	6	7	8	9	10
Thrust										
Velocity										
Effective Velocity										
Altitude										

Turn #	11	12	13	14	15	16	17	18	19	20
Thrust										
Velocity										
Effective Velocity										
Altitude										

© 2023 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

HIT LOCATION TABLE

Die Roll (2D6)	Nose	Aft	Side	Above/Below
2	Nose/Crew	Aft/Life Support	Nose/Weapon	Nose/Weapon
3	Nose/Avionics	Aft/Control	Nose/FCS	Nose/FCS
4	Right Side/Weapon	Right Side/Weapon	Nose/Sensor	Nose/Sensor
5	Right Side/Thruster	Right Side/Door	Side/Thruster	Side/Thruster
6	Nose/FCS	Aft/Engine	Side/Cargo	Side/Cargo
7	Nose/Weapon	Aft/Weapon	Side/Weapon	Side/Weapon
8	Nose/Control	Aft/Collar	Side/Door	Side/Door
9	Left Side/Thruster	Left Side/Door	Side/Thruster	Side/Thruster
10	Left Side/Weapon	Left Side/Weapon	Aft/Avionics	Aft/Avionics
11	Nose/Sensor	Aft/Gear	Aft/Engine	Aft/Engine
12	Nose/K-F Boom	Aft/Fuel	Aft/Weapon	Aft/Weapon

AIR-TO-GROUND ATTACKS

Attack Type	Modifier	Altitude
Strafing	+4	1-3
Striking	+2	2-5

RANDOM MOVEMENT TABLE

1D6 Result	Effect
1	Forward 1 hex, left 2 hexsides
2	Forward 1 hex, left 1 hexside
3-4	Forward 1 hex
5	Forward 1 hex, right 1 hexside
6	Forward 1 hex, right 2 hexsides

STRAIGHT MOVEMENT

Velocity	Low Altitude Map	Ground Map
1	1	8
2	1	16
3	1	24
4	2	32
5	2	40
6	2	48
7	3	56
8	3	64
9	3	72
10	4	80
11	4	88
12	4	96
13-15	5	-
16+	6	-

CHANGING FACING COST

Velocity	Thrust points	Velocity	Thrust points
0-2	1	10	5
3-5	2	11	6
6-7	3	12	+1/point
8-9	4		



TO-HIT MODIFIERS

Range	
Short	+0
Medium	+2
Long	+4
Extreme	+6
Target/Intervening conditions	
Attack against aft	+0
Attack against side	+2
Attack against nose	+1
Attacker flying at altitude 1	+2
attacking air target	
Target is conducting	-3
air-to-ground attack	
Target is at zero velocity	-2
Firing through atmospheric	+2/hex
hex on high altitude map	
Firing into or out of screen hex	+2
Target is evading	variable
Attacker Conditions	
Exceeded safe thrust this turn	+2
Out of control	+2
Crew damage	+2
FCS damage	+2/hit
Sensor damage	+1/hit
Sensors destroyed	+5
Attacker evading	+2

DROPSHIP DATA

Type: Union (2708)

Name: _____ Tonnage: 3,600
 Thrust: _____ Tech Base: Inner Sphere
 Safe Thrust: 3 Rules Level: Standard
 Maximum Thrust: 5

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	SRV	MRV	LRV	ERV
1	PPC	NOS	10	1 (10)	1 (10)	—	—
2	AC/5 (20 rounds)	NOS	2	1 (10)	1 (10)	—	—
2	LRM 20 (24 rounds)	NOS	12	2 (24)	2 (24)	2 (24)	—
2	Medium Laser	NOS	6	1 (10)	—	—	—
1	PPC	FLS/FRS	10	1 (10)	1 (10)	—	—
2	AC/5 (40 rounds)	FLS/FRS	2	1 (10)	1 (10)	—	—
2	LRM 20 (24 rounds)	FLS/FRS	12	2 (24)	2 (24)	2 (24)	—
2	Medium Laser,	FLS/FRS	14	2 (18)	1 (8)	—	—
1	Large Laser						
2	Medium Laser,	ALS/ARS	14	2 (18)	1 (8)	—	—
1	Large Laser						
2	Medium Laser,	AFT	14	2 (18)	1 (8)	—	—
1	Large Laser						

Cargo:


Bay 1: Mech (4) (2 Doors)
 Bay 2: Mech (8) (2 Doors)
 Bay 3: Fighter (2) (2 Doors)
 Bay 4: Cargo (74.5) (2 Doors)

Fuel Points: 6,450

BV: 4,637



Left Side
Damage
Threshold
(Total Armor)
18 (180)



Right Side
Damage
Threshold
(Total Armor)
18 (180)

Advanced Movement
Compass

Aft Damage
Threshold
(Total Armor)
11 (104)

PILOT DATA

Gunnery Skill: 3	Piloting Skill: 5
Hits Taken	1 2 3 4 5 6
Modifier	+1 +2 +3 +4 +5 Incp.
Crew: 42	Marines: 0
Passengers: 0	BattleArmor: 0
Other: 0	
Life Boats/Escapes Pods: 0/7	

CRITICAL DAMAGE

Avionics	+1 +2 +5	Landing Gear	+5
FCS	2 4 D	Life Support	+2
Sensors	+1 +2 +5	K-F Boom	D
Thrusters		Docking Collar	D
Left	+1 +2 +3 D		
Right	+1 +2 +3 D		
Engine	-1 -2 -3 -4 -5 D		

VELOCITY RECORD

Turn #	1	2	3	4	5	6	7	8	9	10
Thrust										
Velocity										
Effective Velocity										
Altitude										

Turn #	11	12	13	14	15	16	17	18	19	20
Thrust										
Velocity										
Effective Velocity										
Altitude										

HEAT DATA

Heat Sinks: 90	Heat Generation Per Arc:
	Nose: 30
	Left/Right Fore: 38/38
	Left/Right Aft: 14/14
	Aft: 14

© 2023 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

HIT LOCATION TABLE

Die Roll (2D6)	Nose	Aft	Side	Above/Below
2	Nose/Crew	Aft/Life Support	Nose/Weapon	Nose/Weapon
3	Nose/Avionics	Aft/Control	Nose/FCS	Nose/FCS
4	Right Side/Weapon	Right Side/Weapon	Nose/Sensor	Nose/Sensor
5	Right Side/Thruster	Right Side/Door	Side/Thruster	Side/Thruster
6	Nose/FCS	Aft/Engine	Side/Cargo	Side/Cargo
7	Nose/Weapon	Aft/Weapon	Side/Weapon	Side/Weapon
8	Nose/Control	Aft/Collar	Side/Door	Side/Door
9	Left Side/Thruster	Left Side/Door	Side/Thruster	Side/Thruster
10	Left Side/Weapon	Left Side/Weapon	Aft/Avionics	Aft/Avionics
11	Nose/Sensor	Aft/Gear	Aft/Engine	Aft/Engine
12	Nose/K-F Boom	Aft/Fuel	Aft/Weapon	Aft/Weapon

AIR-TO-GROUND ATTACKS

Attack Type	Modifier	Altitude
Striking	+2	2-5

RANDOM MOVEMENT TABLE

1D6 Result	Effect
1	Forward 1 hex, left 2 hexsides
2	Forward 1 hex, left 1 hexside
3-4	Forward 1 hex
5	Forward 1 hex, right 1 hexside
6	Forward 1 hex, right 2 hexsides

CONTROL ROLL TABLE

Situation	
Movement	
Roll more than once in a turn	
Use thrust > current SI	
Velocity > 2x safe thrust	
in atmosphere	
Stalling	
Descending 3+ altitudes in a turn	
Damaged	
Avionics critical	
Control critical	
Damaged in atmosphere	
Modifiers	
Crew damage	+1/hit
Avionics damage	+1/hit
Life support damage	+1/hit
Above safe thrust	+1
Atmospheric operations	+3
Per 20 points of damage	+1
Velocity above 2x safe thrust	+1/point

CHANGING FACING COST

Velocity	Thrust points	Velocity	Thrust points
0-2	1	10	5
3-5	2	11	6
6-7	3	12	+1/point
8-9	4		

BATTLETECH™

BATTLEMECH RECORD SHEET

MECH DATA

Type: Grasshopper GHR-5H

Movement Points: 70
Walking: 4
Running: 6
Jumping: 4
Engine Type: 280 Fusion

Tonnage: 70
Tech Base: Inner Sphere
Rules Level: Introductory
Role: Skirmisher

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Ln
1	Medium Laser	LA	3	5 [DE]	—	3	6	9
1	Medium Laser	RA	3	5 [DE]	—	3	6	9
1	Medium Laser	LT	3	5 [DE]	—	3	6	9
1	Medium Laser	RT	3	5 [DE]	—	3	6	9
1	Large Laser	CT	8	8 [DE]	—	5	10	15
1	LRM 5	HD	2	1/Msl	6	7	14	21

Ammo: (LRM 5) 24
Quirks: Rugged (1 Point)


BV: 1,570

WARRIOR DATA

Name: Rosa "Rigs" Bice


Gunnery Skill: 4 Piloting Skill: 4

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM

Standard Armor



HIT LOCATION TABLE


Die Roll (2D6)	LS	F/R	RS
2*	LT(C)	CT(C)	RT(C)
3	LL	RA	RL
4	LA	RA	RA
5	LA	RL	RA
6	LL	RT	RL
7	LT	CT	RT
8	CT	LT	CT
9	RT	LL	LT
10	RA	LA	LA
11	RL	LA	LL
12	HD	HD	HD

*A result of 2 may inflict a critical hit.

TO-HIT MODIFIERS

Attacker	
Stationary	+0
Walked	+1
Ran	+2
Jumped	+3
Prone	+2
Skidding	+1
Terrain	
Light Woods	+1/hex
Heavy Woods	+2/hex
Partial Cover	+1
Target	
Prone (adjacent hex)	-2
Prone (other hex)	+1
Immobile	-4
Skidding	-2
Moved 0-2 hexes	+0
Moved 3-4 hexes	+1
Moved 5-6 hexes	+2
Moved 7-9 hexes	+3
Moved 10-17 hexes	+4
Moved 18-24 hexes	+5
Moved 25+ hexes	+6
Jumped	+1
BattleArmor unit	+1
Secondary target (front)	+1
Secondary target (side/rear)	+2
Large support vehicle or grounded DropShip	-1
Damage	
Sensor hit	+2
Shoulder hit	+4
Arm Actuator	+1

CRITICAL TABLE

Left Arm		Right Arm	
1-3	1. Shoulder 2. Upper Arm Actuator 3. Lower Arm Actuator 4. Hand Actuator 5. Heat Sink 6. Medium Laser	1-3	1. Shoulder 2. Upper Arm Actuator 3. Lower Arm Actuator 4. Hand Actuator 5. Heat Sink 6. Medium Laser
Left Torso		Right Torso	
1-3	1. Heat Sink 2. Heat Sink 3. Heat Sink 4. Heat Sink 5. Heat Sink 6. Medium Laser	1-3	1. Heat Sink 2. Heat Sink 3. Heat Sink 4. Heat Sink 5. Medium Laser 6. Ammo (LRM 5) 24
4-6	1. Roll Again 2. Roll Again 3. Roll Again 4. Roll Again 5. Roll Again 6. Roll Again	4-6	1. Roll Again 2. Roll Again 3. Roll Again 4. Roll Again 5. Roll Again 6. Roll Again
Engine Hits ○○○○ Gyro Hits ○○○ Sensor Hits ○○○ Life Support ○   Damage Transfer Disarm			
Left Leg		Right Leg	
1-3	1. Hip 2. Upper Leg Actuator 3. Lower Leg Actuator 4. Foot Actuator 5. Jump Jet 6. Jump Jet	1-3	1. Hip 2. Upper Leg Actuator 3. Lower Leg Actuator 4. Foot Actuator 5. Jump Jet 6. Jump Jet
4-6	1. Roll Again 2. Roll Again 3. Roll Again 4. Roll Again 5. Roll Again 6. Roll Again	4-6	1. Roll Again 2. Roll Again 3. Roll Again 4. Roll Again 5. Roll Again 6. Roll Again


Engine Hits ○○○○
Gyro Hits ○○○○
Sensor Hits ○○○○
Life Support ○



Damage Transfer Diagram

INTERNAL STRUCTURE DIAGRAM

Standard Structure



Heat Scale

Heat Scale
Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

HEAT DATA

Heat Level*	Effects	Heat Sinks: 22
30	Shutdown	○○○
28	Ammo Exp, avoid on 8+	○○○
26	Shutdown, avoid on 10+	○○○
25	-5 Movement Points	○○○
24	+4 Modifier to Fire	○○○
23	Ammo Exp, avoid on 6+	○○○
22	Shutdown, avoid on 8+	○○○
21	-4 Movement Points	○○○
19	Ammo Exp, avoid on 4+	○○○
18	Shutdown, avoid on 6+	○○○
17	+3 Modifier to Fire	○○○
15	-3 Movement Points	○○○
14	Shutdown, avoid on 4+	○○○
13	+2 Modifier to Fire	○○○
10	-2 Movement Points	○○○
8	+1 Modifier to Fire	○○○
5	-1 Movement Points	○○○

© 2023 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

MOVEMENT RECORD

Turn #	1	2	3	4	5	6	7	8	9	10
Hex/Facing										
Move Mode										

Turn #	11	12	13	14	15	16	17	18	19	20
Hex/Facing										
Move Mode										

PHYSICAL ATTACKS

Attack	To-Hit	Damage
Punch	+0	7
Kick	-2	14
Push	-1	—
Club	-1	14
Charge	+0*	7/Hex
DFA	+0*	21

*Modified by target piloting skill

PUNCH LOCATION TABLE

Die Roll (1D6)	LS	F/R	RS
1	LT	LA	RT
2	LT	LT	RT
3	CT	CT	CT
4	LA	RT	RA
5	LA	RA	RA
6	HD	HD	HD

KICK LOCATION TABLE

Die Roll (1D6)	LS	F/R	RS
1-3	LL	RL	RL
4-6	LL	LL	RL

FACING AFTER FALL

Die Roll (1D6)	New Facing	Hit Location
1	Same Direction	Front
2	1 Hexside Right	Right Side
3	2 Hexsides Right	Right Side
4	Opposite Direction	Rear
5	2 Hexsides Left	Left Side
6	1 Hexside Left	Left Side

CLUSTER HITS TABLE

Die Roll (2D6)	
2	1
3	2
4	2
5	3
6	3
7	3
8	3
9	4
10	4
11	5
12	5

BATTLEMECH RECORD SHEET

A full-body figure of a Space Marine in a green and brown camouflage pattern, holding a large battle-axe. The figure is standing on a small patch of grass and dirt. The background is a dark, textured surface.

Die Roll (1D6)	New Facing	Hit Location
1	Same Direction	Front
2	1 Hexside Right	Right Side
3	2 Hexsides Right	Right Side
4	Opposite Direction	Rear
5	2 Hexsides Left	Left Side
6	1 Hexside Left	Left Side



Damage Transfer Diagram

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Heat Sink

Diagram illustrating the Human Figure Inventory (HFI) scale, showing a human figure divided into numbered regions and a corresponding scale.

Regions and Counts:

- Head (1)
- Left Torso (16)
- Right Torso (16)
- Left Arm (12)
- Right Arm (12)
- Center Torso (23)
- Left Leg (16)
- Right Leg (16)

Scale:

Scale
Overflow
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*

Heat Level*	Effects	Heat Sinks: 22
30	Shutdown	○○○○
28	Ammo Exp, avoid on 8+	○○○○○
26	Shutdown, avoid on 10+	○○○○○
25	-5 Movement Points	○○○○
24	+4 Modifier to Fire	○○○○
23	Ammo Exp, avoid on 6+	○○○○
22	Shutdown, avoid on 8+	○○○○
20	-4 Movement Points	○○○○
19	Ammo Exp, avoid on 4+	○○○○
18	Shutdown, avoid on 6+	○○○○
17	+3 Modifier to Fire	○○○○
15	-3 Movement Points	○○○○
14	Shutdown, avoid on 4+	○○○○
13	+2 Modifier to Fire	○○○○
10	-2 Movement Points	○○○○
8	+1 Modifier to Fire	○○○○
5	-1 Movement Points	○○○○

MOVEMENT RECORD

[illegible][illegible]

BATTLEMECH RECORD SHEET

Die Roll (2D6)	5
2	1
3	2
4	2
5	3
6	3
7	3
8	3
9	4
10	4
11	5
12	5

BATTLEMECH RECORD SHEET

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Javelin JVN-10F 'Fire Javelin'
Movement Points: **Tonnage:** 30
Walking: 6 **Tech Base:** Inner Sphere
Running: 9 **Rules Level:** Introductory
Jumping: 6 **Role:** Striker
Engine Type: 180 Fusion

Weapons & Equipment Inventory

Qty	Type	Loc	Ht	Dmg	Min	Sht	Med	Ln
2	Medium Laser	LT	3	5 [DE]	—	3	6	9
2	Medium Laser	RT	3	5 [DE]	—	3	6	9

Quirks: Unbalanced

BV: 835



WARRIOR DATA

Name: Grear "Big Texas" Sottrel


Gunnery Skill: 4 **Piloting Skill:** 5

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead



ARMOR DIAGRAM

Standard Armor



HIT LOCATION TABLE

Die Roll (2D6)	LS	F/R	RS
2*	LT(C)	CT(C)	RT(C)
3	LL	RA	RL
4	LA	RA	RA
5	LA	RL	RA
6	LL	RT	RL
7	LT	CT	RT
8	CT	LT	CT
9	RT	LL	LT
10	RA	LA	LA
11	RL	LA	LL
12	HD	HD	HD

*A result of 2 may inflict a critical hit

TO-HIT MODIFIERS

Attacker	
Stationary	+0
Walked	+1
Ran	+2
Jumped	+3
Prone	+2
Skidding	+1
Terrain	
Light Woods	+1/hex
Heavy Woods	+2/hex
Partial Cover	+1
Target	
Prone (adjacent hex)	-2
Prone (other hex)	+1
Immobile	-4
Skidding	-2
Moved 0-2 hexes	+0
Moved 3-4 hexes	+1
Moved 5-6 hexes	+2
Moved 7-9 hexes	+3
Moved 10-17 hexes	+4
Moved 18-24 hexes	+5
Moved 25+ hexes	+6
Jumped	+1
BattleArmor unit	+1
Secondary target (front)	+1
Secondary target (side/rear)	+2
Large support vehicle or grounded DropShip	-1
Damage	
Sensor hit	+2
Shoulder hit	+4
Arm Actuator	+1

CRITICAL TABLE

Left Arm	
1-3	1. Shoulder
	2. Upper Arm Actuator
	3. Lower Arm Actuator
	4. Hand Actuator
	5. Roll Again
	6. Roll Again
4-6	1. Roll Again
	2. Roll Again
	3. Roll Again
	4. Roll Again
	5. Roll Again
	6. Roll Again
Left Torso	
1-3	1. Heat Sink
	2. Heat Sink
	3. Medium Laser
	4. Medium Laser
	5. Roll Again
	6. Roll Again
4-6	1. Roll Again
	2. Roll Again
	3. Roll Again
	4. Roll Again
	5. Roll Again
	6. Roll Again

- Life Support
- Sensors
- Cockpit
- Heat Sink
- Sensors
- Life Support

Right Arm	
1-3	1. Shoulder
	2. Upper Arm Actuator
4-6	3. Lower Arm Actuator
	4. Hand Actuator
	5. Roll Again
	6. Roll Again
4-6	1. Roll Again
	2. Roll Again
	3. Roll Again
	4. Roll Again
	5. Roll Again
	6. Roll Again
Right Torso	
1-3	1. Heat Sink
	2. Heat Sink
	3. Medium Laser
	4. Medium Laser
4-6	5. Roll Again
	6. Roll Again
	1. Roll Again
	2. Roll Again
	3. Roll Again
	4. Roll Again
4-6	5. Roll Again
	6. Roll Again


Engine Hits ○○○○
Gyro Hits ○○○○
Sensor Hits ○○○○
Life Support ○



Damage Transfer Diagram

INTERNAL STRUCTURE DIAGRAM

Standard Structure



Heat Scale

Heat Scale
30*
29
28*
27
26*
25*
24*
23*
22*
21
20*
19*
18*
17*
16
15*
14*
13*
12
11
10*
9
8*
7
6
5*
4
3
2
1
0

HEAT DATA

Heat Level*	Effects	Heat Sinks: 12
30	Shutdown	○○○○○○○○○○○○○○○○○○○○
28	Ammo Exp, avoid on 8+	○○○○○○○○○○○○○○○○○○○○
26	Shutdown, avoid on 10+	○○○○○○○○○○○○○○○○○○○○
25	-5 Movement Points	○○○○○○○○○○○○○○○○○○○○
24	+4 Modifier to Fire	○○○○○○○○○○○○○○○○○○○○
23	Ammo Exp, avoid on 6+	○○○○○○○○○○○○○○○○○○○○
22	Shutdown, avoid on 8+	○○○○○○○○○○○○○○○○○○○○
20	-4 Movement Points	○○○○○○○○○○○○○○○○○○○○
19	Ammo Exp, avoid on 4+	○○○○○○○○○○○○○○○○○○○○
18	Shutdown, avoid on 6+	○○○○○○○○○○○○○○○○○○○○
17	+3 Modifier to Fire	○○○○○○○○○○○○○○○○○○○○
15	-3 Movement Points	○○○○○○○○○○○○○○○○○○○○
14	Shutdown, avoid on 4+	○○○○○○○○○○○○○○○○○○○○
13	+2 Modifier to Fire	○○○○○○○○○○○○○○○○○○○○
10	-2 Movement Points	○○○○○○○○○○○○○○○○○○○○
8	+1 Modifier to Fire	○○○○○○○○○○○○○○○○○○○○
5	-1 Movement Points	○○○○○○○○○○○○○○○○○○○○

© 2023 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved. Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

MOVEMENT RECORD

Turn #	1	2	3	4	5	6	7	8	9	10
Hex/Facing										
Move Mode										

Turn #	11	12	13	14	15	16	17	18	19	20
Hex/Facing										
Move Mode										

KICK LOCATION TABLE

Die Roll (1D6)	LS	F/R	RS
1-3	LL	RL	RL
4-6	LL	LL	RL

FACING AFTER FALL

Die Roll (1D6)	New Facing	Hit Location
1	Same Direction	Front
2	1 Hexside Right	Right Side
3	2 Hexsides Right	Right Side
4	Opposite Direction	Rear
5	2 Hexsides Left	Left Side
6	1 Hexside Left	Left Side

BATTLEMECH RECORD SHEET

[illegible]