



Brand and Formatting Guidelines



BRAND AND FORMATTING GUIDELINES

Table of Contents

These guidelines are designed to assist the team at AESG and our partners, to work with our brand with confidence and consistency.

Our brand is what sets us apart, defining our reputation and aspirations. By using it effectively we will better establish our leading position in the marketplace.

Once you start working with these guidelines and get used to the content, you will find these have been designed to provide the flexibility you need to create great work. Please ensure that you get final approval from the AESG Marketing Team whenever creating new material if you have any doubts or questions. It is very important that we keep our brand consistent.

BRAND GUIDELINES	3
Brand Introduction	3
BRAND IDENTITY	7
Brandmark	7
BRAND LOOK & FEEL	22
Typography	14
Colours	18
Brand Supergraphic	22
Photography Styling	28
BRAND APPLICATION	33
Staitionary	33
Digital	42
CONTACT INFORMATION	59



BRAND GUIDELINES

Brand Introduction

Our brand is our most powerful asset. By consistently applying the AESG brand across all applications, we create and maintain a strong brand that reinforces who we are, how we define the personality of our brand, and the value we provide to our key audiences.

Overview	1.1
Brand Beliefs	1.2
Mission Statement	1.3
Vision Statement	1.4



1.1 | THE AESG BRAND

Overview

This section provides an overview of the AESG brand. A brand is much more than just a new brandmark. Every aspect of our appearance and brand experience should be aligned with the values we stand for and want to communicate to our audience.

On the following pages you will find the Brand Positioning which is a unique approach to our brand definition. It defines what our brand stands for today and what it aspires to be in the future.

Brand Beliefs

Brand Beliefs which are known to be highly relevant and motivating for our clients and which help to support and give additional dimension to our Mission Statement.

Mission Statement

The Mission Statement is the single most important item in all of our marketing. It defines everything about what the AESG brand is to our patrons. It is a compelling brand statement to define AESG, that will be formalised and used for future communication online or on-ground.



Vision Statement

The Vision Statement is the long-term strategy for where the company is going and is meant to align everyone around the company's direction.



1.2 | THE AESG BRAND

Brand Beliefs





1.3 | THE AESG BRAND

Mission Statement

To solve our client's greatest challenges, through collaboration, innovation and advanced technical solutions.

1.4 | THE AESG BRAND

Vision Statement

To transform specialist consultancy, providing solutions for a more sustainable world.



BRAND IDENTITY

Brandmark

The AESG Brandmark (logo) is one of the most important assets of the company. Consistent application is vital and should never be compromised.

We use several versions of our logo, depending on the required application.

Master Brandmark	2.1
Brandmark Elements	2.2
Brandmark colours	2.3
Brandmark colour breakdown	2.4
Brandmark clear-space &	2.5
Brandmark minimum size	
Brandmark placement	2.6



2.1 | BRAND IDENTITY

Master Brandmark

The master brandmark should always be generated from the original digital master. The logo must NEVER be changed, recreated, distorted or separated. These rules apply to all versions of the logo. Each element and their relationship have been carefully designed.

This relationship is fixed and must never be altered.

The brandmark should be used on all AESG business, client and corporate advertising, marketing communications, customer communications and team member communications material.





2.2 | BRAND IDENTITY

Brandmark Elements

The AESG master brandmark is made up of two elements: the AESG Brandmark Symbol (Figure 1) and the AESG logotype (Figure 2).

Each element and their relationship have been carefully designed. This relationship is fixed and must never be altered.

The AESG logotype (Figure 2) is always fitted on the right handside center-aligning with the AESG Symbol as shown here.

Figure 1




Figure 2

AESG



2.3 | BRAND IDENTITY

Brandmark Colours

The AESG master brandmark is available in Pantone®, Process Colour and Single Colour in positive and negative formats as shown here.

The primary colour usage for the AESG brandmark is shown in Figure 1.

Alternatively, the brandmark shown in Figure 2 can be used when the primary brand colour can not be printed, the brandmark legibility would be impaired or would not be able to be produced for technical reasons such as screen printing, fabric stitching etc.

Figure 1



Figure 2



The standards for PANTONE® colours are shown in the current edition of the PANTONE® Colour formula guide. The colours shown on this page and throughout these guidelines are not intended to match the PANTONE® Colour Standards. PANTONE® is a registered trademark of Pantone, Inc. Use actual PANTONE® chips. Do not attempt to match examples in this guide.



2.4 | BRAND IDENTITY

Brandmark Colour Breakdown

This colour breakdown for the brandmark shows the AESG brand colour specifications for various printing and digital applications.

Always follow the correct colour specifications shown opposite when specifying the colours for the AESG brandmark.

The standards for PANTONE® colours are shown in the current edition of the PANTONE® Colour formula guide. The colours shown on this page and throughout these guidelines are not intended to match the PANTONE® Colour Standards. PANTONE® is a registered trademark of Pantone, Inc. Use actual PANTONE® chips. Do not attempt to match examples in this guide.

AESG Gray	PANTONE® Cool Gray 11	CMYK Coated Cyan 48 Magenta 29 Yellow 26 Black 76	CMYK Uncoated Cyan 0 Magenta 0 Yellow 0 Black 89	RGB R 52 G 55 B 65	HTML #343741
AESG Green	PANTONE® 321	CMYK Coated Cyan 96 Magenta 0 Yellow 40 Black 14	CMYK Uncoated Cyan 96 Magenta 0 Yellow 40 Black 14	RGB R 0 G 140 B 149	HTML #008C95
AESG Purple	PANTONE® 259	CMYK Coated Cyan 66 Magenta 92 Yellow 0 Black 0	CMYK Uncoated Cyan 66 Magenta 92 Yellow 0 Black 0	RGB R 109 G 32 B 119	HTML #6D2077
AESG Red	PANTONE® 485	CMYK Coated Cyan 3 Magenta 100 Yellow 100 Black 0	CMYK Uncoated Cyan 3 Magenta 100 Yellow 91 Black 0	RGB R 218 G 41 B 28	HTML #DA291C
AESG Yellow	PANTONE® 123	CMYK Coated Cyan 0 Magenta 28 Yellow 100 Black 0	CMYK Uncoated Cyan 0 Magenta 28 Yellow 100 Black 0	RGB R 255 G 199 B 44	HTML #FFC72C



2.5 | BRAND IDENTITY

Brandmark Clear-space & Minimum size

Always maintain a minimum clear-space around the AESG brandmark to preserve its integrity.

To maintain visual clarity and to provide maximum impact, the brandmark must never appear to be linked to or crowded by copy, photographs or graphic elements.

The minimum clear-space must never differ proportionally from the diagrams demonstrated on this page Figure 1. The height measurement of the AESG 'A' within the brandmark logotype is the dimension for measuring the clear-space around the AESG master brandmark.

To protect the integrity, legibility and impact of the AESG brandmark, it must never be reproduced in offset print sizes smaller than those shown in Figure 2.

Figure 1



Figure 2





2.6 | BRAND IDENTITY

Master Brandmark Placement

The ideal placement for all AESG brandmark is on a white background. However, when this is not possible always follow the rules shown on this page.


Placement on solid coloured backgrounds

To place the brandmark onto backgrounds, always ensure that it is positioned to be highly visible at all times and that the colours chosen DO NOT clash with those of the brandmark. In most circumstances the reversed full colour format should be chosen.

Placement on images

When placing the AESG brandmark onto images always ensure that it is positioned to be highly visible at all times and that the colours DO NOT clash with those of the brandmark.

The standards for PANTONE® colours are shown in the current edition of the PANTONE® Colour formula guide. The colours shown on this page and throughout these guidelines are not intended to match the PANTONE® Colour Standards. PANTONE® is a registered trademark of Pantone, Inc. Use actual PANTONE® chips. Do not attempt to match examples in this guide.





BRAND LOOK & FEEL

Typography

Typography is an important element of the AESG identity system to help to create recognition of the brand.

Use typography in a bold and confident way, with a clear hierarchical communication structure, in which the most important message is given a large font size. You can convey the feeling of simplicity by using short, clear and simple headings.

English Typeface	3.1
Arabic Typeface	3.2
Microsoft® Office® Platform Fonts	3.3



3.1 | TYPOGRAPHY

English Typeface

The primary English typeface is **Ubuntu** for marketing and external communications.

This typeface is intended to be used for headlines, subheadlines and body copy for all advertising and print collaterals application. This typeface must be used across all AESG applications.

Ubuntu Light

AaBbCcDdEeFfGgHhIiJj
KkLlMmNnOoPpQqRr
SsTtUuVvWwXxYyZz
0123456789

Ubuntu Light Italic

*AaBbCcDdEeFfGgHhIiJj
KkLlMmNnOoPpQqRr
SsTtUuVvWwXxYyZz
0123456789*

Ubuntu Regular

AaBbCcDdEeFfGgHhIiJj
KkLlMmNnOoPpQqRr
SsTtUuVvWwXxYyZz
0123456789

Ubuntu Regular Italic

*AaBbCcDdEeFfGgHhIiJj
KkLlMmNnOoPpQqRr
SsTtUuVvWwXxYyZz
0123456789*

Ubuntu Bold Italic

**AaBbCcDdEeFfGgHhIiJj
KkLlMmNnOoPpQqRr
SsTtUuVvWwXxYyZz
0123456789**

Ubuntu Bold Italic

***AaBbCcDdEeFfGgHhIiJj
KkLlMmNnOoPpQqRr
SsTtUuVvWwXxYyZz
0123456789***

Aa Bb Cc



3.2 | TYPOGRAPHY

Arabic Typeface

The primary Arabic typeface is **Tahoma** for marketing and external communications.

This typeface is intended to be used for headlines, subheadlines and body copy for all advertising and print collaterals application. This typeface must be used across all AESG applications.

Tahoma Regular

ا ب ت ث ج ح خ د ذ ر ز
س ش ص ض ط ظ ع غ
ف ق ك ل م ن ه و ي ء
٩٨٧٦٥٤٣٢١٠

Tahoma Bold

ا ب ت ث ج ح خ د ذ ر ز
س ش ص ض ط ظ ع غ ف ق
ك ل م ن ه و ي ء
٩٨٧٦٥٤٣٢١٠

ا ب ت ج



3.3 | TYPOGRAPHY

Microsoft® Office® Platform Fonts

When generating headline and body copy in a Microsoft® Office® environment the font must be set to **Verdana**.

This font family is a standard font on pre-installed on PC and Apple OS platforms.

This typefaces must be used across all internally generated AESG applications.

Verdana Regular

AaBbCcDdEeFfGgHhIiJj
KkLlMmNnOoPpQqRr
SsTtUuVvWwXxYyZz
0123456789

Verdana Italic

*AaBbCcDdEeFfGgHhIiJj
KkLlMmNnOoPpQqRr
SsTtUuVvWwXxYyZz
0123456789*

Verdana Bold

**AaBbCcDdEeFfGgHhIiJj
KkLlMmNnOoPpQqRr
SsTtUuVvWwXxYyZz
0123456789**

Verdana Bold Italic

***AaBbCcDdEeFfGgHhIiJj
KkLlMmNnOoPpQqRr
SsTtUuVvWwXxYyZz
0123456789***

Aa Bb Cc



BRAND LOOK & FEEL

Colours

The colours shown within these guidelines are not intended to match the PANTONE® colour standards. Colour varies in shade and intensity according to the type of paper or material on which it is applied.

Any sealant or varnishes used will also affect the final printed colour.

Primary Colours	4.1
Secondary Colours	4.2
Colour Hierarchy	4.3



4.1 | COLOUR PALETTE

Primary Colours

The primary colours to be used on all AESG brand touch points are AESG Green and AESG Gray along with pure white finish.

Colours can be used as solid backgrounds, highlights of text and identifying points on graphs and maps.

CMYK Colour mode

The CMYK colour model (process colour, four colour) is a subtractive colour model used in colour printing for brochures, packaging, newspaper advertising etc.

RGB Colour mode

The main purpose of the RGB colour model is for the sensing, representation, and display of images in electronic systems, such as televisions, computers, smart phones and tablets.

The standards for PANTONE® colours are shown in the current edition of the PANTONE® Colour formula guide. The colours shown on this page and throughout these guidelines are not intended to match the PANTONE® Colour Standards. PANTONE® is a registered trademark of Pantone, Inc. Use actual PANTONE® chips. Do not attempt to match examples in this guide.

AESG Green

PANTONE®
321

CMYK Coated
Cyan 96
Magenta 0
Yellow 40
Black 14

CMYK Uncoated
Cyan 96
Magenta 0
Yellow 40
Black 14

RGB
R0 G140 B149

HTML
#008C95

Colour Tint

90%	80%	70%	60%	50%
40%	30%	20%	10%	

AESG Gray

PANTONE®
Cool Gray 11

CMYK Coated
Cyan 48
Magenta 29
Yellow 26
Black 76

CMYK Uncoated
Cyan 0
Magenta 0
Yellow 0
Black 89

RGB
R52 G55 B65

HTML
#343741

Colour Tint

90%	80%	70%	60%	50%
40%	30%	20%	10%	



4.2 | COLOUR PALETTE

Secondary Colours

The AESG secondary colour palette is composed of four core colours; these colours should never be used as the dominant colour in any deliverable.

The secondary colours should be used sparingly and should not overpower the AESG primary colours.

One or more secondary colours can be used at any given time. However, as mentioned above, collectively the secondary colours should not overpower the AESG primary colours.

The standards for PANTONE® colours are shown in the current edition of the PANTONE® Colour formula guide. The colours shown on this page and throughout these guidelines are not intended to match the PANTONE® Colour Standards. PANTONE® is a registered trademark of Pantone, Inc. Use actual PANTONE® chips. Do not attempt to match examples in this guide.

AESG Purple	PANTONE® 259	
	CMYK Coated Cyan 66 Magenta 92 Yellow 0 Black 0	
	CMYK Uncoated Cyan 66 Magenta 92 Yellow 0 Black 0	
	RGB R109 G32 B119	
	HTML #6D2077	
AESG Yellow	PANTONE® 123	
	CMYK Cyan 0 Magenta 28 Yellow 100 Black 0	
	CMYK Uncoated Cyan 0 Magenta 28 Yellow 100 Black 0	
	RGB R255 G199 B44	
	HTML #FFC72C	
AESG Red	PANTONE® 485	
	CMYK Cyan 3 Magenta 100 Yellow 100 Black 0	
	CMYK Uncoated Cyan 3 Magenta 100 Yellow 91 Black 0	
	RGB R218 G41 B28	
	HTML #DA291C	
Black	PANTONE® Black	
	CMYK Cyan 0 Magenta 0 Yellow 0 Black 100	
	RGB R0 G0 B0	
	HTML #000000	
	Colour Tint	
		90% 80% 70% 60% 50%
		40% 30% 20% 10%
		90% 80% 70% 60% 50%
		40% 30% 20% 10%
		90% 80% 70% 60% 50%
		40% 30% 20% 10%
		90% 80% 70% 60% 50%
		40% 30% 20% 10%




4.3 | COLOUR PALETTE

Colour Hierarchy

To maintain consistency in the primary and secondary colours, it is recommended to always print with PANTONE special colours. Where budget or production restrictions occur CMYK versions of the colours can be used.

The colours that we use should have some degree of control. The chart shown opposite gives some idea of the proportions that should be applied. Designers are encouraged to use a combination of the primary colour, white space and secondary colour to create impact, narrative, pace, change and surprise in communications and applications.





BRAND LOOK & FEEL

Brand Supergraphic

Along with the AESG brandmark, the way we layout our communications in a distinctive way helps ensure our unique visual style and better communicates our core values. In order to give AESG a unique look & feel a Supergraphic device system was created.

Primary Brand Supergraphic	5.1
Secondary Brand Supergraphic	5.2
Brand Supergraphics Usage	5.3




5.1 | BRAND SUPERGRAPHIC

Primary Brand Supergraphic

AESG Brand Graphic device consists of four core elements representing: Water, Earth, Wind & Fire . The Brand Graphic device (or Brand Supergraphic) can be used in backgrounds to help display communications.

Core Elements





5.2 | BRAND SUPERGRAPHIC

Secondary Brand Supergraphic

AESG Secondary Brand Supergraphics consists of three elements representing Earth, Fire, and Wind. Secondary Brand Graphic devices are inspired by the AESG core values. The Brand Graphic device (or Brand Supergraphic) can be used in backgrounds to help display communications.






5.3 | BRAND SUPERGRAPHIC

Brand Supergraphics Usage : Cropping

The cropping of the Brand Graphic devices can vary depending on the communication requirements.





5.3.1 | BRAND SUPERGRAPHIC

Brand Supergraphics Usage: Colour Variation

The colour of the Primary Brand Graphic device and Secondary Graphic Devices can vary depending on the communication requirements.

The primary colour usage for the AESG Brand Supergraphics is shown in Figure 1.

Alternatively, the Brand Supergraphic colour can be used in any of the secondary brand colours as shown in Figure 2 & Figure 2.2. These options can be used when the primary brand colour can not be printed, the supergraphic legibility would be impaired or would not be able to be produced for technical reasons such as screen printing, fabric stitching etc.

Figure 1




Figure 2.1




Figure 2.2





5.3.2 | BRAND SUPERGRAPHIC

Brand Supergraphics Usage: Placement

When used together with the AESG Brandmark, the center intersection of the line should be aligned to the center of the Brandmark Symbol as shown in Figure 1.

Figure 1





BRAND LOOK & FEEL

Photography Styling

Photography is a powerful tool that expresses our values and showcases our expertise. In today’s media-rich environment, people often look first to images, then to words. With this in mind, it is important that every image communicates a story and does so with maximum impact.

Employee Headshots	6.1
Offices & On-site Photography	6.2
Architecture & Environment	6.3
Internal & Client Renders	6.4



6.1 | PHOTOGRAPHY STYLING

Employee Headshots

Imagery plays a vital role in the AESG brand identity system. The correct and consistent use of imagery is a powerful means of strengthening the recognition of the brand – it reflects the AESG personality and beliefs and creates differentiation.


Shown opposite is an example of the AESG Employee Headshot photography style.

Content

- Portrait photography in office environment with a touch of greenery
- Portrait photography in nature

Photo effects

- Background is out of focus
- Natural light
- Vibrant colours
- NOT overexposed or over saturated





6.2 | PHOTOGRAPHY STYLING

Offices & On-site Photography


Shown opposite is an example of the AESG Offices & On-site photography style.

Content

- Capturing people at work / in action
- Close up or distant

Photo effects

- Focus is on the main subject
- Natural light
- Vibrant colours
- NOT overexposed or over-saturated
- A lot of white in the composition





6.3 | PHOTOGRAPHY STYLING

Architecture & Environment




Shown opposite is an example of the AESG Architecture & Environment photography style.

Content

- Architectural elements:
close up or distant
- Environment & texture:
close up

Photo effect

- High contrast
- Black & white or full colour
- Bright and saturated





6.4 | PHOTOGRAPHY STYLING

Internal & Client Renders


Shown opposite is an example of the AESG Internal & Client Renders style.

Content

- Architectural elements: close up or distant

Render effect

- High contrast
- Full colour
- Bright and saturated





BRAND APPLICATION

Staitionary

Stationary pieces function to communicate the attributes, position and components of the AESG Brand. As a result, even though each collateral piece serves a different function, their design must reflect AESG as a whole.

A4 Letterhead	7.1
Business Card	7.2
DL Envelope	7.3.1
A4 Envelope	7.3.2
Press Folder	7.4



7.1 | STATIONERY

A4 Letterhead

Shown opposite is an example of the AESG Corporate A4 Letterhead.

Trimmed size

A4 – 210mm x 297mm

Print specifications

CMYK

Paper specifications

Mohawk Ultimate White Wove, 118gsm

Always use supplied template artwork source files to generate artwork for print. Never recreate corporate envelope artworks from any other method.



Name Another
Designation
PO Box 12345
Any Town
Any Country

Date: DD/MM/2018
Reference Number

Subject: Replace Text

Dear Name Another,

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed diam nonummy nibh euismod tincidunt ut laoreet dolore magna aliquam erat volutpat. Ut wisi enim ad minim veniam, quis nostrud exerci tation ullamcorper suscipit lobortis nisl ut aliquip ex ea commodo consequat. Duis autem vel eum iriure dolor in hendrerit in vulputate velit esse molestie consequat, vel illum dolore eu feugiat nulla facilisis at vero eros et accumsan et iusto odio dignissim qui blandit praesent luptatum zzril delenit augue duis dolore te feugait nulla facilisi.

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed diam nonummy nibh euismod tincidunt ut laoreet dolore magna aliquam erat volutpat. Ut wisi enim ad minim veniam, quis nostrud exerci tation ullamcorper suscipit lobortis nisl ut aliquip ex ea commodo consequat. Duis autem vel eum iriure dolor in hendrerit in vulputate velit esse molestie consequat, vel illum dolore eu feugiat nulla facilisis at vero eros et accumsan et iusto odio dignissim qui blandit praesent luptatum zzril delenit augue duis dolore te feugait nulla facilisi.

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed diam nonummy nibh euismod tincidunt ut laoreet dolore magna aliquam erat volutpat. Ut wisi enim ad minim veniam, quis nostrud exerci tation ullamcorper suscipit lobortis nisl ut aliquip ex ea commodo consequat. Duis autem vel eum iriure dolor in hendrerit in vulputate velit esse molestie consequat, vel illum dolore eu feugiat nulla facilisis at vero eros et accumsan et iusto odio dignissim qui blandit praesent luptatum zzril delenit augue duis dolore te feugait nulla facilisi.

Best Regards,

Name Another
Designation

www.aesg.com

Dubai / London / Abu Dhabi / Riyadh / Singapore

Cayan Business Tower, 6th and 7th Floor
Barsha Heights (TECOM), PO Box 2556
Dubai, United Arab Emirates
T +971 (0) 4 432 6242

You can download this template here: <https://bit.ly/3fuevZX>



7.2 | STATIONERY

Business Card

Shown opposite is an example of the AESG Dubai Office Corporate Business Card.

Trimmed size

90mm x 55mm

Print specifications

CMYK

Paper specifications

Mohawk Ultimate White Wove, 432gsm

Always use supplied template artwork source files to generate artwork for print. Never recreate corporate envelope artworks from any other method.




You can download this template here: <https://bit.ly/3FkCNRu>



7.2.1 | STATIONERY

Business Card





7.3 | STATIONERY

DL Envelope





7.3.1 | STATIONERY

DL Envelope

Shown opposite is an example of the AESG Corporate DL Envelope.

Trimmed size

220mm x 110mm


Print specifications

CMYK

Paper specifications

Mohawk Ultimate White Wove, 118gsm

Always use supplied template artwork source files to generate artwork for print. Never recreate corporate envelope artworks from any other method.





7.3.2 | STATIONERY

A4 Envelope

Shown opposite is an example of the AESG Corporate A3 Envelope.

Trimmed size

Oversize A3


Print specifications

CMYK

Paper specifications

Mohawk Ultimate White Wove, 118gsm

Always use supplied template artwork source files to generate artwork for print. Never recreate corporate envelope artworks from any other method.





7.4 | STATIONERY

Press Folder





7.4.1 | STATIONERY

Press Folder

Shown opposite is an example of the AESG Corporate Press Folder.

Trimmed size

230mm x 317mm (Closed)

Print specifications

CMYK

Paper specifications

Matt Art, 400gsm

Finish:

Matt lamination

Always use supplied template artwork source files to generate artwork for print. Never recreate corporate envelope artworks from any other method.

Front Cover




Inside and holding flap for Letterheads and Business Card





BRAND APPLICATION

Digital



Email - Body	8.1.1
Email Signature	8.1.2
Microsoft® PowerPoint®	8.2
A4 Letterhead Formatting	8.3
Report Templates	8.4
Minutes Of Meeting Form	8.5
Technical Note Template	8.6



8.1.1 | DIGITAL

Email - Body

Whenever sending an e-mail, the following Email Signature layout and guidelines should be adhered to:

All other text should appear as **Sans Serif Normal**

New Message

To | Cc Bcc

Subject

Lorem ipsum dolor sit amet, consectetur adipiscing elit. In nec mauris nisl. Donec a mattis diam, at fringilla diam. Nulla nisi massa, aliquam in mollis at, ullamcorper vitae est.

Mauris commodo at lectus nec tempor. Cras bibendum cursus mi, vel laoreet libero dapibus vel. Vivamus enim leo, lobortis eget ipsum vitae, fringilla aliquam ex. Fusce ac ex nec metus feugiat malesuada. Etiam condimentum libero id mollis tincidunt. Vestibulum sagittis lorem urna, et maximus dul rutrum eget.

Name
 Position

AESG
 Cayan Business Tower | 6th and 7th Floor | Barsha Heights | PO Box 2556, Dubai, UAE
 T / +971 (0) 4 432 6242 M / +971 (0) XX XXX XXXX E / XXXXXX@aesg.com

www.aesg.com

Sustainability | Environment | Fire and Life Safety | Facades | Commissioning | Acoustics | Strategy and Advisory

LINKEDIN | TWITTER | YOUTUBE

Dubai / London / Abu Dhabi / Riyadh / Singapore

Middle East Sustainability Consultancy of the year 2017, 2018, 2019
 Middle East Commissioning Company of the year 2017, 2018, 2019, 2020, 2021
 Shortlisted for CIBSE Building Performance Consultancy of the year 2019, 2020, 2021, 2022

Sans Serif | Font size | Bold | Italic | Underline | Text color | Background color | Bulleted list | Numbered list | Indent | Outdent | Quote | Unquote | Link | Unlink

Send | Attach | Insert | Image | Video | Emoticon



8.1.2 | DIGITAL

Email Signature

Whenever sending an e-mail, the following Email Signature should be adhered:

Name

10pt Verdana Bold (in AESG Green)

Designation

8pt Verdana Regular (in AESG Green)

Brandmark (AESG)

8pt Verdana Regular (in AESG Gray), Use one line space between “brandmark” and “address”.

Address panel

8pt Verdana Regular (in AESG Gray).

Telephone and mobile number format should be as follows:

T / +971 (0) 4 432 6242

M / +971 (0) XX XXX XXXX

Website

The website address “www.aesg.com” set to 8pt Verdana Bold (in AESG Green).

Services Panel

8pt Verdana Regular (in AESG Gray)

Social Media Links

7pt Verdana Bold (in AESG Gray)

Region Headquarters

8pt Verdana Regular/Bold (in AESG Green) always have the region in ‘**bold**’ where you are assigned.

Awards Panel

8pt Verdana Regular (in AESG Green)

You can download this template here: <https://bit.ly/3smWh4o>



8.2 | DIGITAL


Microsoft® PowerPoint®

The following slides present guidelines and suggestions for the use of fonts, colors, and graphics when preparing PowerPoint presentations for Sessions and Seminars.

When generating headline and body copy in a Microsoft® PowerPoint® environment it must be set in Verdana Regular. This typeface is a standard font which is installed on PC and Macintosh platforms.

When the opportunity arises to use the corporate colours of AESG, please remember to use the colour specifications for RGB colour mode as stated in the colour section of this guideline document.

Cover Slide



You can download this template here: <https://bit.ly/3GZDArB>



8.2.1 | DIGITAL

Microsoft® PowerPoint®

Section Headers


Font

Throughout the publication please use Verdana. This typeface is a standard font which is installed on PC, Macintosh platforms, and G- Suite.


Font Color - White

Font Sizes


- Title – 32 points and can be 1 line
- Subtitle – 18 points and can be 1 line
- Date – 8 points
- Presentation Title – 8 points
- Slide No. – 8 points



Section Header



Section Header AESG Color Options





8.2.2 | DIGITAL

Microsoft® PowerPoint®

Basic Layout and Page Titles


Font Sizes

- Title font: 18 points
- Date – 8 points
- Body font: 12 points
- Slide No. – 8 points
- Presentation Title – 8 points


Font Color

Title - AESG Green, Body - AESG Grey


Throughout the publication please use Verdana. This typeface is a standard font which is installed on PC, Macintosh platforms, and G- Suite.



Basic Layout With Title



Basic Layout with Title and Two Column Text Box





8.2.3 | DIGITAL


Microsoft® PowerPoint®

Graphs & Charts


Formatting and labelling of graphs and charts are to follow the rules for figures established throughout this manual.

A set of Charts, Graphs Diagrams, and Tables are included in the PowerPoint Template to use. (see samples)


Bar Chart




Stacked Column Chart




Bar Chart




Line Diagram




Area Chart




Pie Chart



Cluster Diagram



Cycle Diagram



History Diagram





Table & Text





8.2.4 | DIGITAL


Microsoft® PowerPoint®

Member Profile & Portfolio Template


- Formatting and labelling of illustrative material are to follow the rules for figures established throughout this manual.
- Each illustrative material must be labelled.
- Photographs must be professional-quality.
- Each illustrative material must have a concise descriptive caption

A set of Placeholders for Text and Images are included in the PowerPoint Template to use. (See samples)


Picture Accent Process




Our Team




Member Profile




Portfolio




Columns & Bottom Text




Full Width Column & Bottom Text



Members



Portfolio






8.2.5 | DIGITAL

Microsoft® PowerPoint®

Points To Remember

- Make sure the text is readable.
- Avoid using graphics that are difficult to read.
- Simple diagrams are great communicators.
- Use bullet points to cover components of each Idea.
- Too much text looks busy and cluttered. You can always elaborate each point when presenting.

Thank You Page





8.3 | DIGITAL

A4 Letterhead Formatting

Logo Size

H: 1.2cm X W: 4.3cm

Margins



Top - 4.25cm

Left - 2.75 cm

Right - 2.24 cm

Bottom - 3.75 cm

Gutter - 0 cm



Logo Placement

1.5 cm

1.4 cm

Font - Verdana

Font Size - 9

Font Color - AESG Gray

Name Another
Designation
PO Box 12345
Any Town
Any Country

Date: DD/MM/2018
Reference Number

Subject: Replace Text

Font - Verdana

Font Size - 12

Font Color - AESG Gray

Dear Name Another,

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed diam nonummy nibh euismod tincidunt ut laoreet dolore magna aliquam erat volutpat. Ut wisi enim ad minim veniam, quis nostrud exerci tation ullamcorper suscipit lobortis nisl ut aliquip ex ea commodo consequat. Duis autem vel eum iriure dolor in hendrerit in vulputate velit esse molestie consequat, vel illum dolore eu feugiat nulla facilisis at vero eros et accumsan et iusto odio dignissim qui blandit praesent luptatum zzril delenit augue dui dolore te feugait nulla facilisi.

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed diam nonummy nibh euismod tincidunt ut laoreet dolore magna aliquam erat volutpat. Ut wisi enim ad minim veniam, quis nostrud exerci tation ullamcorper suscipit lobortis nisl ut aliquip ex ea commodo consequat. Duis autem vel eum iriure dolor in hendrerit in vulputate velit esse molestie consequat, vel illum dolore eu feugiat nulla facilisis at vero eros et accumsan et iusto odio dignissim qui blandit praesent luptatum zzril delenit augue dui dolore te feugait nulla facilisi.

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed diam nonummy nibh euismod tincidunt ut laoreet dolore magna aliquam erat volutpat. Ut wisi enim ad minim veniam, quis nostrud exerci tation ullamcorper suscipit lobortis nisl ut aliquip ex ea commodo consequat. Duis autem vel eum iriure dolor in hendrerit in vulputate velit esse molestie consequat, vel illum dolore eu feugiat nulla facilisis at vero eros et accumsan et iusto odio dignissim qui blandit praesent luptatum zzril delenit augue dui dolore te feugait nulla facilisi.

Best Regards,

Name Another
Designation

Footer:

Font - Verdana

Font Size - 7

Font Color - AESG Green/Gray

Dubai / London / Abu Dhabi / Riyadh / Singapore

Cayan Business Tower, 6th and 7th Floor
Barsha Heights (TECOM), PO Box 2556
Dubai, United Arab Emirates
T +971 (0) 4 432 6242

www.aesg.com



8.4 | DIGITAL

Report Templates

The format guidelines presented in this document have been developed to provide a common framework for all publications.

When generating client reports, A4 Size Portrait and Landscape versions have been created within Microsoft® Word. (as shown on the right)

Landscape Report



Portrait Report



You can download this template here: <https://bit.ly/3EeNMLa>

8.4.1 | DIGITAL

Report Templates

The following are guidelines for the use of fonts, colors, and graphics when preparing Reports.

Please use the AESG brand colours. Please remember to use the colour specifications for RGB colour mode as stated in the colour section of this guideline document.

Fonts

When generating headline and body copy in a Microsoft® Word® environment it must be set in **Verdana Regular**. This typeface is a standard font which is installed on PC, Macintosh platforms and G-Suite

Font sizes

Titles – 12 points

Body – 9 points


Font Colors

– Use AESG Gray font throughout the report. If you need another font color for contrast, AESG Green, as used in the title of the first page of this document.


Paragraphs

- Left justification (alignment) is preferred
- Text should be single spaced
- Text should be double spaced between paragraphs

Landscape Report



Landscape Report





8.4.2 | DIGITAL

Report Templates

Headers and footers

Font Sizes


Titles – 9 points

Page Number – 24 points

Font Colors

– Use AESG Green font throughout the headers and footers.

Landscape Report





8.4.3 | DIGITAL

Report Templates

Formatting Notes

1. Numbers

- Dates - the day is always followed by the month and year: 01 January 2022.

2. Bullets - select the middle dot symbol •

Punctuation on Bullet list:

- Use a period (full stop) after every bullet point that is a sentence.
- Use a period after every bullet point that completes the introductory stem.

3. Spelling Rules


- Preferred version is British English (BrE) e.g. 'ise' spellings of words like organise and maximise.

5. File Size

- The final file size of the .pdf of the publication should be no more than 10 MB. This is to facilitate email purposes and downloads from the website.

6. Image alignment with text

- It is preferred that any image be aligned to the title of any starting paragraph.
- In order to retain relative positioning of images in reports it is recommended to use the 'Text Wrapping' style of 'Behind Text'. Can be set by right-clicking on the image, if not done by default.





8.4.4 | DIGITAL

Report Templates

Tables

- Tables, especially large ones, should be placed on a separate slide.
- Resize a column or table automatically with AutoFit
- Select your table.
- On the Layout tab, in the Cell Size group, click AutoFit.
- Do one of the following. To adjust column width automatically, click AutoFit Contents. To adjust table width automatically, click AutoFit Window.




Image Citing

You should provide an in-text citation for any photographs, images, tables, diagrams, graphs, figures or illustrations that you reproduce in your work. The citation would normally be given after the title of the figure, table, diagram, etc.

- If you refer to an image that you have found you must provide a reference for that source.
- If you include any images in your document, also include a figure caption.



Appendix (or Appendices)

- The appendix (appendices) appears after the document text, but before the References.
- All appendices must be listed in your Table of Contents and have the same title format in the text and in the Table of Contents.
- All format rules for the body of your document apply to your Appendix, for example:
Body – Verdana Regular 9 points



8.5 | DIGITAL

Minutes Of Meeting Form

Meeting minutes are a written record of the conversation and decisions that are made over the course of a meeting. Meeting notes can actually be written for any kind of meeting that requires an official record. This written record can then be used to either inform team members who weren't able to attend what happened or to keep track of decisions and action items that can be revisited.

Fonts

When generating headline and body copy in a Microsoft® Word® environment it must be set in Verdana Regular. This typeface is a standard font which is installed on PC and Macintosh platforms.

Titles

All titles from the template must stay Upper Case (as shown on the right).

Font Sizes

- Title – 12 points
- Body – 9 points
- Footer – 7 points

Font Colors

- Use AESG Gray

Sample Form



Minutes of Meeting Form

Meeting Type:		Meeting Date:	
Meeting Reference:		Time Started:	
		Time Adjourned:	
Attendee's Name		Signature	
1		Refer to attendance sheet	
2			
3			
4			
5			
Agenda:			
Input		Output	
1			
2			
3			
4			
Date Scheduled For Next Meeting:			
Distribution as above attendees			

Doc. Ref.: AESG-IMS-OPE-FRM-MOM
Form – Minutes of Meeting

Issue Date: 23-Dec-2021
Controlled Copy

Version: 1.0 / Revision: 01
Page 1

You can download this template here: <https://bit.ly/3Fg9rny>



8.6 | DIGITAL

Technical Note Template

Technical Notes are a written record and a brief description of the the service provided, or recommendations suggested, results, references etc.

Fonts

When generating headline and body copy in a Microsoft® Word® environment it must be set in Verdana Regular. This typeface is a standard font which is installed on PC and Macintosh platforms.

Titles

All titles from the template must stay Upper Case (as shown on the right).

Font Sizes

- Title – 12 points
- Body – 9 points
- Footer – 7 points

Font Colors

- Use AESG Gray

Sample Form



Date: 00/00/2022	Reference: SID-TG-AESG-TN-00
Replace with Project Name	Client: Client Name
Issue No: 01	Rev.: 00
Prepared by: Name	Approved by: Name
Title: Title Name	

Section Headline

Section Title

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Integer ut elementum ante. Donec placerat, sapien quis gravida convallis, felis lorem posuere est, quis viverra quam ipsum ut mauris. Cras nec eros orci. Nulla facilisi. Sed bibendum vestibulum dui, eu scelerisque sapien fermentum a. Sed id dolor ornare, sagittis sem sit amet, laoreet libero. Suspendisse varius turpis a tortor tempus sollicitudin. Nulla ac ipsum ullamcorper, accumsan leo et, volutpat magna. Aliquam ut congue eros, in mattis dolor. Praesent sed sem ornare, accumsan diam ac, ultrices enim.

Table Title

Title	Title
Text Placement	Add Text Here
Text Placement	Add Text Here
Text Placement	Add Text Here
Text Placement	Add Text Here
Text Placement	Add Text Here

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Integer ut elementum ante. Donec placerat, sapien quis gravida convallis, felis lorem posuere est, quis viverra quam ipsum ut mauris. Cras nec eros orci. Nulla facilisi. Sed bibendum vestibulum dui, eu scelerisque sapien fermentum a. Sed id dolor ornare, sagittis sem sit amet, laoreet libero. Suspendisse varius.

AESG

Form – Technical Note

Issue Date: 23-Dec-2021

Controlled Copy

Version: 1.0 / Revision: 01

Page 1

You can download this template here: <https://bit.ly/3IkbeZI>



Contact Information

You can download all templates to the below link:

<https://bit.ly/3nHp5kY>

Please contact the Marketing Team at AESG for any further clarification of these visual guidelines.

www.aesg.com

info@aesg.com

+971 (0) 4 432 6242



Thank You