

# Machine Learning for econometrics

Flexible models for tabular data

---

Matthieu Doutreligne

February 18th, 2025

## Reminder from previous session

- Statistical learning 101: bias-variance trade-off
- Regularization for linear models: Lasso, Ridge, Elastic Net
- Transformation of variables: polynomial regression
-

## Reminder from previous session

- Statistical learning 101: bias-variance trade-off
- Regularization for linear models: Lasso, Ridge, Elastic Net
- Transformation of variables: polynomial regression
- 🤔 But... How to select the best model? the best hyperparameters?

# Table of contents

1. Model evaluation and selection with cross-validation
2. Tree, random forests and boosting
3. A word on other families of models



# Model evaluation and selection with cross-validation

---

# Model evaluation: example

- We saw the importance to split the data into training and testing sets.

# Tree, random forests and boosting



# Random Forests for predictive inference



# Ensemble models


A word on other families of models

# Why not use deep learning everywhere?

- Success of deep learning in image, speech recognition and text
- Why not so used in economics?

# Limited data settings

- Typically in economics everywhere, we have a limited number of observations




Typical dataset are mid-sized. This does not change with time.<sup>1</sup>

<sup>1</sup><https://www.kdnuggets.com/2020/07/poll-largest-dataset-analyzed-results.html>

# Deep learning underperforms on data tables

Tree-based methods outperform tailored deep learning architectures (Grinsztajn et al., 2022)



DAG for a RCT: the treatment is independent of the confounders

# Other well known families of models

- Generalized linear models:
- Support vector machines:
- Gaussian processes:



## ***Bibliography***

*Grinsztajn, L., Oyallon, E., & Varoquaux, G. (2022). Why do tree-based models still outperform deep learning on typical tabular data?. Advances in Neural Information Processing Systems, 35, 507–520.*