## Machine Learning for econometrics

Event studies: Causal methods for pannel data

Authors

February, 11th, 2025

# Motivation

#### Estimation of the effect of a treatment when data is

Aggregated: eg. country-level data such as employment rate, GDP, etc.

#### Estimation of the effect of a treatment when data is

Aggregated: eg. country-level data such as employment rate, GDP, etc.

Longitudinal: eg. multiple time periods or repeated cross-sections

#### Estimation of the effect of a treatment when data is

Aggregated: eg. country-level data such as employment rate, GDP, etc.

Longitudinal: eg. multiple time periods or repeated cross-sections

With multiple units: eg. multiple countries, firms, regions.

#### Estimation of the effect of a treatment when data is

Aggregated: eg. country-level data such as employment rate, GDP, etc.

Longitudinal: eg. multiple time periods or repeated cross-sections

With multiple units: eg. multiple countries, firms, regions.

Staggered adoption of the treatment: eg. different countries adopt a policy at different times.

#### Estimation of the effect of a treatment when data is

Aggregated: eg. country-level data such as employment rate, GDP, etc.

Longitudinal: eg. multiple time periods or repeated cross-sections

With multiple units: eg. multiple countries, firms, regions.

Staggered adoption of the treatment: eg. different countries adopt a policy at different times.

This setup is known as: panel data, event studies, longitudinal data, time-series data.

### Setup: event studies are quasi-experiment

- Quasi-experiment: a situation where the treatment is not randomly assigned by the researcher but by nature or society.
- A convincing quasi-experiment introduces a certain amount of randomness in the treatment assignment (sometimes called exogeneity): it enforces the ignorability assumption (unconfoundedness).

### Today: Three quasi-experimental designs for event studies

- The simple method of difference-in-differences with a strong assumption called paralled trend
- Synthetic control method: a balancing method (think to propensity score matching)
- Conditional DID: a doubly robust method combining outcomes and propensity score models

#### Table of contents

- 1. Motivation
- 2. Reminder on difference-in-differences
- 3. Conditional difference-in-differences
- 4. Synthetic Controls
- 5. Time-series modelisation: methods without a control group
- 6. Interrupted Time Series
- 7. Python hands-on

# Reminder on difference-in-differences

#### Difference-in-differences

### History

- First documented example (though not formalized): John Snow showing how cholera spread through the water in London (Snow, 1855)<sup>1</sup>
- Modern usage introduced formally by (Ashenfelter, 1978), applied to labor economics

#### Idea

- Contrast the temporal effect of the treated unit with the control unit temporal effect:
- The difference between the two differences is the treatment effect

<sup>&</sup>lt;sup>1</sup>Good description: https://mixtape.scunning.com/09-difference\_in\_differences#john-snows-cholera-hypothesis

# Difference-in-differences: visual example

### Difference-in-differences: formalization

#### Target effect: Sample Average Treatment effect on the Treated, SATT

$$\tau_{\text{SATT}} = \frac{1}{|\{i:D_i=1\}|} \sum_{i:D_i=1}^{T} \frac{1}{T-H} \sum_{t=H+1}^{T} Y_{it}(1) - Y_{it}(0)$$

#### DID estimator

$$\widehat{\tau_{\text{DID}}} = \frac{1}{|\{i:D_i=1\}|} \sum_{i:D_i=1} \left[ \frac{1}{T-H} \sum_{t=H+1}^T Y_{it} - \frac{1}{H} \sum_{t=1}^H Y_{it} \right] - \frac{1}{|\{i:D_i=0\}|} \sum_{i:D_i=0} \left[ \frac{1}{T-H} \sum_{t=H+1}^T Y_{it} - \frac{1}{H} \sum_{t=1}^H Y_{it} \right]$$

### Temporal consistency assumption

### No anticipation of the treatment (in practice, not always true)

Assumption

$$Y_{it}(0) = Y_{it}(1) \forall t = 1, ..., H.$$

## Parallel trend assumption

### Main and strong assumption of the DID method

Assumption

$$\mathbb{E}[Y_{it}(0,\infty) - Y_{i1}(0,\infty)] = \beta_t, t = 2, ..., T.$$

### Parallel trend assumption

Under the temporal consistency and the parallel trend assumptions, the DID estimator is unbiased ie.  $\mathbb{E}[\tau_{\text{DID}} - \tau_{\text{SATT}}] = 0$ 

See (Wager, 2024) for a clear proof.

### Estimation: link with two way fixed effect

In practice, DID is estimated with a two-way fixed effect model (TWFE):

$$Y_{it} \sim \alpha_i + \beta_t + A_{it}\tau$$
 where  $A_{it} = D_i * (t \leq H)$ 

- $\alpha_i$  capture the individual fixed effect
- $\beta_t$  capture the time fixed effect (under pararell trend)

This link can be seen with the parallel trend assumption:  $\beta_t =$ 

# Conditional difference-in-differences

# Synthetic Controls

### **Synthetic Controls**

Introduced in (Abadie & Gardeazabal, 2003) and (Abadie et al., 2010), well described in (Abadie, 2021)

- A method for estimating the effect of a treatment on a single unit
- The treatment unit is compared to a weighted average of control units
- The weights are chosen to minimize the difference between the treated unit and the synthetic control

Example for the effect of taxes on sugar-based product consumption in (Puig-Codina et al., 2021), review of usage in healthcare (Bouttell et al., 2018).

Time-series modelisation: methods without a control group

# Interrupted Time Series

# State space models

# Take-away

# Python hands-on

## To your notebooks 🎑!



• url: https://github.com/strayMat/causal-ml-course/tree/main/notebooks

### Bibliography

# **Bibliography**

- Abadie, A. (2021). Using synthetic controls: Feasibility, data requirements, and methodological aspects. Journal of Economic Literature, 59(2), 391–425.
- Abadie, A., & Gardeazabal, J. (2003). The economic costs of conflict: A case study of the Basque Country. American Economic Review, 93(1), 113–132.
- Abadie, A., Diamond, A., & Hainmueller, J. (2010). Synthetic control methods for comparative case studies: Estimating the effect of California's tobacco control program. Journal of the American Statistical Association, 105(490), 493–505.
- Ashenfelter, O. (1978). Estimating the effect of training programs on earnings. The Review of Economics and Statistics, 47–57.
- Bouttell, J., Craig, P., Lewsey, J., Robinson, M., & Popham, F. (2018). Synthetic control methodology as a tool for evaluating population-level health interventions. J Epidemiol Community Health, 72(8), 673–678.

#### Bibliography

Puig-Codina, L., Pinilla, J., & Puig-Junoy, J. (2021). The impact of taxing sugar-sweetened beverages on cola purchasing in Catalonia: an approach to causal inference with time series cross-sectional data. The European Journal of Health Economics, 22(1), 155–168.

Snow, J. (1855). On the mode of communication of cholera. John Churchill.

Wager, S. (2024, ). Causal inference: A statistical learning approach. preparation.