

Community Directory — Wiring Installation Guide

What This Contains

13 files that wire the `community_directory` feature into glitch-soc's routing, Redux, and lazy-loading systems.

New Files (8)

```
actions/community_directory.js      - Redux actions (CRUD for categories
+ resources)
reducers/community_directory.js      - Redux reducer (Immutable.js state)
features/community_directory/index.jsx - Landing page (browse categories)
features/community_directory/admin/index.jsx - Admin (create categories)
features/community_directory/category/index.jsx - Browse entries in a
category
features/community_directory/show/index.jsx - Single entry detail view
features/community_directory/new/index.jsx - Create new entry form
features/community_directory/edit/index.jsx - Edit existing entry form
features/community_directory/components/dynamic_form_renderer.jsx - Dynamic
form widget
features/community_directory/components/resource_card.jsx - Entry
preview card
```

Modified Files (3)

```
reducers/index.ts                  - Added community_directory reducer
registration
features/ui/util/async-components.js - Added 7 lazy-loader factory
functions
features/ui/index.jsx              - Added 6 WrappedRoute entries +
imports
```

Installation Steps (Mac Intel, Node v24)

Step 1: Delete the old typo folder

```
bash  
  
cd /path/to/your/glitch-soc-mastodon  
rm -rf app/javascript/flavours/glitch/features/community_dirctory
```

Step 2: Copy all files from this archive

```
bash  
  
# From where you extracted the archive:  
cp -R app/ /path/to/your/glitch-soc-mastodon/
```

The directory structure mirrors the repo exactly, so `cp -R` will place every file in its correct location. The 3 modified files (`index.ts`, `async-components.js`, `ui/index.jsx`) will overwrite the originals — this is intended.

Step 3: Verify

```
bash

cd /path/to/your/glitch-soc-mastodon

# Confirm the typo folder is gone
ls app/javascript/flavours/glitch/features/community_dirctory 2>/dev/null && echo "typo folder exists"

# Confirm new folder exists
ls app/javascript/flavours/glitch/features/community_directory/index.jsx && echo "new folder exists"

# Confirm reducer registered
grep community_directory app/javascript/flavours/glitch/reducers/index.ts

# Confirm routes wired
grep community_directory app/javascript/flavours/glitch/features/ui/index.jsx
```

Step 4: Restart Vite dev server

```
bash

# In your docker container or local terminal:
rm -rf public/packs-dev tmp/cache
bin/dev
```

Step 5: Navigate to the feature

Open your browser to: `http://localhost:3000/community_directory`

Routes

Path	Component	Purpose
<code>/community_directory</code>	CommunityDirectory	Landing — all categories
<code>/community_directory/admin</code>	CommunityDirectoryAdmin	Create/ manage categories
<code>/community_directory/:category</code>	CommunityDirectoryCategory	Browse entries
<code>/community_directory/:category/new</code>	CommunityDirectoryNew	Add new entry
<code>/community_directory/:category/:id</code>	CommunityDirectoryShow	Entry details
<code>/community_directory/:category/:id/edit</code>	CommunityDirectoryEdit	Edit entry

What Still Needs Building

These frontend files assume a backend API exists at these endpoints:

```
GET    /api/v1/community_directory/categories
POST   /api/v1/community_directory/categories
GET    /api/v1/community_directory/:category/form_config
GET    /api/v1/community_directory/:category/resources
POST   /api/v1/community_directory/:category/resources
GET    /api/v1/community_directory/:category/resources/:id
PUT    /api/v1/community_directory/:category/resources/:id
DELETE /api/v1/community_directory/:category/resources/:id
```

You will need Rails controllers, routes, models, and migrations to back these endpoints. The frontend is ready to consume them.

