
Modelo ajustado em 5635 Å - K0592 (NGC4874)



Parâmetros morfológicos - K0592 (NGC4874) Disco Bojo -15.0-15.0-15.5-15.5-16.0-16.0-16.5-16.5-17.0-17.0-17.5-17.520 5 4 15  $r_e~[\mathrm{arcsec}]$  $h \; [\mathrm{arcsec}]$ 3 10 5 0 4.0 3.5 3.0 2.5 2.0 1.5 180 180 175 P.A. [graus] 170 170 165 165 160 160 155 155 150 0.50 0.50 0.45 0.45 0.40 0.40 0.35 0.35 0.30 0.30 5000 6000 4000 5000 6000 4000

Comprimento de onda [Å]

Comprimento de onda [Å]

Componentes morfológicas em 5635 Å - K0592 (NGC4874)  $\log F$  (bojo)  $\log F$  (disco) -16.25-16.25-16.50-16.50-16.75-16.75-17.00-17.00-17.25-17.25-17.50-17.50-17.75-17.75-18.00-18.00 $\log F$  (observado)  $\Delta F/F$  (resíduo) -16.250.32 0.24 -16.500.16 -16.750.08 -17.000.00 -17.25-0.08-17.50-0.16-17.75-0.24-18.00-0.32

Espectros das componentes morfológicas - K0592 (NGC4874)

