
Modelo ajustado em 5635 Å - K0846 (UGC10695)



Parâmetros morfológicos - K0846 (UGC10695) Disco Bojo -15.0-15.0-15.5-15.5-16.0-16.0 $\log I_e$ -16.5-16.5-17.0-17.0-17.5-17.520 5 15 $r_e~[\mathrm{arcsec}]$ $h~[\mathrm{arcsec}]$ 3 10 5 0 4.0 3.5 3.0 2.5 2.0 1.5 180 180 175 175 P.A. [graus] 170 170 165 165 160 160 155 155 150 150 0.50 0.50 0.45 0.45 0.40 0.40 0.35 0.35 0.30 0.30 4000 5000 6000 4000 5000 6000

Comprimento de onda [Å]

Comprimento de onda [Å]

Componentes morfológicas em 5635 Å - K0846 (UGC10695) $\log F$ (bojo) $\log F$ (disco) -16.50-16.50-16.75-16.75-17.00-17.00-17.25-17.25-17.50-17.50-17.75-17.75-18.00-18.00-18.25-18.25-18.50 -18.50 $\Delta F/F$ (resíduo) $\log F$ (observado) -16.500.4 0.3 -16.750.2 -17.000.1 -17.250.0 -17.50-0.1-17.75-0.2-18.00-0.3-18.25-0.4-18.50

Espectros das componentes morfológicas - K0846 (UGC10695)

