
Modelo ajustado em 5635 Å - K0858 (UGC10905)



Parâmetros morfológicos - K0858 (UGC10905) Disco Bojo -15.0-15.0-15.5-15.5-16.0-16.0-16.5-16.5-17.0-17.0-17.5-17.520 5 4 15  $r_e \ [\mathrm{arcsec}]$ h [arcsec] 10 5 0 4.0 3.5 3.0 2.5 2.0 1.5 180 180 175 175 P.A. [graus] 170 170 165 165 160 160 155 155 150 150 0.50 0.50 0.45 0.45 0.40 0.40 0.35 0.35 0.30 0.30 4000 5000 6000 4000 5000 6000

Comprimento de onda [Å]

Comprimento de onda [Å]

Componentes morfológicas em 5635 Å - K0858 (UGC10905)  $\log F$  (bojo)  $\log F$  (disco) -16.2-16.2-16.5-16.5-16.8-16.8-17.1-17.1-17.4-17.4-17.7-17.7-18.0-18.0-18.3-18.3-18.6 -18.6 $\log F$  (observado)  $\Delta F/F$  (resíduo) -16.20.45 -16.50.30 -16.80.15 -17.1-17.40.00 -17.7-0.15 -18.0-0.30 -18.3-0.45-18.6

Espectros das componentes morfológicas - K0858 (UGC10905)

