


## Core Java


Trainer: Nilesh Ghule











- 1) Driver inta
- 2 Connection inth.
- 3) Statement inth.
- 4) ResultSet intf.

implemented in classes.

JDBC Deiser



## u=1= jdbc: mysq1://localhost: 3306/db

```
0. add jabe driver in begiert cpos by.
1. Load and register jebc Deiver class.
    Class. for Morere ("Com. roy Sq 1. Cj. jdbc. Deiver");
2. coule de Connection using DeiverMonoger. get Connection ().
    Cornection con= Devertperager get Consection (USI, USEr, Pass);
3. Colote Statement for executing SQL greeny.
     Statement Street = Con. Create Statement ();
                                                                          SELECT
 4. Execute the Statement and Process the Result.
                                                                        [ query
(of = Stront. Precute Opdate (591); Result Set rs = stront. Precute Green (591);
                                     while (rs.next()) ?
day sql query other I than SELECT.
                                         N= 22. 80+ Int ("(011");
                                         Y2 = rs. get String ("col2");
                                          Sysout (VI+ V2);
5. Close Statement, Connection. 3 Sysout (V
Strot. close (); Con. close (); 55. close ();
```





Thank you!

Nilesh Ghule <nilesh@sunbeaminfo.com>

