

The Monty Hall problem in Excel: demo notes

Download the exercise file: [monty-hall.xlsx](#)

This thought experiment comes from the television show *Let's Make a Deal!*

- Behind three doors randomly lie two goats and a car, respectively.
- You pick a door.
- Monty opens another door: it has a goat.
- Do you stick to your door, or switch doors? *Does it matter?*

Let's simulate 1,000 rounds of the Monty Hall problem and see whether one strategy works better.

We will use emojis inside conditional formatting to make our simulations come to life. 🎉


You can insert emojis on Windows with the keyboard shortcut Ctrl + ; . For Mac, it's Ctrl + Cmd + Space.

1. Enter the following formulas into the table:

Column reference	Column label	Formula used	Description
B	Random shuffle	=RANDBETWEEN(1,3)	This is used to randomly shuffle our prizes behind the doors.
C	Door #1	=IF(\$B3=1,"🚗","🐐")	Assign a car or goat to this door.
D	Door #2	=IF(\$B3=2,"🚗","🐐")	Assign a car or goat to this door.
E	Door #3	=IF(\$B3=3,"🚗","🐐")	Assign a car or goat to this door.

F	Random selection	= "Door #" & RANDBETWEEN(1, 3)	Let's pick a door at random.
G	Prize if you stick	= IF (F3= "Door #1", C3, IF (F3= "Door #2", D3, E3))	Here's what we win if we stick with that door.
H	Result if you stick	= IF (G3= "🚗", "Win", "Los e")	Did we win or lose by sticking?
I	Prize if you switch	= IF (G3= "🐑", "🚗", "🐑")	Here's what we win if we switch doors.
J	Result if you switch	= IF (G3= "🐑", "Win", "Los e")	Did we win or lose by switching?

2. Conditional formatting is set to turn the cells with a car emoji green in columns C, D, E, G and I.



Our resulting simulation looks like this:

	A	B	C	D	E	F	G	H	I	J
1		=RANDBETWEEN(1,3)	=IF(\$B3=1,"Goat", "Car")	=IF(\$B3=2,"Goat", "Car")	=IF(\$B3=3,"Goat", "Car")	=IF(F3="Door #1", C3, "#"&RANDBETWEEN(1,3))	=IF(F3="Door #1", C3, "IF (F3="Door #2", D3, E3))	=IF(G3="Goat", "Win", "Lose")	=IF(G3="Goat", "Win", "Lose")	=IF(G3="Goat", "Win", "Lose")
2	No.	Random shuffle	Door #1	Door #2	Door #3	Random selection	Prize if you stick	Result if you stick	Prize if you switch	Result if you switch
3	1 2		Goat	Car	Goat	Door #1	Goat	Lose	Car	Win
4	2 3		Goat	Goat	Car	Door #2	Goat	Lose	Car	Win
5	3 1		Car	Goat	Goat	Door #3	Goat	Lose	Car	Win
6	4 3		Goat	Goat	Car	Door #3	Car	Win	Goat	Lose
7	5 2		Goat	Car	Goat	Door #3	Goat	Lose	Car	Win
8	6 2		Goat	Car	Goat	Door #1	Goat	Lose	Car	Win
9	7 1		Car	Goat	Goat	Door #2	Goat	Lose	Car	Win
10	8 3		Goat	Goat	Car	Door #2	Goat	Lose	Car	Win
11	9 1		Goat	Goat	Car	Door #2	Goat	Lose	Car	Win
12	10 1		Goat	Goat	Car	Door #3	Goat	Lose	Car	Win
13	11 1		Goat	Goat	Car	Door #3	Goat	Lose	Car	Win
14	12 1		Goat	Goat	Car	Door #3	Goat	Lose	Car	Win
15	13 2		Goat	Goat	Car	Door #1	Goat	Lose	Car	Win

3. We can now count the number of times we win by sticking versus switching:

a. =COUNTIF(\$H\$3:\$H\$1002, "Win")

b. =COUNTIF(\$J\$3:\$J\$1002, "Win")

It turns out that we win about two-thirds of the time when we switch. Why?

Interpretation

A contestant gains to benefit from switching in the Monty Hall problem because Monty reveals more information about the placement of the car after opening a door to one of the goats:

- When you pick the first door, you have a 33% chance of picking the car.
- That leaves 66% of the doors “unanswered.”
- Monty opens another door: it has a goat. You *know* this door doesn’t have a car.
 - o You are now twice as likely to find the car in that second door than the first door, because the 66% likelihood has been “pushed into” one door.

Credits

My workbook demonstration is heavily borrowed from the post “[Monty Hall Problem Simulation in Excel.](#)”



Special thank-you to Numberphile's [Monty Hall Problem video](#) and Statistics by Jim's [Monty Hall Problem blog post](#) for further understanding of the problem.

