file page.tpl.php

Default theme implementation to display a single Drupal page.

The doctype, html, head and body tags are not in this template. Instead they can be found in the html.tpl.php (/api/bootstrap/templates%21system%21html.tpl.php/7) template in this directory.

Available variables:

General utility variables:

- \$base_path: The base URL path of the Drupal installation. At the very least, this will always default to /.
- \$directory: The directory the template is located in, e.g. modules/system or themes/bartik.
- \$is_front: TRUE if the current page is the front page.
- \$logged_in: TRUE if the user is registered and signed in.
- \$is_admin: TRUE if the user has permission to access administration pages.

Site identity:

- **\$front_page**: The URL of the front page. Use this instead of \$base_path, when linking to the front page. This includes the language domain or prefix.
- \$logo: The path to the logo image, as defined in theme configuration.
- \$site_name: The name of the site, empty when display has been disabled in theme settings.
- \$site_slogan: The slogan of the site, empty when display has been disabled in theme settings.

Navigation:

- \$main_menu (array): An array containing the Main menu links for the site, if they have been configured.
- **\$secondary_menu (array)**: An array containing the Secondary menu links for the site, if they have been configured.
- **\$breadcrumb**: The breadcrumb trail for the current page.

Page content (in order of occurrence in the default page.tpl.php (/api/bootstrap/templates%21system%21page.tpl.php/7)):

- **\$title_prefix (array)**: An array containing additional output populated by modules, intended to be displayed in front of the main title tag that appears in the template.
- **\$title**: The page title, for use in the actual HTML content.
- **\$title_suffix (array)**: An array containing additional output populated by modules, intended to be displayed after the main title tag that appears in the template.
- \$messages: HTML for status and error messages. Should be displayed prominently.
- **\$tabs (array)**: Tabs linking to any sub-pages beneath the current page (e.g., the view and edit tabs when displaying a node).
- \$action_links (array): Actions local to the page, such as 'Add menu' on the menu administration interface.
- **\$feed_icons**: A string of all feed icons for the current page.
- **\$node**: The node object, if there is an automatically-loaded node associated with the page, and the node ID is the second argument in the page's path (e.g. node/12345 and node/12345/revisions, but not comment/reply/12345).

Regions:

- **\$page['help']**: Dynamic help text, mostly for admin pages.
- \$page['highlighted']: Items for the highlighted content region.
- **\$page['content']**: The main content of the current page.
- \$page['sidebar_first']: Items for the first sidebar.

- **\$page['sidebar_second']**: Items for the second sidebar.
- \$page['header']: Items for the header region.
- \$page['footer']: Items for the footer region.

See Also

- bootstrap_preprocess_page
 (/api/bootstrap/templates%21system%21page.vars.php/function/bootstrap_preprocess_page/
 7)()
- template_preprocess ☎()
- template_preprocess_page ♂()
- bootstrap_process_page
 (/api/bootstrap/templates%21system%21page.vars.php/function/bootstrap_process_page/7)()
- template_process ☎()
- html.tpl.php (/api/bootstrap/templates%21system%21html.tpl.php/7)

Source			

```
1
     <?php¶
    /**¶
2
3
    ·*·@file¶
4
    * Default theme implementation to display a single Drupal page.
5
     ·*·The · doctype , · html , · head · and · body · tags · are · not · in · this · template . · Instead · they ¶
6
7
    *·can·be·found·in·the·html.tpl.php·template·in·this·directory.
8
9
     * Available variables:
    . *¶
10
     .*.General.utility.variables:¶
11
     ·*·--$base path: The base URL path of the Drupal installation. At the very
12
13
     * · · · least, · this · will · always · default · to · / . ¶
     •*--$directory: The directory the template is located in, e.g. modules/system •
14
15
     .*..or.themes/bartik.¶
    *--$is_front: TRUE if the current page is the front page. ¶
16
17
     **--$logged_in: TRUE if the user is registered and signed in. ¶
    •*--$is_admin: TRUE if the user has permission to access administration pages. ¶
18
19
    . *¶
20
    * * Site identity: ¶
21
     -*--$front_page: The URL of the front page. Use this instead of $base_path, ¶
    * · · · when · linking · to · the · front · page . · This · includes · the · language · domain · or ¶
22
23
    ·*···prefix.¶
24
    .*.-.$logo: The path to the logo image, as defined in theme configuration.
25
     **--$site name: The name of the site, empty when display has been disabled
26
     *...in theme settings.
    ·*·-·$site_slogan: The slogan of the site, empty when display has been disabled
27
28
     *...in theme settings.
29
    . *¶
    * Navigation:
30
     •*--$main_menu (array): An array containing the Main menu links for the
31
     **...site, if they have been configured.
32
     •*--$secondary_menu (array): An array containing the Secondary menu links for ¶
33
34

.*..the.site, if.they.have.been.configured.

     •*--$breadcrumb: The breadcrumb trail for the current page.
35
36
     . *¶
     * Page content (in order of occurrence in the default page.tpl.php):
37
     *-- $title prefix (array): An array containing additional output populated by 9
     •*• · · modules, ·intended · to · be · displayed · in · front · of · the · main · title · tag · that ¶
39
     **...appears.in.the.template.¶
40
     .*.-.$title: The page title, for use in the actual HTML content.
41
42
     -*--$title_suffix (array): An array containing additional output populated by ¶
     • * · · · modules, · intended · to · be · displayed · after · the · main · title · tag · that · appears · in ¶
43
44
     ·*···the·template.
45
     •*--$messages: HTML for status and error messages. Should be displayed
     ·*···prominently.
46
47
     **--$tabs (array): Tabs linking to any sub-pages beneath the current page
48
     ** · · (e.g., · the · view · and · edit · tabs · when · displaying · a · node). ¶
49
     -*--$action_links (array): Actions local to the page, such as 'Add menu' on the "
50
     **...menu administration interface.
51
    *--$feed icons: A string of all feed icons for the current page. ¶
     ·*·-·$node: The node object, if there is an automatically-loaded node 1
52
    * · · · associated · with · the · page, · and · the · node · ID · is · the · second · argument ¶
53
54
     **...in.the.page's.path.(e.g..node/12345.and.node/12345/revisions,.but.not
```

```
55
     *···comment/reply/12345).
56
     . *¶
57
     ** Regions: ¶

    *-- $page['help']: Dynamic help text, mostly for admin pages.

58
59
     •*--$page['highlighted']: Items for the highlighted content region. ¶
60

    * - - $page['content']: The main content of the current page. ¶
     .*.-.$page['sidebar_first']: Items.for.the.first.sidebar.¶
61
     .*.-.$page['sidebar_second']:.Items.for.the.second.sidebar.¶
62
     .*.-.$page['header']:.Items.for.the.header.region.¶
63
     .*.-.$page['footer']:.Items.for.the.footer.region.¶
64
     . *¶
65
66
     **@see.bootstrap_preprocess_page()¶
67
     **.@see.template preprocess()¶
     **@see*template_preprocess_page()¶
     * @see bootstrap_process_page() ¶
69
70
     * @see template process() ¶
71
     **@see.html.tpl.php¶
72
     . *¶
73
     **@ingroup.templates¶
74
     ·*/¶
75
     ?>¶
     <header id="navbar" role="banner" class="<?php.print.$navbar_classes;.?>">5
76
77
     ...<div class="<?php.print.$container_class;.?>">¶
78
     ....<div class="navbar-header">
79
     .....<?php.if.($logo):.?>¶
     .....<a class="logo navbar-btn pull-left" href="<?php.print.$front page;.?>" title
80
81
     -t('Home'); ?>">¶
     82
83
     .....</a>¶
     ....<?php.endif;.?>¶
84
85
86
     .....<?php.if.(!empty($site_name)):.?>¶
     .....<a class="name navbar-brand" href="<?php.print.$front page;.?>" title="<?php.</pre>
87
     t('Home'); ?>"><?php · print · $site_name; · ?></a>¶
88
     ....<?php.endif;.?>¶
89
90
91
     -----<?php-if-(!empty($primary nav)-||-!empty($secondary nav)-||-!empty($page['navig</pre>
92
     ...........<button type="button" class="navbar-toggle" data-toggle="collapse" data-targe</p>
93
     .....<span class="sr-only"><?php.print.t('Toggle.navigation');.?></span>¶
     ....span class="icon-bar"></span>9
94
95
     .....span class="icon-bar"></span>9
96
     .....<span class="icon-bar"></span>¶
97
     ·····</button>¶
     ....<?php.endif;.?>¶
98
     ····</div>¶
99
100
101
     ----<?php if (!empty($primary_nav) | | .!empty($secondary_nav) | | .!empty($page['navigat'</pre>
102
     ·····<div class="navbar-collapse collapse" id="navbar-collapse">9
103
     .....<nav role="navigation">9
104
     .....<?php.if (!empty($primary_nav)):.?>¶
105
     ......?php.print.render($primary_nav);.?>¶
106
     ....<?php.endif;.?>¶
107
     .....<?php.if (!empty($secondary_nav)):.?>¶
     .....?php.print.render($secondary_nav);.?>¶
108
109
     ....<?php.endif;.?>¶
```

```
110
     .....<?php.if (!empty($page['navigation'])):.?>¶
111
     .....<?php.print.render($page['navigation']);.?>¶
     ....<?php.endif;.?>¶
112
113
     ....</nav>
114
     ·····</div>¶
115
     ....<?php.endif;.?>¶
116
     ··</div>
117
     </header>9
118
119
     <div class="main-container <?php.print.$container_class;.?>">¶
120
     ...<header role="banner" id="page-header"> ¶
121
122
     ....<?php.if (!empty($site slogan)):.?>¶
123
     .....<?php.print.$site_slogan;.?>¶
124
     ....<?php.endif;.?>¶
125
126
     ....<?php.print.render($page['header']);.?>¶
127
     ...</header>.<!-- /#page-header -->¶
128
     \P
     ..<div class="row">¶
129
130
131
     ....<?php if (!empty($page['sidebar_first'])): ?>¶
     .....<aside class="col-sm-3" role="complementary">¶
132
     .....<?php.print.render($page['sidebar_first']);.?>¶
133
134
     .....//aside>..<!-- /#sidebar-first -->¶
     ....<?php.endif;.?>¶
135
136
137
     ....<section<?php.print.$content_column_class;.?>>¶
138
     .....<?php.if (!empty($page['highlighted'])):.?>¶
     ------<div class="highlighted jumbotron"><?php print render($page['highlighted']);</pre>
139
140
     ....<?php.endif;.?>¶
141
     .....<?php.if (!empty($breadcrumb)):.print .$breadcrumb; .endif;?>
     ·····<a id="main-content"></a>¶
142
     .....<?php.print.render($title_prefix);.?>¶
143
     .....<?php·if·(!empty($title)):.?>¶
144
145
     .....<h1 class="page-header"><?php.print.$title;.?></h1>¶
146
     .....<?php.endif;.?>¶
147
     .....<?php.print.render($title_suffix);.?>¶
     ....<?php.print.$messages;.?>¶
148
     .....<?php.if.(!empty($tabs)):.?>¶
149
150
     ....<?php.print.render($tabs);.?>¶
151
     ....<?php.endif;.?>¶
     .....<?php.if.(!empty($page['help'])):.?>¶
152
153
     .....<?php.print.render($page['help']);.?>¶
154
     ....<?php.endif;.?>¶
155
     .....<?php.if.(!empty($action_links)):.?>¶
156
     157
     ....<?php.endif;.?>¶
158
     .....<?php.print.render($page['content']);.?>¶
159
     ····</section>¶
160
     \cdots < ?php \cdot \textbf{if} \cdot (!\textbf{empty}(\$page['sidebar\_second'])) : \cdot ? > \P
161
     .....<aside class="col-sm-3" role="complementary">¶
162
     .....<?php.print.render($page['sidebar_second']);.?>¶
163
     .....//aside>..<!-- /#sidebar-second -->¶
164
```

```
165
      ....<?php.endif;.?>¶
166
167
     ··</div>
     </div>
168
169
170
     <?php·if·(!empty($page['footer'])):.?>¶
171
     ...<footer class="footer <?php.print.$container_class;.?>">"
     ....<?php.print.render($page['footer']);.?>¶
172
     ··</footer>
173
     <?php·endif; ·?>¶
```

Related topics

Theme Templates (.tpl.php) (/api/bootstrap/includes%21registry.inc/group/templates/7)

List of theme templates used in the Drupal Bootstrap base theme.



```
Projects ▼
```

Critical & Major Issues

- Bootstrap(7.x-3.6) Theme and Drupal 7.51 (https://www.drupal.org/node/2813507)
- Some forms not rendered in bootstrap theme (https://www.drupal.org/node/2755911)
- Bootstrap relies on Googlecode for HTML5Shiv, which no longer exists (https://www.drupal.org/node/2724195)
- Horrible incompatibility with other modules (https://www.drupal.org/node/2705903)
- Documentation on drupal-bootstrap.org (https://www.drupal.org/node/2671132)

Recent Commits

- Fix typo (http://cgit.drupalcode.org/bootstrap/commit/? id=aa3e13c07568b9c804b72638ea0d48920f6406ca)
- Issue #2653084 by markcarver: Checkboxes/Radios are wrapped using a panel (http://cgit.drupalcode.org/bootstrap/commit/?id=e793a4f442296af86be391b51cd45d8933b1d0d6)
- Issue #2820392 by sittard: Reset button doesn't work on AJAX enabled views (http://cgit.drupalcode.org/bootstrap/commit/?id=62938ceb3938a0ea5f975f21299068a54b6fa161)
- Issue #2547797 by markcarver, estoyausente: Add composer.json to Bootstrap (http://cgit.drupalcode.org/bootstrap/commit/?id=82c9b71a0d43b6ef836c8466ac9e03b0c19b9cfd)
- Issue #2547797 by estoyausente, markcarver: Add composer.json to Bootstrap (http://cgit.drupalcode.org/bootstrap/commit/?id=319e7d1b85d2304d2ceaa0e9701ead600e879c2d)

Issue Queue Activity

- Document @BootstrapUpdate plugin (https://www.drupal.org/node/2822800)
- Issues in subtheme documentation (https://www.drupal.org/node/2821932)
- Drush CR and Performance -> Clear Cache: Not the Same Function (https://www.drupal.org/node/2821504)
- Views table sticky header isn't working (https://www.drupal.org/node/2821299)
- Compatible with 8.2 Settings Tray module? (https://www.drupal.org/node/2821008)

Powered by Drupal Bootstrap &