# **Important**

There are general homework guidelines you must always follow. If you fail to follow any of the following guidelines you risk receiving a  $\mathbf{0}$  for the entire assignment.

Due: See T-Square

- 1. All submitted code must compile under **JDK 8**. This includes unused code, so don't submit extra files that don't compile.
- 2. Do not include any package declarations in your classes.
- 3. Do not change any existing class headers, constructors, or method signatures.
- 4. Do not add additional public methods when implementing an interface.
- 5. Do not use anything that would trivialize the assignment. (e.g. don't import/use java.util.LinkedList for a Linked List assignment. Ask if you are unsure.)
- 6. Always be very conscious of efficiency. Even if your method is to be O(n), traversing the structure multiple times is considered non-efficient unless that is absolutely required (and that case is extremely rare).
- 7. You must submit your source code, the .java files, not the compiled .class files.
- 8. After you submit your files redownload them and run them to make sure they are what you intended to submit. You are responsible if you submit the wrong files.

# Binary Search Tree

You are to code a binary search tree. A binary search is collection of nodes, each having a data item and a reference pointing to the left and right child nodes. The left child nodes (and all of its children) are less than the data. The right child nodes and all of its children are greater than or equal to the data. Therefore, all elements added to the tree must implement Java's generic Comparable interface.

All methods in the BST that are not O(1) must be implemented recursively, except for level order traversal.

Your binary search tree implementation will implement the BST interface provided. It will have two constructors: the no-argument constructor (which should initialize an empty tree), and constructor that takes in data to be added to the tree, and initializes the tree with this data. Any attempts to add data that is already in the tree should be ignored (the tree shouldn't be changed, and the duplicate item shouldn't get added).

#### **Nodes**

The binary search tree consists of nodes. The BSTNode class will be given to you; do not modify it.

#### Methods

You will implement all standard methods for a Java data structure (add, remove, etc.). See the interface for details. Note that some methods are worth more than others. If add is incorrect, then you are likely to fail most tests, as adding is crucial to the usability of a data structure.

### **Traversals**

You will implement 4 different ways of traversing a tree: pre-order traversal, in-order traversal, post-order traversal, and level-order traversal. The first 3 MUST be implemented recursively; level-order is

best implemented iteratively. You may import Java's LinkedList/ArrayList classes as appropriate for these methods (but they may only be used for these methods).

Due: See T-Square

# Height

You will implement a method to calculate the height of the tree. The height of any given node is max(child nodes' height)+1. A leaf node has a height of 0.

## A note on JUnits

We have provided a basic set of tests for your code, in BSTStudentTests.java. These tests do not guarantee the correctness of your code (by any measure), nor does it guarantee you any grade. You may additionally post your own set of tests for others to use on the Georgia Tech Github as a gist. Do NOT post your tests on the public Github. There will be a link to the Georgia Tech Github as well as a list of JUnits other students have posted on the class Piazza.

If you need help on running JUnits, there is a guide, available on T-Square under Resources, to help you run JUnits on the command line or in IntelliJ.

# Style and Formatting

It is important that your code is not only functional but is also written clearly and with good style. We will be checking your code against a style checker that we are providing. It is located in T-Square, under Resources, along with instructions on how to use it. We will take off a point for every style error that occurs. If you feel like what you wrote is in accordance with good style but still sets off the style checker please email Jonathan Jemson (jonathanjemson@gatech.edu) with the subject header of "CheckStyle XML".

### **Javadocs**

Javadoc any helper methods you create in a style similar to the Javadocs for the methods in the interface. If a method is overridden or implemented from a superclass or an interface, you may use **@Override** instead of writing Javadocs.

## Exceptions

When throwing exceptions, you must include a message by passing in a String as a parameter. **The message must be useful and tell the user what went wrong**. "Error", "BAD THING HAPPENED", and "fail" are not good messages.

```
For example:
```

```
throw new PDFReadException("Did not read PDF, will lose points.");
throw new IllegalArgumentException("Cannot insert null data into data structure.");
```

#### Generics

If available, use the generic type of the class; do **not** use the raw type of the class. For example, use **new** List(Integer>() instead of **new** List(). Using the raw type of the class will result in a penalty.

## Forbidden Statements

You may not use these in your code at any time in CS 1332.

Due: See T-Square

- break may only be used in switch-case statements
- continue
- package
- System.arrayCopy()
- clone()
- assert()
- Arrays class
- Array class
- Collections class
- Reflection APIs

Debug print statements are fine, but nothing should be printed when we run them. We expect clean runs - printing to the console when we're grading will result in a penalty. If you use these, we will take off points.

## Provided

The following file(s) have been provided to you. There are several, but you will only edit one of them.

- 1. BSTInterface.java This is the interface you will implement. All instructions for what the methods should do are in the javadocs. Do not alter this file.
- 2. BST.java This is the class in which you will actually implement the interface. Feel free to add private helpers but do not add any new public methods or instance variables.
- 3. BSTNode.java This class represents a single node in the binary search tree. It encapsulates the data, left child reference, and right child reference. Do not alter this file.
- 4. BSTStudentTests.java This is the test class that contains a set of tests covering the basic operations on the BST class. It is not intended to be exhaustive and does not guarantee any type of grade. Write your own tests to ensure you cover all edge cases.

## **Deliverables**

You must submit all of the following file(s). Please make sure the filename matches the filename(s) below. Be sure you receive the confirmation email from T-Square, and then download your uploaded files to a new folder, copy over the interfaces, recompile, and run. It is your responsibility to re-test your submission and discover editing oddities, upload issues, etc.

1. BST.java

You may attach each file individually or submit them in a zip archive.