

# Codebook for tidy\_data

Autogenerated data summary from dataMaid

2018-09-03 12:44:48

## Data report overview

The dataset examined has the following dimensions:

| Feature                | Result |
|------------------------|--------|
| Number of observations | 180    |
| Number of variables    | 81     |

## Codebook summary table

| Label | Variable               | Class   | # unique values | Missing | Description |
|-------|------------------------|---------|-----------------|---------|-------------|
|       | subjectId              | integer | 30              | 0.00 %  |             |
|       | activityId             | integer | 6               | 0.00 %  |             |
|       | tBodyAcc-mean()-X      | numeric | 180             | 0.00 %  |             |
|       | tBodyAcc-mean()-Y      | numeric | 180             | 0.00 %  |             |
|       | tBodyAcc-mean()-Z      | numeric | 180             | 0.00 %  |             |
|       | tBodyAcc-std()-X       | numeric | 180             | 0.00 %  |             |
|       | tBodyAcc-std()-Y       | numeric | 180             | 0.00 %  |             |
|       | tBodyAcc-std()-Z       | numeric | 180             | 0.00 %  |             |
|       | tGravityAcc-mean()-X   | numeric | 180             | 0.00 %  |             |
|       | tGravityAcc-mean()-Y   | numeric | 180             | 0.00 %  |             |
|       | tGravityAcc-mean()-Z   | numeric | 180             | 0.00 %  |             |
|       | tGravityAcc-std()-X    | numeric | 180             | 0.00 %  |             |
|       | tGravityAcc-std()-Y    | numeric | 180             | 0.00 %  |             |
|       | tGravityAcc-std()-Z    | numeric | 180             | 0.00 %  |             |
|       | tBodyAccJerk-mean()-X  | numeric | 180             | 0.00 %  |             |
|       | tBodyAccJerk-mean()-Y  | numeric | 180             | 0.00 %  |             |
|       | tBodyAccJerk-mean()-Z  | numeric | 180             | 0.00 %  |             |
|       | tBodyAccJerk-std()-X   | numeric | 180             | 0.00 %  |             |
|       | tBodyAccJerk-std()-Y   | numeric | 180             | 0.00 %  |             |
|       | tBodyAccJerk-std()-Z   | numeric | 180             | 0.00 %  |             |
|       | tBodyGyro-mean()-X     | numeric | 180             | 0.00 %  |             |
|       | tBodyGyro-mean()-Y     | numeric | 180             | 0.00 %  |             |
|       | tBodyGyro-mean()-Z     | numeric | 180             | 0.00 %  |             |
|       | tBodyGyro-std()-X      | numeric | 180             | 0.00 %  |             |
|       | tBodyGyro-std()-Y      | numeric | 180             | 0.00 %  |             |
|       | tBodyGyro-std()-Z      | numeric | 180             | 0.00 %  |             |
|       | tBodyGyroJerk-mean()-X | numeric | 180             | 0.00 %  |             |
|       | tBodyGyroJerk-mean()-Y | numeric | 180             | 0.00 %  |             |
|       | tBodyGyroJerk-mean()-Z | numeric | 180             | 0.00 %  |             |
|       | tBodyGyroJerk-std()-X  | numeric | 180             | 0.00 %  |             |
|       | tBodyGyroJerk-std()-Y  | numeric | 180             | 0.00 %  |             |

| Label | Variable                       | Class   | # unique values | Missing | Description |
|-------|--------------------------------|---------|-----------------|---------|-------------|
|       | tBodyGyroJerk-std()-Z          | numeric | 180             | 0.00 %  |             |
|       | tBodyAccMag-mean()             | numeric | 180             | 0.00 %  |             |
|       | tBodyAccMag-std()              | numeric | 180             | 0.00 %  |             |
|       | tGravityAccMag-mean()          | numeric | 180             | 0.00 %  |             |
|       | tGravityAccMag-std()           | numeric | 180             | 0.00 %  |             |
|       | tBodyAccJerkMag-mean()         | numeric | 180             | 0.00 %  |             |
|       | tBodyAccJerkMag-std()          | numeric | 180             | 0.00 %  |             |
|       | tBodyGyroMag-mean()            | numeric | 180             | 0.00 %  |             |
|       | tBodyGyroMag-std()             | numeric | 180             | 0.00 %  |             |
|       | tBodyGyroJerkMag-mean()        | numeric | 180             | 0.00 %  |             |
|       | tBodyGyroJerkMag-std()         | numeric | 180             | 0.00 %  |             |
|       | fBodyAcc-mean()-X              | numeric | 180             | 0.00 %  |             |
|       | fBodyAcc-mean()-Y              | numeric | 180             | 0.00 %  |             |
|       | fBodyAcc-mean()-Z              | numeric | 180             | 0.00 %  |             |
|       | fBodyAcc-std()-X               | numeric | 180             | 0.00 %  |             |
|       | fBodyAcc-std()-Y               | numeric | 180             | 0.00 %  |             |
|       | fBodyAcc-std()-Z               | numeric | 180             | 0.00 %  |             |
|       | fBodyAcc-meanFreq()-X          | numeric | 180             | 0.00 %  |             |
|       | fBodyAcc-meanFreq()-Y          | numeric | 180             | 0.00 %  |             |
|       | fBodyAcc-meanFreq()-Z          | numeric | 180             | 0.00 %  |             |
|       | fBodyAccJerk-mean()-X          | numeric | 180             | 0.00 %  |             |
|       | fBodyAccJerk-mean()-Y          | numeric | 180             | 0.00 %  |             |
|       | fBodyAccJerk-mean()-Z          | numeric | 180             | 0.00 %  |             |
|       | fBodyAccJerk-std()-X           | numeric | 180             | 0.00 %  |             |
|       | fBodyAccJerk-std()-Y           | numeric | 180             | 0.00 %  |             |
|       | fBodyAccJerk-std()-Z           | numeric | 180             | 0.00 %  |             |
|       | fBodyAccJerk-meanFreq()-X      | numeric | 180             | 0.00 %  |             |
|       | fBodyAccJerk-meanFreq()-Y      | numeric | 180             | 0.00 %  |             |
|       | fBodyAccJerk-meanFreq()-Z      | numeric | 180             | 0.00 %  |             |
|       | fBodyGyro-mean()-X             | numeric | 180             | 0.00 %  |             |
|       | fBodyGyro-mean()-Y             | numeric | 180             | 0.00 %  |             |
|       | fBodyGyro-mean()-Z             | numeric | 180             | 0.00 %  |             |
|       | fBodyGyro-std()-X              | numeric | 180             | 0.00 %  |             |
|       | fBodyGyro-std()-Y              | numeric | 180             | 0.00 %  |             |
|       | fBodyGyro-std()-Z              | numeric | 180             | 0.00 %  |             |
|       | fBodyGyro-meanFreq()-X         | numeric | 180             | 0.00 %  |             |
|       | fBodyGyro-meanFreq()-Y         | numeric | 180             | 0.00 %  |             |
|       | fBodyGyro-meanFreq()-Z         | numeric | 180             | 0.00 %  |             |
|       | fBodyAccMag-mean()             | numeric | 180             | 0.00 %  |             |
|       | fBodyAccMag-std()              | numeric | 180             | 0.00 %  |             |
|       | fBodyAccMag-meanFreq()         | numeric | 180             | 0.00 %  |             |
|       | fBodyBodyAccJerkMag-mean()     | numeric | 180             | 0.00 %  |             |
|       | fBodyBodyAccJerkMag-std()      | numeric | 180             | 0.00 %  |             |
|       | fBodyBodyAccJerkMag-meanFreq() | numeric | 180             | 0.00 %  |             |
|       | fBodyBodyGyroMag-mean()        | numeric | 180             | 0.00 %  |             |
|       | fBodyBodyGyroMag-std()         | numeric | 180             | 0.00 %  |             |
|       | fBodyBodyGyroMag-meanFreq()    | numeric | 180             | 0.00 %  |             |
|       | fBodyBodyGyroJerkMag-mean()    | numeric | 180             | 0.00 %  |             |
|       | fBodyBodyGyroJerkMag-std()     | numeric | 180             | 0.00 %  |             |

| Label | Variable                               | Class   | # unique values | Missing | Description |
|-------|--|---------|-----------------|---------|-------------|
|       | <b>fBodyBodyGyroJerkMag-meanFreq()</b> | numeric | 180             | 0.00 %  |             |

## Variable list

### subjectId

| Feature                 | Result  |
|-------------------------|---------|
| Variable type           | integer |
| Number of missing obs.  | 0 (0 %) |
| Number of unique values | 30      |
| Median                  | 15.5    |
| 1st and 3rd quartiles   | 8; 23   |
| Min. and max.           | 1; 30   |

### activityId

| Feature                 | Result  |
|-------------------------|---------|
| Variable type           | integer |
| Number of missing obs.  | 0 (0 %) |
| Number of unique values | 6       |
| Median                  | 3.5     |
| 1st and 3rd quartiles   | 2; 5    |
| Min. and max.           | 1; 6    |

### tBodyAcc-mean()-X

| Feature                 | Result     |
|-------------------------|------------|
| Variable type           | numeric    |
| Number of missing obs.  | 0 (0 %)    |
| Number of unique values | 180        |
| Median                  | 0.28       |
| 1st and 3rd quartiles   | 0.27; 0.28 |
| Min. and max.           | 0.22; 0.3  |

### tBodyAcc-mean()-Y

| Feature                 | Result       |
|-------------------------|--------------|
| Variable type           | numeric      |
| Number of missing obs.  | 0 (0 %)      |
| Number of unique values | 180          |
| Median                  | -0.02        |
| 1st and 3rd quartiles   | -0.02; -0.01 |
| Min. and max.           | -0.04; 0     |

---

### tBodyAcc-mean()-Z

| Feature                 | Result       |
|-------------------------|--------------|
| Variable type           | numeric      |
| Number of missing obs.  | 0 (0 %)      |
| Number of unique values | 180          |
| Median                  | -0.11        |
| 1st and 3rd quartiles   | -0.11; -0.1  |
| Min. and max.           | -0.15; -0.08 |

---

### tBodyAcc-std()-X

| Feature                 | Result      |
|-------------------------|-------------|
| Variable type           | numeric     |
| Number of missing obs.  | 0 (0 %)     |
| Number of unique values | 180         |
| Median                  | -0.75       |
| 1st and 3rd quartiles   | -0.98; -0.2 |
| Min. and max.           | -1; 0.63    |

---

### tBodyAcc-std()-Y

| Feature                 | Result       |
|-------------------------|--------------|
| Variable type           | numeric      |
| Number of missing obs.  | 0 (0 %)      |
| Number of unique values | 180          |
| Median                  | -0.51        |
| 1st and 3rd quartiles   | -0.94; -0.03 |

| Feature       | Result      |
|---------------|-------------|
| Min. and max. | -0.99; 0.62 |

### tBodyAcc-std()-Z

| Feature                 | Result       |
|-------------------------|--------------|
| Variable type           | numeric      |
| Number of missing obs.  | 0 (0 %)      |
| Number of unique values | 180          |
| Median                  | -0.65        |
| 1st and 3rd quartiles   | -0.95; -0.23 |
| Min. and max.           | -0.99; 0.61  |

### tGravityAcc-mean()-X

| Feature                 | Result      |
|-------------------------|-------------|
| Variable type           | numeric     |
| Number of missing obs.  | 0 (0 %)     |
| Number of unique values | 180         |
| Median                  | 0.92        |
| 1st and 3rd quartiles   | 0.84; 0.94  |
| Min. and max.           | -0.68; 0.97 |

### tGravityAcc-mean()-Y

| Feature                 | Result      |
|-------------------------|-------------|
| Variable type           | numeric     |
| Number of missing obs.  | 0 (0 %)     |
| Number of unique values | 180         |
| Median                  | -0.13       |
| 1st and 3rd quartiles   | -0.23; 0.09 |
| Min. and max.           | -0.48; 0.96 |

### tGravityAcc-mean()-Z

| Feature                 | Result      |
|-------------------------|-------------|
| Variable type           | numeric     |
| Number of missing obs.  | 0 (0 %)     |
| Number of unique values | 180         |
| Median                  | 0.02        |
| 1st and 3rd quartiles   | -0.12; 0.15 |
| Min. and max.           | -0.5; 0.96  |

### **tGravityAcc-std()-X**

| Feature                 | Result       |
|-------------------------|--------------|
| Variable type           | numeric      |
| Number of missing obs.  | 0 (0 %)      |
| Number of unique values | 180          |
| Median                  | -0.97        |
| 1st and 3rd quartiles   | -0.98; -0.95 |
| Min. and max.           | -1; -0.83    |

### **tGravityAcc-std()-Y**

| Feature                 | Result       |
|-------------------------|--------------|
| Variable type           | numeric      |
| Number of missing obs.  | 0 (0 %)      |
| Number of unique values | 180          |
| Median                  | -0.96        |
| 1st and 3rd quartiles   | -0.97; -0.94 |
| Min. and max.           | -0.99; -0.64 |

### **tGravityAcc-std()-Z**

| Feature                 | Result       |
|-------------------------|--------------|
| Variable type           | numeric      |
| Number of missing obs.  | 0 (0 %)      |
| Number of unique values | 180          |
| Median                  | -0.95        |
| 1st and 3rd quartiles   | -0.96; -0.92 |
| Min. and max.           | -0.99; -0.61 |

---

**tBodyAccJerk-mean()-X**

| Feature                 | Result     |
|-------------------------|------------|
| Variable type           | numeric    |
| Number of missing obs.  | 0 (0 %)    |
| Number of unique values | 180        |
| Median                  | 0.08       |
| 1st and 3rd quartiles   | 0.07; 0.08 |
| Min. and max.           | 0.04; 0.13 |

---

**tBodyAccJerk-mean()-Y**

| Feature                 | Result      |
|-------------------------|-------------|
| Variable type           | numeric     |
| Number of missing obs.  | 0 (0 %)     |
| Number of unique values | 180         |
| Median                  | 0.01        |
| 1st and 3rd quartiles   | 0; 0.01     |
| Min. and max.           | -0.04; 0.06 |

---

**tBodyAccJerk-mean()-Z**

| Feature                 | Result      |
|-------------------------|-------------|
| Variable type           | numeric     |
| Number of missing obs.  | 0 (0 %)     |
| Number of unique values | 180         |
| Median                  | 0           |
| 1st and 3rd quartiles   | -0.01; 0    |
| Min. and max.           | -0.07; 0.04 |

---

**tBodyAccJerk-std()-X**

| Feature                | Result  |
|------------------------|---------|
| Variable type          | numeric |
| Number of missing obs. | 0 (0 %) |

| Feature                 | Result       |
|-------------------------|--------------|
| Number of unique values | 180          |
| Median                  | -0.81        |
| 1st and 3rd quartiles   | -0.98; -0.22 |
| Min. and max.           | -0.99; 0.54  |

---

### tBodyAccJerk-std()-Y

| Feature                 | Result       |
|-------------------------|--------------|
| Variable type           | numeric      |
| Number of missing obs.  | 0 (0 %)      |
| Number of unique values | 180          |
| Median                  | -0.78        |
| 1st and 3rd quartiles   | -0.97; -0.15 |
| Min. and max.           | -0.99; 0.36  |

---

### tBodyAccJerk-std()-Z

| Feature                 | Result       |
|-------------------------|--------------|
| Variable type           | numeric      |
| Number of missing obs.  | 0 (0 %)      |
| Number of unique values | 180          |
| Median                  | -0.88        |
| 1st and 3rd quartiles   | -0.98; -0.51 |
| Min. and max.           | -0.99; 0.03  |

---

### tBodyGyro-mean()-X

| Feature                 | Result       |
|-------------------------|--------------|
| Variable type           | numeric      |
| Number of missing obs.  | 0 (0 %)      |
| Number of unique values | 180          |
| Median                  | -0.03        |
| 1st and 3rd quartiles   | -0.05; -0.02 |
| Min. and max.           | -0.21; 0.19  |



### tBodyGyro-mean()-Y

| Feature                 | Result       |
|-------------------------|--------------|
| Variable type           | numeric      |
| Number of missing obs.  | 0 (0 %)      |
| Number of unique values | 180          |
| Median                  | -0.07        |
| 1st and 3rd quartiles   | -0.09; -0.06 |
| Min. and max.           | -0.2; 0.03   |

---

### tBodyGyro-mean()-Z

| Feature                 | Result      |
|-------------------------|-------------|
| Variable type           | numeric     |
| Number of missing obs.  | 0 (0 %)     |
| Number of unique values | 180         |
| Median                  | 0.09        |
| 1st and 3rd quartiles   | 0.07; 0.1   |
| Min. and max.           | -0.07; 0.18 |

---

### tBodyGyro-std()-X

| Feature                 | Result       |
|-------------------------|--------------|
| Variable type           | numeric      |
| Number of missing obs.  | 0 (0 %)      |
| Number of unique values | 180          |
| Median                  | -0.79        |
| 1st and 3rd quartiles   | -0.97; -0.44 |
| Min. and max.           | -0.99; 0.27  |

---

### tBodyGyro-std()-Y

| Feature                 | Result       |
|-------------------------|--------------|
| Variable type           | numeric      |
| Number of missing obs.  | 0 (0 %)      |
| Number of unique values | 180          |
| Median                  | -0.8         |
| 1st and 3rd quartiles   | -0.96; -0.42 |

| Feature       | Result      |
|---------------|-------------|
| Min. and max. | -0.99; 0.48 |

---

### **tBodyGyro-std()-Z**

| Feature                 | Result       |
|-------------------------|--------------|
| Variable type           | numeric      |
| Number of missing obs.  | 0 (0 %)      |
| Number of unique values | 180          |
| Median                  | -0.8         |
| 1st and 3rd quartiles   | -0.96; -0.31 |
| Min. and max.           | -0.99; 0.56  |

---

### **tBodyGyroJerk-mean()-X**

| Feature                 | Result       |
|-------------------------|--------------|
| Variable type           | numeric      |
| Number of missing obs.  | 0 (0 %)      |
| Number of unique values | 180          |
| Median                  | -0.1         |
| 1st and 3rd quartiles   | -0.1; -0.09  |
| Min. and max.           | -0.16; -0.02 |

---

### **tBodyGyroJerk-mean()-Y**

| Feature                 | Result       |
|-------------------------|--------------|
| Variable type           | numeric      |
| Number of missing obs.  | 0 (0 %)      |
| Number of unique values | 180          |
| Median                  | -0.04        |
| 1st and 3rd quartiles   | -0.05; -0.04 |
| Min. and max.           | -0.08; -0.01 |

---

### **tBodyGyroJerk-mean()-Z**

| Feature                 | Result       |
|-------------------------|--------------|
| Variable type           | numeric      |
| Number of missing obs.  | 0 (0 %)      |
| Number of unique values | 180          |
| Median                  | -0.05        |
| 1st and 3rd quartiles   | -0.06; -0.05 |
| Min. and max.           | -0.09; -0.01 |

### tBodyGyroJerk-std()-X

| Feature                 | Result       |
|-------------------------|--------------|
| Variable type           | numeric      |
| Number of missing obs.  | 0 (0 %)      |
| Number of unique values | 180          |
| Median                  | -0.84        |
| 1st and 3rd quartiles   | -0.98; -0.46 |
| Min. and max.           | -1; 0.18     |

### tBodyGyroJerk-std()-Y

| Feature                 | Result       |
|-------------------------|--------------|
| Variable type           | numeric      |
| Number of missing obs.  | 0 (0 %)      |
| Number of unique values | 180          |
| Median                  | -0.89        |
| 1st and 3rd quartiles   | -0.98; -0.59 |
| Min. and max.           | -1; 0.3      |

### tBodyGyroJerk-std()-Z

| Feature                 | Result       |
|-------------------------|--------------|
| Variable type           | numeric      |
| Number of missing obs.  | 0 (0 %)      |
| Number of unique values | 180          |
| Median                  | -0.86        |
| 1st and 3rd quartiles   | -0.98; -0.47 |
| Min. and max.           | -1; 0.19     |

---

**tBodyAccMag-mean()**

| Feature                 | Result       |
|-------------------------|--------------|
| Variable type           | numeric      |
| Number of missing obs.  | 0 (0 %)      |
| Number of unique values | 180          |
| Median                  | -0.48        |
| 1st and 3rd quartiles   | -0.96; -0.09 |
| Min. and max.           | -0.99; 0.64  |

---

**tBodyAccMag-std()**

| Feature                 | Result       |
|-------------------------|--------------|
| Variable type           | numeric      |
| Number of missing obs.  | 0 (0 %)      |
| Number of unique values | 180          |
| Median                  | -0.61        |
| 1st and 3rd quartiles   | -0.94; -0.21 |
| Min. and max.           | -0.99; 0.43  |

---

**tGravityAccMag-mean()**

| Feature                 | Result       |
|-------------------------|--------------|
| Variable type           | numeric      |
| Number of missing obs.  | 0 (0 %)      |
| Number of unique values | 180          |
| Median                  | -0.48        |
| 1st and 3rd quartiles   | -0.96; -0.09 |
| Min. and max.           | -0.99; 0.64  |

---

**tGravityAccMag-std()**

| Feature                | Result  |
|------------------------|---------|
| Variable type          | numeric |
| Number of missing obs. | 0 (0 %) |

| Feature                 | Result       |
|-------------------------|--------------|
| Number of unique values | 180          |
| Median                  | -0.61        |
| 1st and 3rd quartiles   | -0.94; -0.21 |
| Min. and max.           | -0.99; 0.43  |

---

### tBodyAccJerkMag-mean()

| Feature                 | Result       |
|-------------------------|--------------|
| Variable type           | numeric      |
| Number of missing obs.  | 0 (0 %)      |
| Number of unique values | 180          |
| Median                  | -0.82        |
| 1st and 3rd quartiles   | -0.98; -0.25 |
| Min. and max.           | -0.99; 0.43  |

---

### tBodyAccJerkMag-std()

| Feature                 | Result       |
|-------------------------|--------------|
| Variable type           | numeric      |
| Number of missing obs.  | 0 (0 %)      |
| Number of unique values | 180          |
| Median                  | -0.8         |
| 1st and 3rd quartiles   | -0.98; -0.22 |
| Min. and max.           | -0.99; 0.45  |

---

### tBodyGyroMag-mean()

| Feature                 | Result       |
|-------------------------|--------------|
| Variable type           | numeric      |
| Number of missing obs.  | 0 (0 %)      |
| Number of unique values | 180          |
| Median                  | -0.66        |
| 1st and 3rd quartiles   | -0.95; -0.22 |
| Min. and max.           | -0.98; 0.42  |

---

### tBodyGyroMag-std()

| Feature                 | Result       |
|-------------------------|--------------|
| Variable type           | numeric      |
| Number of missing obs.  | 0 (0 %)      |
| Number of unique values | 180          |
| Median                  | -0.74        |
| 1st and 3rd quartiles   | -0.95; -0.36 |
| Min. and max.           | -0.98; 0.3   |

---

### tBodyGyroJerkMag-mean()

| Feature                 | Result       |
|-------------------------|--------------|
| Variable type           | numeric      |
| Number of missing obs.  | 0 (0 %)      |
| Number of unique values | 180          |
| Median                  | -0.86        |
| 1st and 3rd quartiles   | -0.99; -0.51 |
| Min. and max.           | -1; 0.09     |

---

### tBodyGyroJerkMag-std()

| Feature                 | Result       |
|-------------------------|--------------|
| Variable type           | numeric      |
| Number of missing obs.  | 0 (0 %)      |
| Number of unique values | 180          |
| Median                  | -0.88        |
| 1st and 3rd quartiles   | -0.98; -0.58 |
| Min. and max.           | -1; 0.25     |

---

### fBodyAcc-mean()-X

| Feature                 | Result       |
|-------------------------|--------------|
| Variable type           | numeric      |
| Number of missing obs.  | 0 (0 %)      |
| Number of unique values | 180          |
| Median                  | -0.77        |
| 1st and 3rd quartiles   | -0.98; -0.22 |

| Feature       | Result   |
|---------------|----------|
| Min. and max. | -1; 0.54 |

### fBodyAcc-mean()-Y

| Feature                 | Result       |
|-------------------------|--------------|
| Variable type           | numeric      |
| Number of missing obs.  | 0 (0 %)      |
| Number of unique values | 180          |
| Median                  | -0.59        |
| 1st and 3rd quartiles   | -0.95; -0.06 |
| Min. and max.           | -0.99; 0.52  |

### fBodyAcc-mean()-Z

| Feature                 | Result       |
|-------------------------|--------------|
| Variable type           | numeric      |
| Number of missing obs.  | 0 (0 %)      |
| Number of unique values | 180          |
| Median                  | -0.72        |
| 1st and 3rd quartiles   | -0.96; -0.32 |
| Min. and max.           | -0.99; 0.28  |

### fBodyAcc-std()-X

| Feature                 | Result      |
|-------------------------|-------------|
| Variable type           | numeric     |
| Number of missing obs.  | 0 (0 %)     |
| Number of unique values | 180         |
| Median                  | -0.75       |
| 1st and 3rd quartiles   | -0.98; -0.2 |
| Min. and max.           | -1; 0.66    |

### fBodyAcc-std()-Y

| Feature                 | Result       |
|-------------------------|--------------|
| Variable type           | numeric      |
| Number of missing obs.  | 0 (0 %)      |
| Number of unique values | 180          |
| Median                  | -0.51        |
| 1st and 3rd quartiles   | -0.94; -0.08 |
| Min. and max.           | -0.99; 0.56  |

### fBodyAcc-std()-Z

| Feature                 | Result       |
|-------------------------|--------------|
| Variable type           | numeric      |
| Number of missing obs.  | 0 (0 %)      |
| Number of unique values | 180          |
| Median                  | -0.64        |
| 1st and 3rd quartiles   | -0.95; -0.27 |
| Min. and max.           | -0.99; 0.69  |

### fBodyAcc-meanFreq()-X

| Feature                 | Result       |
|-------------------------|--------------|
| Variable type           | numeric      |
| Number of missing obs.  | 0 (0 %)      |
| Number of unique values | 180          |
| Median                  | -0.26        |
| 1st and 3rd quartiles   | -0.39; -0.06 |
| Min. and max.           | -0.64; 0.16  |

### fBodyAcc-meanFreq()-Y

| Feature                 | Result      |
|-------------------------|-------------|
| Variable type           | numeric     |
| Number of missing obs.  | 0 (0 %)     |
| Number of unique values | 180         |
| Median                  | 0.01        |
| 1st and 3rd quartiles   | -0.08; 0.09 |
| Min. and max.           | -0.38; 0.47 |



---

**fBodyAcc-meanFreq()-Z**

| Feature                 | Result      |
|-------------------------|-------------|
| Variable type           | numeric     |
| Number of missing obs.  | 0 (0 %)     |
| Number of unique values | 180         |
| Median                  | 0.07        |
| 1st and 3rd quartiles   | -0.04; 0.18 |
| Min. and max.           | -0.52; 0.4  |

---

**fBodyAccJerk-mean()-X**

| Feature                 | Result       |
|-------------------------|--------------|
| Variable type           | numeric      |
| Number of missing obs.  | 0 (0 %)      |
| Number of unique values | 180          |
| Median                  | -0.81        |
| 1st and 3rd quartiles   | -0.98; -0.28 |
| Min. and max.           | -0.99; 0.47  |

---

**fBodyAccJerk-mean()-Y**

| Feature                 | Result      |
|-------------------------|-------------|
| Variable type           | numeric     |
| Number of missing obs.  | 0 (0 %)     |
| Number of unique values | 180         |
| Median                  | -0.78       |
| 1st and 3rd quartiles   | -0.97; -0.2 |
| Min. and max.           | -0.99; 0.28 |

---

**fBodyAccJerk-mean()-Z**

| Feature                | Result  |
|------------------------|---------|
| Variable type          | numeric |
| Number of missing obs. | 0 (0 %) |

| Feature                 | Result       |
|-------------------------|--------------|
| Number of unique values | 180          |
| Median                  | -0.87        |
| 1st and 3rd quartiles   | -0.98; -0.47 |
| Min. and max.           | -0.99; 0.16  |

---

### fBodyAccJerk-std()-X

| Feature                 | Result       |
|-------------------------|--------------|
| Variable type           | numeric      |
| Number of missing obs.  | 0 (0 %)      |
| Number of unique values | 180          |
| Median                  | -0.83        |
| 1st and 3rd quartiles   | -0.98; -0.25 |
| Min. and max.           | -1; 0.48     |

---

### fBodyAccJerk-std()-Y

| Feature                 | Result       |
|-------------------------|--------------|
| Variable type           | numeric      |
| Number of missing obs.  | 0 (0 %)      |
| Number of unique values | 180          |
| Median                  | -0.79        |
| 1st and 3rd quartiles   | -0.97; -0.17 |
| Min. and max.           | -0.99; 0.35  |

---

### fBodyAccJerk-std()-Z

| Feature                 | Result       |
|-------------------------|--------------|
| Variable type           | numeric      |
| Number of missing obs.  | 0 (0 %)      |
| Number of unique values | 180          |
| Median                  | -0.9         |
| 1st and 3rd quartiles   | -0.98; -0.54 |
| Min. and max.           | -0.99; -0.01 |

---

### fBodyAccJerk-meanFreq()-X

| Feature                 | Result      |
|-------------------------|-------------|
| Variable type           | numeric     |
| Number of missing obs.  | 0 (0 %)     |
| Number of unique values | 180         |
| Median                  | -0.06       |
| 1st and 3rd quartiles   | -0.29; 0.18 |
| Min. and max.           | -0.58; 0.33 |

---

### fBodyAccJerk-meanFreq()-Y

| Feature                 | Result      |
|-------------------------|-------------|
| Variable type           | numeric     |
| Number of missing obs.  | 0 (0 %)     |
| Number of unique values | 180         |
| Median                  | -0.23       |
| 1st and 3rd quartiles   | -0.4; -0.05 |
| Min. and max.           | -0.6; 0.2   |

---

### fBodyAccJerk-meanFreq()-Z

| Feature                 | Result      |
|-------------------------|-------------|
| Variable type           | numeric     |
| Number of missing obs.  | 0 (0 %)     |
| Number of unique values | 180         |
| Median                  | -0.09       |
| 1st and 3rd quartiles   | -0.31; 0.04 |
| Min. and max.           | -0.63; 0.23 |

---

### fBodyGyro-mean()-X

| Feature                 | Result       |
|-------------------------|--------------|
| Variable type           | numeric      |
| Number of missing obs.  | 0 (0 %)      |
| Number of unique values | 180          |
| Median                  | -0.73        |
| 1st and 3rd quartiles   | -0.97; -0.34 |

| Feature       | Result      |
|---------------|-------------|
| Min. and max. | -0.99; 0.47 |

### fBodyGyro-mean()-Y

| Feature                 | Result       |
|-------------------------|--------------|
| Variable type           | numeric      |
| Number of missing obs.  | 0 (0 %)      |
| Number of unique values | 180          |
| Median                  | -0.81        |
| 1st and 3rd quartiles   | -0.97; -0.45 |
| Min. and max.           | -0.99; 0.33  |

### fBodyGyro-mean()-Z

| Feature                 | Result       |
|-------------------------|--------------|
| Variable type           | numeric      |
| Number of missing obs.  | 0 (0 %)      |
| Number of unique values | 180          |
| Median                  | -0.79        |
| 1st and 3rd quartiles   | -0.96; -0.26 |
| Min. and max.           | -0.99; 0.49  |

### fBodyGyro-std()-X

| Feature                 | Result       |
|-------------------------|--------------|
| Variable type           | numeric      |
| Number of missing obs.  | 0 (0 %)      |
| Number of unique values | 180          |
| Median                  | -0.81        |
| 1st and 3rd quartiles   | -0.98; -0.48 |
| Min. and max.           | -0.99; 0.2   |

### fBodyGyro-std()-Y

| Feature                 | Result       |
|-------------------------|--------------|
| Variable type           | numeric      |
| Number of missing obs.  | 0 (0 %)      |
| Number of unique values | 180          |
| Median                  | -0.8         |
| 1st and 3rd quartiles   | -0.96; -0.42 |
| Min. and max.           | -0.99; 0.65  |

### fBodyGyro-std()-Z

| Feature                 | Result       |
|-------------------------|--------------|
| Variable type           | numeric      |
| Number of missing obs.  | 0 (0 %)      |
| Number of unique values | 180          |
| Median                  | -0.82        |
| 1st and 3rd quartiles   | -0.96; -0.39 |
| Min. and max.           | -0.99; 0.52  |

### fBodyGyro-meanFreq()-X

| Feature                 | Result     |
|-------------------------|------------|
| Variable type           | numeric    |
| Number of missing obs.  | 0 (0 %)    |
| Number of unique values | 180        |
| Median                  | -0.12      |
| 1st and 3rd quartiles   | -0.21; 0   |
| Min. and max.           | -0.4; 0.25 |

### fBodyGyro-meanFreq()-Y

| Feature                 | Result       |
|-------------------------|--------------|
| Variable type           | numeric      |
| Number of missing obs.  | 0 (0 %)      |
| Number of unique values | 180          |
| Median                  | -0.16        |
| 1st and 3rd quartiles   | -0.29; -0.04 |
| Min. and max.           | -0.67; 0.27  |

---

### fBodyGyro-meanFreq()-Z

| Feature                 | Result      |
|-------------------------|-------------|
| Variable type           | numeric     |
| Number of missing obs.  | 0 (0 %)     |
| Number of unique values | 180         |
| Median                  | -0.05       |
| 1st and 3rd quartiles   | -0.15; 0.04 |
| Min. and max.           | -0.51; 0.38 |

---

### fBodyAccMag-mean()

| Feature                 | Result       |
|-------------------------|--------------|
| Variable type           | numeric      |
| Number of missing obs.  | 0 (0 %)      |
| Number of unique values | 180          |
| Median                  | -0.67        |
| 1st and 3rd quartiles   | -0.96; -0.16 |
| Min. and max.           | -0.99; 0.59  |

---

### fBodyAccMag-std()

| Feature                 | Result       |
|-------------------------|--------------|
| Variable type           | numeric      |
| Number of missing obs.  | 0 (0 %)      |
| Number of unique values | 180          |
| Median                  | -0.65        |
| 1st and 3rd quartiles   | -0.95; -0.37 |
| Min. and max.           | -0.99; 0.18  |

---

### fBodyAccMag-meanFreq()

| Feature                | Result  |
|------------------------|---------|
| Variable type          | numeric |
| Number of missing obs. | 0 (0 %) |

| Feature                 | Result      |
|-------------------------|-------------|
| Number of unique values | 180         |
| Median                  | 0.08        |
| 1st and 3rd quartiles   | -0.01; 0.17 |
| Min. and max.           | -0.31; 0.44 |

### fBodyBodyAccJerkMag-mean()

| Feature                 | Result       |
|-------------------------|--------------|
| Variable type           | numeric      |
| Number of missing obs.  | 0 (0 %)      |
| Number of unique values | 180          |
| Median                  | -0.79        |
| 1st and 3rd quartiles   | -0.98; -0.19 |
| Min. and max.           | -0.99; 0.54  |

### fBodyBodyAccJerkMag-std()

| Feature                 | Result       |
|-------------------------|--------------|
| Variable type           | numeric      |
| Number of missing obs.  | 0 (0 %)      |
| Number of unique values | 180          |
| Median                  | -0.81        |
| 1st and 3rd quartiles   | -0.98; -0.27 |
| Min. and max.           | -0.99; 0.32  |

### fBodyBodyAccJerkMag-meanFreq()

| Feature                 | Result      |
|-------------------------|-------------|
| Variable type           | numeric     |
| Number of missing obs.  | 0 (0 %)     |
| Number of unique values | 180         |
| Median                  | 0.17        |
| 1st and 3rd quartiles   | 0.05; 0.28  |
| Min. and max.           | -0.13; 0.49 |

### fBodyBodyGyroMag-mean()

| Feature                 | Result       |
|-------------------------|--------------|
| Variable type           | numeric      |
| Number of missing obs.  | 0 (0 %)      |
| Number of unique values | 180          |
| Median                  | -0.77        |
| 1st and 3rd quartiles   | -0.96; -0.41 |
| Min. and max.           | -0.99; 0.2   |

---

### fBodyBodyGyroMag-std()

| Feature                 | Result       |
|-------------------------|--------------|
| Variable type           | numeric      |
| Number of missing obs.  | 0 (0 %)      |
| Number of unique values | 180          |
| Median                  | -0.77        |
| 1st and 3rd quartiles   | -0.95; -0.43 |
| Min. and max.           | -0.98; 0.24  |

---

### fBodyBodyGyroMag-meanFreq()

| Feature                 | Result      |
|-------------------------|-------------|
| Variable type           | numeric     |
| Number of missing obs.  | 0 (0 %)     |
| Number of unique values | 180         |
| Median                  | -0.05       |
| 1st and 3rd quartiles   | -0.17; 0.08 |
| Min. and max.           | -0.46; 0.41 |

---

### fBodyBodyGyroJerkMag-mean()

| Feature                 | Result       |
|-------------------------|--------------|
| Variable type           | numeric      |
| Number of missing obs.  | 0 (0 %)      |
| Number of unique values | 180          |
| Median                  | -0.88        |
| 1st and 3rd quartiles   | -0.98; -0.58 |



| Feature       | Result   |
|---------------|----------|
| Min. and max. | -1; 0.15 |

### fBodyBodyGyroJerkMag-std()

| Feature                 | Result       |
|-------------------------|--------------|
| Variable type           | numeric      |
| Number of missing obs.  | 0 (0 %)      |
| Number of unique values | 180          |
| Median                  | -0.89        |
| 1st and 3rd quartiles   | -0.98; -0.61 |
| Min. and max.           | -1; 0.29     |

### fBodyBodyGyroJerkMag-meanFreq()

| Feature                 | Result      |
|-------------------------|-------------|
| Variable type           | numeric     |
| Number of missing obs.  | 0 (0 %)     |
| Number of unique values | 180         |
| Median                  | 0.11        |
| 1st and 3rd quartiles   | 0.05; 0.21  |
| Min. and max.           | -0.18; 0.43 |

Report generation information:

- Created by Scott Robertson (username: `scottrobertson`).
- Report creation time: Mon Sep 03 2018 12:44:48
- Report Was run from directory: `/Users/scottrobertson/R Programming/Coursera`
- dataMaid v1.1.2 [Pkg: 2018-05-03 from CRAN (R 3.5.1)]
- R version 3.5.1 (2018-07-02).
- Platform: x86\_64-apple-darwin17.7.0 (64-bit)(macOS High Sierra 10.13.6).
- Function call: `makeDataReport(data = tidy_data, mode = "summarize", file = "codebook_tidy_data.Rmd", checks = list(list("showAllFactorLevels")), listChecks = FALSE, maxProbVals = FALSE, codebook = TRUE, reportTitle = "Codebook for tidy_data")`