Mutual Attestation of IoT Devices and TPM 2.0 Support

TCG Members Meeting June 2016 Vienna

Prof. Andreas Steffen
Institute for Internet Technologies and Applications
HSR University of Applied Sciences Rapperswil
andreas.steffen@hsr.ch







Where the heck is Rapperswil?






HSR - Hochschule für Technik Rapperswil



- University of Applied Sciences with about 1500 students
- Faculty of Information Technology (300-400 students)
- Bachelor Course (3 years), Master Course (+1.5 years)



strongSwan – the OpenSource VPN Solution



FHO Fachhochschule Ostschweiz



Windows Active Directory Server

Linux FreeRadius Server

Corporate Network

High-Availability strongSwan VPN Gateway

strong



Internet

Windows 7/8/10 Agile VPN Client





strongSwan Linux Client

Connection name: HSR

Connect automatically

VPN IPv4 Settings

Gateway

Authentication: EAP

strongswan.hsr.ch

QuoVadis Root CA 2.crt

asteffen

Request an inner IP address
 Enforce UDP encapsulation

Use IP compression

Mutual Attestation of IoT Devices and TPM 2.0 Support


TCG Members Meeting June 2016 Vienna

Trusted Network Communications (TNC)
Current Use Cases:
Network Access Control & Endpoint Compliance



TNC Architecture





Layered TNC Protocol Stack



TNC Measurement Data

```
[IMV] operating system name is 'Android' from vendor Google
[IMV] operating system version is '4.2.1'
[IMV] device ID is cf5e4cbcc6e6a2db
```

IF-M Measurement Protocol

PA-TNC (RFC 5792)

```
[TNC] handling PB-PA message type 'IETF/Operating System' 0x000000/0x00000001

[IMV] IMV 1 "OS" received message for Connection ID 1 from IMC 1

[TNC] processing PA-TNC message with ID 0xec41ce1d

[TNC] processing PA-TNC attribute type 'IETF/Product Information' 0x000000/0x00000002

[TNC] processing PA-TNC attribute type 'IETF/String Version' 0x000000/0x00000004

[TNC] processing PA-TNC attribute type 'ITA-HSR/Device ID' 0x00902a/0x00000008
```

IF-TNCCS TNC Client-Server Protocol

PB-TNC (RFC 5793)

```
[TNC] received TNCCS batch (160 bytes) for Connection ID 1
[TNC] PB-TNC state transition from 'Init' to 'Server Working'
[TNC] processing PB-TNC CDATA batch
[TNC] processing PB-Language-Preference message (31 bytes)
[TNC] processing PB-PA message (121 bytes)
[TNC] setting language preference to 'en'
```

IF-T Transport Protocol

PT-EAP (RFC 7171)

```
[NET] received packet: from 152.96.15.29[50871] to 77.56.144.51[4500] (320 bytes)
[ENC] parsed IKE_AUTH request 8 [ EAP/RES/TTLS ]
[IKE] received tunneled EAP-TTLS AVP [EAP/RES/PT]
```

TPM-based Attestation



- 2010 Implemented the TCG TNC IF-TNCCS 2.0 Client/Server and TCG TNC IF-M Measurement protocols.
- 2011 Implemented the TCG Attestation Protocol Binding to TNC IF-M using TrouSerS stack under Linux [later ported to Windows].
- Implemented TPM 1.2 based attestation using the Linux Integrity Measurement Architecture (IMA).
- Implemented the TCG TNC IF-M Segmentation Protocol allowing the transport of huge IF-M attributes over IF-T for EAP Methods. IF-T for TLS transport also profits from large buffer savings.
- 2016 Implemented TPM 2.0 based Attestation using the Intel TSS2 SAPI under Linux and an Intel PTT firmware TPM.
- →TSS 2.0 requires an update of the Attestation Binding to IF-M !!!

Mutual Attestation of IoT Devices and TPM 2.0 Support


TCG Members Meeting June 2016 Vienna

Trusted Network Communications (TNC)
New Use Case:
Mutual Measurements of Endpoints



PB-TNC / IF-TNCCS 2.0 State Machine





Exchange of PB-TNC Client/Server Data Batches containing PA-TNC Messages

Mutual Measurements in Half-Duplex Mode



Initiator		PB-TNC Batch[PB-TNC Messages]		Responder
TNC Client	\rightarrow	CDATA[PB-MUTUAL, PB-PA]	\rightarrow	TNC Server
TNC Client	(SDATA[PB-MUTUAL, PB-PA]	←	TNC Server
TNC Server	\rightarrow	SDATA[]	\rightarrow	TNC Client
TNC Server	←	CDATA[PB-PA]	←	TNC Client
TNC Client	\rightarrow	CDATA[PB-PA]	\rightarrow	TNC Server
TNC Client	←	RESULT[PB-ASSESSMENT]	←	TNC Server
TNC Server	\rightarrow	SDATA[PB-PA]	\rightarrow	TNC Client
TNC Server	←	CDATA[PB-PA]	←	TNC Client
TNC Server	\rightarrow	RESULT[PB-ASSESSMENT]	\rightarrow	TNC Client
TNC Server	←	CLOSE[]	←	TNC Client
TNC Client	\rightarrow	CLOSE[]	\rightarrow	TNC Server

- The initiating TNC client sends CLOSE batch last
- Works over PT-EAP and PT-TLS

Example: Mutually Trusted Video Phones












Mutual Attestation of IoT Devices





^{*} IMA: Integrity Measurement Architecture

File Version Management using SWID Tags



 ISO/IEC 19770-2:2015 Software Asset Management Part 2: Software Identification Tag:

```
<SoftwareIdentity xmlns=http://standards.iso.org/iso/19770/-2/2015/schema.xsd</pre>
  name="libssl1.0.0" uniqueId="Ubuntu 14.04-x86 64-libssl1.0.0-1.0.1f-1ubuntu2.15"
  version="1.0.1f-1ubuntu2.15" versionScheme="alphanumeric">
  <Entity name="strongSwan Project" regid="regid.2004-03.org.strongswan" role="tagcreator"/>
  <Payload>
   <File location="/lib/x86_64-linux-gnu" name="libcrypto.so.1.0.0"/>
    <File location="/lib/x86_64-linux-gnu" name="libssl.so.1.0.0"/>
    <File location="/usr/share/doc/libssl1.0.0" name="copyright"/>
    <File location="/usr/share/doc/libssl1.0.0" name="changelog.Debian.gz"/>
    <File location="/usr/lib/x86 64-linux-gnu/openssl-1.0.0/engines" name="libpadlock.so"/>
    <File location="/usr/lib/x86 64-linux-gnu/openssl-1.0.0/engines" name="libcswift.so"/>
    <File location="/usr/lib/x86 64-linux-gnu/openssl-1.0.0/engines" name="lib4758cca.so"/>
    <File location="/usr/lib/x86 64-linux-gnu/openssl-1.0.0/engines" name="libaep.so"/>
    <File location="/usr/lib/x86 64-linux-gnu/openssl-1.0.0/engines" name="libubsec.so"/>
    <File location="/usr/lib/x86 64-linux-gnu/openssl-1.0.0/engines" name="libchil.so"/>
    <File location="/usr/lib/x86 64-linux-gnu/openssl-1.0.0/engines" name="libgost.so"/>
    <File location="/usr/lib/x86 64-linux-gnu/openssl-1.0.0/engines" name="libgmp.so"/>
    <File location="/usr/lib/x86 64-linux-gnu/openssl-1.0.0/engines" name="libcapi.so"/>
    <File location="/usr/lib/x86 64-linux-gnu/openssl-1.0.0/engines" name="libnuron.so"/>
    <File location="/usr/lib/x86 64-linux-gnu/openssl-1.0.0/engines" name="libsureware.so"/>
    <File location="/usr/lib/x86 64-linux-gnu/openssl-1.0.0/engines" name="libatalla.so"/>
  </Payload>
</SoftwareIdentity>
```



Thank you for your attention!

Questions?

www.strongswan.org/tnc/

