

The AIRS/CrIS/IASI (and CHIRP) Radiative Transfer Algorithms

AIRS Science Team Meeting

C. L. Hepplewhite^{1,2}, Sergio DeSouza-Machado^{1,2}, L. Larrabee Strow^{1,2,1,2}

September 25, 2019

¹UMBC Physics Dept.

²UMBC JCET

Overview

Overview of talk

- Current status.
- Methods.
- Programmatics.
- Validation and sample results.
- Plans.

Status

Status - 1

- kCARTA calculations of layer-to-space optical depths for all parameters for the 49 and 703 SAF regression profiles for AIRS_L1C, CrIS FSR and IASI are complete.
- The kCARTA products are based on HITRAN 2016 & LBLRTM12.8 CO₂,CH₄ line mixing.
- The kCARTA used to generate TOA radiances to compare directly with SARTA for validation.
- Updated version of AIRS using L1C channel set with SRFs referenced to 10Sep-2010 drift corrected.
- AIRS_L1C and IASI SARTA released May and June this year.
- CrIS FSR SARTA update for 2019 currently in work.

- The 2019 AIRS_L1C and IASI RTA include the fixed gases, and variable O3, H2O, CO2, CH4, HNO3, N2O, SO2, NH3, the nonLTE and improved reflected surface thermal.
- Have started working on HDO regression.
-
-
-

Methods

-
-
-
-
-


Programmatics

-
-
-
-
-


Results

-
-
-
-
-


Results - IASI



Results - AIRS_L1C



Results - AIRS_L1C



Plans

Current and future Plans

-
-
-
-
-