TEAM NUMBER 62 Phase[2]

Aidan Anderson (aanderson306) Andreea Juravschi (ajuravschi3) Dowon Kim (dkim694) Dong Hyuk Park (dpark346)

```
groceryUser = (UserName, passcode, firstName, lastName, zip, state, city, street)
customer = (<u>UserName</u> [fk1], <u>ccNumber</u>, CVV, ExpDate)
       fk1 : UserName → groceryUser.UserName
employee = (<u>UserName [fk2]</u>)
       fk2 : UserName → groceryUser.UserName
groceryAdmin = (<u>UserName</u> [fk6])
       fk6 : UserName → groceryUser.UserName
groceryChain = (chainName)
manager = (<u>UserName</u> [fk4], Manages [fk5])
       fk4: UserName → employee.UserName
       fk5: Manages → groceryChain.chainName
store = (chainName [fk9], storeName, Zip, State, Clty, Street)
       fk9 : chainName → groceryChain.chainName
technician = (<u>UserName [fk10]</u>, Works_At [fk11])
       fk10 : UserName → employee.UserName
      fk11 : Works At → store.chainName
drone = (ID, radius, zip, droneStatus, Worked on by [fk3])
       fk3: Worked on by → technician.UserName
groceryOrder = (ID,orderStatus, orderDate, Made By [fk7], Deliver [fk8])
       fk7 : Made by → customer.UserName
       fk8 : Deliver \rightarrow drone.ID
item = (itemName, orderType, origin, organic)
chainItem = (chainName [fk12], itemName [fk13], PLU Number, order_limit,
quantity, price)
       fk12 : chainName →groceryChain.chainName
       fk13 : itemName → item.itemName
groceryContains = (ID [fk14], PLU Number, chainName, itemName[fk15],
groceryChain Item Quantity)
       fk14 : ID \rightarrow groceryOrder.ID
       fk15 : PLU Number, chainName, itemName → ChainItem.PLU Number,
chainItem.chainName. ChainItem.itemName
```