


Topological comparison of bac120 and SAR11_165 IQ-TREE 2 phylogenies

Normalized rooted RF = 0.539
Black circles: IQ-TREE UFBoot ≥ 0.95

bac120 IQ-TREE 2

SAR11_165 IQ-TREE 2



Phylogenetic branches: family-level lineage

Pelagibacteraceae Cosmipelagibacteraceae Mesopelagibacteraceae Allofontibacteraceae Unclassified SAR11

Connecting lines: genus assignment

Unclassified	Tantillipelagibacter	Fontibacterium	Fusipelagibacter	Punctipelagibacter
Undatipelagibacter	Pelagibacter	Superipelagibacter	Litoripelagibacter	Alipelagibacter
Xanthinipelagibacter	Stellipelagibacter	Coralipelagibacter	Rubripelagibacter	Anoxypelagibacter
Copipelagibacter	Proventipelagibacter	Accedentipelagibacter	Atlantikopelagibacter	
Cosmipelagibacter	Anoxipelagibacter	Pantolocipelagibacter	Colligatipelagibacter	
Angustipelagibacter	Elongatipelagibacter	Parvipelagibacter	Extensipelagibacter	
Lacunipelagibacter	Medipelagibacter	Amplipelagibacter	Mesopelagibacter	

Trees were rooted using the same 20 alphaproteobacterial outgroups, which were removed before comparison; 542 shared SAR11 genomes are linked.