PRAKTIKUM BASIS DATA

MODUL 3

Scripting SQL Basic

Oleh:

Arif Stand Pramudya 103122400001

PROGRAM STUDI S1 REKAYASA PERANGKAT LUNAK

DIREKTORAT KAMPUS PURWOKERTO

UNIVERSITAS TELKOM

2026

Tugas Pendahuluan

1. Buatlah sebuah table mahasiswa dengan atribut: id, nama, tempat lahir, tanggal lahir, nomor hp, email, tinggi badan, berat badan.

   Jawaban:

   - Tabel Mahasiswa

     Query

```
CREATE TABLE mahasiswa (
id INT PRIMARY KEY,
nama VARCHAR2(100),
tempat_lahir VARCHAR2(50),
tanggal_lahir DATE,
nomor_hp VARCHAR2(15),
email VARCHAR2(100),
tinggi_badan INT,
berat_badan INT
);
```

     Screenshot



2. Lakukan insert data pada table nomor 1 sebanyak 15 rows.

   Jawaban:

   - Tabel Mahasiswa

     Query

```
INSERT ALL
INTO mahasiswa (id, nama, tempat_lahir, tanggal_lahir, nomor_hp, email,
tinggi_badan, berat_badan)
VALUES (1, 'Andi Maulana', 'Palembang', TO_DATE('2000-08-20', 'YYYY-
MM-DD'), '081234567890', 'andi@mail.com', 175, 70)

INTO mahasiswa (id, nama, tempat_lahir, tanggal_lahir, nomor_hp, email,
tinggi_badan, berat_badan)
VALUES (2, 'Budi Santoso', 'Jakarta', TO_DATE('1999-12-15', 'YYYY-MM-
DD'), '082345678901', 'budi@mail.com', 168, 65)

INTO mahasiswa (id, nama, tempat_lahir, tanggal_lahir, nomor_hp, email,
tinggi_badan, berat_badan)
VALUES (3, 'Cindy Ramadhani', 'Bandung', TO_DATE('2001-03-12',
'YYYY-MM-DD'), '083456789012', 'cindy@mail.com', 160, 55)

INTO mahasiswa (id, nama, tempat_lahir, tanggal_lahir, nomor_hp, email,
tinggi_badan, berat_badan)
VALUES (4, 'Dewi Pratiwi', 'Yogyakarta', TO_DATE('1998-07-22', 'YYYY-
MM-DD'), '084567890123', 'dewi@mail.com', 170, 60)

INTO mahasiswa (id, nama, tempat_lahir, tanggal_lahir, nomor_hp, email,
tinggi_badan, berat_badan)
VALUES (5, 'Eka Putri', 'Medan', TO_DATE('2000-10-05', 'YYYY-MM-
DD'), '085678901234', 'eka@mail.com', 165, 58)
```

```
INTO mahasiswa (id, nama, tempat_lahir, tanggal_lahir, nomor_hp, email,
tinggi_badan, berat_badan)
VALUES (6, 'Fajar Akbar', 'Surabaya', TO_DATE('1999-02-28', 'YYYY-
MM-DD'), '086789012345', 'fajar@mail.com', 180, 75)

INTO mahasiswa (id, nama, tempat_lahir, tanggal_lahir, nomor_hp, email,
tinggi_badan, berat_badan)
VALUES (7, 'Gita Permatasari', 'Makassar', TO_DATE('2000-05-11',
'YYYY-MM-DD'), '087890123456', 'gita@mail.com', 162, 52)

INTO mahasiswa (id, nama, tempat_lahir, tanggal_lahir, nomor_hp, email,
tinggi_badan, berat_badan)
VALUES (8, 'Hendra Prabowo', 'Medan', TO_DATE('1998-01-30', 'YYYY-
MM-DD'), '088901234567', 'hendra@mail.com', 178, 80)

INTO mahasiswa (id, nama, tempat_lahir, tanggal_lahir, nomor_hp, email,
tinggi_badan, berat_badan)
VALUES (9, 'Intan Pertiwi', 'Semarang', TO_DATE('2000-09-14', 'YYYY-
MM-DD'), '089012345678', 'intan@mail.com', 167, 62)

INTO mahasiswa (id, nama, tempat_lahir, tanggal_lahir, nomor_hp, email,
tinggi_badan, berat_badan)
VALUES (10, 'Joko Widodo', 'Surabaya', TO_DATE('1997-06-18', 'YYYY-
MM-DD'), '090123456789', 'joko@mail.com', 173, 70)

INTO mahasiswa (id, nama, tempat_lahir, tanggal_lahir, nomor_hp, email,
tinggi_badan, berat_badan)
```

```
VALUES (11, 'Karin Sari', 'Bali', TO_DATE('2001-01-25', 'YYYY-MM-DD'), '091234567890', 'karin@mail.com', 164, 58)

INTO mahasiswa (id, nama, tempat_lahir, tanggal_lahir, nomor_hp, email, tinggi_badan, berat_badan)
VALUES (12, 'Lina Marlina', 'Solo', TO_DATE('1999-04-19', 'YYYY-MM-DD'), '092345678901', 'lina@mail.com', 155, 48)

INTO mahasiswa (id, nama, tempat_lahir, tanggal_lahir, nomor_hp, email, tinggi_badan, berat_badan)
VALUES (13, 'Maya Rizki', 'Bandung', TO_DATE('2000-11-02', 'YYYY-MM-DD'), '093456789012', 'maya@mail.com', 169, 60)

INTO mahasiswa (id, nama, tempat_lahir, tanggal_lahir, nomor_hp, email, tinggi_badan, berat_badan)
VALUES (14, 'Nina Anindya', 'Palembang', TO_DATE('2000-07-30', 'YYYY-MM-DD'), '094567890123', 'nina@mail.com', 160, 55)

INTO mahasiswa (id, nama, tempat_lahir, tanggal_lahir, nomor_hp, email, tinggi_badan, berat_badan)
VALUES (15, 'Omar Hadi', 'Jakarta', TO_DATE('1998-09-10', 'YYYY-MM-DD'), '095678901234', 'omar@mail.com', 182, 85)
SELECT * FROM DUAL;
```

Screenshot

```
SQL> INSERT ALL
  2  INTO mahasiswa (id, nama, tempat_lahir, tanggal_lahir, nomor_hp, email, tinggi_badan, berat_badan)
  3  VALUES (1, 'Andi Maulana', 'Palembang', TO_DATE('2000-08-20', 'YYYY-MM-DD'), '081234567890', 'andi@mail.com', 175, 70)
  4  INTO mahasiswa (id, nama, tempat_lahir, tanggal_lahir, nomor_hp, email, tinggi_badan, berat_badan)
  5  VALUES (2, 'Budi Santoso', 'Jakarta', TO_DATE('1999-12-15', 'YYYY-MM-DD'), '082345678901', 'budi@mail.com', 168, 65)
  6  INTO mahasiswa (id, nama, tempat_lahir, tanggal_lahir, nomor_hp, email, tinggi_badan, berat_badan)
  7  VALUES (3, 'Cindy Ramadhani', 'Bandung', TO_DATE('2001-03-12', 'YYYY-MM-DD'), '083456789012', 'cindy@mail.com', 160, 55)
  8  INTO mahasiswa (id, nama, tempat_lahir, tanggal_lahir, nomor_hp, email, tinggi_badan, berat_badan)
  9  VALUES (4, 'Dewi Pratiwi', 'Yogyakarta', TO_DATE('1998-07-22', 'YYYY-MM-DD'), '084567890123', 'dewi@mail.com', 170, 60)
 10  INTO mahasiswa (id, nama, tempat_lahir, tanggal_lahir, nomor_hp, email, tinggi_badan, berat_badan)
 11  VALUES (5, 'Eka Putri', 'Medan', TO_DATE('2000-10-05', 'YYYY-MM-DD'), '085678901234', 'eka@mail.com', 165, 58)
 12  INTO mahasiswa (id, nama, tempat_lahir, tanggal_lahir, nomor_hp, email, tinggi_badan, berat_badan)
 13  VALUES (6, 'Fajar Akbar', 'Surabaya', TO_DATE('1999-02-28', 'YYYY-MM-DD'), '086789012345', 'fajar@mail.com', 180, 75)
 14  INTO mahasiswa (id, nama, tempat_lahir, tanggal_lahir, nomor_hp, email, tinggi_badan, berat_badan)
 15  VALUES (7, 'Gita Permatasari', 'Makassar', TO_DATE('2000-05-11', 'YYYY-MM-DD'), '087890123456', 'gita@mail.com', 162, 52)
 16  INTO mahasiswa (id, nama, tempat_lahir, tanggal_lahir, nomor_hp, email, tinggi_badan, berat_badan)
 17  VALUES (8, 'Hendra Prabowo', 'Medan', TO_DATE('1998-01-30', 'YYYY-MM-DD'), '088901234567', 'hendra@mail.com', 178, 80)
 18  INTO mahasiswa (id, nama, tempat_lahir, tanggal_lahir, nomor_hp, email, tinggi_badan, berat_badan)
 19  VALUES (9, 'Intan Pertiwi', 'Semarang', TO_DATE('2000-09-14', 'YYYY-MM-DD'), '089012345678', 'intan@mail.com', 167, 62)
 20  INTO mahasiswa (id, nama, tempat_lahir, tanggal_lahir, nomor_hp, email, tinggi_badan, berat_badan)
 21  VALUES (10, 'Joko Widodo', 'Surabaya', TO_DATE('1997-06-18', 'YYYY-MM-DD'), '090123456789', 'joko@mail.com', 173, 70)
 22  INTO mahasiswa (id, nama, tempat_lahir, tanggal_lahir, nomor_hp, email, tinggi_badan, berat_badan)
 23  VALUES (11, 'Karin Sari', 'Bali', TO_DATE('2001-01-25', 'YYYY-MM-DD'), '091234567890', 'karin@mail.com', 164, 58)
 24  INTO mahasiswa (id, nama, tempat_lahir, tanggal_lahir, nomor_hp, email, tinggi_badan, berat_badan)
 25  VALUES (12, 'Lina Marlina', 'Solo', TO_DATE('1999-04-19', 'YYYY-MM-DD'), '092345678901', 'lina@mail.com', 155, 48)
 26  INTO mahasiswa (id, nama, tempat_lahir, tanggal_lahir, nomor_hp, email, tinggi_badan, berat_badan)
 27  VALUES (13, 'Maya Rizki', 'Bandung', TO_DATE('2000-11-02', 'YYYY-MM-DD'), '093456789012', 'maya@mail.com', 169, 60)
 28  INTO mahasiswa (id, nama, tempat_lahir, tanggal_lahir, nomor_hp, email, tinggi_badan, berat_badan)
 29  VALUES (14, 'Nina Anindya', 'Palembang', TO_DATE('2000-07-30', 'YYYY-MM-DD'), '094567890123', 'nina@mail.com', 160, 55)
 30  INTO mahasiswa (id, nama, tempat_lahir, tanggal_lahir, nomor_hp, email, tinggi_badan, berat_badan)
 31  VALUES (15, 'Omar Hadi', 'Jakarta', TO_DATE('1998-09-10', 'YYYY-MM-DD'), '095678901234', 'omar@mail.com', 182, 85)
 32  SELECT * FROM DUAL;

15 rows created.
```

3. Lakukan proses pemrosesan satu table untuk fungsi-fungsi berikut:

Jawaban:

a. Fungsi Karakter dan String (LOWER/UPPER, INITCAP, CONCAT, LENGTH, SUBSTR, LPAD/RPAD, LTRIM, RTRIM, INSTR, REPLACE)

Query

```
SELECT
LOWER(nama) AS lower_nama,
UPPER(nama) AS upper_nama,
INITCAP(nama) AS initcap_nama,
CONCAT(nama, ' - Universitas') AS concat_nama,
LENGTH(nama) AS length_nama,
SUBSTR(nama, 1, 4) AS substr_nama,
LPAD(nama, 20, '-') AS lpad_nama,
RPAD(nama, 20, '-') AS rpad_nama,
LTRIM(nama, 'A') AS ltrim_nama,
RTRIM(nama, 'A') AS rtrim_nama,
INSTR(nama, 'di') AS instr_nama,
REPLACE(nama, 'A', 'O') AS replace_nama
```

```
FROM mahasiswa;
```

Screenshot

```
SQL> SELECT
  2  LOWER(nama) AS lower_nama,
  3  UPPER(nama) AS upper_nama,
  4  INITCAP(nama) AS initcap_nama,
  5  CONCAT(nama, ' - Universitas') AS concat_nama,
  6  LENGTH(nama) AS length_nama,
  7  SUBSTR(nama, 1, 4) AS substr_nama,
  8  LPAD(nama, 20, '-') AS lpad_nama,
  9  RPAD(nama, 20, '-') AS rpad_nama,
 10  LTRIM(nama, 'A') AS ltrim_nama,
 11  RTRIM(nama, 'A') AS rtrim_nama,
 12  INSTR(nama, 'di') AS instr_nama,
 13  REPLACE(nama, 'A', 'O') AS replace_nama
 14  FROM mahasiswa;

LOWER_NAMA
--------------------------------------------------------------------------------
UPPER_NAMA
--------------------------------------------------------------------------------
INITCAP_NAMA
--------------------------------------------------------------------------------
CONCAT_NAMA
--------------------------------------------------------------------------------
LENGTH_NAMA SUBSTR_NAMA
----------- ---------------
LPAD_NAMA
--------------------------------------------------------------------------------
RPAD_NAMA
--------------------------------------------------------------------------------
LTRIM_NAMA
--------------------------------------------------------------------------------
RTRIM_NAMA
--------------------------------------------------------------------------------
INSTR_NAMA
----------
REPLACE_NAMA
--------------------------------------------------------------------------------
andi maulana

LOWER_NAMA
--------------------------------------------------------------------------------
```

b. Fungsi Tanggal dan Waktu (MM/MON/MONTH, DD/DY, YYYY/YY/RR, AM (or PM)/HH/HH24, MI/SS, ADD_MONTHS(d,n), SYSDATE, LAST_DAY(d), NEXT_DAY(d,day_name), MONTHS_BETWEEN(d1,d2), ROUND(d,[MONTH| YEAR]))

Query

```
SELECT
TO_CHAR(tanggal_lahir, 'MM') AS bulan_format,
TO_CHAR(tanggal_lahir, 'MON') AS bulan_singkat,
TO_CHAR(tanggal_lahir, 'MONTH') AS bulan_lengkap
FROM mahasiswa;


SELECT
TO_CHAR(tanggal_lahir, 'DD') AS hari_bulan,
```

```
TO_CHAR(tanggal_lahir, 'DY') AS hari_singkat
FROM mahasiswa;

SELECT
TO_CHAR(tanggal_lahir, 'YYYY') AS tahun_lengkap,
TO_CHAR(tanggal_lahir, 'YY') AS tahun_2digit,
TO_CHAR(tanggal_lahir, 'RR') AS tahun_2digit_rr
FROM mahasiswa;

SELECT
TO_CHAR(SYSDATE, 'AM') AS am_pm,
TO_CHAR(SYSDATE, 'HH') AS jam_12,
TO_CHAR(SYSDATE, 'HH24') AS jam_24
FROM DUAL;

SELECT
TO_CHAR(SYSDATE, 'AM') AS am_pm,
TO_CHAR(SYSDATE, 'HH') AS jam_12,
TO_CHAR(SYSDATE, 'HH24') AS jam_24
FROM DUAL;

SELECT
TO_CHAR(SYSDATE, 'MI') AS menit,
TO_CHAR(SYSDATE, 'SS') AS detik
FROM DUAL;

SELECT
ADD_MONTHS(tanggal_lahir, 2) AS tanggal_plus_2_bulan,
ADD_MONTHS(tanggal_lahir, -3) AS tanggal_minus_3_bulan
FROM mahasiswa;
```

```
SELECT SYSDATE AS current_date_time FROM DUAL;

SELECT
LAST_DAY(tanggal_lahir) AS akhir_bulan
FROM mahasiswa;

SELECT
NEXT_DAY(tanggal_lahir, 'MONDAY') AS tanggal_setelah_senin
FROM mahasiswa;

SELECT
MONTHS_BETWEEN(SYSDATE, tanggal_lahir) AS bulan_terhitung
FROM mahasiswa;

SELECT
ROUND(tanggal_lahir, 'MONTH') AS bulan_terdekat,
ROUND(tanggal_lahir, 'YEAR') AS tahun_terdekat
FROM mahasiswa;
```

Screenshot

```
SQL> SELECT
  2  TO_CHAR(tanggal_lahir, 'MM') AS bulan_format,
  3  TO_CHAR(tanggal_lahir, 'MON') AS bulan_singkat,
  4  TO_CHAR(tanggal_lahir, 'MONTH') AS bulan_lengkap
  5  FROM mahasiswa;

BU BULAN_SINGKA BULAN_LENGKAP
-- ------------ ------------------------------------
08 AUG          AUGUST
12 DEC          DECEMBER
03 MAR          MARCH
07 JUL          JULY
10 OCT          OCTOBER
02 FEB          FEBRUARY
05 MAY          MAY
01 JAN          JANUARY
09 SEP          SEPTEMBER
06 JUN          JUNE
01 JAN          JANUARY

BU BULAN_SINGKA BULAN_LENGKAP
-- ------------ ------------------------------------
04 APR          APRIL
11 NOV          NOVEMBER
07 JUL          JULY
09 SEP          SEPTEMBER

15 rows selected.
```

```
SQL> SELECT
  2  TO_CHAR(tanggal_lahir, 'DD') AS hari_bulan,
  3  TO_CHAR(tanggal_lahir, 'DY') AS hari_singkat
  4  FROM mahasiswa;

HA HARI_SINGKAT
-- ------------
20 SUN
15 WED
12 MON
22 WED
05 THU
28 SUN
11 THU
30 FRI
14 THU
18 WED
25 THU

HA HARI_SINGKAT
-- ------------
19 MON
02 THU
30 SUN
10 THU

15 rows selected.

SQL> |
```

```
SQL> SELECT
  2  TO_CHAR(tanggal_lahir, 'YYYY') AS tahun_lengkap,
  3  TO_CHAR(tanggal_lahir, 'YY') AS tahun_2digit,
  4  TO_CHAR(tanggal_lahir, 'RR') AS tahun_2digit_rr
  5  FROM mahasiswa;

TAHU TA TA
---- -- --
2000 00 00
1999 99 99
2001 01 01
1998 98 98
2000 00 00
1999 99 99
2000 00 00
1998 98 98
2000 00 00
1997 97 97
2001 01 01

TAHU TA TA
---- -- --
1999 99 99
2000 00 00
2000 00 00
1998 98 98

15 rows selected.

SQL> |
```

```
SQL> SELECT
  2  TO_CHAR(SYSDATE, 'AM') AS am_pm,
  3  TO_CHAR(SYSDATE, 'HH') AS jam_12,
  4  TO_CHAR(SYSDATE, 'HH24') AS jam_24
  5  FROM DUAL;

AM JA JA
-- -- --
PM 03 15

SQL>
```

```
SQL> SELECT
  2  TO_CHAR(SYSDATE, 'MI') AS menit,
  3  TO_CHAR(SYSDATE, 'SS') AS detik
  4  FROM DUAL;

ME DE
-- --
00 45

SQL>
```

```
SQL> SELECT
  2  ADD_MONTHS(tanggal_lahir, 2) AS tanggal_plus_2_bulan,
  3  ADD_MONTHS(tanggal_lahir, -3) AS tanggal_minus_3_bulan
  4  FROM mahasiswa;

TANGGAL_P TANGGAL_M
--------- ---------
20-OCT-00 20-MAY-00
15-FEB-00 15-SEP-99
12-MAY-01 12-DEC-00
22-SEP-98 22-APR-98
05-DEC-00 05-JUL-00
30-APR-99 30-NOV-98
11-JUL-00 11-FEB-00
30-MAR-98 30-OCT-97
14-NOV-00 14-JUN-00
18-AUG-97 18-MAR-97
25-MAR-01 25-OCT-00

TANGGAL_P TANGGAL_M
--------- ---------
19-JUN-99 19-JAN-99
02-JAN-01 02-AUG-00
30-SEP-00 30-APR-00
10-NOV-98 10-JUN-98

15 rows selected.

SQL>
```

```
SQL> SELECT SYSDATE AS current_date_time FROM DUAL;

CURRENT_D
---------
11-MAR-26

SQL> |
```

```
SQL> SELECT
  2  LAST_DAY(tanggal_lahir) AS akhir_bulan
  3  FROM mahasiswa;

AKHIR_BUL
---------
31-AUG-00
31-DEC-99
31-MAR-01
31-JUL-98
31-OCT-00
28-FEB-99
31-MAY-00
31-JAN-98
30-SEP-00
30-JUN-97
31-JAN-01

AKHIR_BUL
---------
30-APR-99
30-NOV-00
31-JUL-00
30-SEP-98

15 rows selected.

SQL> |
```

```
SQL> SELECT
  2  NEXT_DAY(tanggal_lahir, 'MONDAY') AS tanggal_setelah_senin
  3  FROM mahasiswa;

TANGGAL_S
---------
21-AUG-00
20-DEC-99
19-MAR-01
27-JUL-98
09-OCT-00
01-MAR-99
15-MAY-00
02-FEB-98
18-SEP-00
23-JUN-97
29-JAN-01

TANGGAL_S
---------
26-APR-99
06-NOV-00
31-JUL-00
14-SEP-98

15 rows selected.

SQL> |
```

```
SQL> SELECT
  2  MONTHS_BETWEEN(SYSDATE, tanggal_lahir) AS bulan_terhitung
  3  FROM mahasiswa;

BULAN_TERHITUNG
---------------
     306.731277
     314.892567
     299.989341
      331.66676
     305.215147
     324.473212
            310
     337.408696
     305.924825
     344.795793
     301.569986

BULAN_TERHITUNG
---------------
     322.763535
     304.311922
     307.408696
     330.053857

15 rows selected.

SQL> |
```

```
SQL> SELECT
  2  ROUND(tanggal_lahir, 'MONTH') AS bulan_terdekat,
  3  ROUND(tanggal_lahir, 'YEAR') AS tahun_terdekat
  4  FROM mahasiswa;

BULAN_TER TAHUN_TER
--------- ---------
01-SEP-00 01-JAN-01
01-DEC-99 01-JAN-00
01-MAR-01 01-JAN-01
01-AUG-98 01-JAN-99
01-OCT-00 01-JAN-01
01-MAR-99 01-JAN-99
01-MAY-00 01-JAN-00
01-FEB-98 01-JAN-98
01-SEP-00 01-JAN-01
01-JUL-97 01-JAN-97
01-FEB-01 01-JAN-01

BULAN_TER TAHUN_TER
--------- ---------
01-MAY-99 01-JAN-99
01-NOV-00 01-JAN-01
01-AUG-00 01-JAN-01
01-SEP-98 01-JAN-99

15 rows selected.

SQL> |
```

c. Fungsi Konversi (TO_NUMBER (char), TO_CHAR (date), TO_CHAR (number), TO_DATE (char))

Query

```
SELECT TO_NUMBER('12345') AS to_number,
TO_CHAR(tanggal_lahir, 'YYYY-MM-DD') AS to_char_date,
TO_CHAR(10000) AS to_char_number,
TO_DATE('2022-12-31', 'YYYY-MM-DD') AS to_date_char
FROM mahasiswa;
```

Screenshot

```
SQL> SELECT
  2  TO_NUMBER('12345') AS to_number,
  3  TO_CHAR(tanggal_lahir, 'YYYY-MM-DD') AS to_char_date,
  4  TO_CHAR(10000) AS to_char_number,
  5  TO_DATE('2022-12-31', 'YYYY-MM-DD') AS to_date_char
  6  FROM mahasiswa;

 TO_NUMBER TO_CHAR_DA TO_CH TO_DATE_C
---------- ---------- ----- ---------
     12345 2000-08-20 10000 31-DEC-22
     12345 1999-12-15 10000 31-DEC-22
     12345 2001-03-12 10000 31-DEC-22
     12345 1998-07-22 10000 31-DEC-22
     12345 2000-10-05 10000 31-DEC-22
     12345 1999-02-28 10000 31-DEC-22
     12345 2000-05-11 10000 31-DEC-22
     12345 1998-01-30 10000 31-DEC-22
     12345 2000-09-14 10000 31-DEC-22
     12345 1997-06-18 10000 31-DEC-22
     12345 2001-01-25 10000 31-DEC-22

 TO_NUMBER TO_CHAR_DA TO_CH TO_DATE_C
---------- ---------- ----- ---------
     12345 1999-04-19 10000 31-DEC-22
     12345 2000-11-02 10000 31-DEC-22
     12345 2000-07-30 10000 31-DEC-22
     12345 1998-09-10 10000 31-DEC-22

15 rows selected.
```

d. Fungsi Numerik (ABS(n), MOD (m,n), FLOOR (n), POWER (m,n), ROUND (n[,m]), CEIL (n))

Query

```
SELECT
ABS(-100) AS abs_value,
MOD(10, 3) AS mod_result,
FLOOR(5.67) AS floor_value,
POWER(2, 3) AS power_result,
ROUND(123.456, 2) AS round_value,
CEIL(5.23) AS ceil_value
FROM mahasiswa;
```

Screenshot

```
SQL> SELECT
  2  ABS(-100) AS abs_value,
  3  MOD(10, 3) AS mod_result,
  4  FLOOR(5.67) AS floor_value,
  5  POWER(2, 3) AS power_result,
  6  ROUND(123.456, 2) AS round_value,
  7  CEIL(5.23) AS ceil_value
  8  FROM mahasiswa;

 ABS_VALUE MOD_RESULT FLOOR_VALUE POWER_RESULT ROUND_VALUE CEIL_VALUE
---------- ---------- ----------- ------------ ----------- ----------
       100          1           5            8      123.46          6
       100          1           5            8      123.46          6
       100          1           5            8      123.46          6
       100          1           5            8      123.46          6
       100          1           5            8      123.46          6
       100          1           5            8      123.46          6
       100          1           5            8      123.46          6
       100          1           5            8      123.46          6
       100          1           5            8      123.46          6
       100          1           5            8      123.46          6
       100          1           5            8      123.46          6

 ABS_VALUE MOD_RESULT FLOOR_VALUE POWER_RESULT ROUND_VALUE CEIL_VALUE
---------- ---------- ----------- ------------ ----------- ----------
       100          1           5            8      123.46          6
       100          1           5            8      123.46          6
       100          1           5            8      123.46          6
       100          1           5            8      123.46          6

15 rows selected.

SQL> |
```