PRAKTIKUM BASIS DATA

MODUL 2

Oracle DDL/DML, Data types, Authorization

Oleh:

Arif Stand Pramudya 103122400001

PROGRAM STUDI S1 REKAYASA PERANGKAT LUNAK

DIREKTORAT KAMPUS PURWOKERTO

UNIVERSITAS TELKOM

2026

JURNAL

1. Buatlah setiap tabel diatas, tuliskan script SQL nya dan sertakan tangkapan layarnya.

   Jawaban:

   - Tabel Film

     Query

```
CREATE TABLE Film (
id_film NUMBER PRIMARY KEY,
judul VARCHAR2(255),
sinopsis VARCHAR2(255),
tahun NUMBER,
durasi NUMBER);
```

     Screenshot

```
SQL> CREATE TABLE Film (
  2  id_film NUMBER PRIMARY KEY,
  3  judul VARCHAR2(255),
  4  sinopsis VARCHAR2(255),
  5  tahun NUMBER,
  6  durasi NUMBER);

Table created.
```

   - Tabel Theater

     Query

```
CREATE TABLE Theater (
id_theater NUMBER PRIMARY KEY,
harga NUMBER(10, 2),
kapasitas NUMBER,
kelas VARCHAR2(50));
```

Screenshot

```
SQL> CREATE TABLE Theater (
  2  id_theater NUMBER PRIMARY KEY,
  3  harga NUMBER(10, 2),
  4  kapasitas NUMBER,
  5  kelas VARCHAR2(50));

Table created.
```

- Tabel Jadwal

Query

```
CREATE TABLE Jadwal (
id_jadwal NUMBER PRIMARY KEY,
id_film NUMBER,
id_theater NUMBER,
periode_start DATE,
periode_end DATE,
FOREIGN KEY (id_film) REFERENCES Film(id_film),
FOREIGN KEY (id_theater) REFERENCES Theater(id_theater));
```

Screenshot

```
SQL> CREATE TABLE Jadwal (
  2  id_jadwal NUMBER PRIMARY KEY,
  3  id_film NUMBER,
  4  id_theater NUMBER,
  5  periode_start DATE,
  6  periode_end DATE,
  7  FOREIGN KEY (id_film) REFERENCES Film(id_film),
  8  FOREIGN KEY (id_theater) REFERENCES Theater(id_theater));

Table created.
```

- Tabel Member

Query

```
CREATE TABLE Member (
id_member NUMBER PRIMARY KEY,
nama VARCHAR2(255),
no_hp VARCHAR2(15),
tgl_lahir DATE,
email VARCHAR2(255));
```

Screenshot

```
SQL> CREATE TABLE Member (
  2  id_member NUMBER PRIMARY KEY,
  3  nama VARCHAR2(255),
  4  no_hp VARCHAR2(15),
  5  tgl_lahir DATE,
  6  email VARCHAR2(255));

Table created.
```

- Tabel Transaksi

  Query

```
CREATE TABLE Transaksi (
kode_pemesanan NUMBER PRIMARY KEY,
id_jadwal NUMBER,
id_member NUMBER,
status VARCHAR2(50),
tanggal DATE,
total_harga NUMBER(10, 2),
FOREIGN KEY (id_jadwal) REFERENCES Jadwal(id_jadwal),
FOREIGN KEY (id_member) REFERENCES Member(id_member));
```

Screenshot

```
SQL> CREATE TABLE Transaksi (
  2  kode_pemesanan NUMBER PRIMARY KEY,
  3  id_jadwal NUMBER,
  4  id_member NUMBER,
  5  status VARCHAR2(50),
  6  tanggal DATE,
  7  total_harga NUMBER(10, 2),
  8  FOREIGN KEY (id_jadwal) REFERENCES Jadwal(id_jadwal),
  9  FOREIGN KEY (id_member) REFERENCES Member(id_member));

Table created.
```

- Tabel Inventaris

  Query

```
CREATE TABLE Inventaris (
id_inventaris NUMBER PRIMARY KEY,
id_theater NUMBER,
nomor_kursi VARCHAR2(10),
FOREIGN KEY (id_theater) REFERENCES Theater(id_theater));
```

  Screenshot

```
SQL> CREATE TABLE Inventaris (
  2  id_inventaris NUMBER PRIMARY KEY,
  3  id_theater NUMBER,
  4  nomor_kursi VARCHAR2(10),
  5  FOREIGN KEY (id_theater) REFERENCES Theater(id_theater));

Table created.
```

2. Lakukan insert data pada ke-enam tabel, sertakan tangkapan layar dan keterangannya.

   Jawaban:

   - Tabel Film (Menambahkan data ke dalam tabel film)

     Query

```
INSERT ALL
```

```
INTO Film (id_film, judul, sinopsis, tahun, durasi) VALUES (1, 'Avatar: Fire and Ash', 'Kelanjutan petualangan Jake Sully dan Neytiri di Pandora', 2025, 198)
INTO Film (id_film, judul, sinopsis, tahun, durasi) VALUES (2, 'Zootopia 2', 'Petualangan baru Judy Hopps dan Nick Wilde', 2025, 107)
INTO Film (id_film, judul, sinopsis, tahun, durasi) VALUES (3, 'Greenland 2: Migration', 'Kelanjutan perjuangan bertahan hidup dari bencana', 2026, 98)
INTO Film (id_film, judul, sinopsis, tahun, durasi) VALUES (4, '28 Years Later', 'Horror thriller bertema virus', 2026, 109)
INTO Film (id_film, judul, sinopsis, tahun, durasi) VALUES (5, 'The Housemaid', 'Kisah thriller dramatis', 2025, 131)
SELECT * FROM dual;
```

Screenshot



```
SQL> INSERT ALL
  2  INTO Film (id_film, judul, sinopsis, tahun, durasi) VALUES (1, 'Avatar: Fire and Ash', 'Kelanjutan petualangan Jake Sully dan Neytiri di Pandora', 2025
, 198)
  3  INTO Film (id_film, judul, sinopsis, tahun, durasi) VALUES (2, 'Zootopia 2', 'Petualangan baru Judy Hopps dan Nick Wilde', 2025, 107)
  4  INTO Film (id_film, judul, sinopsis, tahun, durasi) VALUES (3, 'Greenland 2: Migration', 'Kelanjutan perjuangan bertahan hidup dari bencana', 2026, 98)
  5  INTO Film (id_film, judul, sinopsis, tahun, durasi) VALUES (4, '28 Years Later', 'Horror thriller bertema virus', 2026, 109)
  6  INTO Film (id_film, judul, sinopsis, tahun, durasi) VALUES (5, 'The Housemaid', 'Kisah thriller dramatis', 2025, 131)
  7  SELECT * FROM dual;

5 rows created.
```

- Tabel Theater (Menambahkan data ke dalam tabel theater)

  Query

```
INSERT ALL
INTO Theater (id_theater, harga, kapasitas, kelas) VALUES (1, 50000, 100, 'VIP')
INTO Theater (id_theater, harga, kapasitas, kelas) VALUES (2, 40000, 120, 'Regular')
INTO Theater (id_theater, harga, kapasitas, kelas) VALUES (3, 60000, 80, 'Premium')
INTO Theater (id_theater, harga, kapasitas, kelas) VALUES (4, 35000, 150, 'Standard')
INTO Theater (id_theater, harga, kapasitas, kelas) VALUES (5, 55000, 90,
```

```
'Deluxe')
SELECT * FROM dual;
```

Screenshot

```
SQL> INSERT ALL
  2  INTO Theater (id_theater, harga, kapasitas, kelas) VALUES (1, 50000, 100, 'VIP')
  3  INTO Theater (id_theater, harga, kapasitas, kelas) VALUES (2, 40000, 120, 'Regular')
  4  INTO Theater (id_theater, harga, kapasitas, kelas) VALUES (3, 60000, 80, 'Premium')
  5  INTO Theater (id_theater, harga, kapasitas, kelas) VALUES (4, 35000, 150, 'Standard')
  6  INTO Theater (id_theater, harga, kapasitas, kelas) VALUES (5, 55000, 90, 'Deluxe')
  7  SELECT * FROM dual;

5 rows created.
```

- Tabel Jadwal (Menambahkan data ke dalam tabel jadwal)

  Query

```
INSERT ALL
INTO Jadwal (id_jadwal, id_film, id_theater, periode_start, periode_end)
VALUES (1, 1, 1, TO_DATE('2023-03-01 10:00:00', 'YYYY-MM-DD
HH24:MI:SS'), TO_DATE('2023-03-01 12:00:00', 'YYYY-MM-DD
HH24:MI:SS'))
INTO Jadwal (id_jadwal, id_film, id_theater, periode_start, periode_end)
VALUES (2, 2, 2, TO_DATE('2023-03-02 14:00:00', 'YYYY-MM-DD
HH24:MI:SS'), TO_DATE('2023-03-02 16:00:00', 'YYYY-MM-DD
HH24:MI:SS'))
INTO Jadwal (id_jadwal, id_film, id_theater, periode_start, periode_end)
VALUES (3, 3, 3, TO_DATE('2023-03-03 18:00:00', 'YYYY-MM-DD
HH24:MI:SS'), TO_DATE('2023-03-03 20:00:00', 'YYYY-MM-DD
HH24:MI:SS'))
INTO Jadwal (id_jadwal, id_film, id_theater, periode_start, periode_end)
VALUES (4, 4, 4, TO_DATE('2023-03-04 09:00:00', 'YYYY-MM-DD
HH24:MI:SS'), TO_DATE('2023-03-04 11:00:00', 'YYYY-MM-DD
HH24:MI:SS'))
INTO Jadwal (id_jadwal, id_film, id_theater, periode_start, periode_end)
VALUES (5, 5, 5, TO_DATE('2023-03-05 20:00:00', 'YYYY-MM-DD
```

```
HH24:MI:SS'), TO_DATE('2023-03-05 22:00:00', 'YYYY-MM-DD
HH24:MI:SS'))
SELECT * FROM dual;
```

Screenshot

```
SQL> INSERT ALL
  2  INTO Jadwal (id_jadwal, id_film, id_theater, periode_start, periode_end)
  3  VALUES (1, 1, 1, TO_DATE('2023-03-01 10:00:00', 'YYYY-MM-DD HH24:MI:SS'), TO_DATE('2023-03-01 12:00:00', 'YYYY-MM-DD HH24:MI:SS'))
  4  INTO Jadwal (id_jadwal, id_film, id_theater, periode_start, periode_end)
  5  VALUES (2, 2, 2, TO_DATE('2023-03-02 14:00:00', 'YYYY-MM-DD HH24:MI:SS'), TO_DATE('2023-03-02 16:00:00', 'YYYY-MM-DD HH24:MI:SS'))
  6  INTO Jadwal (id_jadwal, id_film, id_theater, periode_start, periode_end)
  7  VALUES (3, 3, 3, TO_DATE('2023-03-03 18:00:00', 'YYYY-MM-DD HH24:MI:SS'), TO_DATE('2023-03-03 20:00:00', 'YYYY-MM-DD HH24:MI:SS'))
  8  INTO Jadwal (id_jadwal, id_film, id_theater, periode_start, periode_end)
  9  VALUES (4, 4, 4, TO_DATE('2023-03-04 09:00:00', 'YYYY-MM-DD HH24:MI:SS'), TO_DATE('2023-03-04 11:00:00', 'YYYY-MM-DD HH24:MI:SS'))
 10  INTO Jadwal (id_jadwal, id_film, id_theater, periode_start, periode_end)
 11  VALUES (5, 5, 5, TO_DATE('2023-03-05 20:00:00', 'YYYY-MM-DD HH24:MI:SS'), TO_DATE('2023-03-05 22:00:00', 'YYYY-MM-DD HH24:MI:SS'))
 12  SELECT * FROM dual;

5 rows created.
```

- Tabel Member (Menambahkan data ke dalam tabel member)

  Query

```
INSERT ALL
INTO Member (id_member, nama, no_hp, tgl_lahir, email)
VALUES (1, 'Angga', '081234567890', TO_DATE('1995-02-20', 'YYYY-
MM-DD'), 'angga@gmail.com')
INTO Member (id_member, nama, no_hp, tgl_lahir, email)
VALUES (2, 'Budi', '082345678901', TO_DATE('1992-03-12', 'YYYY-MM-
DD'), 'budi@ gmail.com')
INTO Member (id_member, nama, no_hp, tgl_lahir, email)
VALUES (3, 'Citra', '083456789012', TO_DATE('1990-06-15', 'YYYY-MM-
DD'), 'citra@ gmail.com')
INTO Member (id_member, nama, no_hp, tgl_lahir, email)
VALUES (4, 'Diana', '084567890123', TO_DATE('1989-09-10', 'YYYY-
MM-DD'), 'diana@example.com')
INTO Member (id_member, nama, no_hp, tgl_lahir, email)
VALUES (5, 'Eka', '085678901234', TO_DATE('1994-11-22', 'YYYY-MM-
DD'), 'eka@ gmail.com')
SELECT * FROM dual;
```

Screenshot

```
SQL> INSERT ALL
  2  INTO Member (id_member, nama, no_hp, tgl_lahir, email)
  3  VALUES (1, 'Angga', '081234567890', TO_DATE('1995-02-20', 'YYYY-MM-DD'), 'angga@gmail.com')
  4  INTO Member (id_member, nama, no_hp, tgl_lahir, email)
  5  VALUES (2, 'Budi', '082345678901', TO_DATE('1992-03-12', 'YYYY-MM-DD'), 'budi@gmail.com')
  6  INTO Member (id_member, nama, no_hp, tgl_lahir, email)
  7  VALUES (3, 'Citra', '083456789012', TO_DATE('1990-06-15', 'YYYY-MM-DD'), 'citra@gmail.com')
  8  INTO Member (id_member, nama, no_hp, tgl_lahir, email)
  9  VALUES (4, 'Diana', '084567890123', TO_DATE('1989-09-10', 'YYYY-MM-DD'), 'diana@example.com')
 10  INTO Member (id_member, nama, no_hp, tgl_lahir, email)
 11  VALUES (5, 'Eka', '085678901234', TO_DATE('1994-11-22', 'YYYY-MM-DD'), 'eka@gmail.com')
 12  SELECT * FROM dual;

5 rows created.
```

- Tabel Transaksi (Menambahkan data ke dalam tabel transaksi)

  Query

```
INSERT ALL
INTO Transaksi (kode_pemesanan, id_jadwal, id_member, status, tanggal, total_harga)
VALUES (1, 1, 1, 'Booked', TO_DATE('2023-03-01', 'YYYY-MM-DD'), 50000)
INTO Transaksi (kode_pemesanan, id_jadwal, id_member, status, tanggal, total_harga)
VALUES (2, 2, 2, 'Booked', TO_DATE('2023-03-02', 'YYYY-MM-DD'), 40000)
INTO Transaksi (kode_pemesanan, id_jadwal, id_member, status, tanggal, total_harga)
VALUES (3, 3, 3, 'Booked', TO_DATE('2023-03-03', 'YYYY-MM-DD'), 60000)
INTO Transaksi (kode_pemesanan, id_jadwal, id_member, status, tanggal, total_harga)
VALUES (4, 4, 4, 'Cancelled', TO_DATE('2023-03-04', 'YYYY-MM-DD'), 35000)
INTO Transaksi (kode_pemesanan, id_jadwal, id_member, status, tanggal, total_harga)
VALUES (5, 5, 5, 'Booked', TO_DATE('2023-03-05', 'YYYY-MM-DD'),
```

```
55000)
SELECT * FROM dual;
```

Screenshot

```
SQL> INSERT ALL
  2  INTO Transaksi (kode_pemesanan, id_jadwal, id_member, status, tanggal, total_harga)
  3  VALUES (1, 1, 1, 'Booked', TO_DATE('2023-03-01', 'YYYY-MM-DD'), 50000)
  4  INTO Transaksi (kode_pemesanan, id_jadwal, id_member, status, tanggal, total_harga)
  5  VALUES (2, 2, 2, 'Booked', TO_DATE('2023-03-02', 'YYYY-MM-DD'), 40000)
  6  INTO Transaksi (kode_pemesanan, id_jadwal, id_member, status, tanggal, total_harga)
  7  VALUES (3, 3, 3, 'Booked', TO_DATE('2023-03-03', 'YYYY-MM-DD'), 60000)
  8  INTO Transaksi (kode_pemesanan, id_jadwal, id_member, status, tanggal, total_harga)
  9  VALUES (4, 4, 4, 'Cancelled', TO_DATE('2023-03-04', 'YYYY-MM-DD'), 35000)
 10  INTO Transaksi (kode_pemesanan, id_jadwal, id_member, status, tanggal, total_harga)
 11  VALUES (5, 5, 5, 'Booked', TO_DATE('2023-03-05', 'YYYY-MM-DD'), 55000)
 12  SELECT * FROM dual;

5 rows created.
```

- Tabel Inventaris (Menambahkan data ke dalam tabel inventaris)

  Query

```
INSERT ALL
INTO Inventaris (id_inventaris, id_theater, nomor_kursi)
VALUES (1, 1, 'A1')
INTO Inventaris (id_inventaris, id_theater, nomor_kursi)
VALUES (2, 1, 'A2')
INTO Inventaris (id_inventaris, id_theater, nomor_kursi)
VALUES (3, 2, 'B1')
INTO Inventaris (id_inventaris, id_theater, nomor_kursi)
VALUES (4, 2, 'B2')
INTO Inventaris (id_inventaris, id_theater, nomor_kursi)
VALUES (5, 3, 'C1')
SELECT * FROM dual;
```

Screenshot

```
SQL> INSERT ALL
  2  INTO Inventaris (id_inventaris, id_theater, nomor_kursi)
  3  VALUES (1, 1, 'A1')
  4  INTO Inventaris (id_inventaris, id_theater, nomor_kursi)
  5  VALUES (2, 1, 'A2')
  6  INTO Inventaris (id_inventaris, id_theater, nomor_kursi)
  7  VALUES (3, 2, 'B1')
  8  INTO Inventaris (id_inventaris, id_theater, nomor_kursi)
  9  VALUES (4, 2, 'B2')
 10  INTO Inventaris (id_inventaris, id_theater, nomor_kursi)
 11  VALUES (5, 3, 'C1')
 12  SELECT * FROM dual;

5 rows created.
```

3. Lakukan update data (minimal 5 data), tuliskan script SQL nya dan sertakan tangkapan layarnya.

Jawaban:

- Update Theater

  Query

  UPDATE Theater

  SET harga = 55000, kapasitas = 110, Kelas = ‘VIP’

  WHERE id_theater = 1;

  Screenshot

```
SQL> UPDATE Theater
  2  SET harga = 55000, kapasitas = 110, kelas = 'VIP'
  3  WHERE id_theater = 1;

1 row updated.
```

- Update Kapasitas Theater

  Query

  UPDATE Theater

  SET harga = 5000, kapasitas = 125

  WHERE id_theater = 3;

  Screenshot

```
SQL> UPDATE Theater
  2  SET harga = 50000, kapasitas = 125
  3  WHERE id_theater = 3;

1 row updated.
```

- Update Email Member

  Query

```
UPDATE Member
SET email = ‘diana@gmail.com’
WHERE id_member = 4;
```

  Screenshot

```
SQL> UPDATE Member
  2  SET email = 'diana@gmail.com'
  3  WHERE id_member = 4;

1 row updated.
```

- Update Nomor HP Member

  Query

```
UPDATE Member
SET no_hp = 085727320567
WHERE id_member = 1;
```

  Screenshot

```
SQL> UPDATE Member
  2  SET no_hp = 085727320567
  3  WHERE id_member = 1;

1 row updated.
```

- Update Durasi Film

  Query

```
UPDATE Film
SET durasi = 155, tahun = 2026
WHERE id_film = 5;
```

  Screenshot

```
SQL> UPDATE Film
  2  SET durasi = 155, tahun = 2026
  3  WHERE id_film = 5;

1 row updated.
```

4. Lakukan hapus data (minimal 2 data), tuliskan script SQL nya dan sertakan tangkapan layarnya.

Jawaban:

- Delete Transaksi

  Query

```
DELETE FROM Transaksi
WHERE id_member = 5;
```

  Screenshot

```
SQL> DELETE FROM Transaksi
  2  WHERE id_member = 5;

1 row deleted.
```

- Delete Member Film

  Query

```
DELETE FROM Member
WHERE id_member = 5;
```

Screenshot

```
SQL> DELETE FROM Member
  2  WHERE id_member = 5;

1 row deleted.
```