

Research Notes

Stuart Thomas and Chris Monahan

Last updated June 22, 2020

1 Monday, June 15

1. Preliminary meeting
2. We will begin with ϕ^4 term due to lower energy bound.
3. Beginning with code in Python, switch to C/C++ if necessary.

2 Tuesday, June 16

1. Preliminary concepts to understand:
 - (a) scalar field theory on lattice
 - (b) Markov chains and Monte Carlo
 - (c) the gradient flow
 - (d) $O(n)$ symmetry
2. General components to research, executed in parallel
 - (a) Reading
 - (b) Mathematical analysis
 - (c) Writing code
 - (d) Present (writing, plot generation,...)
3. Things to get out of dissertation [9]
 - (a) Markov chain
 - (b) Cluster algorithms
 - i. Metropolis is a method for narrowing possibilities by accepting only some changes. It can get stuck in a local minimum, loss of ergodicity. We solve these with cluster algorithms. Wolff grows clusters probabilistically and flips, while Swenson and Yang identifies clusters and flips them probabilistically.
 - ii. Near a phase transition, correlation length grows and changes become less likely to be accepted: need clusters. Clusters don't work far from the phase transition. This is manifested as a sequence of a few metropolis steps and a cluster step.

4. Research plan

- (a) Start with 2D ϕ^4
 - i. Set up lattice with sign flip for reflection
 - ii. Use Markov chain Monte Carlo to simulate.
 - iii. Measure, magnetization and susceptibility, Binder cumulant
- (b) Transition to 3D, then maybe transition to C/C++.
- (c) Implement the gradient flow
- (d) move to 2-3d nonlinear sigma model.
- (e) Motivation: the nonlinear sigma model works for QCD given the asymptotic freedom. We may also want to explore topology.

3 Wednesday, June 17

1. Code tips:

- (a) Try Swendsen-Wang algorithm in addition to Wolff
- (b) Print out time taken
- (c) Optimize Hamiltonian
- (d) Save every tenth measurement or store configurations to calculate path integral. Exclude thermalization (first 200)
- (e) Write in terms of sweeps, not iterations
- (f) Parallelize (look into checkerboard algorithm)
- (g) Implement Binder cumulant and susceptibility
- (h) Store every few states
- (i) Look into multigrid algorithm

2. Reading on Monte Carlo Markov chain and cluster algorithms.

4 Friday, June 19

1. Looking over code

- (a) Might be too slow, move to C/C++ eventually?
- (b) Why is the energy increasing with metropolis algorithm?
- (c) Shift to using action instead of Hamiltonian.
- (d) Transition from Broken Phase, look at μ_0^2 term.
- (e) Profile code for possible optimizations.

5 Monday, June 22

1. Coding
 - (a) Add plots to `.gitignore`.
 - (b) Try parallelizing code, using either multigrid or checkerboard algorithm
2. Reading
 - (a) Start to focus more on understanding the theory behind research.
 - (b) Read dissertation [9] Chap. 6.5 and 6.6, take notes on questions.
 - (c) Newman [8] (Main textbook for Monte Carlo in Statistical Physics)
3. Just some things to remember
 - (a) Correlation functions correlate values in statistical systems and relate to propagators in QFT.
 - (b) The problem of renormalization: $a \rightarrow 0$ leads to unbounded correlation function. As real physical lengths are measured in terms of the lattice constant, these sometimes tend to infinity.

References

- [1] *The gradient flow in simple field theories*, Trieste, Italy, 2016. Sissa Medialab.
- [2] S. Aoki, K. Kikuchi, and T. Onogi. Gradient flow of $o(n)$ nonlinear sigma model at large n . *arXivJHEP 1504 (2015) 156*, page 1412.8249v3, 2014.
- [3] R. R. Horgan. *Statistical Field Theory*. 2014.
- [4] V. Kleinert, H Schulte-Frohnd. *Critical Properties of ϕ^4 -Theories*. Freie Uni.
- [5] H. Makino, F. Sugino, and H. Suzuki. Large- n limit of the gradient flow in the 2D $o(n)$ nonlinear sigma model. *Progress of Theoretical and Experimental Physics*, 2015(4):43B07–0, 2015.
- [6] H. Makino and H. Suzuki. Renormalizability of the gradient flow in the 2D $so(n)$ non-linear sigma model. *arXiv*, page 1410.7538v3, 2014.
- [7] C. Monahan and K. Orginos. Locally smeared operator product expansions in scalar field theory. *Physical Review D*, 91(7), 2015.
- [8] M. E. J. Newman and G. T. Barkema. *Monte Carlo Methods in Statistical Physics*. Oxford University Press, Oxford, 1999.
- [9] David A. Schaich and William Loinaz. *Lattice Simulations of Nonperturbative Quantum Field Theories*. PhD thesis, Amherst College, Amherst, MA, 2006.
- [10] D. Tong. *Quantum Field Theory*. 2007.
- [11] D. Tong. *Statistical Field Theory*. University of Cambridge, 2017.