

http://database.clamav.net/main.cvd?utm_source=chatgpt.com

http://database.clamav.net/daily.cvd?utm_source=chatgpt.com

http://database.clamav.net/bytecode.cvd?utm_source=chatgpt.com

```
sudo systemctl start clamav-daemon
```

```
sudo systemctl status clamav-daemon
```

Exp 10 required installations

Here's the ****complete end-to-end guide**** — everything in one place!

🔍 Step 1: Find IPs of Websites (CMD)

Open ****CMD**** and run:

```
``cmd
```

```
nslookup google.com
```

```
nslookup youtube.com
```

```
nslookup facebook.com
```

```
```
```

You'll see output like:

```
```
```

google.com → 142.250.77.46

youtube.com → 142.250.185.78

facebook.com → 157.240.241.35

...

****Save these 3 IPs**** — you'll use them in firewall rules.

 Step 2: Confirm All IPs Are Reachable (Before Blocking)

```cmd

ping 142.250.77.46

ping 142.250.185.78

ping 157.240.241.35

...

All should show:

...

Reply from 142.250.77.46: bytes=32 time=5ms 

Reply from 142.250.185.78: bytes=32 time=5ms 

Reply from 157.240.241.35: bytes=32 time=5ms 

...

---

**##**  Step 3: Find Chrome's Path (CMD)

```cmd

wmic process where "name='chrome.exe'" get ExecutablePath

...

Output:

...

C:\Program Files\Google\Chrome\Application\chrome.exe

...

🔍 Step 4: Start Python Server on Port 8080

```cmd

python -m http.server 8080

...

Open Chrome → go to `http://localhost:8080` → confirm it loads ✅

---

# 🚫 INBOUND RULES (3 Rules)

Open **Windows + R** → type `wf.msc` → Enter

Click **Inbound Rules** → **New Rule** (top right)

---

### 🔴 Inbound Rule 1 — Block Chrome (Program)

| Step | Action |

| --- | --- |

| Rule Type | **Program** → Next |

| Program Path | `C:\Program Files\Google\Chrome\Application\chrome.exe` → Next |

| Action | **\*\*Block the connection\*\*** → Next |  
| Profile | ☒ Domain ☒ Private ☒ Public → Next |  
| Name | `Block Chrome Inbound` → **\*\*Finish\*\*** |

---

### ### Inbound Rule 2 — Block Port 8080

| Step | Action |  
|---|---|  
| Rule Type | **\*\*Port\*\*** → Next |  
| Protocol | TCP → Specific local port → `8080` → Next |  
| Action | **\*\*Block the connection\*\*** → Next |  
| Profile | ☒ All three → Next |  
| Name | `Block Port 8080 Inbound` → **\*\*Finish\*\*** |

---

### ### Inbound Rule 3 — Block Google's IP

| Step | Action |  
|---|---|  
| Rule Type | **\*\*Custom\*\*** → Next |  
| Program | All programs → Next |  
| Protocol | Any → Next |  
| Scope | Remote IP → **\*\*These IP addresses\*\*** → Add `142.250.77.46` → Next |  
| Action | **\*\*Block the connection\*\*** → Next |  
| Profile | ☒ All three → Next |  
| Name | `Block Google IP Inbound` → **\*\*Finish\*\*** |

---

## # 🛡️ OUTBOUND RULES (3 Rules)

Click **Outbound Rules** → **New Rule** (top right)

---

### ### 🔴 Outbound Rule 1 — Block Chrome (Program)

| Step | Action |

|---|---|

| Rule Type | **Program** → Next |

| Program Path | `C:\Program Files\Google\Chrome\Application\chrome.exe` → Next |

| Action | **Block the connection** → Next |

| Profile | ☒ All three → Next |

| Name | `Block Chrome Outbound` → **Finish** |

---

### ### 🔴 Outbound Rule 2 — Block Port 443 (HTTPS)

| Step | Action |

|---|---|

| Rule Type | **Port** → Next |

| Protocol | TCP → Specific port → `443` → Next |

| Action | **Block the connection** → Next |

| Profile | ☒ All three → Next |

| Name | `Block HTTPS Outbound` → **Finish** |

---

### ### Outbound Rule 3 — Block YouTube's IP

```
Step	Action
Rule Type	**Custom** → Next
Program	All programs → Next
Protocol	Any → Next
Scope	Remote IP → **These IP addresses** → Add `142.250.185.78` → Next
Action	**Block the connection** → Next
Profile	 All three → Next
Name	`Block YouTube IP Outbound` → **Finish**
```

---

### # Step 5: Live Proof Everything is Blocked

#### ### Test Inbound Port Block:

```
```cmd
```

```
curl http://localhost:8080
```

```
```
```

```
```
```

```
curl: (7) Failed to connect 
```

```
```
```

#### ### Test IP Blocks (ping all 3):

```
```cmd
```

```
ping 142.250.77.46
```

```
ping 142.250.185.78
```

```
```
```

```
```
```

```
Request timed out 
```

Request timed out ❌

...

Test Chrome Block:

- Open Chrome → go to `google.com` or `youtube.com`

- You'll see ****ERR_CONNECTION_TIMED_OUT**** ❌

📊 Before & After Summary Table

Rule	Before	After
Chrome Inbound	✅ Works	❌ Blocked
Port 8080 Inbound	✅ localhost:8080 loads	❌ ERR_CONNECTION_REFUSED
Google IP Inbound	✅ Ping replies	❌ Request timed out
Chrome Outbound	✅ All sites load	❌ No internet in Chrome
Port 443 Outbound	✅ HTTPS works	❌ All HTTPS blocked
YouTube IP Outbound	✅ YouTube loads	❌ Request timed out

🧹 Step 6: Clean Up After Demo

```cmd

```
netsh advfirewall firewall delete rule name="Block Chrome Inbound"
netsh advfirewall firewall delete rule name="Block Port 8080 Inbound"
netsh advfirewall firewall delete rule name="Block Google IP Inbound"
netsh advfirewall firewall delete rule name="Block Chrome Outbound"
netsh advfirewall firewall delete rule name="Block HTTPS Outbound"
```

```
netsh advfirewall firewall delete rule name="Block YouTube IP Outbound"
```

```
'''
```

```

```

> 💡 **\*\*Best demo order for professor:\*\***

> 1. Show ping working → add IP rule → show ping failing

> 2. Show localhost:8080 loading → add port rule → show it failing

> 3. Show Chrome browsing → add outbound rule → show ERR\_CONNECTION\_TIMED\_OUT