


AWS TEST

Part 1: Launch EC2 Instances

Launch 2 EC2 instances:

- 1.Amazon Linux
- 2.Ubuntu



Descrption

Launch EC2 Instance Launch an Amazon Linux EC2 and Ubuntu EC2 instance in AWS. Connect using SSH with ec2-user.

Part 2: Spotify Application Deployment (Amazon Linux)

Install Apache web server. Navigate to the default web directory.


Create a folder named spotify . Inside the folder, create a file named spotify.html .

Add homepage code of Spotify (you can generate it using ChatGPT. Configure Apache to:

Run the application on port 81 Make necessary changes in the configuration file Start/restart the service.


Access the application from browser using:

Take a screenshot of the output. Add the screenshot to a README.md file.



Description

- 1.Install Apache Web Server Install Apache (httpd) using package manager.
 - 2.Start and enable the service. Create Project Directory Navigate to /var/www/html
 - 3.Create a folder named spotify Add Application Code
 - 4.Create a file spotify.html inside the folder
 - 5.Add Spotify-like frontend code Configure Apache Port
 - 6.Modify Apache configuration file Change default port from 80 → 81 Allow Port 81
 - 7.Update EC2 Security Group to allow inbound traffic on port 81
 - 8.Restart Apache
 - 9.Restart the httpd service to apply changes Verify Deployment
 - 10.Access application via: Public ip:81 ## Part 3: Tinder Application Deployment (Ubuntu) Install Nginx web server. Navigate to the default web directory.
- Create a folder named tinder . Inside the folder, create a file named tinder.html .
- Add homepage code of Tinder (generate using ChatGPT.
- Configure Nginx to: Run the application on port 85 Update configuration files accordingly Restart the service.
- Access the application from browser using:
- Take a screenshot of the output. Add the screenshot to the README.md file.



Description

- 1.Install Nginx web server Start and enable the service
 - 2.Create Project Directory Navigate to /var/www/html (or default nginx root)
 - 3.Create folder tinder Add Application Code
 - 4.Create file tinder.html Add Tinder-style UI code Configure Nginx
 - 5.Open config file (/etc/nginx/sites-available/default) Change port from 80 → 85
 - 6.Set root directory and index file Allow Port 85
 - 7.Update firewall (UFW) and Security Group to allow port 85
 - 8.Restart Nginx Restart service to apply changes Verify Deployment Acess using Public ip:85 ## Part 4: Application Replication Using AMI Create an AMI of the Amazon Linux instance Spotify application).
- Switch to the Mumbai region. Launch a new EC2 instance using the created AMI.
- Verify that the Spotify application is working on port 81.
- Take a screenshot of the output. Add this screenshot to the README.md file

Images | EC2 | ap-south-1

ap-south-1.console.aws.amazon.com/ec2/home?region=ap-south-1#Images:visibility=owned-by-me

Google Chrome isn't your default browser

Set as default

aws

Search

[Alt+S]

Asia Pacific

EC2 > AMIs

EC2

Dashboard

AWS Global View

Events

Instances

Instance Types

Launch Templates

Spot Requests

Savings Plans

Reserved Instances

Dedicated Hosts

Capacity Reservations

Capacity Manager

Images

AMI Catalog

Successfully disabled ami-0fa1239a588fba05a. To view disabled AMIs, filter by Disabled images.

Amazon Machine Images (AMIs) (1/1)

Owned by me

Find AMI by attribute or tag

	Name	AMI name	AMI ID	Source	Own
☒	Spotify-ami		ami-0df07ed5466fe4b91	866059265852/Spotify-ami	8660

AMI ID: ami-0df07ed5466fe4b91

AMI name

Spotify-ami

Owner account ID

866059265852

Architecture

x86_64

Usage c

RunInst

Root device name

/dev/xvda

Status

Pending

Source

866059265852/Spotify-ami

Virtuali

hvm

Boot mode

uefi-preferred

State reason

-

Creation date

2026-04-29T08:30:10.000Z

Kernel

-

CloudShell

Feedback

Console Mobile App

© 2026, Amazon Web Services, Inc. or its affili

3

Search


YouTube

Microsoft

Amazon

Google

WhatsApp



Description :-

- 1.Create AMI Go to EC2 Dashboard → Instances Select Spotify instance Click: Actions → Image → Create Image
- 2.Wait for AMI Go to AMIs section Wait until status = Available
- 3.Copy AMI to Another Region Select AMI Click: Actions → Copy AMI Choose destination: Mumbai (ap-south-1)
- 4.Switch Region Change AWS region to Mumbai
- 5.Wait for Copied AMI Ensure status becomes Available
- 6.Launch Instance from AMI Click “Launch instance from AMI” Choose instance type & key pair Configure Security Group
- 7.Allow port 81 for Spotify application Verify Application Access: Public ip:81