




Surse AT



Connectors included:



Surse ATX





Ready For Next Level

POWER EXCURSION

↑2X

2X Total Power Excursion

POWER EXCURSION

↑3X

3X GPU Power Excursion

PCIe 5.0 READY

PCIe 5.0 Ready

Gaming Intelligence

80 PLUS PLATINUM

ATX 3.0 READY

PCIe 5.0 READY




MEG AI1300P PCIE5
MEG AI1000P PCIE5

Ultimate Future Proof PSU

It has an output port that is compliant with PCIe 5.0 and Intel PSDG (Power Supply Design Guide) ATX 3.0, also the MEG AI1300P/AI1000P PCIE5 power supply can hold up to 2x total power excursion and 3x GPU power excursion.

2x


Total Power Excursion



3x

GPU Power Excursion

ATX 3.0 READY



LC-POWER



80 PLUS PLATINUM

ATX V3.0

PCI-E 6.0

Efficiency up to 92 %

135MM FAN

80 PLUS PLATINUM

DC-to-DC

CONNECT OUR LEGACY!


POWER UP THE NEW GEN

ATX 3.0.

BRAND-NEW POWER, BRAND-NEW INTERPRETATION, ATX3.0 STRIKES STRON


PCIe 5.0 12VHPWR






FDD

8 inch , 5.25 inch , 3.5 inch




5.25 inch




3.5 inch






Floppy Interface Cable



8 inch , 5.25 inch , 3.5 inch








CD-ROM






!!!!!!



CR-RW





SHAPED CD'S



30meg/57mm



50meg/61mm



80meg/67mm



100meg/71mm



Rectangle 50meg/61mm



180meg/80mm

CUSTOM SHAPE DISCS



3Spoke/50meg



4Spoke/30meg



Frame/50meg



Gear/50meg



Arrow/50meg



Badge/50meg



Flower/50meg



Heart/50meg



Hexagon/80meg



RoundedTriangle/50meg



House/50meg



Shield/50meg



Square/50meg



SmallSpoke/50meg

DVD-ROM





DVD COMBO



DVD-RW





HD-DVD / Blu-Ray Player




HD-DVD / Blu-Ray Recorder




CD vs. DVD vs. Blu-ray Writing

CD

780-nm Red Laser
Lens Aperture = 0.45




One 1.2-mm
polycarbonate
layer




track pitch
= $1.6\mu\text{m}$

DVD

650-nm Red Laser
Lens Aperture = 0.6




Two 0.6-mm
polycarbonate
layers




track pitch
= $.74\mu\text{m}$

BD

405-nm Blue Laser
Lens Aperture = 0.8




One 1.1-mm
polycarbonate
layer



track pitch
= $.30\mu\text{m}$




Blu-ray vs. DVD Capacity





CRT(Cathode Ray Tube)




Cathode Ray Tube







Traditional mask





Trinitron

LCD (Liquid crystal display)

4:3







Flat Screen vs Flat Panel

Flat Screen



Deep

Flat Panel




Slim

Both have a
flat viewing surface



16:9





A 16:9 Chip That Crops to Get 4:3



A 4:3 Chip That Crops to Get 16:9




LED



OLED (Organic Light-Emitting Diode)




OLED Structure



©2005 HowStuffWorks

OLED Active Matrix (not to scale)



©2005 HowStuffWorks






55" Large Screen



Cockpit Mode



Multi View
with 4 inputs



Quantum Matrix
Technology



165Hz
Refresh rate

