





Chess Problems

Australian Junior Problem Solving


All problems sourced from Chess Wizardry The New ABC of Chess Problems by John Rice (unless noted)

Position	Solution	Notes
 Mate in 3 (V.F. Rudenko 1961)	1.Bd5 > 2.Nc2 Nxc2 3.Nf3	Rook moves all met by discovered checks and then pin mates eg 1. ... Rxd5 2.Rg8+ Re5 3.Rd8# (Battery play and pin mates)
 Mate in 2 (M.Lipton 1961)	1. O-O-O > 2.Rde1 1 ... Ke4+ 2,Ng5# 2... Ke2+ 2.Nef4#	1.O-O fails to 1. ... bxc4! Castling key with cross check mates!
 Mate in 2 (C.Goldschemeding 1957)	1.Qf1! Rb7 2.Rxb7#	Set play 1 ... Rb7+ cxb7# 1. ... Rxc6 2.Qxc6# 1.Qa1?Rxb5! Suitable as a trial problem
	1.Be5 Bh1 2.Bxg3 > 3.Bd6 4.Bf8 5.Bg7#	Other bishop moves are met by 1. ... Bh1! > 2. ... g2= Not sure if this is hard or



Mate in 5 (Kohtz and Kockelkorn 1875)


easy! Might be suitable as Under 12 hard!



Mate in 2 (C. Manfield 1935)

1.Kf5 > 2.Bxc5


All checking defences are met by checkmates. Another cross-check composition



Mate in 2 (L.I. Loshinsky 1930)

1. Bb3!


Every Black defence is met by a mate but White needs to find the correct waiting move.



1.fxg6 ep

1. c8(Q)? gxh4
Harder if players have to work out that the key is legal, based on what move did Black play last.


Mate in 2 (K.S. Animista
1974)



1. Ng5!

7 of the 8 knight tries have a different refutation. Ng5 works by elimination!


Mate in 2 (G.Latzel 1956)



1.c8 (R) Qd8 2.Rc3+ Qd3
3.g8 (R) b5 4.Re8 Kg2
5.Ra8 Qh7 6.Ra3 Qb1#

Black is required to play the longest available move (NB Diagonal moves are 1.41 squares per square). White is free to play any move. Selfmate in 6, Possibly to confusing without a long explanation

Selfmate in 6 Maximummer
(P. Raincan 1991)




1.Na7! Rf8 2.Rg8 Re8
3.Rf8 Rd8 4.Re8 Rc8
5.Rd8 Rb8 6.Rc8 Rxc8
7.Qb8+ Rxb8 8.Bb7+ Rxb7
9.Nb5+ Ra7 10.Ra6! Rxa6#

A direct selfmate. Earlier rook captures lead to the same outcome after Qb8+ Could be a good final problem


Selfmate in 10 (E.Holladay
1965)

1.c4

Zugzwang. All queen moves that prevent Qb3# are met by Bishop moves# (except Qxe3+ 2.Rxe3#)



Mate in 2 (C.J Morse 1962)



Mate in 3 (S.P Tsirulik
1956)

1.Bh1! Kxh1 2.Qf1+ Bg1
3.Qf3#
1.Qf3? h1 (Q)

Might be obvious. Possibly
a good example problem
for Mate in 3