Table of Contents

V	lembers:	3
	ABDULLAH JAVED (SP19-BCS-002)	3
	HAMZA MUSHTAQ (SP19-BCS-007)	3
	MUHAMMAD ADIL MEHMOOD (SP19-BCS-014)	3
	SAIF UR REHMAN (SP19-BCS-021)	3
	SYED HUZAIFA ABID (SP19-BCS-025)	3
	ZULKIFIL REHMAN (SP19-BCS-027)	3
	ADNAN KHURSHID (SP19-BCS-029)	3
	AYESHA LATIF (SP19-BCS-030)	3
	MUHAMMAD ADIL MEHMOOD (SP19-BCS-014)	3
	Lab Number 6:	3
	LAB Number 7:	7
	Lab Number 8:	7
	Lab Number 9:	9
	Lab Number 10:	9
	Lab Number 11:	10
	Lab Number 12:	11
	Lab Number 15:	11
	SYED HUZAIFA ABID (SP19-BCS-025)	11
	Lab Number 6:	11
	Lab number 7:	14
	LAB NUMBER 8:	14
	LAB: 9	16
	LAB:10	16
	LAB NUMBER 11:	16
	LAB:12	18
	LAB:13	18
	LAB:14	18
	AYESHA LATIF (SP19-BCS-030)	18
	Lab Number 6:	19
	Lah Number 7	22

ADNAN KHURSHID (SP19-BCS-029)	25
Lab Number 6:	25
LAB Number 7:	29
Lab Number 8:	30
COMMON SOLUTION:	31
HAMZA MUSHTAQ (SP19-BCS-007)	38
LAB 6	38
LAB 7	42
LAB 8	42
ABDULLAH JAVED SP19-BCS-002	44
LAB 6	44
LAB 7	48
LAB 8	48
LAB 11	50
LAB 16	51
Zulkifil Rehman (SP19-BCS-027)	51
Lab 6:	51
Lab 7:	55
LAB 8:	55
Lab 11	57
SAIF UR REHMAN (SP19-BCS-021)	57
Lab 6	57
LAB 7:	62
Lab 8:	63

GROUP

Members:

ABDULLAH JAVED (SP19-BCS-002)
HAMZA MUSHTAQ (SP19-BCS-007)
MUHAMMAD ADIL MEHMOOD (SP19-BCS-014)
SAIF UR REHMAN (SP19-BCS-021)
SYED HUZAIFA ABID (SP19-BCS-025)
ZULKIFIL REHMAN (SP19-BCS-027)
ADNAN KHURSHID (SP19-BCS-029)
AYESHA LATIF (SP19-BCS-030)

MUHAMMAD ADIL MEHMOOD (SP19-BCS-014)

Lab Number 6:

create database DreamHome use DreamHome

create table Branch (branchNo varchar(20) NOT NULL Primary Key, street varchar(100) NOT NULL, city varchar(50) NOT NULL, postcode varchar(20) NOT NULL); create table Staff (staffNo varchar(20) NOT NULL PRIMARY KEY, fName varchar(50) NOT NULL, IName varchar(50) NOT NULL, position varchar(50) NOT NULL, sex varchar(1) NOT NULL, DOB DateTime NOT NULL, salary DECIMAL NOT NULL, branchNo varchar(20) NOT NULL References Branch(branchNo));

create table Client (clientNo varchar(20) NOT NULL PRIMARY KEY, fName varchar(50) NOT NULL, IName varchar(50) NOT NULL, telNo varchar(20) NOT NULL, prefType varchar(50) NOT NULL, maxRent DECIMAL NOT NULL)

create table PrivateOwner (ownerNo varchar(20) NOT NULL PRIMARY KEY, fName varchar(50) NOT NULL, IName varchar(50) NOT NULL, [address] varchar(50) NOT NULL, telNo varchar(20) NOT NULL)

create table PropertyForRent (propertyNo varchar(20) NOT NULL PRIMARY KEY, street varchar(100) NOT NULL, city varchar(50) NOT NULL, postcode varchar(20) NOT NULL, type varchar(10) NOT NULL, rooms int NOT NULL, rent DECIMAL NOT NULL,

ownerNo varchar(20) References PrivateOwner(ownerNo), staffNo varchar(20) NOT NULL References Staff(staffNo),

branchNo varchar(20) NOT NULL References Branch(branchNo));

create table Viewing (clientNo varchar(20) NOT NULL References Client(clientNo),

propertyNo varchar(20) NOT NULL References PropertyForRent(propertyNo), viewDate DateTime NOT NULL, comment varchar(200) NOT NULL)

create table Registration(clientNo varchar(20) NOT NULL References Client(clientNo),

branchNo varchar(20) NOT NULL References Branch(branchNo),staffNo varchar(20) NOT NULL References Staff(staffNo),dateJoined DateTime NOT NULL)

INSERT into Branch (branchNo, street, city, postcode) VALUES

('AD1','3rd Street Satellite Town', 'SGD','40100'),

('AD2', '1st Block', 'FSD', '38000'),

('AD3', '4th Street Urdu bazar', 'SGD', '40100'),

('AD4', '5th Block', 'FSD', '38000'),

('AD5', '3rd Street Urdu bazar', 'SGD', '40100'),

('AD6', 'Sixth Road', 'RWP', '43600'),

('AD7', 'Saadaar', 'RWP', '43600'),

('AD8', 'Deput', 'RWP', '43600'),

('AD9', '3rd street University Road', 'SGD', '40100'),

('AD10','2nd street Queens Chock', 'SGD', '40100');

insert into Staff (staffNo, fName, IName, position, sex, DOB, salary, branchNo) VALUES ('AD01', 'Adil', 'Mehmood', 'Assistant', 'M', CAST(0x0000641000000000 AS DateTime), CAST(9000 AS Decimal(18, 0)), 'A001'), ('AD02', 'Abdullah', 'Javed', 'Manager', 'M', CAST(0x00005312000000000 AS DateTime), CAST(18000 AS Decimal(18,0)), 'A002').

```
('AD03', 'Hamza', 'Mushtaq', 'Assistant', 'M', CAST(0x000056D400000000 AS
DateTime), CAST(12000 AS Decimal(18,0)), 'A003'),
('AD04', 'Huzaifa', 'Abid', 'Assistant', 'M', CAST(0x0000C85800000000 AS
DateTime), CAST(24000 AS Decimal(18,0)), 'A004'),
('AD05', 'Ayesha', 'Latif', 'Assistant', 'F', CAST(0x0000CFF200000000 AS
DateTime), CAST(30000 AS Decimal(18,0)), 'A005'),
('AD06', 'Komal', 'Mushtag', 'Assistant', 'F', CAST(0x00005D6000000000 AS
DateTime), CAST(9000 AS Decimal(18, 0)), 'A006'),
('AD07', 'Rafiya', 'Siddique', 'Assistant', 'F', CAST(0x00005D6000000000 AS
DateTime), CAST(9000 AS Decimal(18, 0)), 'A007'),
('AD08', 'Alina', 'Mukhtiar', 'Assistant', 'F', CAST(0x00005D6000000000 AS
DateTime), CAST(9000 AS Decimal(18, 0)), 'A008'),
('AD09', 'Kamran', 'Ali', 'Supervisor', 'M', CAST(0x00005D6000000000 AS
DateTime), CAST(9000 AS Decimal(18, 0)), 'A009'),
('AD010', 'Khurram', 'Shehzad', 'Supervisor', 'M', CAST(0x00005D6000000000
AS DateTime), CAST(9000 AS Decimal(18, 0)), 'A0010');
insert into client (clientNo, fName, IName, telNo, prefType, maxRent)
values ('AD001', 'Muhammad', 'Hamza', '0341-3487431', 'Apartment', '160000'),
('AD002', 'Muhammad', 'Ali', '0341-3412312', 'Apartment', '180000'),
('AD003', 'Asim', 'Azhar', '0347-2346553', 'House', '24000'),
('AD004', 'Adil', 'Mehmood', '0341-3123565', 'Apartment', '5000'),
('AD005', 'Atif', 'Aslam', '0320-3983493', 'House', '3000'),
('AD006', 'Touqeef', 'Rehman', '0312-9817818', 'Room', '2000'),
('AD007', 'Haseeb', 'Khan', '0300-9182713', 'Room', '1400'),
('AD008', 'Sharjeel', 'Khan', '0344-3912399', 'House', '2000'),
('AD009', 'Ahmed', 'Shah', '0340-1908761', 'Apartment', '20000'),
('AD0010', 'Hamza', 'Javed', '0331-7096413', 'House', '2000');
insert into privateowner (ownerNo, fName, IName, address, telNO)
values('AD0001','Huzaifa','Abid','G-13', '0331-132326543'),
('AD0002', 'Hamza', 'Khalid', 'I#78 Supply', '0332-913268'),
('AD0003', 'Adeel', 'Waraich', 'I#79 I-10/2', '0330-978323223'),
('AD0004','Zeeshan','Akhtar','I#78 Mandia', '0336-248789'),
('AD0005', 'Asif', 'Niazi', 'I#85 Supply', '0344-12373466'),
('AD0006', 'Shan', 'Shahd', 'I#86 Supply', '0324-22145538'),
('AD0007', 'Hanzala', 'Magsood', 'I#895 Cantt', '0314-7787672'),
```

```
('AD0008','Ahmed','Ali','I#55 Kalapul', '0304-5591231'),
('AD0009','Zain','Farooq','I#986 Beer', '0334-322448123'),
('AD00010', 'Ibrahim', 'Uziar', 'I#12 Cantt', '0314-91442234');
insert into propertyforrent (propertyNo, street, city, postcode, type, rooms, rent,
ownerNo, staffNo, branchNo)
values ('AD101','I#38 G-13', 'ISB','8092','Room','1','12000','13456','AD01','AD1'),
('AD102','I#78 Mandia', 'ABT','1278','Apartment','2','10000','19283','AD02','AD2'),
('AD103','I#85 Mirpur', 'ISB','3987','Aparment','3','14000','23456','AD03','AD3'),
('AD104','I#12 Cantt', 'ABT','2576','Room','1','8000','87362','AD04','AD4'),
('AD105','I#78 Mandia', 'ISB','9087','Apartment','2','10000','12098','AD05','AD5'),
('AD106','I#55 Kalapul', 'ABT','1265','Apartment','3','15000','90876','AD06','AD6'),
('AD107','I#12 Cantt', 'ABT','3489','Apartment','4','18000','78635','AD07','AD7'),
('AD108', 'I#86 Supply', 'ISB', '1265', 'House', '4', '24000', '17865', 'AD08', 'AD8'),
('AD109', 'I#38 G-13', 'ISB', '9087', 'House', '3', '22000', '87268', 'AD09', 'AD9'),
('AD1010','I#86 Supply',
'ABT','5431','Apartment','2','14000','AD10','SR68','AD10');
insert into registration ( clientNo, branchNo, staffNo, dateJoined )
values ('AD1101','AD1','AD01','1999/12/24'),
("AD1102', 'AD2', 'AD02', '1991/11/18'),
("AD1103','AD3','AD03','1994/04/12'),
("AD1104','AD4','AD04','1989/01/07'),
("AD1105', 'AD5', 'AD05', '1995/07/29'),
("AD1106','AD6','AD06','2000/08/19'),
("AD1107', 'AD7', 'AD07', '1996/11/01'),
("AD1108','AD8','AD08','1986/04/12'),
("AD1109','AD9','AD09','1990/10/05'),
("AD11010', 'AD10', 'AD10', '1990/05/14');
insert into viewing(clientNo, propertyNo, viewDate, comment)
values('AD001','A110','2000/05/14','GOOD'),
('AD002', 'B110', '2001/11/21', 'GOOD'),
('AD003','A111','2001/04/04','GOOD'),
('AD004','C065','2000/01/01','GOOD'),
('AD005','D124','2004/06/19','GOOD'),
('AD006', 'G116', '1999/08/02', 'GOOD'),
```

```
('AD007','A140','2005/07/09','GOOD'),
('AD008','H180','2000/02/26','GOOD'),
('AD009','A230','1997/10/12','GOOD'),
('AD0010','B210','2003/12/24','GOOD');
```

Select distinct(city) from Branch order by city desc;

LAB Number 7:

Print the list of postcode without any repetition

Solution:

Select distinct(postcode) from Branch;

Print all fName from Staff without repetition

Solution:

SELECT distinct(fName) FROM Staff;

List all staff with renaming all its columns in results

Solution:

Select staffNo As MyStaffNo, fName As MyFirstName, IName As MyLastName, position As MyPosition, DOB As MYDOB, salary As MySalary, branchNo As MyBranchNO from Staff;

List all clients with re-naming all its columns to synonyms.

Solution:

Select clientNo As clientId, fName As firstName, IName As lastName, telNo As contactNo, prefType As priorityType, maxRent As totalRent from Client;

<u>List all staff with a salary greater than 10,000.</u>

Solution:

SELECT * FROM Staff WHERE salary > 10000;

List all managers and supervisors.

Solution:

SELECT * FROM Staff WHERE position = 'manager' OR position = 'supervisor';

Lab Number 8:

Perform all the examples in this lab.

Solution:

SELECT staffNo, fName, IName, salary FROM Staff ORDER BY salary DESC;

SELECT propertyNo, type, rooms, rent FROM PropertyForRent ORDER BY type;

SELECT propertyNo, type, rooms, rent FROM PropertyForRent ORDER BY type, rent DESC;

SELECT COUNT(DISTINCT propertyNo) AS myCount FROM Viewing WHERE viewDate BETWEEN '1-May-04' AND '31-May-04';

SELECT COUNT(staffNo) AS myCount, SUM(salary) AS mySum FROM Staff WHERE position = 'Manager';

SELECT MIN(salary) AS myMin, MAX(salary) AS myMax, AVG(salary) AS myAvg FROM Staff;

SELECT staffNo, COUNT(salary) FROM Staff; --shwoing error that no aggregate or group clause

SELECT staffNo, fName, IName, position, salary FROM Staff WHERE salary > SOME (SELECT salary FROM Staff WHERE branchNo = 'B003');

SELECT staffNo, fName, IName, position, salary FROM Staff WHERE salary > ALL (SELECT salary FROM Staff WHERE branchNo = 'B003');

For DreamHome case study write at least 3 examples of each category for sorting, grouping and aggregate operations. Share your exercises as advised in the lab.

Sorting clauses

Solution:

SELECT staffNo, fName, IName, position FROM Staff ORDER BY fName ASC;

SELECT staffNo, fName, position, salary FROM Staff ORDER BY salary DESC;

SELECT fName, salary FROM Staff ORDER BY IName DESC;

Grouping clauses

Solution:

SELECT staffNo, fName, sex, salary FROM Staff WHERE position = 'Assistant' AND salary < 10000:

SELECT fName, position FROM Staff WHERE sex = 'M' AND position = 'Manager';

SELECT fName, IName, position FROM Staff WHERE (SELECT AVG(salary) FROM Staff) < salary;

<u>Aggregateclauses</u>

Solution:

SELECT COUNT(DISTINCT(propertyNo)) AS myCount FROM Viewing WHERE viewDate BETWEEN '1-May-00' AND '31-May-04';

SELECT clientNo, propertyNo AS ClientID, PropertyNo FROM Viewing WHERE viewDate BETWEEN '1-May-00' AND '31-May-04';

SELECT clientNo, comment FROM Viewing WHERE viewDate BETWEEN '1-May-00' AND '31-May-04';

Lab Number 9:

select fName, IName, salary from staff where salary > (select salary from staff where IName = 'Bleech');

select first_name, last_name from employees where department = 'IT';

Lab Number 10:

Select first name, last name from employees where position = 'manager';

Select first_name, last_name, salary from employees where salary > (select AVG(salary) from employees);

SELECT first_name, last_name, salary from employees where department_name = 'IT' AND salary > (select AVG(salary) from employees);

select first_name, last_name, salary from employees where salary > (select salary from employees where last_name = 'Bell');

Select * from employees where salary = (select min(salary) from employees);

Select first_name, last_name, salary from employees where salary > (select avg(salary) from employees);

select first_name, last_name, salary from employees where salary > (select salary from employees where job_id = 'SH_CLERK') order by salary;

Select first_name, last_name from employees where position <> supervisors;

Select employee_ID, first_name, last_name, department from employees;

select employee_id, first_name from employees where salary > (select avg(salary)
from employees);

Lab Number 11:

```
use dreamhome;
create table Abc (FName varchar(50) NOT NULL, family Name varchar (50) NOT NULL);
insert into Abc
values (Adil', 'Mehmood'),
('Daniyal', 'Khan),
('Adnan', 'Khurshid');
SELECT CONCAT("Hamza", "Mushtaq") AS ConcatenatedString;
SELECT LENGTH(Fname) AS LengthOfString from Abc;
select LOCATE("i", "Zulfi");
SELECT upper("Hamza");
SELECT lower("Hamza");
SELECT REPEAT(familyName, 3) from Abc;
SELECT STRCMP("hamza1", "hamza");
SELECT SUBSTR("Hamza", 4) AS ExtractString;
SELECT LEFT("Hamza", 5) AS ExtractString;
SELECT ASCII(FName) FROM Abc;
SELECT COT(6);
SELECT COS(2);
SELECT LOG(2);
SELECT SQUARE(64);
SELECT COUNT(Fname) AS NumberOfNames FROM Abc;
SELECT AVG(maxRent) AS AveragePrice FROM client;
```

```
SELECT MAX(maxRent) AS LargestPrice FROM client;
```

SELECT MIN(maxRent) AS SmallestPrice FROM client;

SELECT FLOOR(25.75) AS FloorValue;

SELECT CEILING(25.75) AS CeilValue;

Lab Number 12:

```
select sum(salary) from staff;
```

select COUNT(position) from staff;

select COUNT(DISTINCT position)from staff;

Lab Number 15:

```
update staff set fName='Adil', lName='Mehmood' where salary = '40000'; delete from branch where branchNo='C001'; update staff set salary='1000000' where salary=NULL; update staff set salary=500000 where salary='10000'; insert into branch values('C011', 'Sultan street', 'ABT', '1101');
```

SYED HUZAIFA ABID (SP19-BCS-025)

Lab Number 6:

use dreamhome;

INSERT into branch (branchNo, street, city, postcode)

VALUES

('C001','I#38 G-13', 'ISB','8092'),

('C002', 'I#78 Supply', 'ABT', '1278'),

('C003', 'I#79 I-10/2', 'ISB', '3987'),

('C004', 'I#78 Mandia', 'ABT', '2576'),

```
('C005', 'I#85 Mirpur', 'ABT', '9087'),
('C006', 'I#86 Supply', 'ISB', '1265'),
('C007', 'I#895 Cantt', 'ABT', '3489'),
('C008', 'I#55 Kalapul', 'ABT', '9871'),
('C009', 'I#986 Beer', 'HAR', '9087'),
('C010', 'I#12 Cantt', 'HAV', '5431');
insert into staff (staffNo, fName, lName, position, sex, DOB, salary, branchNo)
values ('SG5', 'Mary', 'Howe', 'Assistant', 'F', '1988/08/23', 20000, 'C002'),
('SL21', 'David', 'Ford', 'Assistant', 'M', '1987/11/9', 100000, 'C003'),
('SG37', 'Anna', 'Bleech', 'Supervisor', 'F', '1986/12/8', 90000, 'C003'),
('SA9', 'Susa', 'Brand', 'Receptionist', 'F', '1989/5/9', 120000, 'C003'),
('SG14', 'Joh', 'White', 'Manager', 'M', '1992/2/12', 100000, 'C004'),
('SL41', 'Julie', 'Lee', 'Assistant', 'F', '1990/8/3', 50000, 'C002'),
('SR68', 'Akbar', 'Shoaib', 'Assistant Manager', 'M', '1996/9/8', 70000, 'C005'),
('SK32', 'Mahrukh', 'Khan', 'Customer Service', 'F', '1994/9/8', 60000, 'C010'),
('SB83', 'Ali', 'Hassan', 'Receptionist', 'M', '1991/4/6', 40000, 'C009'),
('SP98', 'Hamid', 'Qazi', 'Security Guard', 'M', '1982/9/12', 10000, 'C007');
insert into client (clientNo, fName, lName, telNo, prefType, maxRent)
values ('1', 'Hamza', 'Muhstaq', '0341-3487431', 'Apartment', '16000'),
('2', 'Hamza', 'Abid', '0341-3412312', 'Apartment', '18000'),
('3', 'Imad', 'Ahmad', '0347-2346553', 'House', '24000'),
('4', 'Adil', 'Mehmood', '0341-3123565', 'Apartment', '15000'),
('5', 'Zullkif', 'Rehman', '0320-3983493', 'House', '30000'),
('6', 'Huzaifa', 'Abid', '0312-9817818', 'Room', '12000'),
('7', 'Haseeb', 'Khan', '0300-9182713', 'Room', '14000'),
('8', 'Sharjeel', 'Khan', '0344-3912399', 'House', '22000'),
('9', 'Ahmed', 'Shah', '0340-1908761', 'Apartment', '20000'),
('10', 'Hamza', 'Javed', '0331-7096413', 'House', '24000');
insert into privateowner (ownerNo, fName, lName, address, telNO)
values('13456','Huzaifa','Abid','G-13', '0331-1006543'),
```

('19283', 'Hamza', 'Abid', 'I#78 Supply', '0332-9123768'),

```
('23456', 'Adeel', 'Khan', 'I#79 I-10/2', '0330-9786523'),
('87362', 'Zeeshan', 'Saleem', 'I#78 Mandia', '0336-1238789'),
('12098', 'Asif', 'Khan', 'I#85 Supply', '0344-1237686'),
('90876', 'Shan', 'Ali', 'I#86 Supply', '0324-2214598'),
('78635', 'Hanzala', 'Tahir', 'I#895 Cantt', '0314-9887672'),
('17865', 'Ahmed', 'Hassan', 'I#55 Kalapul', '0304-9991231'),
('87268', 'Zain', 'Asim', 'I#986 Beer', '0334-3228123'),
('12876', 'Ibrahim', 'Saqib', 'I#12 Cantt', '0314-9122234');
insert into propertyforrent (propertyNo, street, city, postcode, type, rooms,
rent, ownerNo, staffNo, branchNo)
values ('A110', 'I#38 G-13', 'ISB', '8092', 'Room', '1', '12000', '13456', 'SA9', 'C001'),
('B110','I#78 Mandia', 'ABT','1278','Apartment','2','10000','19283','SG14','C002'),
('A111','I#85 Mirpur', 'ISB','3987','Aparment','3','14000','23456','SG37','C003'),
('C065', 'I#12 Cantt', 'ABT', '2576', 'Room', '1', '8000', '87362', 'SG5', 'C004'),
('D124','I#78 Mandia', 'ISB','9087','Apartment','2','10000','12098','SL21','C005'),
('G116','I#55 Kalapul', 'ABT','1265','Apartment','3','15000','90876','SL41','C006'),
('A140', 'I#12 Cantt', 'ABT', '3489', 'Apartment', '4', '18000', '78635', 'SP98', 'C007'),
('H180','I#86 Supply', 'ISB','1265','House','4','24000','17865','SK32','C008'),
('A230','I#38 G-13', 'ISB','9087','House','3','22000','87268','SB83','C009'),
('H210','I#86 Supply', 'ABT','5431','Apartment','2','14000','12876','SR68','C010');
insert into registration ( clientNo, branchNo, staffNo , dateJoined )
values ('1', 'C001', 'SG14', '1999/12/24'),
('2', 'C002', 'SA9', '1991/11/18'),
('3','C003','SG37','1994/04/12'),
('4','C004','SG5','1989/01/07'),
('5', 'C005', 'SL21', '1995/07/29'),
('6', 'C006', 'SL41', '2000/08/19'),
('7', 'C007', 'SP28', '1996/11/01'),
('8','C008','SK32','1986/04/12'),
('9','C009','SB83','1990/10/05'),
('10','C010','SR68','1990/05/14');
insert into viewing(clientNo, propertyNo, viewDate, comment)
```

values('1','A110','2000/05/14','GOOD'),

```
('2','B110','2001/11/21','GOOD'),
('3','A111','2001/04/04','GOOD'),
('4','C065','2000/01/01','GOOD'),
('5','D124','2004/06/19','GOOD'),
('6', 'G116', '1999/08/02', 'GOOD'),
('7','A140','2005/07/09','GOOD'),
('8','H180','2000/02/26','GOOD'),
('9','A230','1997/10/12','GOOD'),
('10','B210','2003/12/24','GOOD');
Lab number 7:
select distinct(postcode) from branch;
select distinct(fName) from staff;
select staffNo as ID,fName as FirstName, IName as LastName, position as
Position, sex as Gender, DOB as DateofBirth, salary as Salary, branchNO as
BranchNumber from staff;
select clientNo as ClientNumber, fName as FirstName, IName as LastName,
telNo as TelliPhone, prefType as Preference, maxRent as MaximumRent from
client:
select * from staff where salary > 20000;
select * from staff where position = 'manager' or position = 'supervisor';
LAB NUMBER 8:
```

SELECT staffNo, fName, IName, salary FROM staff ORDER BY salary DESC;

SELECT propertyNo, type, rooms, rent FROM propertyforrent ORDER BY type;

-- Examples

SELECT propertyNo, type, rooms, rent FROM propertyforrent ORDER BY type, rent DESC;

SELECT staffNo, COUNT(salary) FROM staff;

SELECT COUNT(*) AS myCount FROM propertyforrent WHERE rent <=10000;

SELECT COUNT(DISTINCT propertyNo) AS myCount FROM Viewing WHERE viewDate BETWEEN '1997-10-12' AND '2003-12-24';

SELECT COUNT(staffNo) AS myCount, SUM(salary) AS mySum FROM Staff WHERE position = 'Manager';

SELECT MIN(salary) AS myMin, MAX(salary) AS myMax, AVG(salary) AS myAvg FROM staff;

SELECT staffNo, COUNT(salary) FROM staff;

SELECT staffNo, fName, IName, position, salary FROM staff WHERE (SELECT AVG(salary) FROM staff) < salary;

SELECT staffNo, fName, IName, position, salary FROM staff WHERE salary > SOME (SELECT salary FROM staff WHERE branchNo = 'C003');

SELECT staffNo, fName, IName, position, salary FROM staff WHERE salary > ALL (SELECT salary FROM staff WHERE branchNo = 'C003');

-- Sorting

SELECT staffNo, fName, IName, salary FROM staff ORDER BY salary ASC;

SELECT salary FROM staff ORDER BY salary DESC;

SELECT salary FROM staff ORDER BY salary ASC;

-- Grouping

SELECT staffNo, fName,IName, sex, salary FROM Staff WHERE position = 'Receptionist' AND salary < 40000:

SELECT fName, IName, branchNo FROM Staff WHERE sex = 'M' AND position = 'Manager';

SELECT fName, IName, salary, position FROM Staff WHERE (SELECT AVG(salary) FROM Staff) < salary;

-- Aggregate

SELECT COUNT(DISTINCT(propertyNo)) AS myCount FROM Viewing WHERE viewDate BETWEEN '1999-08-02' AND '2004-06-19';

SELECT COUNT(salary) AS myCount FROM staff WHERE salary BETWEEN '20000' AND '60000';

SELECT clientNo, propertyNo AS ClientID, PropertyNo FROM Viewing WHERE viewDate BETWEEN '2001-04-04' AND '2004-06-19';

LAB: 9

- show tables;
- select fName, IName, salary from staff where salary > (select salary from staff where IName = 'Bleech');
- select first_name, last_name from employees where department = 'IT';

LAB:10

- Select first name, last name from employees where position = 'manager';
- Select first_name, last_name, salary from employees where salary >
 (select AVG(salary) from employees);
- SELECT first_name, last_name, salary from employees where department_name = 'IT'
 AND salary > (select AVG(salary) from employees);
- select first_name, last_name, salary from employees where salary > (select salary from employees where last_name = 'Bell');
- Select * from employees where salary = (select min(salary) from employees);
- Select first_name, last_name, salary from employees where salary > (select avg(salary) from employees);
- select first_name,last_name, salary from employees where salary >
 (select salary from employees where job_id = 'SH_CLERK') order
 by salary;
- Select first_name, last_name from employees where position <> supervisors;
- Select employee_ID, first_name, last_name, department from employees;
- select employee_id, first_name from employees where salary > (select avg(salary) from employees);

LAB NUMBER 11:

use dreamhome;

```
create table Abc (FName varchar(50) NOT NULL, family Name varchar (50) NOT NULL);
insert into Abc
values ('Hamza', 'Mushtaq'),
('Imad', 'Ahmad'),
('Zulfi', 'Rehman');
-- CONCATINATION
SELECT CONCAT("Hamza", "Mushtaq") AS ConcatenatedString;
-- extra string funtions
SELECT LENGTH(Fname) AS LengthOfString from Abc;
select LOCATE("i", "Zulfi");
SELECT upper("Hamza");
SELECT lower("Hamza");
SELECT REPEAT(familyName, 3) from Abc;
SELECT STRCMP("hamza1", "hamza");
SELECT SUBSTR("Hamza", 4) AS ExtractString;
SELECT LEFT("Hamza", 5) AS ExtractString;
SELECT ASCII(FName) FROM Abc;
-- Maths function
SELECT COT(6);
SELECT COS(2);
SELECT LOG(2);
SELECT SQUARE(64);
SELECT COUNT(Fname) AS NumberOfNames FROM Abc;
SELECT AVG(maxRent) AS AveragePrice FROM client;
SELECT MAX(maxRent) AS LargestPrice FROM client;
SELECT MIN(maxRent) AS SmallestPrice FROM client;
```

```
SELECT FLOOR(25.75) AS FloorValue;
```

SELECT CEILING(25.75) AS CeilValue;

LAB:12

- select sum(salary) from staff;
- select COUNT(position) from staff;
- select COUNT(DISTINCT position)from staff;

LAB:13

LAB:14

LAB:15

- update staff set fName='Huzaifa', lName='Abid' where salary = '40000';
- delete from branch where branchNo='C001';
- update staff set salary='1000000' where salary=NULL;
- update staff set salary=500000 where salary='10000';
- insert into branch values('C011','Sultan street', 'ABT', '1101');

LAB:16

- create table supplier (supplier_id int(10) NOT NULL, supplier_name varchar(50) NOT NULL, address varchar(50));
- alter table supplier add primary key (supplier_id);
- create table Items (itemname varchar(255) NOT NULL, supplier_id int(10) NOT NULL, itemprice int(15) NOT NULL);
- alter table Items ADD FOREIGN KEY (supplier_id) REFERENCES supplier(supplier_id);

AYESHA LATIF (SP19-BCS-030)

Lab Number 6:

Use dream home

Solution:

```
insert into staff (staffNo,fName,lName,position,sex,DOB,salary,branchNo
Values('Sh4' 'saba', 'Howe' 'Assistant', 'F', '1999/08/23', 30000, 'f002'),
('Sk21','julie', Ford','Assistant' 'M','1985/11/9',50000,'f003'),
('Sh37', 'Anna', 'Bleech', 'Supervisor', 'F', '1987/12/8', 80000, 'f003'),
('Sh89', 'Sana', 'Brand' 'Receptionist', 'F', '2000/5/9', 100000, 'f003'),
('Sk14', 'Jon', 'White', 'Manager', 'M', '1993/2/12', 300000, 'f004'),
('Sk41', 'Julie', 'Lee', 'Assistant', 'F', '1988/3/12' 50000 'f002'),
('Sl68', 'Arham', 'Shoaib', 'Assistant Manager', 'M' '1996/9/8', 70000, 'f005'),
('SK92', 'Mushk', 'Khan', 'Customer Service', 'F', '1994/9/8', 60000, 'f010'),
('Sh83', 'Ali', 'Hassan', 'Receptionist', 'M', '1991/4/6', 40000, 'f009'),
('So88', 'Hira', 'Qazi', 'Security Guard''M', '1982/9/12', 10000, 'f007');
insert into client (clientNo, fName, lName, telNo, prefType, maxRent)
values ('11', 'kinza', 'Muhstaq','0341-3487431','house','16200'),
('12', 'Hina', 'saad', '0341-3443312', 'Apartment', '12000'),
('13', 'Arham', 'latif', '0347-5646553', 'House', '28000'),
('14', 'Ali', ", '0341-3123556', 'Apartment', '1900'),
('15', 'Zoya', 'nawaz', '0324-3983493', 'house', '20000'),
('16', 'Hira', 'mehmood', '0312-9854818', 'Room', '14000'),
```

```
('17', 'Haseeb', 'muhshtaq', '0300-9452713', 'house', '15000'),
('18', 'Sharjeel', 'Khan', '0344-3954399', 'House', '27000'),
('19', 'Ahmed', 'Shah', '0340-1905661', 'Apartment', '25000'),
('20', 'komal', 'Javed', '0331-7056413', 'House', '26000');
insert into privateowner (ownerNo, fName, lName, address, telNO)
values ('13346', 'ayesha', 'latif', 'f-12', '0331-1436543'),
('20283', 'Hafsa', 'Abid', 'I#78 cantt', '0332-91234568'),
('25456', 'Adil', 'Khan', 'I#79 cantt', '0330-9756565'),
('56362', 'Zanib', 'saqib', 'k#78 Mughal pura', '0336-12789'),
('11298', 'Asif', 'Kamal', 'k#30 h-1', '0344-1237686'),
('56876', 'Sara', 'Ali', 'L-20 maddar', '0324-2214598'),
('43635', 'Hina', 'mujahid', 'k#895 Cantt', '0314-98887672'),
('15665', 'Ahmed', 'Hassan', 'k#55 Kalapul', '0304-9991231'),
('85468','zoya','abid','k#986 Beer', '0334-3228123'),
('17876', 'ayesha', 'Saqib', 'k#12 Cantt', '0314-9122234')
insert into propertyforrent (propertyNo, street, city, postcode, type, rooms, rent,
ownerNo, staffNo, branchNo)
values ('A1230', 'h#38 G-13', 'LHR', '8092', 'Room', '1', '12000', '13456', 'SA9', 'G001'),
('c110','h#78 Mandia', 'ABT','1278','Apartment','4','10000','19283','SG14','G002'),
('c411','h#85', 'ISB','3987','Aparment','3','14000','23456','SG37','G003'),
```

```
('f4365','h#12 Cantt', 'KAR','2576','Room','8','8000','87362','SGF5','G004'),
('Df44','k#78 Mandia', 'ABT','9087','Apartment','2','1000','12098','SLD21','G005'),
('f516','k#55 Kalapul', 'LHR','1265','Apartment','3','1500','90876','SLS41','G006'),
('f430','f#12 Cantt', 'SKP','3489','Apartment','4','1800','78635','SP9S8','G007'),
('H30','k#86 khan pur', 'SKP','1265','House','4','24000','17865','SKW32','C008'),
('u730','If#38 G-12', 'LHR','9087','House','3','22000','87268','SB8W3','H009'),
('d540','k#86 cantt', 'LHR','5431','Apartment','2','14000','12Q876','SR6W8','J010');
```

'insert into viewing(clientNo, propertyNo, viewDate, comment)
values('11','F110','2002/03/16','Good')
('12','LB00','2010/11/21','Good'),
('13','KG00','2003/04/05','Good'),
('14','HG04','2004/01/03','Good'),
('15','D012','2006/05/19','EXCELLENT'),
('16','GSW43','1999/03/04','V.Good'),
('17','Q2340','2001/02/04','Good'),
('18','J280','2007/02/23','Good'),
('19','C3430','1965/11/12','V.Good'),
('20','K710','2003/12/24','Good');

insert into registration (clientNo, branchNo, staffNo ,dateJoined)

```
values ('11','f002','Sh4','1998/11/20'),
('12','f003','Sk21','1992/10/12'),
('13','f003','Sh37','1989/04/15'),
('14','f003','Sh89','1991/11/17'),
('15','f004','Sk41','1986/10/29'),
('16','f002','sl68','2005/09/29'),
('17','f005','SK92','1995/10/05'),
('18','f010','Sh83','1987/03/22'),
('19','f007','So88','1990/10/05'),
('20','f006','so34','1990/05/14');
```

Lab Number 7

1. Print the list of postcode without any repetition

Solution:

Select distinct(postcod) from Branch;

2.Print all fName from Staff without repetition

Solution:

SELECT distinct(fName) FROM Staff;

3.List all staff with renaming all its columns in results

Solution:

Select staffNo As StaffNo, fName As FirstName, lName As LastName, position As Position, sex as Gender, salary As income, branchNo As BranchNO from Staff;

4.List all clients with re-naming all its columns to synonyms

Solution:

Select clientNo As clientId, fName As MYfirstName, lName As MYlastName, telNo As phonenumber, prefType As precedenceType, maxRent As MYtotalRent from Client;

5.List all staff with a salary greater than 10,000

Solution:

SELECT salary FROM Staff WHERE salary >10000;

6.List all managers and supervisors

Solution:

SELECT position FROM Staff WHERE position IN ('Manager', 'Supervisor');

Lab Number 8

Perform all the examples in this lab.

Solution

SELECT staffNo, fName, lName, salary FROM Staff ORDER BY salary DESC;

SELECT propertyNo, type, rooms, rent FROM PropertyForRent ORDER BY type;

SELECT propertyNo, type, rooms, rent FROM PropertyForRent ORDER BY type, rent DESC;

SELECT COUNT(DISTINCT propertyNo) AS myCount FROM Viewing WHERE viewDate BETWEEN '2004-12-2' AND '2005-12-5';

SELECT COUNT(staffNo) AS myCount, SUM(salary) AS mySum FROM Staff WHERE position = 'Manager';

SELECT MIN(salary) AS myMin, MAX(salary) AS myMax, AVG(salary) AS myAvg FROM Staff;

SELECT staffNo, COUNT(salary) FROM Staff;

SELECT staffNo, fName, lName, position, salary FROM Staff WHERE salary > SOME (SELECT salary FROM Staff WHERE branchNo = 'f004');

SELECT staffNo, fName, lName, position, salary FROM Staff WHERE salary > ALL (SELECT salary FROM Staff WHERE branchNo = 'f005');

For DreamHome case study write at least 3 examples of each category for sorting, grouping and aggregate operations. Share your exercises as advised in the lab.

Sorting clauses

SELECT staffNo, fName, lName, position FROM Staff ORDER BY fName ASC;

SELECT staffNo, fName, position, salary FROM Staff ORDER BY salary DESC;

SELECT fName, salary FROM Staff ORDER BY IName DESC;

Grouping clause

SELECT staffNo, fName, sex, salary FROM Staff WHERE position = 'Assistant' AND salary < 30000;

SELECT fName, position FROM Staff WHERE sex = 'F' AND position = 'Manager';

SELECT fName, lName, position FROM Staff WHERE (SELECT AVG(salary) FROM Staff) < salary;

Aggregate clauses

SELECT COUNT(DISTINCT(propertyNo)) AS myCount FROM Viewing WHERE viewDate BETWEEN '1999-03-04 ' AND '2004-01-03';

SELECT clientNo, propertyNo AS ClientID, PropertyNo FROM Viewing WHERE viewDate BETWEEN '2006-05-19 ' AND '2007-02-23';

SELECT clientNo, comment FROM Viewing WHERE viewDate BETWEEN '2002-03-16 ' AND '2010-11-21';

ADNAN KHURSHID (SP19-BCS-029)

<u>Lab Number 6:</u> create database DreamHome

use DreamHome

create table Branch (branchNo varchar(20) NOT NULL Primary Key, street varchar(100) NOT NULL, city varchar(50) NOT NULL, postcode varchar(20) NOT NULL); create table Staff (staffNo varchar(20) NOT NULL PRIMARY KEY, fName varchar(50) NOT NULL, IName varchar(50) NOT NULL, position varchar(50) NOT NULL, sex varchar(1) NOT NULL, DOB DateTime NOT NULL, salary DECIMAL NOT NULL, branchNo varchar(20) NOT NULL References Branch(branchNo));

create table Client (clientNo varchar(20) NOT NULL PRIMARY KEY, fName varchar(50) NOT NULL, IName varchar(50) NOT NULL, telNo varchar(20) NOT NULL, prefType varchar(50) NOT NULL, maxRent DECIMAL NOT NULL)

create table PrivateOwner (ownerNo varchar(20) NOT NULL PRIMARY KEY, fName varchar(50) NOT NULL, IName varchar(50) NOT NULL, [address] varchar(50) NOT NULL, telNo varchar(20) NOT NULL)

create table PropertyForRent (propertyNo varchar(20) NOT NULL PRIMARY KEY, street varchar(100) NOT NULL, city varchar(50) NOT NULL, postcode varchar(20) NOT NULL, type varchar(10) NOT NULL, rooms int NOT NULL, rent DECIMAL NOT NULL, ownerNo varchar(20) References PrivateOwner(ownerNo), staffNo varchar(20)

NOT NULL References Staff(staffNo),

branchNo varchar(20) NOT NULL References Branch(branchNo));

create table Viewing (clientNo varchar(20) NOT NULL References Client(clientNo),

propertyNo varchar(20) NOT NULL References PropertyForRent(propertyNo), viewDate DateTime NOT NULL, comment varchar(200) NOT NULL);

create table Registration(clientNo varchar(20) NOT NULL References Client(clientNo),

branchNo varchar(20) NOT NULL References Branch(branchNo),staffNo varchar(20) NOT NULL References Staff(staffNo),dateJoined DateTime NOT NULL)

INSERT into Branch (branchNo, street, city, postcode) VALUES ('C1','3rd Street Satellite Town', 'SGD','40100'), ('C2', '1st Block', 'FSD', '38000'), ('C3', '4th Street Urdu bazar', 'SGD', '40100'), ('C4','5th Block', 'FSD', '38000'), ('C5','3rd Street Urdu bazar', 'SGD', '40100'), ('C6','Sixth Road', 'RWP', '43600'),

```
('C7','Saadaar', 'RWP', '43600'),
('C8','Deput', 'RWP', '43600'),
('C9','3rd street University Road', 'SGD', '40100'),
('C10','2nd street Queens Chock', 'SGD', '40100');
```

insert into client (clientNo, fName, IName, telNo, prefType, maxRent) values ('CD001', 'Muhammad', 'Hamza', '0341-3487431', 'Apartment', '160000'), ('CD002', 'Muhammad', 'Ali', '0341-3412312', 'Apartment', '180000'), ('CD003', 'Asim', 'Azhar', '0347-2346553', 'House', '24000'), ('CD004', 'Adil', 'Mehmood', '0341-3123565', 'Apartment', '5000'), ('CD005', 'Atif', 'Aslam', '0320-3983493', 'House', '3000'), ('CD006', 'Touqeef', 'Rehman', '0312-9817818', 'Room', '2000'), ('CD007', 'Haseeb', 'Khan', '0300-9182713', 'Room', '1400'),

```
('CD008', 'Sharjeel', 'Khan', '0344-3912399', 'House', '2000'),
('CD009', 'Ahmed', 'Shah', '0340-1908761', 'Apartment', '20000'),
('CD0010', 'Hamza', 'Javed', '0331-7096413', 'House', '2000');
insert into privateowner (ownerNo, fName, IName, address, telNO)
values('CD0001','Huzaifa','Abid','G-13', '0331-132326543'),
('CD0002', 'Hamza', 'Khalid', 'I#78 Supply', '0332-913268'),
('CD0003', 'Adeel', 'Waraich', 'I#79 I-10/2', '0330-978323223'),
('CD0004', 'Zeeshan', 'Akhtar', 'I#78 Mandia', '0336-248789'),
('CD0005','Asif','Niazi','I#85 Supply', '0344-12373466'),
('CD0006', 'Shan', 'Shahd', 'I#86 Supply', '0324-22145538'),
('CD0007', 'Hanzala', 'Magsood', 'I#895 Cantt', '0314-7787672'),
('CD0008','Ahmed','Ali','I#55 Kalapul', '0304-5591231'),
('CD0009', 'Zain', 'Farooq', 'I#986 Beer', '0334-322448123'),
('CD00010','lbrahim','Uziar','I#12 Cantt', '0314-91442234');
insert into propertyforrent (propertyNo, street, city, postcode, type, rooms, rent,
ownerNo, staffNo, branchNo)
values ('CD101','I#38 G-13', 'ISB','8092','Room','1','12000','CD0001','CD01','C1'),
('CD102','I#78 Mandia', 'ABT','1278','Apartment','2','10000','CD0002','CD02','C2'),
('CD103','I#85 Mirpur', 'ISB','3987','Aparment','3','14000','CD0003','CD03','C3'),
('CD104','I#12 Cantt', 'ABT','2576','Room','1','8000','CD0004','CD04','C4'),
('CD105','I#78 Mandia', 'ISB','9087','Apartment','2','10000','CD0005','CD05','C5'),
('CD106','I#55 Kalapul', 'ABT','1265','Apartment','3','15000','CD0006','CD06','C6'),
('CD107','I#12 Cantt', 'ABT','3489','Apartment','4','18000','CD0007','CD07','C7'),
('CD108','I#86 Supply', 'ISB','1265','House','4','24000','CD0008','CD08','C8'),
('CD109','I#38 G-13', 'ISB','9087','House','3','22000','CD0009','CD09','C9'),
('CD1010','I#86 Supply',
'ABT','5431','Apartment','2','334010','CD00010','CD010','C10');
insert into registration (clientNo, branchNo, staffNo, dateJoined)
values ('CD001','C1','CD01','1999/12/24'),
('CD002', 'C2', 'CD02', '1991/11/18'),
('CD003','C3','CD03','1994/04/12'),
('CD004', 'C4', 'CD04', '1989/01/07'),
('CD005', 'C5', 'CD05', '1995/07/29'),
```

```
('CD006', 'C6', 'CD06', '2000/08/19'),
('CD007','C7','CD07','1996/11/01'),
('CD008', 'C8', 'CD08', '1986/04/12'),
('CD009', 'C9', 'CD09', '1990/10/05'),
('CD0010','C10','CD010','1990/05/14');
insert into viewing(clientNo, propertyNo, viewDate, comment)
values('CD001','CD101','2000/05/14','GOOD'),
('CD002', 'CD102', '2001/11/21', 'GOOD'),
('CD003', 'CD103', '2001/04/04', 'GOOD'),
('CD004', 'CD104', '2000/01/01', 'GOOD'),
('CD005', 'CD105', '2004/06/19', 'GOOD'),
('CD006', 'CD106', '1999/08/02', 'GOOD').
('CD007', 'CD107', '2005/07/09', 'GOOD'),
('CD008', 'CD108', '2000/02/26', 'GOOD'),
('CD009', 'CD109', '1997/10/12', 'GOOD'),
('CD0010','CD1010','2003/12/24','GOOD');
```

LAB Number 7:

Print the list of postcode without any repetition

Solution:

Select distinct(postcode) from Branch;

Print all fName from Staff without repetition

Solution:

SELECT distinct(fName) FROM Staff;

List all staff with renaming all its columns in results

Solution:

Select staffNo As MyStaffNo, fName As MyFirstName, IName As MyLastName, position As MyPosition, DOB As MYDOB, salary As MySalary, branchNo As MyBranchNO from Staff;

<u>List all clients with re-naming all its columns to synonyms.</u>

Solution:

Select clientNo As clientId, fName As firstName, IName As lastName, telNo As contactNo, prefType As priorityType, maxRent As totalRent from Client;

<u>List all staff with a salary greater than 10,000.</u>

Solution:

SELECT * FROM Staff WHERE salary > 10000;

<u>List all managers and supervisors.</u>

Solution:

SELECT * FROM Staff WHERE position = 'manager' OR position = 'supervisor';

Lab Number 8:

Perform all the examples in this lab.

Solution:

SELECT staffNo, fName, IName, salary FROM Staff ORDER BY salary DESC;

SELECT propertyNo, type, rooms, rent FROM PropertyForRent ORDER BY type;

SELECT propertyNo, type, rooms, rent FROM PropertyForRent ORDER BY type, rent DESC;

SELECT COUNT(DISTINCT propertyNo) AS myCount FROM Viewing WHERE viewDate

BETWEEN '1-May-04' AND '31-May-04';

SELECT COUNT(staffNo) AS myCount, SUM(salary) AS mySum FROM Staff WHERE position = 'Manager';

SELECT MIN(salary) AS myMin, MAX(salary) AS myMax, AVG(salary) AS myAvg FROM Staff;

SELECT staffNo, COUNT(salary) FROM Staff; --shwoing error that no aggregate or group clause

SELECT staffNo, fName, IName, position, salary FROM Staff WHERE salary > SOME (SELECT salary FROM Staff WHERE branchNo = 'B003');

SELECT staffNo, fName, IName, position, salary FROM Staff WHERE salary > ALL (SELECT salary FROM Staff WHERE branchNo = 'B003');

For DreamHome case study write at least 3 examples of each category for sorting, grouping and aggregate operations. Share your exercises as advised in the lab.

Sorting clauses

Solution:

SELECT staffNo, fName, IName, position FROM Staff ORDER BY fName ASC;

SELECT staffNo, fName, position, salary FROM Staff ORDER BY salary DESC;

SELECT fName, salary FROM Staff ORDER BY IName DESC;

Grouping clauses

Solution:

SELECT staffNo, fName, sex, salary FROM Staff WHERE position = 'Assistant' AND salary < 10000:

SELECT fName, position FROM Staff WHERE sex = 'M' AND position = 'Manager';

SELECT fName, IName, position FROM Staff WHERE (SELECT AVG(salary) FROM Staff) < salary;

<u>Aggregateclauses</u>

Solution:

SELECT COUNT(DISTINCT(propertyNo)) AS myCount FROM Viewing WHERE viewDate BETWEEN '1-May-00' AND '31-May-04';

SELECT clientNo, propertyNo AS ClientID, PropertyNo FROM Viewing WHERE viewDate BETWEEN '1-May-00' AND '31-May-04';

SELECT clientNo, comment FROM Viewing WHERE viewDate BETWEEN '1-May-00' AND '31-May-04';

COMMON SOLUTION:

create database DreamHome;

use DreamHome;

--creating branch table

create table Branch (branchNo varchar(20) NOT NULL Primary Key, street varchar(100) NOT NULL, city varchar(50) NOT NULL,

postcode varchar(20) NOT NULL);

--creating staff table

create table Staff (staffNo varchar(20) NOT NULL PRIMARY KEY, fName varchar(50) NOT NULL, IName varchar(50) NOT NULL,

position varchar(50) NOT NULL, sex varchar(1) NOT NULL, DOB DateTime NOT NULL, salary DECIMAL NOT NULL,

branchNo varchar(20) NOT NULL References Branch(branchNo));

--creating client table

create table Client (clientNo varchar(20) NOT NULL PRIMARY KEY, fName varchar(50) NOT NULL, IName varchar(50) NOT NULL,

telNo varchar(20) NOT NULL, prefType varchar(50) NOT NULL, maxRent DECIMAL NOT NULL);

--creating privateowner table

create table PrivateOwner (ownerNo varchar(20) NOT NULL PRIMARY KEY, fName varchar(50) NOT NULL, IName varchar(50) NOT NULL,

[address] varchar(50) NOT NULL, telNo varchar(20) NOT NULL);

--creating PropertyForRent table

create table PropertyForRent (propertyNo varchar(20) NOT NULL PRIMARY KEY, street varchar(100) NOT NULL, city varchar(50) NOT NULL,

postcode varchar(20) NOT NULL, type varchar(10) NOT NULL, rooms int NOT NULL, rent DECIMAL NOT NULL,

ownerNo varchar(20) References PrivateOwner(ownerNo), staffNo varchar(20) NOT NULL References Staff(staffNo),

branchNo varchar(20) NOT NULL References Branch(branchNo));

--creating viewing table create table Viewing (clientNo varchar(20) NOT NULL References Client(clientNo),

propertyNo varchar(20) NOT NULL References PropertyForRent(propertyNo), viewDate DateTime NOT NULL, comment varchar(200) NOT NULL)

--creating registration table

('f004', 'k#980 Mirpur', 'LHR', '2576'),

create table Registration(clientNo varchar(20) NOT NULL References Client(clientNo), branchNo varchar(20) NOT NULL References Branch(branchNo), staffNo varchar(20) NOT NULL References Staff(staffNo),dateJoined DateTime NOT NULL); --inserting data into branch table INSERT into Branch (branchNo, street, city, postcode) **VALUES** ('C001','I#38 G-13', 'ISB','8092'), ('C002', 'I#78 Supply', 'ABT', '1278'), ('C003', 'I#79 I-10/2', 'ISB', '3987'), ('C004', 'I#78 Mandia', 'ABT', '2576'), ('C005','I#85 Mirpur', 'ABT', '9087'), ('C006', 'I#86 Supply', 'ISB', '1265'), ('C007', 'I#895 Cantt', 'ABT', '3489'), ('C008', 'I#55 Kalapul', 'ABT', '9871'), ('C009', 'I#986 Beer', 'HAR', '9087'), ('C010', 'I#12 Cantt', 'HAV', '5431'), ('A001','3rd Street Satellite Town', 'SGD','40100'), ('A002', '1st Block', 'FSD', '38000'), ('A003', '4th Street Urdu bazar', 'SGD', '40100'), ('A004','5th Block', 'FSD', '38000'), ('A005', '3rd Street Urdu bazar', 'SGD', '40100'), ('A006', 'Sixth Road', 'RWP', '43600'), ('A007', 'Saadaar', 'RWP', '43600'), ('A008', 'Deput', 'RWP', '43600'), ('A009','3rd street University Road', 'SGD', '40100'), ('A010','2nd street Queens Chock', 'SGD', '40100'), ('f002','H#38 G-13', 'ISB','8092'), ('f089', 'L-20 maddar ', 'ABT', '1278'), ('f003', 'k#308 h-1', 'LHR', '3987'),

```
('f005', 'I#85 kott', 'ABT', '9087'),
('f006', 'k#986 Beer', 'ISB', '1265'),
('f007', 'k#5895 Kahan pour', 'LHR', '3489'),
('f008',' K#806 Mughal Pura', 'ABT', '9871');
--inserting data into staff table
insert into Staff (staffNo, fName, IName, position, sex, DOB, salary, branchNo)
VALUES ('AD0001', 'Adil', 'Mehmood', 'Assistant', 'M',
CAST(0x0000641000000000 AS DateTime), CAST(9000 AS Decimal(18, 0)),
'A001'),
('AD0002', 'Abdullah', 'Javed', 'Manager', 'M', CAST(0x0000531200000000 AS
DateTime), CAST(18000 AS Decimal(18,0)), 'A002'),
('AD0003', 'Hamza', 'Mushtag', 'Assistant', 'M', CAST(0x000056D400000000 AS
DateTime), CAST(12000 AS Decimal(18,0)), 'A003'),
('AD0004', 'Huzaifa', 'Abid', 'Assistant', 'M', CAST(0x0000C85800000000 AS
DateTime), CAST(24000 AS Decimal(18,0)), 'A004'),
('AD0005', 'Ayesha', 'Latif', 'Assistant', 'F', CAST(0x0000CFF200000000 AS
DateTime), CAST(30000 AS Decimal(18,0)), 'A005'),
('AD0006', 'Komal', 'Mushtaq', 'Assistant', 'F', CAST(0x00005D6000000000 AS
DateTime), CAST(9000 AS Decimal(18, 0)), 'A006'),
('AD0007', 'Rafiya', 'Siddique', 'Assistant', 'F', CAST(0x00005D6000000000 AS
DateTime), CAST(9000 AS Decimal(18, 0)), 'A007'),
('AD0008', 'Alina', 'Mukhtiar', 'Assistant', 'F', CAST(0x00005D6000000000 AS
DateTime), CAST(9000 AS Decimal(18, 0)), 'A008'),
('AD0009', 'Kamran', 'Ali', 'Supervisor', 'M', CAST(0x00005D6000000000 AS
DateTime), CAST(9000 AS Decimal(18, 0)), 'A009'),
('AD00010', 'Khurram', 'Shehzad', 'Supervisor', 'M', CAST(0x00005D6000000000
AS DateTime), CAST(9000 AS Decimal(18, 0)), 'A0010')
('SG5', 'Mary', 'Howe', 'Assistant', 'F', '1988/08/23', 20000, 'C002'),
('SL21', 'David', 'Ford', 'Assistant', 'M', '1987/11/9', 100000, 'C003'),
('SG37', 'Anna', 'Bleech', 'Supervisor', 'F', '1986/12/8', 90000, 'C003'),
('SA9', 'Susa', 'Brand', 'Receptionist', 'F', '1989/5/9', 120000, 'C003'),
('SG14', 'Joh', 'White', 'Manager', 'M', '1992/2/12', 100000, 'C004'),
('SL41', 'Julie', 'Lee', 'Assistant', 'F', '1990/8/3', 50000, 'C002'),
('SR68', 'Akbar', 'Shoaib', 'Assistant Manager', 'M', '1996/9/8', 70000, 'C005'),
('SK32', 'Mahrukh', 'Khan', 'Customer Service', 'F', '1994/9/8', 60000, 'C010'),
('SB83', 'Ali', 'Hassan', 'Receptionist', 'M', '1991/4/6', 40000, 'C009'),
```

```
('SP98', 'Hamid', 'Qazi', 'Security Guard', 'M', '1982/9/12', 10000, 'C007'),
('Sh4', 'Saba', 'Howe', 'Assistant', 'F', '1999/08/23', 30000, 'f002'),
('Sk21', 'Julie', 'Ford', 'Assistant', 'M', '1985/11/9', 50000, 'f003'),
('Sh37', 'Anna', 'Bleech', 'Supervisor', 'F', '1987/12/8', 80000, 'f003'),
('Sh89', 'Sana', 'Brand', 'Receptionist', 'F', '2000/5/9', 100000, 'f003'),
('Sk14', 'Jon', 'White', 'Manager', 'M', '1993/2/12', 300000, 'f004'),
('Sk41', 'Julie', 'Lee', 'Assistant', 'F', '1988/3', 50000, 'f002'),
('SI68', 'Arham', 'Saqib', 'Assistant Manager', 'M', '1996/9/8', 70000, 'f005'),
('SK92', 'Mushk', 'Khan', 'Customer Service', 'F', '1994/9/8', 60000, 'f010'),
('Sh83', 'Ali', 'Hassan', 'Receptionist', 'M', '1991/4/6', 40000, 'f009'),
('So88', 'Hira', 'Qazi', 'Security Guard', 'M', '1982/9/12', 10000, 'f007');
--inserting into client table
insert into client (clientNo, fName, IName, telNo, prefType, maxRent)
values ('AD001', 'Muhammad', 'Hamza', '0341-3487431', 'Apartment', '160000'),
('AD002', 'Muhammad', 'Ali', '0341-3412312', 'Apartment', '180000'),
('AD003', 'Asim', 'Azhar', '0347-2346553', 'House', '24000'),
('AD004', 'Adil', 'Mehmood', '0341-3123565', 'Apartment', '5000'),
('AD005', 'Atif', 'Aslam', '0320-3983493', 'House', '3000'),
('AD006', 'Tougeef', 'Rehman', '0312-9817818', 'Room', '2000'),
('AD007', 'Haseeb', 'Khan', '0300-9182713', 'Room', '1400'),
('AD008', 'Sharjeel', 'Khan', '0344-3912399', 'House', '2000'),
('AD009', 'Ahmed', 'Shah', '0340-1908761', 'Apartment', '20000'),
('AD0010', 'Hamza', 'Javed', '0331-7096413', 'House', '2000')
('1', 'Hamza', 'Muhstaq', '0341-3487431', 'Apartment', '16000'),
('2', 'Hamza', 'Abid', '0341-3412312', 'Apartment', '18000'),
('3', 'Imad', 'Ahmad', '0347-2346553', 'House', '24000'),
('4', 'Adil', 'Mehmood', '0341-3123565', 'Apartment', '15000'),
('5', 'Zullkif', 'Rehman', '0320-3983493', 'House', '30000'),
('6', 'Huzaifa', 'Abid', '0312-9817818', 'Room', '12000'),
('7', 'Haseeb', 'Khan', '0300-9182713', 'Room', '14000'),
('8', 'Sharjeel', 'Khan', '0344-3912399', 'House', '22000'),
('9', 'Ahmed', 'Shah', '0340-1908761', 'Apartment', '20000'),
('10', 'Hamza', 'Javed', '0331-7096413', 'House', '24000');
```

--inserting into privateowner table

```
insert into privateowner (ownerNo, fName, IName, address, telNO)
values('AD0001','Huzaifa','Abid','G-13', '0331-132326543'),
('AD0002', 'Hamza', 'Khalid', 'I#78 Supply', '0332-913268'),
('AD0003', 'Adeel', 'Waraich', 'I#79 I-10/2', '0330-978323223'),
('AD0004', 'Zeeshan', 'Akhtar', 'I#78 Mandia', '0336-248789'),
('AD0005', 'Asif', 'Niazi', 'I#85 Supply', '0344-12373466'),
('AD0006', 'Shan', 'Shahd', 'I#86 Supply', '0324-22145538'),
('AD0007', 'Hanzala', 'Magsood', 'I#895 Cantt', '0314-7787672'),
('AD0008', 'Ahmed', 'Ali', 'I#55 Kalapul', '0304-5591231'),
('AD0009', 'Zain', 'Faroog', 'I#986 Beer', '0334-322448123'),
('AD00010','Ibrahim','Uziar','I#12 Cantt', '0314-91442234')
('13346', 'ayesha', 'latif', 'f-12', '0331-1436543'),
('20283', 'Hafsa', 'Abid', 'I#78 cantt', '0332-91234568').
('25456', 'Adil', 'Khan', 'I#79 cantt', '0330-9756565'),
('56362', 'Zanib', 'sagib', 'k#78 Mughal Pura', '0336-12789'),
('11298', 'Asif', 'Kamal', 'k#30 h-1', '0344-1237686'),
('56876', 'Sara', 'Ali', 'L-20 maddar', '0324-2214598'),
('43635', 'Hina', 'mujahid', 'k#895 Cantt', '0314-98887672'),
('15665', 'Ahmed', 'Hassan', 'k#55 Kalapul', '0304-9991231'),
('85468','zoya','abid','k#986 Beer', '0334-3228123'),
('17876', 'ayesha', 'Saqib', 'k#12 Cantt', '0314-9122234');
--inserting into property for rent table
insert into propertyforrent (propertyNo, street, city, postcode, type, rooms, rent,
ownerNo, staffNo, branchNo)
values ('AD101','I#38 G-13', 'ISB','8092','Room','1','12000','13456','AD01','AD1'),
('AD102','I#78 Mandia', 'ABT','1278','Apartment','2','10000','19283','AD02','AD2'),
('AD103','I#85 Mirpur', 'ISB','3987','Aparment','3','14000','23456','AD03','AD3'),
('AD104','I#12 Cantt', 'ABT','2576','Room','1','8000','87362','AD04','AD4'),
('AD105','I#78 Mandia', 'ISB','9087','Apartment','2','10000','12098','AD05','AD5'),
('AD106','I#55 Kalapul', 'ABT','1265','Apartment','3','15000','90876','AD06','AD6'),
('AD107','I#12 Cantt', 'ABT','3489','Apartment','4','18000','78635','AD07','AD7'),
('AD108','I#86 Supply', 'ISB','1265','House','4','24000','17865','AD08','AD8'),
('AD109','I#38 G-13', 'ISB','9087','House','3','22000','87268','AD09','AD9'),
('AD1010', 'I#86 Supply',
'ABT','5431','Apartment','2','14000','AD10','SR68','AD10'),
('A110','I#38 G-13', 'ISB','8092','Room','1','12000','13456','SA9','C001'),
```

```
('B110', 'I#78 Mandia', 'ABT', '1278', 'Apartment', '2', '10000', '19283', 'SG14', 'C002'),
('A111','I#85 Mirpur', 'ISB','3987','Aparment','3','14000','23456','SG37','C003'),
('C065', 'I#12 Cantt', 'ABT', '2576', 'Room', '1', '8000', '87362', 'SG5', 'C004'),
('D124','I#78 Mandia', 'ISB','9087','Apartment','2','10000','12098','SL21','C005'),
('G116','I#55 Kalapul', 'ABT','1265','Apartment','3','15000','90876','SL41','C006'),
('A140','I#12 Cantt', 'ABT','3489','Apartment','4','18000','78635','SP98','C007'),
('H180', 'I#86 Supply', 'ISB', '1265', 'House', '4', '24000', '17865', 'SK32', 'C008'),
('A230', 'I#38 G-13', 'ISB', '9087', 'House', '3', '22000', '87268', 'SB83', 'C009'),
('H210','I#86 Supply', 'ABT','5431','Apartment','2','14000','12876','SR68','C010');
--inserting into registration
insert into registration ( clientNo, branchNo, staffNo, dateJoined )
values ('AD1101','AD1','AD01','1999/12/24'),
("AD1102', 'AD2', 'AD02', '1991/11/18'),
("AD1103','AD3','AD03','1994/04/12'),
("AD1104', 'AD4', 'AD04', '1989/01/07'),
("AD1105', 'AD5', 'AD05', '1995/07/29'),
("AD1106', 'AD6', 'AD06', '2000/08/19'),
("AD1107', 'AD7', 'AD07', '1996/11/01'),
("AD1108','AD8','AD08','1986/04/12'),
("AD1109', 'AD9', 'AD09', '1990/10/05'),
("AD11010', 'AD10', 'AD10', '1990/05/14'),
('1','C001','SG14','1999/12/24'),
('2','C002','SA9','1991/11/18'),
('3','C003','SG37','1994/04/12'),
('4','C004','SG5','1989/01/07'),
('5', 'C005', 'SL21', '1995/07/29'),
('6','C006','SL41','2000/08/19'),
('7','C007','SP28','1996/11/01'),
('8', 'C008', 'SK32', '1986/04/12'),
('9','C009','SB83','1990/10/05'),
('10','C010','SR68','1990/05/14');
--inserting into viewing
insert into viewing(clientNo, propertyNo, viewDate, comment)
values('AD001','A110','2000/05/14','GOOD'),
('AD002', 'B110', '2001/11/21', 'GOOD'),
```

```
('AD003','A111','2001/04/04','GOOD'),
('AD004','C065','2000/01/01','GOOD'),
('AD005','D124','2004/06/19','GOOD'),
('AD006','G116','1999/08/02','GOOD'),
('AD007','A140','2005/07/09','GOOD'),
('AD008','H180','2000/02/26','GOOD'),
('AD009', 'A230', '1997/10/12', 'GOOD'),
('AD0010', 'B210', '2003/12/24', 'GOOD'),
('1','A110','2000/05/14','GOOD'),
('2','B110','2001/11/21','GOOD'),
('3','A111','2001/04/04','GOOD'),
('4','C065','2000/01/01','GOOD'),
('5', 'D124', '2004/06/19', 'GOOD').
('6', 'G116', '1999/08/02', 'GOOD'),
('7','A140','2005/07/09','GOOD'),
('8','H180','2000/02/26','GOOD'),
('9','A230','1997/10/12','GOOD'),
('10', 'B210', '2003/12/24', 'GOOD');
```

Select distinct(city) from Branch order by city desc;

HAMZA MUSHTAQ (SP19-BCS-007)

LAB 6

use dreamhome;

```
INSERT into branch (branchNo, street, city, postcode)
VALUES
('C011','I#38 BYPASS', 'ISB','8092'),
('C012', 'I#78 HASSAN ROAD', 'ABT', '1278'),
```

('C013', 'I#79 G-10/2', 'ISB', '3987'),

```
('C014','I#78 MANILA ROAD', 'ABT', '2576'),

('C015','I#85 CANTT', 'ABT', '9087'),

('C016','I#86 I-9/2', 'ISB', '1265'),

('C017','I#895 I-8/4', 'ISB', '3489'),

('C018','I#55 G-8/4', 'ISB', '9871'),

('C019','I#986 MANDI ROAD', 'HAR', '9087'),

('C020','I#12 F-8/2', 'ISB', '5431');
```

insert into staff (staffNo, fName, lName, position, sex, DOB, salary, branchNo) values ('SA49', 'Alex', 'Howe', 'Assistant', 'F', '1988/08/23', 20000, 'C002'), ('SJ14', 'Daeis', 'Ford', 'Assistant', 'M','1987/11/9', 100000, 'C003'), ('SK37', 'Annabelis', 'Bleech', 'Supervisor', 'F','1986/12/8', 90000, 'C003'), ('SL5', 'Sushab', 'Brand', 'Receptionist', 'F', '1989/5/9', 120000, 'C003'), ('SS21', 'Johnny', 'White', 'Manager', 'M', '1992/2/12', 100000, 'C004'), ('SB41', 'Judie', 'Lee', 'Assistant', 'F', '1990/8/3', 50000, 'C002'), ('SM98', 'Ahmed', 'Shoaib', 'Assistant Manager', 'M', '1996/9/8', 70000, 'C005'), ('SL32', 'Meerukh', 'Khan', 'Customer Service', 'F', '1994/9/8', 60000, 'C010'), ('SE83', 'Hamza', 'Hassan', 'Receptionist', 'M', '1991/4/6', 40000, 'C009'), ('SX68', 'Hammas', 'Qazi', 'Security Guard', 'M', '1982/9/12', 10000, 'C007');

insert into client (clientNo, fName, lName, telNo, prefType, maxRent) values ('1', 'Hamza', 'Khalid', '0341-3412312', 'Apartment', '18000'), ('2', 'Hamid', 'Muhstaq', '0341-3412312', 'Apartment', '18000'), ('3', 'Imdadullah', 'Ahmad', '0347-2346553', 'House', '24000'), ('4', 'Ameer', 'Mehmood', '0341-3123565', 'Apartment', '15000'),

```
('5', 'Zumeer', 'Rehman', '0320-3983493', 'House', '30000'),
('6', 'Humsa', 'Abid', '0312-9817818', 'Room', '12000'),
('7', 'Hafeez', 'Khan', '0300-9182713', 'Room', '14000'),
('8', 'Sher', 'Khan', '0344-3912399', 'House', '22000'),
('9', 'Ahmaz', 'Shah', '0340-1908761', 'Apartment', '20000'),
('10', 'Hamis', 'Kiyani', '0331-7096413', 'House', '24000');
insert into privateowner (ownerNo, fName, lName, address, telNO)
values('13456', 'Zeeshan', 'Abid', 'G-13', '0331-1006543'),
('19283', 'Shakeel', 'Abid', 'I#78 Supply', '0332-9123768'),
('23456', 'Adnan', 'Khan', 'I#79 I-10/2', '0330-9786523'),
('87362', 'Ahmed', 'Saleem', 'I#78 Mandia', '0336-1238789'),
('12098', 'Asfi', 'Khan', 'I#85 Supply', '0344-1237686'),
('90876', 'Shanawaz', 'Ali', 'I#86 Supply', '0324-2214598'),
('78635', 'Haneez', 'Tahir', 'I#895 Cantt', '0314-9887672'),
('17865', 'Ahmer', 'Hassan', 'I#55 Kalapul', '0304-9991231'),
('87268', 'Zagyam', 'Asim', 'I#986 Beer', '0334-3228123'),
('12876', 'Ibrar', 'Saqib', 'I#12 Cantt', '0314-9122234');
insert into propertyforrent (propertyNo, street, city, postcode, type, rooms, rent,
ownerNo, staffNo, branchNo)
values ('A110', 'I#38 H-13', 'ISB', '8092', 'Room', '1', '12000', '13456', 'SA9', 'C001'),
('B110','I#78 Cantt', 'ABT','1278','Apartment','2','10000','19283','SG14','C002'),
('A111','I#85 I-9/3', 'ISB','3987','Aparment','3','14000','23456','SG37','C003'),
('C065', 'I#12 Gurdawara', 'ABT', '2576', 'Room', '1', '8000', '87362', 'SG5', 'C004'),
```

('D124','I#78 Kalapull', 'ISB','9087','Apartment','2','10000','12098','SL21','C005'),

```
('G116','I#55 Nawasher',
'ABT','1265','Apartment','3','15000','90876','SL41','C006'),
('A140', 'I#12 Supply', 'ABT', '3489', 'Apartment', '4', '18000', '78635', 'SP98', 'C007'),
('H180', 'I#86 PMA Road', 'ISB', '1265', 'House', '4', '24000', '17865', 'SK32', 'C008'),
('A230', 'I#38 F-8/3', 'ISB', '9087', 'House', '3', '22000', '87268', 'SB83', 'C009'),
('H210', 'I#86 Adda', 'ABT', '5431', 'Apartment', '2', '14000', '12876', 'SR68', 'C010');
insert into registration (clientNo, branchNo, staffNo, dateJoined)
values ('1', 'C001', 'SG14', '1999/12/24'),
('2','C002','GA9','1991/11/18'),
('3','C003','HG37','1994/04/12'),
('4','C004','IG5','1989/01/07'),
('5','C005','JL21','1995/07/29'),
('6', 'C006', 'KL41', '2000/08/19'),
('7','C007','BP28','1996/11/01'),
('8', 'C008', 'DK32', '1986/04/12'),
('9','C009','YB83','1990/10/05'),
('10','C010','LR68','1990/05/14');
insert into viewing(clientNo, propertyNo, viewDate, comment)
values('1','Y110','2000/05/14','GOOD'),
('2','H110','2001/11/21','GOOD'),
('3','U111','2001/04/04','GOOD'),
('4', 'K065', '2000/01/01', 'GOOD'),
('5','S124','2004/06/19','AVERAGE'),
('6', 'C116', '1999/08/02', 'SATISFACTORY'),
```

```
('7','I140','2005/07/09','GOOD'),
('8','L180','2000/02/26','AVERAGE'),
('9','S230','1997/10/12','GOOD'),
('10','L210','2003/12/24','GOOD');
```

LAB 7

select distinct(postcode) from branch;

select distinct(fName) from staff;

select staffNo as ID,fName as FirstName, lName as LastName, position as Position, sex as Gender, DOB as DateofBirth, salary as Salary, branchNO as BranchNumber from staff;

select clientNo as ClientNumber, fName as FirstName, lName as LastName, telNo as TelliPhone, prefType as Preference, maxRent as MaximumRent from client;

```
select * from staff where salary > 7630;
select * from staff where position = 'manager' or position = 'manager';
```

LAB8

-- Few examples for better understanding the concepts of sorting, grouping and aggregating.

SELECT staffNo, fName, lName, salary FROM staff ORDER BY salary DESC; SELECT propertyNo, type, rooms, rent FROM propertyforrent ORDER BY type; SELECT propertyNo, type, rooms, rent FROM propertyforrent ORDER BY type, rent DESC;

SELECT staffNo, COUNT(salary) FROM staff;

SELECT COUNT(*) AS myCount FROM propertyforrent WHERE rent <=55000;

SELECT COUNT(DISTINCT propertyNo) AS myCount FROM Viewing WHERE viewDate BETWEEN '2001-03-03' AND '2012-02-02';

SELECT COUNT(staffNo) AS myCount, SUM(salary) AS mySum FROM Staff WHERE position = 'Manager';

SELECT MIN(salary) AS myMin, MAX(salary) AS myMax, AVG(salary) AS myAvg FROM staff;

SELECT staffNo, COUNT(salary) FROM staff;

SELECT staffNo, fName, lName, position, salary FROM staff WHERE (SELECT AVG(salary) FROM staff) > salary;

SELECT staffNo, fName, lName, position, salary FROM staff WHERE salary > SOME (SELECT salary FROM staff WHERE branchNo = 'C003');

SELECT staffNo, fName, lName, position, salary FROM staff WHERE salary > ALL (SELECT salary FROM staff WHERE branchNo = 'C003');

-- Aggregate

SELECT COUNT(DISTINCT(propertyNo)) AS myCount FROM Viewing WHERE viewDate BETWEEN '2003-05-02' AND '2004-03-19';

SELECT COUNT(salary) AS myCount FROM staff WHERE salary BETWEEN '12000' AND '55000';

SELECT clientNo, propertyNo AS ClientID, PropertyNo FROM Viewing WHERE viewDate BETWEEN '1997-04-04' AND '2004-06-19';

-- Grouping

SELECT staffNo, fName,lName, sex, salary FROM Staff WHERE position = 'Receptionist' AND salary < 32000;

SELECT fName,lName,branchNo FROM Staff WHERE sex = 'M' AND position = 'Manager';

SELECT fName, lName, salary, position FROM Staff WHERE (SELECT AVG(salary) FROM Staff) < salary;

-- Sorting

SELECT staffNo, fName, lName, salary FROM staff ORDER BY salary ASC;

SELECT salary FROM staff ORDER BY salary DESC;

SELECT salary FROM staff ORDER BY salary ASC;

ABDULLAH JAVED SP19-BCS-002

LAB 6

-- 1. Create Database

create database DreamHome

-- 2. Set My Working Database in Query Editor use DreamHome

-- 3. Create Tables

-- Branch

create table Branch (branchNo varchar(20) NOT NULL Primary Key, street varchar(100) NOT NULL, city varchar(50) NOT NULL, postcode varchar(20) NOT NULL);

-- Staff

create table Staff (staffNo varchar(20) NOT NULL PRIMARY KEY, fName varchar(50) NOT NULL, lName varchar(50) NOT NULL,

position varchar(50) NOT NULL, sex varchar(1) NOT NULL, DOB DateTime NOT NULL, salary DECIMAL NOT NULL,

branchNo varchar(20) NOT NULL References Branch(branchNo));

-- Client

create table Client (clientNo varchar(20) NOT NULL PRIMARY KEY, fName varchar(50) NOT NULL, lName varchar(50) NOT NULL, telNo varchar(20) NOT NULL, prefType varchar(50) NOT NULL, maxRent DECIMAL NOT NULL)

-- PrivateOwner

create table PrivateOwner (ownerNo varchar(20) NOT NULL PRIMARY KEY, fName varchar(50) NOT NULL, lName varchar(50) NOT NULL, [address] varchar(50) NOT NULL, telNo varchar(20) NOT NULL)

-- PropertyForRent

create table PropertyForRent (propertyNo varchar(20) NOT NULL PRIMARY KEY, street varchar(100) NOT NULL, city varchar(50) NOT NULL,

postcode varchar(20) NOT NULL, type varchar(10) NOT NULL, rooms int NOT NULL, rent DECIMAL NOT NULL.

ownerNo varchar(20) References PrivateOwner(ownerNo), staffNo varchar(20) NOT NULL References Staff(staffNo),

branchNo varchar(20) NOT NULL References Branch(branchNo));

-- Viewing

create table Viewing (clientNo varchar(20) NOT NULL References Client(clientNo), propertyNo varchar(20) NOT NULL References PropertyForRent(propertyNo), viewDate DateTime NOT NULL, comment varchar(200) NOT NULL)

-- Registration

create table Registration(clientNo varchar(20) NOT NULL References Client(clientNo), branchNo varchar(20) NOT NULL References Branch(branchNo), staffNo varchar(20) NOT NULL References Staff(staffNo), dateJoined DateTime NOT NULL)

- -- 4. Add Sample Data
- -- 4.1 Single Row Example

INSERT into Branch (branchNo, street, city, postcode) VALUES ('AB0', 'H#79 I-10/2', 'ISB', '52000');

-- 4.2 Multiple Rows Example

INSERT into Branch(branchNo, street, city, postcode)

VALUES

('AB1', 'H#114 iqbal park', 'SGD', '40100'),

('AB2', 'H#32 COLONY', 'RWP', '54900'),

('AB3','H#71 SHAHEEN PARK', 'FSD', '48800'),

('AB4', 'H#18 ABDULLAH TOWN', 'JHG', '32400'),

('AB5', 'H#12 REHMAN TOWN', 'ISB', '32300'),

```
('AB6', 'H#42 REHAN TOWN', 'SGD', '40100'),
```

('AB7', 'H#40 ADIL TOWN', 'FSD', '23500'),

('AB8', 'H#70 ASAD PARK', 'DIK', '43560'),

('AB9', 'H#12 REMANABAD', 'RWP', '78800'),

('AB10', 'H#230 NEW CANTT', 'PSW', '34987')

insert into Staff (staffNo, fName, lName, position, sex, DOB, salary, branchNo) VALUES

('AB21', 'Steve', 'Jobs', 'Director', 'M', CAST(03161998 AS DateTime), CAST(1000000 AS Decimal(10, 0)), 'AB505'),

('AB22', 'Bill', 'Gates', 'Assistant', 'M', CAST(16121998 AS DateTime), CAST(1000000 AS Decimal(10, 0)), 'AB570'),

('AB23', 'Annie', 'Thomson', 'Manager', 'F', CAST(16121998 AS DateTime),

CAST(1000000 AS Decimal(10, 0)), 'AB320'),

('AB24', 'Sand', 'Wood', 'Assistant', 'M', CAST(16121998 AS DateTime), CAST(1000000 AS Decimal(10, 0)), 'AB200'),

('AB25', 'John', 'Duo', 'Director', 'M', CAST(16121998 AS DateTime), CAST(1000000 AS Decimal(10, 0)), 'AB571'),

('AB26', 'Penzy', 'Werth', 'Supervisor', 'F', CAST(16121998 AS DateTime),

CAST(1000000 AS Decimal(10, 0)), 'AB230'),

('AB27', 'Rozi', 'Mith', 'Manager', 'F', CAST(16121998 AS DateTime), CAST(1000000 AS Decimal(10, 0)), 'AB231'),

('AB28', 'Bint', 'Lamo', 'Manager', 'F', CAST(16121998 AS DateTime), CAST(1000000 AS Decimal(10, 0)), 'AB123'),

('AB29', 'Ender', 'Genero', 'Manager', 'F', CAST(16121998 AS DateTime),

CAST(1000000 AS Decimal(10, 0)), 'AB576'),

('AB30', 'Lord', 'Curzen', 'Assistant', 'M', CAST(16121998 AS DateTime),

CAST(1000000 AS Decimal(10, 0)), 'AB340')

insert into Client (clientNo, fName, lName, prefType, telNo, maxRent)

VALUES ('AB11', 'Armed', 'Goar', 'social media', '03001234567','20000'),

('AB12', 'Mint', 'Margaret', 'online', '03201234567', '18000'),

('AB13', 'Randi', 'Otan', 'social media', '03101234567','13000'),

('AB14', 'Gorge', 'Bush', 'call', '03111234567', '30000'),

('AB15', 'Donald', 'Trump', 'Media', '03021234567', '50000'),

('AB16', 'Helry', 'Klintan', 'social media', '03001234567', '160000'),

```
('AB17', 'Lord', 'Curzen', 'network', '03031234567', '45000'),
('AB18', 'Real', 'Mont', 'Media', '03001234567', '34000'),
('AB19', 'Anthony', 'Broad', 'social media', '03041234567', '78000'),
('AB20', 'Tom', 'Cruze', 'social media', '03001234567', '20000')
insert into PrivateOwner (ownerNo, fName, lName, [address], telNo)
VALUES ('AB31', 'Orthor', 'Due', 'lahore', '03001234567'),
('AB32', 'Triple', 'H', 'rawalpindi', '03201234567'),
('AB33', 'Randi', 'Otan', 'islamabad', '03101234567'),
('AB34', 'Gorge', 'Bush', 'sargodha', '03111234567'),
('AB35', 'Donald', 'Trump', 'faislabad', '03021234567'),
('AB36', 'Helry', 'Klintan', 'karachi', '03001234567'),
('AB37', 'Lord', 'Curzen', 'jhang', '03031234567'),
('AB38', 'Real', 'Mont', 'taxila', '03001234567'),
('AB39', 'Anthony', 'Broad', 'abbotabad', '03041234567'),
('AB40', 'Tom', 'Cruze', 'murree', '03001234567')
insert into propertyforrent (propertyNo, street, city, postcode, type, rooms, rent,
ownerNo, staffNo, branchNo)
values ('AB41', 'St#114', 'SGD', '40100', '4', 'house', '13000', '42372', 'AB001', 'AB1'),
('AB42', 'St#114', 'RWP', '38900', 'Apartment', '2', '10000', '45678', 'AB002', 'AB2'),
('AB43', 'St#03', 'ISB', '45600', 'Aparment', '3', '14000', '42347', 'AB003', 'AB3'),
('AB44','St#14', 'KAR','12567','Room','1','8000','87362','AB004','AB4'),
('AB45', 'St#11', 'FSD', '35900', 'Apartment', '2', '10000', '12098', 'AB005', 'AB5'),
('AB46', 'St#18', 'PSW', '23800', 'Apartment', '3', '15000', '90876', 'AB006', 'AB6'),
('AB47', 'St#42', 'LHR', '41750', 'Apartment', '4', '18000', '78635', 'AB007', 'AB7'),
('AB48', 'St#56', 'JHG', '28600', 'House', '4', '24000', '17865', 'AB008', 'AB8'),
('AB49', 'St#32', 'MUL', '67700', 'House', '3', '22000', '87268', 'AB009', 'AB9'),
('AB50', 'St#21', 'SGD', '40100', 'Apartment', '2', '21000', '42300', 'AB010', 'AB10');
INSERT INTO Viewing(clientNo, propertyNo, viewDate, comment)
Values('AB51','AB111','2000/05/14','GOOD'),
('AB52','AB222','2000/12/12','GOOD'),
('AB53','AB333','2001/04/04','GOOD'),
('AB54','AB444','2002/01/01','GOOD'),
('AB55','AB555','2003/06/19','GOOD'),
```

```
('AB56', 'AB666', '1998/08/02', 'GOOD'),
('AB57','AB777','2004/07/09','GOOD'),
('AB58','AB888','2005/02/26','GOOD'),
('AB59','AB999','1999/10/12','GOOD'),
('AB60','AB000','2006/12/24','GOOD');
insert into registration ( clientNo, branchNo, staffNo ,dateJoined )
values ('AB61','AB1','AB01','1998/12/12'),
('AB62','AB2','AB02','1999/11/18'),
('AB63','AB3','AB03','1994/04/12'),
('AB64', 'AB4', 'AB04', '1989/01/07'),
('AB65', 'AB5', 'AB05', '1996/07/29'),
('AB66', 'AB6', 'AB06', '2001/08/19'),
('AB67','AB7','AB07','1997/11/01'),
('AB68', 'AB8', 'AB08', '1986/04/12'),
('AB69', 'AB9', 'AB09', '2002/10/05'),
('AB70','AB10','AB010','2000/05/14');
```

LAB 7

select distinct(postcode) from branch;

Select distinct(city) from Branch order by city desc;

select distinct(fName) from staff;

select staffNo as ID,fName as FirstName, lName as LastName, position as Position, sex as Gender, DOB as DateofBirth, salary as Salary, branchNO as BranchNumber from staff;

select clientNo as ClientNumber, fName as FirstName, lName as LastName, telNo as TelliPhone, prefType as Preference, maxRent as MaximumRent from client;

select * from staff where salary > 13000;

select * from staff where position = 'DIRECTOR' or position = 'MANAGER';

LAB8

SELECT staffNo, fName, IName, salary FROM staff ORDER BY Staffno DESC;

SELECT propertyNo, type, rooms, rent FROM propertyforrent ORDER BY rooms;

SELECT propertyNo, type, rooms, rent FROM propertyforrent ORDER BY rooms, type;

SELECT staffNo, COUNT(salary) FROM staffname;

SELECT COUNT(*) AS myCount FROM propertyforrent WHERE rent <=12000;

SELECT COUNT(DISTINCT propertyNo) AS myCount FROM Viewing WHERE viewDate BETWEEN '1998-12-16' AND '2004-12-23';

SELECT COUNT(staffNo) AS myCount, SUM(salary) AS mySum FROM Staff WHERE position = 'director';

SELECT MIN(salary) AS myMin, MAX(salary) AS myMax, AVG(salary) AS myAvg FROM staff;

SELECT staffNo, COUNT(salary) FROM staff;

SELECT staffNo, fName, IName, position, salary FROM staff WHERE (SELECT AVG(salary) FROM staff) < salary;

SELECT staffNo, fName, IName, position, salary FROM staff WHERE salary > SOME (SELECT salary FROM staff WHERE branchNo = 'ABO2');

SELECT staffNo, fName, IName, position, salary FROM staff WHERE salary > ALL (SELECT salary FROM staff WHERE branchNo = 'AB01');

-- Sorting

SELECT staffNo, fName, IName, salary FROM staff ORDER BY salary ASC;

SELECT salary FROM staff ORDER BY salary DESC;

SELECT salary FROM staff ORDER BY salary ASC;

-- Grouping

SELECT staffNo, fName,IName, sex, salary FROM Staff WHERE position = 'Receptionist' AND salary < 10000;

SELECT fName, IName, branchNo FROM Staff WHERE sex = 'F' AND position = 'Manager';

SELECT fName, IName, salary, position FROM Staff WHERE (SELECT AVG(salary) FROM Staff) < salary;

-- Aggregate

SELECT COUNT(DISTINCT(propertyNo)) AS myCount FROM Viewing WHERE viewDate BETWEEN '2000-01-012' AND '2005-05-20';

SELECT COUNT(salary) AS myCount FROM staff WHERE salary BETWEEN '12000' AND '80000';

SELECT clientNo, propertyNo AS ClientID, PropertyNo FROM Viewing WHERE viewDate BETWEEN '2000-02-16' AND '2005-12-16';

LAB 11

```
create table AAASSS (FNAME varchar(50)NOT NULL, Familyname Varchar NOT
NULL);
INSERT INTO AAASSS
VALUES ('ABDULLAH', 'JAVED'),
('ADIL','MEHMOOD'),
('TALHA','JAWAD')
-- CONCATINATION
SELECT CONCAT('ABDULLAH','Javed')
AS Concantenatedstring;
--extra string functions
SELECT LEN ("Familyname") AS
LENGTHOFSTRING FROM AAASSS;
SELECT LEN('ABDULLAH');
SELECT upper('TALHA');
SELECT lower('TALHA');
SELECT REVERSE('HALLUDBA');
SELECT STR('12');
SELECT SUBSTRING('ABDULLAHJAVED', 1, 3) AS ExtractString;
SELECT REPLICATE('TALHA JAWAD', 5);
SELECT LEFT('TALHA JAWAD', 3) AS ExtractString;
SELECT 'TALHA' + 'JAWAD';
```

-- Maths function

SELECT ASCII('H')

SELECT COT(90);

SELECT COS(45);

```
SELECT LOG(4);

SELECT SQUARE(12);

SELECT COUNT('42');

SELECT AVG(MA) AS AveragePrice FROM client;

SELECT MAX(maxRent) AS LargestPrice FROM client;

SELECT MIN(maxRent) AS SmallestPrice FROM client;

SELECT FLOOR(22.05) AS FloorValue;

SELECT CEILING(42.72) AS CeilValue;
```

LAB 16

```
CREATE DATABASE patient;
USE patient;
create table suppliers(supplier_id varchar(10) unique not null, supplier_name varchar(50) not null, address varchar(50));
create table items(itemname varchar(20), supplierid varchar(10) not null, itemprice int);
insert into suppliers values(570, 'Abdullah', 'SGD');
insert into suppliers values(571, 'Ahmad', 'LHR');
insert into suppliers values(572, 'Ali', 'RWP');
SELECT * FROM suppliers;
insert into items values('blood storage bag',111,250);
insert into items values('injection',222,50);
insert into items values('bandage',333,120);
select * from items;
```

Zulkifil Rehman (SP19-BCS-027)

Lab 6:

use dreamhome;

INSERT into branch (branchNo, street, city, postcode)

VALUES

```
('C001','I#38 G-13', 'ISB','8092'),
('C002', 'I#78 Supply', 'ABT', '1278'),
('C003', 'I#79 I-10/2', 'ISB', '3987'),
('C004','I#78 Mandia', 'ABT', '2576'),
('C005','I#85 Mirpur', 'ABT', '9087'),
('C006','I#86 Supply', 'ISB', '1265'),
('C007','I#895 Cantt', 'ABT', '3489'),
('C008','I#55 Kalapul', 'ABT', '9871'),
('C009','I#986 Beer', 'HAR', '9087'),
('C010','I#12 Cantt', 'HAV', '5431');
```

```
insert into staff (staffNo, fName, IName, position, sex, DOB, salary, branchNo) values ('SG5', 'Mary', 'Howe', 'Assistant', 'F', '1988/08/23', 20000, 'C002'), ('SL21', 'David', 'Ford', 'Assistant', 'M','1987/11/9', 100000, 'C003'), ('SG37', 'Anna', 'Bleech', 'Supervisor', 'F','1986/12/8', 90000, 'C003'), ('SA9', 'Susa', 'Brand', 'Receptionist', 'F', '1989/5/9', 120000, 'C003'), ('SG14', 'Joh', 'White', 'Manager', 'M', '1992/2/12', 100000, 'C004'), ('SL41', 'Julie', 'Lee', 'Assistant', 'F', '1990/8/3', 50000, 'C002'), ('SR68', 'Akbar', 'Shoaib', 'Assistant Manager', 'M', '1996/9/8', 70000, 'C005'), ('SK32', 'Mahrukh', 'Khan', 'Customer Service', 'F', '1994/9/8', 60000, 'C010'), ('SB83', 'Ali', 'Hassan', 'Receptionist', 'M', '1991/4/6', 40000, 'C009'), ('SP98', 'Hamid', 'Qazi', 'Security Guard', 'M', '1982/9/12', 10000, 'C007');
```

insert into client (clientNo, fName, lName, telNo, prefType, maxRent)

```
values ('1', 'Hamza', 'Muhstaq', '0341-3487431', 'Apartment', '16000'),
('2', 'Hamza', 'Abid', '0341-3412312', 'Apartment', '18000'),
('3', 'Imad', 'Ahmad', '0347-2346553', 'House', '24000'),
('4', 'Adil', 'Mehmood', '0341-3123565', 'Apartment', '15000'),
('5', 'Zullkif', 'Rehman', '0320-3983493', 'House', '30000').
('6', 'Huzaifa', 'Abid', '0312-9817818', 'Room', '12000'),
('7', 'Haseeb', 'Khan', '0300-9182713', 'Room', '14000'),
('8', 'Sharjeel', 'Khan', '0344-3912399', 'House', '22000'),
('9', 'Ahmed', 'Shah', '0340-1908761', 'Apartment', '20000'),
('10', 'Hamza', 'Javed', '0331-7096413', 'House', '24000');
insert into privateowner (ownerNo, fName, lName, address, telNO)
values('13456','Huzaifa','Abid','G-13', '0331-1006543'),
('19283', 'Hamza', 'Abid', 'I#78 Supply', '0332-9123768'),
('23456', 'Adeel', 'Khan', 'I#79 I-10/2', '0330-9786523'),
('87362', 'Zeeshan', 'Saleem', 'I#78 Mandia', '0336-1238789'),
('12098', 'Asif', 'Khan', 'I#85 Supply', '0344-1237686'),
('90876', 'Shan', 'Ali', 'I#86 Supply', '0324-2214598'),
('78635', 'Hanzala', 'Tahir', 'I#895 Cantt', '0314-9887672'),
('17865', 'Ahmed', 'Hassan', 'I#55 Kalapul', '0304-9991231'),
('87268', 'Zain', 'Asim', 'I#986 Beer', '0334-3228123'),
('12876', 'Ibrahim', 'Saqib', 'I#12 Cantt', '0314-9122234');
```

insert into propertyforrent (propertyNo, street, city, postcode, type, rooms, rent, ownerNo, staffNo, branchNo)

values ('A110', 'I#38 G-13', 'ISB', '8092', 'Room', '1', '12000', '13456', 'SA9', 'C001'),

```
('B110', 'I#78 Mandia', 'ABT', '1278', 'Apartment', '2', '10000', '19283', 'SG14', 'C002'),
('A111','I#85 Mirpur', 'ISB','3987','Aparment','3','14000','23456','SG37','C003'),
('C065', 'I#12 Cantt', 'ABT', '2576', 'Room', '1', '8000', '87362', 'SG5', 'C004'),
('D124','I#78 Mandia', 'ISB','9087','Apartment','2','10000','12098','SL21','C005'),
('G116','I#55 Kalapul', 'ABT','1265','Apartment','3','15000','90876','SL41','C006'),
('A140', 'I#12 Cantt', 'ABT', '3489', 'Apartment', '4', '18000', '78635', 'SP98', 'C007'),
('H180','I#86 Supply', 'ISB','1265','House','4','24000','17865','SK32','C008'),
('A230','I#38 G-13', 'ISB','9087','House','3','22000','87268','SB83','C009'),
('H210','I#86 Supply', 'ABT','5431','Apartment','2','14000','12876','SR68','C010');
insert into registration (clientNo, branchNo, staffNo, dateJoined)
values ('1', 'C001', 'SG14', '1999/12/24'),
('2','C002','SA9','1991/11/18'),
('3','C003','SG37','1994/04/12'),
('4','C004','SG5','1989/01/07'),
('5', 'C005', 'SL21', '1995/07/29'),
('6','C006','SL41','2000/08/19'),
('7','C007','SP28','1996/11/01'),
('8','C008','SK32','1986/04/12'),
('9','C009','SB83','1990/10/05'),
('10','C010','SR68','1990/05/14');
insert into viewing(clientNo, propertyNo, viewDate, comment)
values('1','A110','2000/05/14','GOOD'),
('2', 'B110', '2001/11/21', 'GOOD'),
('3','A111','2001/04/04','GOOD'),
('4','C065','2000/01/01','GOOD'),
```

```
('5','D124','2004/06/19','GOOD'),
('6','G116','1999/08/02','GOOD'),
('7','A140','2005/07/09','GOOD'),
('8','H180','2000/02/26','GOOD'),
('9','A230','1997/10/12','GOOD'),
('10','B210','2003/12/24','GOOD');
```

Lab 7:

select distinct(postcode) from branch;

select distinct(fName) from staff;

select staffNo as ID,fName as FirstName, lName as LastName, position as Position, sex as Gender, DOB as DateofBirth, salary as Salary, branchNO as BranchNumber from staff;

select clientNo as ClientNumber, fName as FirstName, lName as LastName, telNo as TelliPhone, prefType as Preference, maxRent as MaximumRent from client;

select * from staff where salary > 20000;

select * from staff where position = 'manager' or position = 'supervisor';

LAB 8:

-- Examples

SELECT staffNo, fName, lName, salary FROM staff ORDER BY salary DESC;
SELECT propertyNo, type, rooms, rent FROM propertyforrent ORDER BY type;
SELECT propertyNo, type, rooms, rent FROM propertyforrent ORDER BY type, rent DESC;
SELECT staffNo, COUNT(salary) FROM staff;

SELECT COUNT(*) AS myCount FROM propertyforrent WHERE rent <=10000;

SELECT COUNT(DISTINCT propertyNo) AS myCount FROM Viewing WHERE viewDate BETWEEN '1997-10-12' AND '2003-12-24';

SELECT COUNT(staffNo) AS myCount, SUM(salary) AS mySum FROM Staff WHERE position = 'Manager';

SELECT MIN(salary) AS myMin, MAX(salary) AS myMax, AVG(salary) AS myAvg FROM staff;

SELECT staffNo, COUNT(salary) FROM staff;

SELECT staffNo, fName, lName, position, salary FROM staff WHERE (SELECT AVG(salary) FROM staff) < salary;

SELECT staffNo, fName, lName, position, salary FROM staff WHERE salary > SOME (SELECT salary FROM staff WHERE branchNo = 'C003');

SELECT staffNo, fName, lName, position, salary FROM staff WHERE salary > ALL (SELECT salary FROM staff WHERE branchNo = 'C003');

-- Sorting

SELECT staffNo, fName, lName, salary FROM staff ORDER BY salary ASC;

SELECT salary FROM staff ORDER BY salary DESC;

SELECT salary FROM staff ORDER BY salary ASC;

-- Grouping

SELECT staffNo, fName,lName, sex, salary FROM Staff WHERE position = 'Receptionist' AND salary < 40000;

SELECT fName, IName, branchNo FROM Staff WHERE sex = 'M' AND position = 'Manager';

SELECT fName, lName, salary, position FROM Staff WHERE (SELECT AVG(salary) FROM Staff) < salary;

-- Aggregate

SELECT COUNT(DISTINCT(propertyNo)) AS myCount FROM Viewing WHERE viewDate BETWEEN '1999-08-02' AND '2004-06-19';

SELECT COUNT(salary) AS myCount FROM staff WHERE salary BETWEEN '20000' AND '60000';

SELECT clientNo, propertyNo AS ClientID, PropertyNo FROM Viewing WHERE viewDate BETWEEN '2001-04-04' AND '2004-06-19';

Lab 11

Testing 123

SAIF UR REHMAN (SP19-BCS-021)

Lab 6

create database DreamHome

use DreamHome

create table Branch (branchNo varchar(20) NOT NULL Primary Key, street varchar(100) NOT NULL, city varchar(50) NOT NULL,

postcode varchar(20) NOT NULL);

create table Staff (staffNo varchar(20) NOT NULL PRIMARY KEY, fName varchar(50) NOT NULL, IName varchar(50) NOT NULL,

position varchar(50) NOT NULL, sex varchar(1) NOT NULL, DOB DateTime NOT NULL, salary DECIMAL NOT NULL,

branchNo varchar(20) NOT NULL References Branch(branchNo));

create table Client (clientNo varchar(20) NOT NULL PRIMARY KEY, fName varchar(50) NOT NULL, IName varchar(50) NOT NULL,

telNo varchar(20) NOT NULL, prefType varchar(50) NOT NULL, maxRent DECIMAL NOT NULL)

create table PrivateOwner (ownerNo varchar(20) NOT NULL PRIMARY KEY, fName varchar(50) NOT NULL, IName varchar(50) NOT NULL,

[address] varchar(50) NOT NULL, telNo varchar(20) NOT NULL)

create table PropertyForRent (propertyNo varchar(20) NOT NULL PRIMARY KEY, street varchar(100) NOT NULL, city varchar(50) NOT NULL,

postcode varchar(20) NOT NULL, type varchar(10) NOT NULL, rooms int NOT NULL, rent DECIMAL NOT NULL,

ownerNo varchar(20) References PrivateOwner(ownerNo), staffNo varchar(20) NOT NULL References Staff(staffNo),

branchNo varchar(20) NOT NULL References Branch(branchNo));

create table Viewing (clientNo varchar(20) NOT NULL References Client(clientNo),

propertyNo varchar(20) NOT NULL References PropertyForRent(propertyNo), viewDate DateTime NOT NULL, comment varchar(200) NOT NULL)

create table Registration(clientNo varchar(20) NOT NULL References Client(clientNo),

branchNo varchar(20) NOT NULL References Branch(branchNo),staffNo varchar(20) NOT NULL References Staff(staffNo),dateJoined DateTime NOT NULL)

INSERT into Branch (branchNo, street, city, postcode)

VALUES

('AD1','3rd Street Satellite Town', 'SGD','40100'),

('AD2', '1st Block', 'FSD', '38000'),

('AD3', '4th Street Urdu bazar', 'SGD', '40100'),

('AD4','5th Block', 'FSD', '38000'),

('AD5','3rd Street Urdu bazar', 'SGD', '40100'),

('AD6', 'Sixth Road', 'RWP', '43600'),

('AD7', 'Saadaar', 'RWP', '43600'),

('AD8', 'Deput', 'RWP', '43600'),

('AD9', '3rd street University Road', 'SGD', '40100'),

('AD10','2nd street Queens Chock', 'SGD', '40100');

insert into Staff (staffNo, fName, IName, position, sex, DOB, salary, branchNo)

VALUES ('AD01', 'Adil', 'Mehmood', 'Assistant', 'M', CAST(0x0000641000000000 AS DateTime), CAST(9000 AS Decimal(18, 0)), 'A001'),

('AD02', 'Abdullah', 'Javed', 'Manager', 'M', CAST(0x0000531200000000 AS DateTime), CAST(18000 AS Decimal(18,0)), 'A002'),

('AD03', 'Hamza', 'Mushtaq', 'Assistant', 'M',CAST(0x000056D400000000 AS DateTime), CAST(12000 AS Decimal(18,0)), 'A003'),

('AD04', 'Huzaifa', 'Abid', 'Assistant', 'M', CAST(0x0000C85800000000 AS DateTime), CAST(24000 AS Decimal(18,0)), 'A004'),

('AD05', 'Ayesha', 'Latif', 'Assistant', 'F', CAST(0x0000CFF200000000 AS DateTime), CAST(30000 AS Decimal(18,0)), 'A005'),

('AD06', 'Komal', 'Mushtaq', 'Assistant', 'F', CAST(0x00005D6000000000 AS DateTime), CAST(9000 AS Decimal(18, 0)), 'A006'),

('AD07', 'Rafiya', 'Siddique', 'Assistant', 'F', CAST(0x00005D6000000000 AS DateTime), CAST(9000 AS Decimal(18, 0)), 'A007'),

('AD08', 'Alina', 'Mukhtiar', 'Assistant', 'F', CAST(0x00005D6000000000 AS DateTime), CAST(9000 AS Decimal(18, 0)), 'A008'),

('AD09', 'Kamran', 'Ali', 'Supervisor', 'M', CAST(0x00005D6000000000 AS DateTime), CAST(9000 AS Decimal(18, 0)), 'A009'),

('AD010', 'Khurram', 'Shehzad', 'Supervisor', 'M', CAST(0x00005D6000000000 AS DateTime), CAST(9000 AS Decimal(18, 0)), 'A0010');

insert into client (clientNo, fName, IName, telNo, prefType, maxRent)

values ('AD001', 'Muhammad', 'Hamza', '0341-3487431', 'Apartment', '160000'),

('AD002', 'Muhammad', 'Ali', '0341-3412312', 'Apartment', '180000'),

('AD003', 'Asim', 'Azhar', '0347-2346553', 'House', '24000'),

('AD004', 'Adil', 'Mehmood', '0341-3123565', 'Apartment', '5000'),

('AD005', 'Atif', 'Aslam', '0320-3983493', 'House', '3000'),

```
('AD007', 'Haseeb', 'Khan', '0300-9182713', 'Room', '1400'),
('AD008', 'Sharjeel', 'Khan', '0344-3912399', 'House', '2000'),
('AD009', 'Ahmed', 'Shah', '0340-1908761', 'Apartment', '20000'),
('AD0010', 'Hamza', 'Javed', '0331-7096413', 'House', '2000');
insert into privateowner (ownerNo, fName, IName, address, telNO)
values('AD0001','Huzaifa','Abid','G-13', '0331-132326543'),
('AD0002', 'Hamza', 'Khalid', 'I#78 Supply', '0332-913268'),
('AD0003', 'Adeel', 'Waraich', 'I#79 I-10/2', '0330-978323223'),
('AD0004', 'Zeeshan', 'Akhtar', 'I#78 Mandia', '0336-248789'),
('AD0005', 'Asif', 'Niazi', 'I#85 Supply', '0344-12373466'),
('AD0006', 'Shan', 'Shahd', 'I#86 Supply', '0324-22145538'),
('AD0007', 'Hanzala', 'Magsood', 'I#895 Cantt', '0314-7787672'),
('AD0008','Ahmed','Ali','I#55 Kalapul', '0304-5591231'),
('AD0009', 'Zain', 'Farooq', 'I#986 Beer', '0334-322448123'),
('AD00010','Ibrahim','Uziar','I#12 Cantt', '0314-91442234');
insert into propertyforrent (propertyNo, street, city, postcode, type, rooms, rent,
ownerNo, staffNo, branchNo)
values ('AD101','I#38 G-13', 'ISB','8092','Room','1','12000','13456','AD01','AD1'),
('AD102','I#78 Mandia', 'ABT','1278','Apartment','2','10000','19283','AD02','AD2'),
('AD103','I#85 Mirpur', 'ISB','3987','Aparment','3','14000','23456','AD03','AD3'),
('AD104','I#12 Cantt', 'ABT','2576','Room','1','8000','87362','AD04','AD4'),
('AD105','I#78 Mandia', 'ISB','9087','Apartment','2','10000','12098','AD05','AD5'),
('AD106', 'I#55 Kalapul', 'ABT', '1265', 'Apartment', '3', '15000', '90876', 'AD06', 'AD6'),
('AD107','I#12 Cantt', 'ABT','3489','Apartment','4','18000','78635','AD07','AD7'),
```

('AD006', 'Touqeef', 'Rehman', '0312-9817818', 'Room', '2000'),

```
('AD108','I#86 Supply', 'ISB','1265','House','4','24000','17865','AD08','AD8'),
('AD109','I#38 G-13', 'ISB','9087','House','3','22000','87268','AD09','AD9'),
('AD1010','I#86 Supply',
'ABT','5431','Apartment','2','14000','AD10','SR68','AD10');
insert into registration ( clientNo, branchNo, staffNo , dateJoined )
values ('AD1101','AD1','AD01','1999/12/24'),
("AD1102','AD2','AD02','1991/11/18'),
("AD1103','AD3','AD03','1994/04/12'),
("AD1104','AD4','AD04','1989/01/07'),
("AD1105','AD5','AD05','1995/07/29'),
("AD1106','AD6','AD06','2000/08/19'),
("AD1107','AD7','AD07','1996/11/01'),
("AD1108','AD8','AD08','1986/04/12'),
("AD1109', 'AD9', 'AD09', '1990/10/05'),
("AD11010', 'AD10', 'AD10', '1990/05/14');
insert into viewing(clientNo, propertyNo, viewDate, comment)
values('AD001','A110','2000/05/14','GOOD'),
('AD002', 'B110', '2001/11/21', 'GOOD'),
('AD003','A111','2001/04/04','GOOD'),
('AD004','C065','2000/01/01','GOOD'),
('AD005','D124','2004/06/19','GOOD'),
('AD006','G116','1999/08/02','GOOD'),
('AD007','A140','2005/07/09','GOOD'),
('AD008', 'H180', '2000/02/26', 'GOOD'),
('AD009','A230','1997/10/12','GOOD'),
```

('AD0010', 'B210', '2003/12/24', 'GOOD');

Select distinct(city) from Branch order by city desc;

LAB 7:

Print the list of postcode without any repetition

Solution:

Select distinct(postcode) from Branch;

Print all fName from Staff without repetition

Solution:

SELECT distinct(fName) FROM Staff;

List all staff with renaming all its columns in results

Solution:

Select staffNo As MyStaffNo, fName As MyFirstName, IName As MyLastName, position As MyPosition, DOB As MYDOB, salary As MySalary, branchNo As MyBranchNO from Staff;

List all clients with re-naming all its columns to synonyms.

Solution:

Select clientNo As clientId, fName As firstName, IName As lastName, telNo As contactNo, prefType As priorityType, maxRent As totalRent from Client;

List all staff with a salary greater than 10,000.

Solution:

SELECT * FROM Staff WHERE salary > 10000;

List all managers and supervisors.

Solution:

SELECT * FROM Staff WHERE position = 'manager' OR position = 'supervisor';

Lab 8:

Perform all the examples in this lab.

Solution:

SELECT staffNo, fName, IName, salary FROM Staff ORDER BY salary DESC;

SELECT propertyNo, type, rooms, rent FROM PropertyForRent ORDER BY type;

SELECT propertyNo, type, rooms, rent FROM PropertyForRent ORDER BY type, rent DESC;

SELECT COUNT(DISTINCT propertyNo) AS myCount FROM Viewing WHERE viewDate BETWEEN '1-May-04' AND '31-May-04';

SELECT COUNT(staffNo) AS myCount, SUM(salary) AS mySum FROM Staff WHERE position = 'Manager';

SELECT MIN(salary) AS myMin, MAX(salary) AS myMax, AVG(salary) AS myAvg FROM Staff;

SELECT staffNo, COUNT(salary) FROM Staff; --shwoing error that no aggregate or group clause

SELECT staffNo, fName, IName, position, salary FROM Staff WHERE salary > SOME (SELECT salary FROM Staff WHERE branchNo = 'B003');

SELECT staffNo, fName, IName, position, salary FROM Staff WHERE salary > ALL (SELECT salary FROM Staff WHERE branchNo = 'B003');

For DreamHome case study write at least 3 examples of each category for sorting, grouping and aggregate operations. Share your exercises as advised in the lab.

Sorting clauses

Solution:

SELECT staffNo, fName, IName, position FROM Staff ORDER BY fName ASC;

SELECT staffNo, fName, position, salary FROM Staff ORDER BY salary DESC;

SELECT fName, salary FROM Staff ORDER BY IName DESC;

Grouping clauses

Solution:

SELECT staffNo, fName, sex, salary FROM Staff WHERE position = 'Assistant' AND salary < 10000;

SELECT fName, position FROM Staff WHERE sex = 'M' AND position = 'Manager';

SELECT fName, IName, position FROM Staff WHERE (SELECT AVG(salary) FROM Staff) < salary;

<u>Aggregateclauses</u>

Solution:

SELECT COUNT(DISTINCT(propertyNo)) AS myCount FROM Viewing WHERE viewDate BETWEEN '1-May-00' AND '31-May-04';

SELECT clientNo, propertyNo AS ClientID, PropertyNo FROM Viewing WHERE viewDate BETWEEN '1-May-00' AND '31-May-04';

SELECT clientNo, comment FROM Viewing WHERE viewDate BETWEEN '1-May-00' AND '31-May-04';